

DAFTAR PUSTAKA

- Adisakwattana, S., Moonsan, P. dan Yibchok-Anun, S. (2008). Insulin-releasing properties of a series of cinnamic acid derivatives *in vitro* and *in vivo*. *Journal of Agricultural and Food Chemistry* **56**: 7838–7844.
- Adisakwattana, S., Chantarasinlapin, P., Thammarat, H. dan Yibchok-Anun, S. (2009). A series of cinnamic acid derivatives and their inhibitory activity on intestinal alpha-glucosidase. *Journal of Enzyme Inhibition and Medicinal Chemistry* **24**: 1194–1200.
- Adnyana, I.K, Elin Y., Soemardji, A. A., Kumolosari, K., Iwo, M.I., Sigit, J. I, dan Suwendar. (2004). Uji Aktivitas Antidiabetes ekstrak etanol buah mengkudu (*Morinda citrifolia* L). *Acta Pharmaceutica Indonesia* **29**: 43-49.
- Adom, K.K. dan Liu, R.H. (2002). Antioxidant activity of grains. *Journal of Agricultural and Food Chemistry* **50**: 6182-6187.
- Aguilar-Garcia, C., Gavino, G., Baragaño-Mosqueda, M., Hevia, P., dan Gavino, V. C. (2007). Correlation of tocopherol, tocotrienol, -oryzanol and total polyphenol content in rice bran with different antioxidant capacity assays. *Food Chemistry* **102**: 1228–1232.
- Almatsier, Sunita (2003). *Prinsip Dasar Ilmu Gizi*. PT. Gramedia Pustaka Utama, Jakarta.
- Amarasinghe, B. M. W. P. K. dan Gangodavilage, N. C. (2004). Rice Bran Oil Extraction In Sri Lanka Data for Process Equipment Design. *Food and Bioproducts Processing* **82(C1)**: 54–59.
- Amarasinghe, B.M.W.P.K., Kumarasiri M.P.M., dan Gangodavilage N.C. (2009). Effect of method of stabilization on aqueous extraction of rice bran oil. *Food and bioproducts processing* **87** : 108–114.
- Andreasen, M. F., Landbo, A. K., Christensen, L. P., Hansen, A. dan Meyer, A. S. (2001). Antioxidant effects of phenolic rye (*Secale cereal* L.) extracts, monomeric hydroxycinnamates, and ferulic acid dehydrodimers on human low-density lipoproteins. *Journal of Agricultural and Food Chemistry* **49**: 4090–4096.
- Anselmi, C., Centini, M., Granata, P., Sega, A., Buonocore, A., Bernini, A., dan Facino, R. M. (2004). Antioxidant activity of ferulic acid alkyl esters in a heterophasic system: a mechanistic insight. *Journal of Agricultural and Food Chemistry* **52**: 6425–6432.
- Arab, F., Alemzadehb, I. dan Maghsoudi, V. (2011). Determination of antioxidant component and activity of rice bran extract. *Scientia Iranica, Transactions C: Chemistry and Chemical Engineering* **18** (6): 1402-1406.
- Ardiansyah, Shirakawa H, Koseki T, Ohinata K, Hazhizume K, dan Komai M. (2006). Rice bran fraction improve blood pressure, lipid profile, and glucose metabolism in stroke-prone spontaneously hypertensive rats. *J Journal of Agricultural and Food Chemistry* **54**: 1914 - 1920.
- AOAC. (1984). Official methods of analysis association of official analytical chemist. AOAC, Washington DC.

- Aru W. Sudoyo, Bambang Setiohadi, Idrus Alwi, Marcellus Simadibrata, dan Siti Setiati. (2006). Buku Ajar Ilmu Penyakit Dalam Jilid III (4thed.).Pusat Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, hal 1882-1885, Jakarta.
- Aslan, M., D. D. Orhan, N. Orhan, E. Sezik dan E. Yesilada, (2007). A study of antidiabetic and antioxidant effects of *Helichrysum Graveolens Capitulum* in *Streptozotocin*-induced diabetic rats.*Journal of Medicinal Food***10**: 396–400.
- Astawan, Made dan Febrinda, Andi Early.(2010). Potensi dedak dan bekatul beras sebagai *ingredient* pangan dan produk pangan fungsional.*Pangan* **19**: 14-21.
- Asp, N-G., C-G.Johanson, H. Halmer dan M. Siljestrom.(1983). Rapid enzymatic assay of insoluble and soluble dietary fiber.*Journal of Agricultural and Food Chemistry* **31**: 476-482.
- Balashubhini, M. S., Rukkumani, R., Viswanathan, P. dan Menon, V. P. (2004). Ferulic acid alleviates lipid peroxidation in diabetic rats. *Phytother. Res* **18**: 310–314, doi: 10.1002/ptr.1440.
- Barnes P dan Galliard T. (1991). Rancidity in cereal products. *Lipid Technol* **3**: 23-28.
- Barone, Eugenio, Vittorio Calabrese dan Cesare Mancuso (2009). Ferulic acid and its therapeutic potential as a hormetin for age-related diseases.*Biogerontology* **10**: 97–108.
- Baynes JW. (1991). Role of oxidative stress in development of complications in diabetes.*Diabetes* **40**: 405–12.
- Bondia-Pons I, Aura A.M., Vuorela S., Kolehmainen M., Mykkanen H. dan Poutanen K.(2009). Rye phenolics in nutrition and health.*Journal of Cereal Science* **49**: 323-330.
- Bourne, L. C., dan RiceEvans, C. A. (1997).The effect of the phenolic antioxidant ferulic acid on the oxidation of low density lipoprotein depends on the pro-oxidant used. *Free Radical Research* **27**: 337–344.
- Bourne, L. C. dan Rice-Evans, C.(1998). Bioavailability of ferulic acid.*Biochem.Biophys. Res. Commun* **253**: 222-227.
- Butsat, S. dan Siriamornpun, S. (2010). Antioxidant capacities and phenolic compounds of the husk, bran and endosperm of thai rice. *Journal Food Chemistry* **119**: 606-613.
- Cahyanine, Miradiah, Teti Estiasih dan Fithri Choirun Nisa. (2008). Fraksi kaya tokoferol dari bekatul beras (*Oryza Sativa*) dengan teknik kristalisasi pelarut suhu rendah.*Jurnal TeknologiPertanian* **9(3)**: 165 – 172.
- Castelluccio, C., Bolwell, G.P., Gerrish, C. and Rice-Evans, C. 1996. Differential distribution of ferulic acid to the major plasma constituents in relation to its potential as an antioxidant. *Biochemical Journal* **316**: 691-694.
- Chandrasekara, A. dan Shahidi, F. (2010). Content of insoluble bound phenolics in millets and their contribution to antioxidant capacity.*Journal of Agricultural and Food Chemistry* **58**: 6706-6714.
- Chang, L, Yen, Wen-Jhe., Huang, S. C. and Duh., Pir-Der. (2002). Antioxidant activity of sesame coat. *Food Chemistry* **78**: 347-354

- Chatha S.A.S., Anwar, F., Manzoor, M. and Bajwa, J. 2006. Evaluation of the antioxidant activity of rice bran extracts using different antioxidant assays. *Grasasy Aceites* 57(3): 328-335
- Chen, MH. dan Bergman, CJ. (2005). A rapid procedure for analyzing rice bran *Tocopherol*, *Tocotrienol* and *Gamma Oryzanol* contents. *Journal of Food Composition and Analysis* 18: 139-151.
- Chen, J., dan Ho, C. T. (1997). Antioxidant activities of caffeic acid and its related hydroxycinnamic acid compounds. *Journal of Agricultural and Food Chemistry* 45: 2374-2378.
- Choi, R., Bo, H. K., Naowaboot, J., Lee M.Y., Hyun, M. R., Cho, E.J., Lee, E. S., Lee, E. Y., Yang, Y. C. dan Chung, C.H. (2011). Effects of ferulic acid on diabetic nephropathy in a rat model of type 2 diabetes. *Experimental and Molecular Medicine* 43 (12): 676-683.
- Chotimarkorn, C., Benjakul, S., dan Silalai, N. (2008). Antioxidant components and properties of five long-grained rice bran extracts from commercial available cultivars in Thailand. *Food Chemistry* 111: 636-641.
- Damayanthi E. (2002). Karakteristik bekatul padi (*Oryza Sativa*) awet serta aktivitas antioksidan dan penghambatan proliferasi sel kanker secara *in vitro* dari minyak dan fraksinya. Disertasi Doktorat Program Pascasarjana, Program Studi Ilmu Pangan, Institusi Pertanian Bogor, Bogor.
- Damayanthi E., Muchtadi D, Zakaria, F.R., Syarief H, Wijaya C. H, dan Damardjati D.S. (2004). Aktivitas antioksidan minyak bekatul padi awet dan fraksinya secara *in vitro*. *Jurnal Teknologi dan Industri Pangan* 15 (1): 11-19.
- Damayanthi, E dan Listyorini, D I. (2006). Pemanfaatan tepung bekatul rendah lemak pada pembuatan keripik simulasi (*utilizing defatted rice bran flour in making of simulated chips*). *Jurnal Gizi dan Pangan* 1(2): 34-44.
- Damayanthi, E., Tjing, L.T. dan Arbianto, L. (2007). Rice Bran. Penebar Swadaya, Jakarta.
- Damayanthi E, Kustiyah L, Khalid M, dan Fariza H.. (2010) Aktivitas antioksidan bekatul lebih tinggi daripada jus tomat dan penurunan aktivitas antioksidan serum setelah intervensi minuman kaya antioksidan. *Jurnal Gizi dan Pangan* 5(3): 205-210.
- Departemen Kesehatan. (2010). Tahun 2030 prevalensi diabetes melitus di Indonesia mencapai 21,3 juta orang. <http://www.depkes.go.id/index.php/berita/pressrelease/414tahun-2030-prevalensi-diabetes-melitus-di-indonesia-mencapai-213-juta-orang.html> [3 Januari 2016].
- Devi, R.R. dan C. Arumughan. (2007a). Phytochemical characterization of defatted rice bran and optimization of a process for their extraction and enrichment. *Bioresourcetechnology* 98: 3037-3043.
- Devi, R.R. dan C. Arumughan. (2007b). Antiradical efficacy of phytochemical extracts from defatted rice bran. *Food Chemistry Toxicol.* 45: 2014-2021.
- De Mira, N.V.M., Massaretto, I.L., Pascual, C. de S.C.I., Marquez, U.M.L. (2009). Comparative study of phenolic compounds in different

- Brazilian rice (*Oryza sativa L.*) genotypes. *Journal of Food Composition and Analysis* **22**: 405–409.
- Dinis, T. C., Santosa, C. L., dan Almeida, L. M. (2002). The apoprotein is the preferential target for peroxynitrite-induced LDL damage protection by dietary phenolic acids. *Free Radical Research* **36**: 531–543.
- Dods R.F. (1996) Diabetes mellitus. *Dalam*: Kaplan L.A dan Pesce A.J. (3rded.). *Clinical Chemistry: Theory, analysis, correlation*, hal 613-640. Mosby Inc, United States of America.
- Franz, M.J., Powers, M. A., Leontos, C., Holzmeister, A., Kulkarni, K., Monk, A., Wedel, N., Gradwell, E. (2010). The Evidence for Medical Nutrition Therapy for Type 1 and Type 2 Diabetes in Adults. *Journal of the American Dietetic Association* **110**:1852-1889.
- Foster D.W. (1998). Diabetes Mellitus, *Dalam*: Fauci, Braunwald, Isselbacher, et al (14thed.). *Harrison's Principles of Internal Medicine*, hal 623-75. McGraw-Hill Companies, United States of America.
- Gakidou, Emmanuela, Leslie Mallinger, Jesse Abbott-Klafter, Ramiro Guerrero, Salvador Villalpando, Ruy Lopez Ridaura, Wichai Aekplakorn, Mohsen Naghavi, Stephen Lim, Rafael Lozano dan Christopher JL Murray. (2011). Management of diabetes and associated cardiovascular risk factors in seven countries: a comparison of data from national health examination surveys. *Bulletin of the World Health Organization* **89**:172-183, doi: 10.2471/BLT.10.080820.
- Ganong, William F.(2002). Buku Ajar Fisiologi Kedokteran. Editor bahasa Indonesia H.M. Djauhari Widjajakusumah. EGM, Jakarta.
- Ghatak ,Somsuvra B dan Shital J. Panchal.(2010). Ferulic acid – an insight into its current Research and 1 Future Prospects. *Accepted Manuscript Trends in Food Science and Technology*: 1-77.
- Gohil, Kashmira J., Shashank B. Kshirsagar dan Rajkumari S. Sahane.(2012). Ferulic acid – a comprehensive pharmacology of an important bioflavonoid. *IJPSR* **3(1)**: 700-710.
- Goffman, F.D. dan Bergman, C.J. (2004). Rice kernel phenolic content and its relationship with antiradical efficiency. *Journal of The Science of Food and Agriculture* **84**: 1235–1240.
- Gordon, M.H. (1996). The Mechanism of Antioxidants Action In Vitro, *Dalam*: Hudson, B.J.F. (ed.). *Food Antioxidants*. Elsevier Applied Science, London-New York.
- Granner, D.K. (2003). Hormon Pankreas dan Traktus Gastrointestinal. *Dalam*: Murray, R.K., Granner, D.K., Mayes, P.A., dan Rodwell, V.W. (25thed.). *Biokimia Harper*, hal 582-593. EGC, Jakarta.
- Groop LC. (2001). Type 2 Diabetes Mellitus: Pathogenesis and Treatment. *Dalam*: *Endocrinology and Metabolism*, hal 607-14. Mc Graw-Hill, England.
- Hadipernata M, Agus Budianto, dan Sari Intan Kailaku. (2007). Evaluasi karakteristik fisik dan kimiawi ampas dedak hasil ekstraksi minyak dedak dengan n-heksan dan etanol. Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian. Apresiasi Hasil Penelitian Padi, hal 859-868.

- Hadipernata. (2007). Mengolah dedak menjadi minyak (*rice bran oil*). *Warta Penelitian dan Pengembangan Pertanian* **29(4)**: 8-10. <http://pustaka.litbang.deptan.go.id/publikasi/wr294075.pdf>
- Halliwel B dan Gutteridge JMC.(1999). *Free Radicals in Biology and Medicine*, 3rd edn.Oxford University, New York.
- Haryadi. (1997). Hariyadi, 1997. Produk ekstrudat, flakes, dan tepung kedelai. Makalah pelatihan sehari menuju industrimakanan berbasis kedelai. Surabaya, 31 Maret.
- Hayat, K., Zhang, X., Farooq, U., Abbas, S., Xia, S., Jia, C., Zhong, F. and Zhang, J. (2010). Effect of microwave treatment on phenolic content and antioxidant activity of citrus mandarin pomace. *Food Chemistry* **123** : 423–429
- Hirata, A., Maeda, N., Hiuge, A., Hibuse, T., Fujita, K., Takuya Okada, T., Kihara, S., Funahashi, T. dan Ichihiro Shimomura, I. (2009). Blockade of mineralocorticoid receptor reverses adipocyte dysfunction and insulin resistance in obese mice. *Cardiovascular Research* **84**: 164–172.
- Ho E, dan Bray TM. (1999). Antioxidants, NFKB activation, and diabetogenesis. *PSEBM* **222**: 205-213.
- Hossam M. Abdallah, Maha M. Salama, Enas H. Abd-elrahman dan Shohda A. El-Maraghy.(2011). Antidiabetic activity of phenolic compounds from Pecan bark in streptozotocininduced diabetic rats. *Phytochemistry Letters* **4**: 337–341
- Huang, S.-H. dan Ng, L.T. (2012). Quantification of polyphenolic content and bioactive constituents of some commercial rice varieties in Taiwan. *J. Food Compos. Anal.* <http://dx.doi.org/10.1016/j.jfca.2012.03.009>
- Infodatin. (2013). Pusat Data dan Informasi Kementerian Kesehatan RI.Situasi dan Analisis Diabetes. <http://www.depkes.go.id/folder/view/01/structure-publikasi-pusdatin-info-datin.html>. (Diunduh Januari 2016).
- International Diabetes Federation.(2009). *IDF Diabetes Atlas*, 4th edn.International Diabetes Federation, Brussels, Belgium.
- Iqbal S, Bhangar M I, Anwar F. (2005).Antioxidant properties and components of some commercially available varieties of rice bran in Pakistan. *Food Chemistry* **93**: 265–272.
- Itagaki, S., Kurokawa, T., Nakata, C., Saito, Y., Oikawa, S. dan Kobayashi, M. (2009). In vitro and in vivo antioxidant properties of ferulic acid: a comparative study with other natural oxidation inhibitors. *Food Chemistry* **114(2)**: 466–471.
- Jang, S., dan Xu, Z. (2009). Lipophilic and hydrophilic antioxidants and their antioxidant activities in purple rice bran. *Journal of Agricultural and Food Chemistry* **57**:858–862.
- Jung, E. H., Sung Ran Kim, In Kyeong Hwang dan Tae Youl Ha. (2007).Hypoglycemic effects of a phenolic acid fraction of rice bran and ferulic acid in C57BL/KsJ-db/db mice. *Journal of Agricultural and Food Chemistry* **55**:9800–9804.

- Kaleem, M., Asif, M., Ahmad Q U dan Banu, B. (2006). Ant-diabetik and antioxidant activity of annana squammosa extract in streptozotocin-induced diabetic rats. *Singapore Medical Journal* **47**: 670-675.
- Kamel, S.M. (2013). Effect of microwave treatments on some bioactive compounds of parsley (*Petroselinum Crispum*) and dill (*Anethum graveolens*) leaves. *Journal Food Processing & Technology* **4**(6): 1-5
- Kaneto, H., Yoshitaka Kajimoto, Y., Miyagawa, J., Matsuoka, T., Fujitani, Y., Umayahara, Y., Hanafusa, T., Matsuzawa, Y., Yamasaki, Y. dan Hori, M. (1999). Beneficial effects of antioxidants in diabetes possible protection of pancreatic b-cells against glucosetoxicity. *Diabetes* **48**: 2398-2406.
- Kanski, J., Aksenova, M., Stoyanova, A. dan Butterfield, D. A. (2002). Ferulic acid antioxidant protection against hydroxyl and peroxy radical oxidation in synaptosomal and neuronal cell culture systems in vitro: structure-activity studies. *The Journal of Nutritional Biochemistry* **13**: 273-281.
- Kaplan, Alex dan Szabo, LaVerne. (1983). *Clinical Chemistry: Interpretation and techniques*, 2nd edn. Lea & Febiger, Philadelphia.
- Kaplan R. J., Greenwood C. E., Winocur G. dan Wolever T. MS. (1992). Cognitive performance is associated with glucose regulation in healthy elderly persons and can be enhanced with glucose and dietary carbohydrates. *The American Journal of Clinical Nutrition* **72**: 825-36.
- Katzung G. Bertram. (2008). *Farmakologi Dasar dan Klinik*. ECG, Jakarta.
- Kern, S. M., Bennett, R. N., Mellon, F. A., Kroon, P. A. dan Garcia-Conesa, M.T. (2003). Absorption of hydroxycinnamates in humans after high-bran cereal consumption. *Journal of Agricultural and Food Chemistry* **51**(20): 6050-6055.
- Kim, Kyung-Hee, Rong Tsao, Raymond Yang dan Steve W. Cui. (2006). Phenolic acid profiles and antioxidant activities of wheat bran extracts and the effect of hydrolysis conditions. *Food Chemistry* **95**: 466-473.
- Kim, O.S. (2005). Radical scavenging capacity and antioxidant activity of the e vitamers fraction in rice bran. *Journal of Food Science* **70**(3): 208-213.
- Kim, K.-H., Tsao, R., Yang R. dan Cui, S.W. (2006). Phenolic acid profiles and antioxidant activities of wheat bran extracts and the effect of hydrolysis conditions. *Food Chemistry* **95**: 466-473.
- Kim, Soo Mi, Catherine W. Rico, Sang Chul Lee dan Mi Young Kang. (2010). Modulatory effect of rice bran and phytic acid on glucose metabolism in high fat-fed C57BL/6N mice. *Journal Clinical Biochemistry Nutrition* **47**: 12-17.
- Krygier, K., Sosulski, F., dan Hogge, L. (1982). Free, esterified, and insoluble-bound phenolic acids. Extraction and purification procedure free, esterified, and insoluble-bound phenolic acids: extraction and purification procedure. *Journal of Agriculture and Food Chemistry* **30**: 330-334.
- Kuenzlig, W., Chau, J., Norkus, E., Holowaschenko, H., Newmark, H., Mergens, W., et al. (1984). Caffeic and ferulic acid as blockers of nitrosamine formation. *Carcinogenesis* **5**: 309-313.
- Kunyangaa, Catherine N., Jasper K. Imungia, Michael W. Okoth, Hans K. Biesalskib dan Vellingiri Vadivelb. (2012). Total phenolic content,

- antioxidant and antidiabetic properties of methanolic extract of raw and traditionally processed kenyan indigenous food ingredients. *LWT-Food Science and Technology* **45**: 269-276.
- Laghari, Abdul Hafeez, Shahabuddin Memona, Aisha Nelofa, Khalid Mohammed Khan dan Arfa Yasmin. (2011). Determination of free phenolic acids and antioxidant activity of methanolic extracts obtained from fruits and leaves of *Chenopodium Album*. *Analytical Methods of Food Chemistry* **126**: 1850–1855.
- Lai, Phoency, Ken Yuon Li, Shin Lu dan Hua Han Chen. (2009). Analytical methods phytochemicals and antioxidant properties of solvent extracts from japonica rice bran. *Food Chemistry* **117**: 538–544.
- Lanywati, Endang. (2001). *Diabetes Mellitus: Penyakit kencing manis*. Kanisius, Yogyakarta.
- Laokuldilok, Thunnop, Charles F. Shoemaker, Sakda Jongkaewwattana dan Vanna Tulyathan. (2011). Antioxidants and antioxidant activity of several pigmented rice brans. *Journal of Agricultural and Food Chemistry* **59**: 193–199.
- Li, Sing-Chung, Tsui-Chuan Chou dan Chun-Kuang Shih. (2011). Effects of brown rice, rice bran, and polished rice on colon carcinogenesis in rats. *Food Research International* **44**: 209–216.
- Lin, Pei-Yin dan Lai, Hsi-Mei. (2011). Bioactive compounds in rice during grain development. *Food Chemistry* **127**: 86–93.
- Liu, Qing dan Huiyuan Yao. (2007). Antioxidant activities of barleyseeds extracts. *Food Chemistry* **102**: 732–737.
- Luh, B. S. (1980). *Rice, Production and Utilization*. The AVI Publishing Co. Inc. Westport, Connecticut.
- Lupi R., S. Del Guerra, R. Mancarella, M. Novelli, L. Valgimigli, G.F. Pedulli, M. Paolini, A. Soleti, F. Filipponi, F. Mosca, U. Boggi, S. Del Prato, P. Masiello dan P. Marchetti. (2007). Insulin secretion defects of human type 2 diabetic islets are corrected in vitro by a new reactive oxygen species scavenger. *Diabetes and Metabolism* **33**: 340–345.
- Manach, Claudine, Augustin Scalbert, Christine Morand, Christian Rémésy dan Liliana Jiménez. (2004). Polyphenols: food sources and bioavailability. *The American Journal of Clinical Nutrition*: 727-747.
- Manaharana, T., Tenga, L.L., Appleton, D., Cheng H.M. and Palanisany, U.D. (2011). Antioxidant and antiglycemic potential of *Peltophorum pterocarpum* plant parts. *Food Chemistry* **129** : 1355–1361.
- Marsono, Y., Illman, R.J, Clarke, J.M., Trimble, R.P. dan Topping, D.L. (1993). Plasma lipids and large bowel volatile fatty acids in pigs fed on white rice, brown rice and rice bran. *British Journal of Nutrition* **70**: 503-513.
- Marsono (1994). *Pengaruh Cara Pemanasan dan Lama Penyimpanan terhadap Kadar Lemak dan Kandungan Oryzanol Bekatul dari Beberapa Varietas Padi Unggul*. Laporan Penelitian Proyek Penelitian DPP/SPP/FTP-UGM, Yogyakarta.
- Marsono, Y. 1997. Pengaruh pengukusan terhadap kandungan oryzanol dan perubahan sifat kimia minyak bekatul padi unggul selama penyimpanan. *Agritech* **17(2)**: 6-10.

- Marsono, Y. (2008). Prospek pengembangan makanan fungsional. *Jurnal Teknologi Pangan dan Gizi* 7 (1): 19-27.
- Marsono, Y. (2015). Pangan Fungsional untuk Pencegahan Diabetes Millitus dan Sindrom Metabolik. Seminar Functional Food, Yogyakarta Desember .
- Mariod, Abdalbasit Adam, Hadiza Altine Adamu, Maznah Ismailab dan Norsharina Ismailab. (2010). Antioxidative effects of stabilized and unstabilized defatted rice bran methanolic extracts on the stability of rice bran oil under accelerated conditions. *Grasas Y Aceites* 61(4): 409-415.
- Masharani U, Karam JH. (2001). Pancreatic hormones & diabetes mellitus. *Dalam: Greenspan FS, Gardner DG (6thed.). Basic & Clinical Endocrinology*, hal 623-48. Mc Graw Hill, New York.
- Matthews, D.R., Hosker, J.P., Rudenski, A.S., Naylor, B.A., Treacher, D.F. (1985) Homeostasis model assessment: insulin resistance and β -cell function from fasting plasma glucose and insulin concentrations in man. *Diabetologia* 28: 412–419.
- Maurya, D. K., dan Nair, C. K. (2006). Preferential radioprotection to DNA of normal tissues by ferulic acid under ex vivo and in vivo conditions in tumor bearing mice. *Molecular and Cellular Biochemistry* 285: 181–190.
- Merentek, E. (2006). Resistensi insulin pada diabetes melitus tipe 2: poliklinik endokrin metabolic, bagian penyakit dalam rumah sakit umum Gowa, Makassar. *Cermin Dunia Kedokteran* 150: 38-41.
- Moradi-Afrapoli, F., Asghari, B., Saeidnia, S., Ajani, Y., Mirjani, M., Malmir, M., Bazaz, R.D., Hadjiakhoondi, A., Salehi, P., Hamburger, M. dan Yassa. N. (2012). In vitro α -glucosidase inhibitory activity of phenolic constituents from aerial parts of *Polygonum Hyrcanicum*. *DARU Journal of Pharmaceutical Sciences* 20:37. <http://www.darujps.com/content/20/1/37>.
- Mukherjee, P. K., Maiti, K., Mukherjee, K. dan Houghton, P.J. (2006). Leads from Indian medicinal plants with hypoglycemic potentials. *Journal Ethnopharmacol* 106:1–28.
- Nam, S. H., Choi, S. P., Kang, M. Y., Kozukue, N., dan Friedman, M. (2005). Antioxidative, antimutagenic, and anticarcinogenic activities of rice bran extracts in chemical and cell assays. *Journal of Agricultural and Food Chemistry* 53: 816–822.
- Nardini, M., Daquino, M., Tomassi, G., Gentili, V., Difelice, M., dan Scaccini, C. (1995). Inhibition of human low-density-lipoprotein oxidation by caffeic acid and other hydroxycinnamic acid-derivatives. *Free Radical Biology and Medicine* 19: 541–552.
- Nasir, S., Fitriyanti dan Kamila, H. (2009). Ekstraksi dedak padi menjadi minyak mentah dedak padi (*crude bran oil*) dengan menggunakan pelarut *n-hexane* dan *ethanol*. *Jurnal Rekayasa Sriwijaya* 18(1): 37-44.
- Nomura, E., Kashiwada A., Hosoda, A., Nakamura, K., Morishita, H., Takuo Tsuno, T. dan Taniguchi, H. (2003). Synthesis of amide compounds of ferulic acid and their stimulatory effects on insulin secretion in vitro. *Bioorganic & Medicinal Chemistry* 11: 3807–3813.

- Nordin, N.N.A.M., Karim, R., Ghazali, H.M., Adzahan, M., Sultan, M.T. (2014). effects of various stabilization techniques on the nutritional quality and antioxidant potential of brewer's rice. *Journal of Engineering Science and Technology*. 9(3): 347 – 363.
- Ohnishi M, Matuo T, Tsuno T, Hosoda A, Nomura E, Taniguchi H, Sasaki H, Morishita H. (2004).Antioxidant activity and hypoglycemic effect of ferulic acid in STZ-induced diabetic mice and KK-Ay mice.*Biofactors* **21(1-4)**:315-9.
- Ogiwara, T., Satoh, K., Kadoma, Y., Murakami, Y., Unten, S. dan Atsumi, T. (2002). Radical scavenging activity and cytotoxicity of ferulic acid.*Anticancer Research* **22**: 2711–2717.
- Ohta, T., Semboku, N., Kuchii, A., Egashira, Y. dan Sanada, H. (1997). Antioxidant activity of corn bran cell-wall fragments in the LDL oxidationsystem. *Journal of Agricultural and Food Chemistry* **45**: 1644–1648.
- Pari, L. dan Srinivasan, S. (2010). Antihyperglycemic effect of diosmin on hepatic key enzymes of carbohydrate metabolism in streptozotocin-nicotinamide-induced diabetic rats.*Biomed.Pharmacother* **64**: 477-481.
- PERKENI, (2015). Perkumpulan Endokrinologi Indonesia. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. Jakarta.
- Pimentel, P. (2007). Diabetes prevalence surges to 246 milion. *Dalam*: 19th World Diabetes Congress, 3-7 Desember 2006.Medical Tribune, hal 6, Cape Town South Africa.
- Pratt, D. E. (1992).Natural antioxidants from plant material.*Dalam*: Huang, M.T., C.T.Ho dan C.Y. Lee (ed.). *Phenolic Compounds Inhibitor Tripsin Food and Their Effects on Health II*, hal 54-71.ACS, Washington DC.
- Pujihartati, V.L., Raharjo, S. dan Santosa, U. (1999). Stabilitas antioksidan ekstrak kunyit (curcuma domestica) selama penyimpanan umbi dan pemanasan. Prosiding Seminar Nasional PATPI. Yogyakarta.
- Qiu, Y., Liu, Q. dan Beta, T. (2010). Antioxidant properties of commercial wild rice and analysis of soluble and insoluble phenolic acids. *Food Chemistry* **121**: 140-147.
- Qureshi, A. A., Sami, S. A. dan Khan, F. A. (2002). Effects of stabilized rice bran, its soluble and fiber fractions on blood glucose levels and serum lipid parameters in humans with diabetes mellitus types I and II. *Journal of Nutritional Biochemistry* **13**: 175–187.
- Rahmat, A., Kumar, V., Fong, L. M., Endrini, S. dan Sani, H. A. (2003). Determination of total antioxidant activity in three types of local vegetables shoots and the cytotoxic effect of their ethanolic extracts against differentcancer cell lines. *Asia Pasific Journal of Clinical Nutrition* **12(3)**: 292-295.
- Rahimi R., Nikfar S., Larijani B., Abdollahi M., 2005. A review on the role of antioxidants in the management of diabetes and its complications. *Biomedicine & Pharmacotherapy* **59**: (365–373

- Rajasekaran S, Sivagnanam, K, dan Subramanian, S. (2005). Modulatory effect of *aloe vera* leaf gel extract on oxidative stress in rats treated with streptozotocin. *Journal Pharm Pharmace* **57**: 241-246.
- Reeves, P.G., Nielszen, F.H, dan Fahey, G.H. (1993). AIN-93 purified diets for laboratory rodents: final report of American Institute of nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *Journal of Nutrition* **123**: 1939-1951.
- Revilla, E., Maria, C. S., Miramontes, E., Bautista, J., Martínez, A. G., Cremades, O., Cert, R. dan Parrado, J. (2009). Nutraceutical composition, antioxidant activity and hypocholesterolemic effect of a water-soluble enzymatic extract from rice bran. *Food Research International* **42**: 387–393.
- Rěblovā, Z. (2012). Effect of temperatur on the antioxidant activity of phenolic acids. *Czech Journal Food Science*. **30**:171-177.
- Rice-Evans, C.A., Miller, N.J. dan Paganga, G. (1996). Struktura-antioxidant activity relationship of flavonoids and phenolic acids. *Free Radical Biology & Medicine* **20(7)**: 933-956.
- Robbins, R. J. (2003). Phenolic acids in foods: an overview of analytical methodology. *Journal of Agricultural and Food Chemistry* **51(10)**: 2866-2887.
- Sabu, M.C. dan Kuttan R. (2002). Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *Journal of Ethnopharmacol* **81**:155–160.
- Santoso, U. (2006). Antioksidan. Sekolah Pascasarjana, Universitas Gadjah Mada, Yogyakarta.
- Shahab, A. (2006). Diagnosis dan Penatalaksanaan Diabetes Melitus (Disarikan dari Konsensus Pengelolaan Diabetes Melitus di Indonesia: Perkeni 2006). Subbagian Endokrinologi Metabolik Bagian Ilmu Penyakit Dalam, FK Unsri/RSMH Palembang. <http://dokter-alwi.com/diabetes.html>
- Shahidi, F. dan Naczki M. (1995). *Food Phenolics: Sources, chemistry, effects, and application*. Technomic Publishing Company Inc., Lancaster.
- Shao, Y. dan Bao, J. (2015). Polyphenol in whole rice grain: Genetic diversity and health benefits. *Food Chemistry* **180**: 86-97.
- Sharma, P., Mishra, S., Ajmera, P. dan Mathur, S. (2005). Oxidative stress in metabolic syndrome. *Indian Journal of Clinical Biochemistry* **20(1)**: 145-149.
- Shen, Yun, Liang Jin, Peng Xiao, Yan Lu dan Jinsong Bao. (2009). Total phenolics, flavonoids, antioxidant capacity in rice grain and their relations to grain color, size and weight. *Elsevier, Journal of Cereal Science* **49**: 106–111.
- Shibuya, N. (1984). Phenolic-acids and their carbohydrate esters in rice endosperm cell-walls. *Phytochemistry* **23**: 2233–2237.
- Shin, T. S. dan Godber, JS. (1994). Isolation of four tocopherols from a variety of natural sources by semi-preparative high-performance liquid chromatography. *Journal of Chromatography A* **678**: 49-58.

- Shin, Z. L., Chang, Y. S., Kang, W. S. and Jung, S. U. (1992). Antioxidant extracted from the defatted rice bran. US 5.175.012.A. Washington: United States Patent.
- Shinde, J., Taldone., Barletta, M., Kunaparaju, N., Bo, H., Kumar, S. (2008). Alpha-Glukosidase inhibitory activity of *Syzygium cumini* (Linn.) Skeels seed kernel in vitro and in Goto-Kakizaki (GK) rats. *Carbohydrate Research* 343: 1278-1281.
- Shivashankara, K. S., Seiichiro, I., Al-Haq, M. I., Makiko, T. dan Takeo, S. (2004). Fruit antioxidant activity, ascorbic acid, total phenol, quercetin, and carotene of irwin mango fruits stored at low temperature after high electric field pretreatment. *Journal of Agricultural and Food Chemistry* 52: 1281-1286.
- Sigma-Aldrich. (1996). Sigma Quality Control Test Procedure Enzimatic Assay of α -Glukosidase. <http://www.sigmaaldrich.com/catalog/DataSheetPage.do?brandKey=SIGMA&symbol=N1377>. Diakses Juni 2013.
- Sompong,R, Siebenhandl-Ehn,S, G.Linsberger-Martin dan E. Berghofer. (2011). Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka.*Food Chemistry* 124: 132–140.
- Srinivasan, M. Sudheer, A.R. dan Menon, V.P. (2007). Ferulic acid: therapeutic potential through its antioxidant property. *Journal of Clinical Biochemistry and Nutrition* 40: 92-100.
- Srinivasan, M., Sudheer, A. R., Pillai, K. R., Kumar, P. R., Sudhakaran, P. R. dan Menon, V. P. (2006). Influence of ferulic acid on gamma-radiationinduced DNA damage, lipid peroxidation and antioxidant status in primary culture of isolated rat hepatocytes. *Toxicology* 228: 249–258.
- Sukhonthara, S. dan Theerakulkait, C. (2011). Effect of commercially defatted rice bran extract on browning of vegetable and fruit puree. *Kasetsart Journal of Natural Science* 45: 730–735.
- Sumarsih S. (1998). Kontribusi Oleat, β -karoten dan α -Tokoferol pada Sifat Hipokolesterolemik Bekatul Beras Barlean (Beras Merah). Tesis, Program Pascasarjana, Universitas Gajah Mada, Yogyakarta.
- Suprijana, O., Ace T. Hidayat dan Ukun MS Soedjanaatmadja.(2002). Bekatul padi sebagai sumber produksi minyak dan isolat protein.*Jurnal Bionatura* 4(2): 61-68.
- Suyono S. (2006). Diabetes melitus di Indonesia.*Dalam*: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M dan Setiati S (4thed.). Buku Ajar Ilmu Penyakit Jilid III, hal 1874–1878. Pusat Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Susila, A., Rustini, S., Rohman, E., Cempaka,I.G. dan Vina Eka Prasetya, V.E. 2013. Kekerabatan kultivar padi lokal Jawa Tengah berdasarkan karakter agronomi dan morfologi. Balai Pengkajian Teknologi Pertanian (BPTP) Jawa Tengah. [Digilib.litbang.pertanian.go.id](http://digilib.litbang.pertanian.go.id). [2 Desember 2013].

- Suzuki A, Kagawa D, Fujii A et al. (2002) Short and long-term effects of ferulic acid on blood pressure in spontaneously hypertensive rats. *The American Journal of Hypertens* **15**: 351–357, doi:10.1016/S0895-7061(01)02337-8.
- Szkudelski, T. (2001). The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas. *Physiological Research* **50(6)**: 537-546.
- Szkudelski, T. (2012). Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Experimental Bioogy and Medicine (Maywood)* **237**: 481-490.
- Taga, M. S., Miller, E. E. dan Pratt, D. E. (1984). Chia seeds as a source of natural lipidantioxidants. *Journal of the American Oil Chemists' Society* **61**:928–931.
- Tarnawski, M. K., Depta, Grejciun, D. dan Szelepin, B. (2006). HPLC determination of phenolic acids and antioxidant activity in concentrated peat extract—a natural immunomodulator. *Journal of Pharmaceutical and Biomedical Analysis* **41**: 182–188.
- Tao J, Rao RM dan Liuzzo JA. (1993). Thermal efficiencies of conventional and microwave heat stabilization of rice bran. *Louisiana Agriculture* **36(3)**: 15.
- Tazakori, Z., Dehghan, M.H., Iranparvar, M., Zare, M.,Foladi, N. dan Mohmmadi, R.(2007). Effect of rice bran powder on blood glucose levels and serum lipid parameters in diabetes patient II. *Res. Journal of Biological Science* **2**: 252–255.
- Tensiska, C. Hanny Wijaya dan Nuri Andarwulan, (2003).Aktivitas antioksidan ekstrak buah Andaliman (*Zanthoxylum Acanthopodium DC*) dalam beberapa sistem pangan dan kestabilan aktivitasnya terhadap kondisi suhu dan pH. *Jurnal Teknologi dan Industri Pangan* **14(1)**: 29-39.
- Tian, S., Nakamura, K. dan Kayahara, H.(2004).Analysis of phenolic compounds in white rice, brown rice, and germinated brown rice. *Journal of Agricultural and Food Chemistry* **52**: 4808–4813.
- Tiwari, A.K. dan J.M. Rao.(2002). Diabetes mellitus and multiple therapeutic approaches of phytochemicals: present status and future prospect. *Current Science* **83(1)**: 30-38.
- Thanonkaewa, A., Wongyai, S.,Mc-Clements, D. J. danDecker E.A. (2012).Effect of stabilization of rice bran by domestic heating on mechanical extraction yield, quality, and antioxidant properties of cold-pressed ricebran oil (*Oryza saltiva L.*). *Food Science and Technology* **48**: 231-236.
- Tsao,Rong (2010).Chemistry and Biochemistry of Dietary Polyphenols. *Nutrients***2**: 1231-1246. www.mdpi.com/journal/nutrients.
- Turkmen, N., Sari, F., Velioglu, Y.S. 2005. The effect of cooking methods on total phenolics and antioxidant activity of selected green vegetables. *J. Food Chemistry*. **93** : 713– 71
- Ubaidillah F. (2010). *Optimasi Proses Stabilisasi Bekatul Menggunakan Ekstruder Ulir Ganda Tanpa Die*. Tesis, Fateta Institut Pertanian Bogor, Bogor.

- Verma, B., Hucl, P. dan Chibbar, R. N. (2009). Phenolic acid composition and antioxidant capacity of acid and alkali hydrolysed wheat bran fractions. *Food Chemistry* **116**: 947–954.
- Wanasundara, U. N. and Shahidi, F. 1994. Canola extracts as an alternative natural antioxidant for canola oil. *Journal of the American Oil Chemists' Society* **71**: 817-822.
- Warnakulasuriya, S. N., Ziaullah and Rupasinghe, H.P.V. 2014. Long chain fatty acid acylated derivatives of quercetin-3-o-glucoside as antioxidants to prevent lipid oxidation. *Biomolecules* **4**: 980-993.
- White, P. J. dan Xing, Y. (1997). Antioxidants from cereals and legumes. *Dalam*: F. Shahidi (ed.), *Natural Antioxidants, Chemistry, Health Effects, and Application*, hal 25–63. AOCC Press, Champaign IL.
- Wibisono, Christofer Wisnu (2009). *Kajian Penentuan Kondisi Optimum Ekstraksi Minyak Bekatul*. Skripsi, Departemen Teknologi Industri Pertanian Fakultas Teknologi Pertanian Institut Pertanian Bogor, Bogor.
- Widowati (2001). Pemanfaatan hasil samping penggilingan padi dalam menunjang sistem agroindustri di pedesaan. *Buletin Agrobio* **4 (1)**:33-38. Balai Penelitian Bioteknologi Tanaman Pangan, Bogor.
- Winarno, F.G., Purwiyatno Hariyadi, Lukito Wijaya, Hardinsyah, Dahrul Syah, Nuri Andarwulan dan Widya Agustinah. (2012). Diabetes melitus tipe 2 dan usaha penurunan konsumsi beras di Indonesia. <http://seafast.ipb.ac.id/publications/journal>.
- Wild S, Roglic G, Green A, Sicree R dan King H. (2004). Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care* **27(5)**:1047–1053.
- Winarsi, Hery. (2007). *Antioksidan Alami dan Radikal Bebas*. Kanisius, Yogyakarta.
- Winarsi, H. (2005). *Antioksidan Alami dan Radikal Bebas: Potensi dan aplikasi dalam kesehatan*. Kanisius, Yogyakarta.
- Woodley, M. dan Whealand, A. (1995). *Pedoman Pengobatan* (ed.), hal :571-572. Yayasan Essentia Medica dan Penerbit Andi Offset, Yogyakarta.
- World Health Organization. (1999). *Definition, Diagnosis and Classification of Diabetes Mellitus And Its Complications*. World Health Organization, Department of Non Communicable Disease Surveillance, Geneva, Switzerland.
- World Health Organization. (2007). *Diabetes programme, 2006*. <http://www.who.int/diabetes/en/>.
- World Health Organization. (2011). The top 10 causes of death. <http://www.who.int/mediacentre/factsheets/fs310/en/index.html>.
- WHO, 2016. *Global report on diabetes*. World Health Organization, Geneva. <http://www.who.int/diabetes/global-report>. (Diakses tanggal 18 April 2016).
- Wulan, S. N. (2000). Pengujian efek antioksidatif dan hipoglisemik kedelai, fraksi protein kedelai dan tempe pada tikus yang diinduksi diabetes dengan injeksi alloxan. Tesis. S2 Ilmu dan Teknologi Pangan UGM. Yogyakarta.

- Wuryastuti. 1996. Pemeriksaan Kadar Malondialdehida (MDA) dengan metode Thiobarbituric acid (TBA). Laboratorium Gizi UGM Yogyakarta.
- Yu, L., Haley, S., Perret, J., Harris, M., Wilson, J. and Qian, M. 2002. Free radical scavenging properties of wheat extracts. *Journal of Agricultural and Food Chemistry* **50**: 1619–1624.
- Yu, L., Perret, J., Harris, M., Wilson, J. dan Haley, S. 2003. Antioxidant properties of bran extracts from “Akron” wheat grown at different locations. *Journal of Agricultural and Food Chemistry* **51**: 1566-1570.
- Xu, Z. dan Godber, JS.(2000). Comparison of supercritical fluid and solvent extraction methods in extracting gamma-oryzanol from rice bran. *Journal of the American Oil Chemists' Society* **77**: 1127-1131.
- Xu, Z., N. Hua, dan J.S. Godber.(2001). Antioxidant activity of tocopherols, tocotrienols, and γ -oryzanol components from rice bran against cholesterol oxidation accelerated by 2,2'-azobis (2-methylpropionamide) dihydrochloride. *Journal of Agricultural and Food Chemistry* **49**: 2077-2081.
- Xu, B. J., Yuan, S. H. and Chang, S. K. C. 2007. Comparative studies on the antioxidant activities of nine common food legumes against copper induced LDL oxidation *in vitro*. *Journal Food and Science* **72**: S522–527.
- Yamanaka, Kazuhiro, Yoshiyuki Watanabe, Kazunori Yoshimoto, Yasutaka Uda dan Masato Nomura.(2010). Suppressive effect of defatted rice bran on the oxidation of methyl linoleate. *Food Chemistry* **123**: 1132–1135.
- Zhao, Zhaohui dan Mohammed H. Moghadasian. (2008). Chemistry, natural sources, dietary intake and pharmacokinetic properties of ferulic acid: a review. *Food Chemistry* **109**: 691–702.
- Zhou K, Su L dan Yu LL. (2004). Phytochemicals and antioxidant properties in wheat bran. *Journal of Agricultural and Food Chemistry* **52**: 6108-6114.
- Zimmet P., K. G. M. Alberti dan Jonathan Shaw. (2001). Global and societal implication of the diabetes epidemic. *Insight Review Article, Nature* **414(6865)**: 782–787.