

## REFERENCE

- ABU-DAHRICH, J., OROZCO, A., AHMAD, M. & ROONEY, D. The Potential of Biogas Production from Grass. Proceedings of the Jordan International Energy Conference, Amman, 2011.
- AHRING, B. K., SANDBERG, M. & ANGELIDAKI, I. 1995. Volatile fatty acids as indicators of process imbalance in anaerobic digestors. *Applied Microbiology and Biotechnology*, 43, 559-565.
- AISYAH, Y., HASTUTI, P., SASTROHAMIDJOJO, H. & HIDAYAT, C. 2008. Komposisi kimia dan sifat antibakteri minyak nilam (*Pogostemon cablin*). *Majalah Farmasi Indonesia*, 19, 151-156.
- AKINBOMI, J., WIKANDARI, R. & TAHERZADEH, M. J. 2015. Enhanced Fermentative Hydrogen and Methane Production from an Inhibitory Fruit-Flavored Medium with Membrane-Encapsulated Cells. *Membranes*, 5, 616-631.
- AL SEADI, T., RUTZ, D., PRASSL, H., KÖTTNER, M., FINSTERWALDER, T., VOLK, S. & JANSSEN, R. 2008. Biogas Handbook.–University of Southern Denmark Esbjerg. ISBN 978-87-992962-0-0.
- ALJUNID, D. S. A., ANUAR, D. M. S., SALIMI, D. M. N., ISMAIL, D. K. A., YAHYA, A. & YUNUS, R. M. 2013. Malaysian Technical Universities Conference on Engineering; Technology 2012, MUCET 2012, Influence of Sample Preparation and Extraction Time on Chemical Composition of Steam Distillation Derived Patchouli Oil. *Procedia Engineering*, 53, 1-6.
- AMBROSE, D. C., ANNAMALAI, S. & NAIK, R. 2013. Effect of Drying on the Volatile Oil Yield of Patchouli. *Indian Journal of Science and Technology*, 6, 5559–5562.
- ANGELIDAKI, I. & AHRING, B. 1997. Codigestion of olive oil mill wastewaters together with manure, household waste or sewage sludge. *Global Environmental Biotechnology*. Springer.
- ANGELIDAKI, I., ELLEGAARD, L. & AHRING, B. K. 2003. Applications of the Anaerobic Digestion Process. *In*: AHRING, B. K., AHRING, B. K., ANGELIDAKI, I., DOLFING, J., EUEGAARD, L., GAVALA, H. N., HAAGENSEN, F., MOGENSEN, A. S., LYBERATOS, G., PIND, P. F., SCHMIDT, J. E., SKIADAS, I. V. & STAMATELATOU, K. (eds.) *Biomethanation II*. Berlin, Heidelberg: Springer Berlin Heidelberg.

- ANGELIDAKI, I., ELLEGAARD, L., SØRENSEN, A. & SCHMIDT, J. 2002. Anaerobic processes. *Environmental biotechnology. Environment & Resources. The Technical University of Denmark. p*, 1-114.
- ARIUNBAATAR, J., PANICO, A., FRUNZO, L., ESPOSITO, G., PIROZZI, F. & LENS, P. 2013. Pretreatment methods to enhance anaerobic digestion of food waste. *University of Cassino and the Southern Lazio, Via Di Biasio*, 43-03043.
- BHASKAR, S., KUMAR, T. V., KUMAR, S., KUKREJA, A., DWIVEDI, S. & SINGH, A. Agronomic bottlenecks, genetic barriers and marketing impediments in patchouli *Pogostemon patchouli* production. *Journal of Medicinal and Aromatic Plant Sciences*, 2000. Central Institute of Medicinal and Aromatic Plants, 396-403.
- BLANK, A. F., SANT'ANA, T. C. P., SANTOS, P. S., ARRIGONI-BLANK, M. F., PRATA, A. P. D. N., JESUS, H. C. R. & ALVES, P. B. 2011. Chemical characterization of the essential oil from patchouli accessions harvested over four seasons. *Industrial Crops and Products*, 34, 831-837.
- BOE, K. & ANGELIDAKI, I. 2006. *Online monitoring and control of the biogas process*. Technical University of Denmark/Danmarks Tekniske Universitet, Department of Systems Biology/Institut for Systembiologi.
- BPS. 2015a. *Luas Areal Tanaman Perkebunan Rakyat Menurut Jenis Tanaman, 2000-2014* [Online]. Available: <http://bps.go.id/linkTabelStatis/view/id/1669> [Accessed 15 May 2016].
- BPS. 2015b. *Produksi Perkebunan Rakyat Menurut Jenis Tanaman (ribu ton), 2000-2014* [Online]. Available: <http://bps.go.id/linkTabelStatis/view/id/1670#accordion-daftar-subjek3> [Accessed 15 May 2016].
- BROWN, D., SHI, J. & LI, Y. 2012. Comparison of solid-state to liquid anaerobic digestion of lignocellulosic feedstocks for biogas production. *Bioresource technology*, 124, 379-386.
- CHAKRAPANI, P., VENKATESH, K., SINGH, C., ARUNJYOTHI, B., KUMAR, P., AMARESHWARI, P. & ROJARANI, A. 2013. Phytochemical pharmacological importance of Patchouli (*Pogostemon cablin* (Blanco) Benth) an aromatic medicinal plant. *Int J Pharm Sci Rev Res*, 21, 7-15.
- CHANDRA, R., TAKEUCHI, H. & HASEGAWA, T. 2012. Methane production from lignocellulosic agricultural crop wastes: A review in context to second generation of biofuel production. *Renewable and Sustainable Energy Reviews*, 16, 1462-1476.

- CHEN, Y., CHENG, J. J. & CREAMER, K. S. 2008. Inhibition of anaerobic digestion process: a review. *Bioresource technology*, 99, 4044-4064.
- CHEVALLIER, A. 2016. *Encyclopedia of herbal medicine*, Penguin.
- CRAWFORD, R. L. 1981. *Lignin biodegradation and transformation*, John Wiley and Sons.
- DE LEMOS CHERNICHARO, C. A. 2007. *Anaerobic reactors*, IWA publishing.
- DE MES, T., STAMS, A., REITH, J. & ZEEMAN, G. 2003. Methane production by anaerobic digestion of wastewater and solid wastes. *Bio-methane & Bio-hydrogen*, 58-102.
- DEGUERRY, F., PASTORE, L., WU, S., CLARK, A., CHAPPELL, J. & SCHALK, M. 2006. The diverse sesquiterpene profile of patchouli, *Pogostemon cablin*, is correlated with a limited number of sesquiterpene synthases. *Archives of biochemistry and biophysics*, 454, 123-136.
- DEUBLEIN, D. & STEINHAUSER, A. 2011. *Biogas from waste and renewable resources: an introduction*, John Wiley & Sons.
- DONELIAN, A., CARLSON, L. H. C., LOPES, T. J. & MACHADO, R. A. F. 2009. Comparison of extraction of patchouli (*Pogostemon cablin*) essential oil with supercritical CO<sub>2</sub> and by steam distillation. *The Journal of Supercritical Fluids*, 48, 15-20.
- DVOŘÁK, L., GÓMEZ, M., DOLINA, J. & ČERNÍN, A. 2015. Anaerobic membrane bioreactors—a mini review with emphasis on industrial wastewater treatment: applications, limitations and perspectives. *Desalination and Water Treatment*, 1-15.
- ELZAIAT, H. M., PATINO, O. H., SOLTAN, Y. A., MORSY, A. S., LUCAS, R. C., LOUVANDINI, H. & ABDALLA, A. L. Impacts of patchouli essential oil on rumen fermentation and methane production in vitro. Proceedings of the 4th Scientific Conference of Animal Wealth Research in the Middle East and North Africa, Foreign Agricultural Relations (FAR), Egypt, 3-5 October 2011, 2011. Massive Conferences and Trade Fairs, 365-374.
- FAN, L., JIN, R., LIU, Y., AN, M. & CHEN, S. 2011. Enhanced extraction of patchouli alcohol from *Pogostemon cablin* by microwave radiation-accelerated ionic liquid pretreatment. *Journal of Chromatography B*, 879, 3653-3657.
- FORGÁCS, G. 2012. *Biogas production from citrus wastes and chicken feather: pretreatment and co-digestion*, Chalmers University of Technology.

- GARROTE, G., DOMINGUEZ, H. & PARAJO, J. 1999. Hydrothermal processing of lignocellulosic materials. *European Journal of Wood and Wood Products*, 57, 191-202.
- GERARDI, M. H. 2003. *The microbiology of anaerobic digesters*, John Wiley & Sons.
- HANELT, P. & BÜTTNER, R. 2001. *Mansfeld's encyclopedia of agricultural and horticultural crops:(except ornamentals)*, Springer Science & Business Media.
- HANSEN, T. L., SCHMIDT, J. E., ANGELIDAKI, I., MARCA, E., LA COUR JANSEN, J., MOSBÆK, H. & CHRISTENSEN, T. H. 2004. Method for determination of methane potentials of solid organic waste. *Waste Management*, 24, 393-400.
- HARIANA, H. A. 2013. *262 Tumbuhan Obat dan Khasiatnya*, Penebar Swadaya Grup.
- HARYONO, W. 2015. Export News Indonesia: Patchouli Oil. In: SUGIARTI (ed.). Directorate General of National Export Development, Ministry of Trade of The Republic of Indonesia.
- HE, Y., XIAO, H., DENG, C., XIONG, L., NIE, H. & PENG, C. 2016. Survey of the genome of *Pogostemon cablin* provides insights into its evolutionary history and sesquiterpenoid biosynthesis. *Scientific reports*, 6.
- HENDRIKS, A. T. W. M. & ZEEMAN, G. 2009. Pretreatments to enhance the digestibility of lignocellulosic biomass. *Bioresource Technology*, 100, 10-18.
- HU, L., LI, S., CAO, H., LIU, J., GAO, J., YANG, F. & WANG, Y. 2006. GC-MS fingerprint of *Pogostemon cablin* in China. *Journal of pharmaceutical and biomedical analysis*, 42, 200-206.
- ISCI, A. & DEMIRER, G. 2007. Biogas production potential from cotton wastes. *Renewable energy*, 32, 750-757.
- ISIKGOR, F. H. & BECER, C. R. 2015. Lignocellulosic biomass: a sustainable platform for the production of bio-based chemicals and polymers. *Polymer Chemistry*, 6, 4497-4559.
- JENSEN, P., GE, H. & BATSTONE, D. J. 2011. Assessing the role of biochemical methane potential tests in determining anaerobic degradability rate and extent. *Water Science and Technology*, 64, 880-886.
- JUDD, S. 2011. *The MBR Book: Principles and Applications of Membrane Bioreactors for Water and Wastewater Treatment*, Elsevier.

- KALRA, A., KUMAR, S., KATIYAR, N., BAHL, J. R., BANSAL, R. P., CHAUHAN, H. S., PRASAD, A., PANDEY, R., DHAWAN, O. P. & KRISHNA, A. 2002. Method for the faster multiplication of earthworms, and production of vermicompost from the distillation waste of industrial aromatic crops. Google Patents.
- KARIMI, A. 2014. Characterization and antimicrobial activity of Patchouli essential oil extracted from *Pogostemon cablin* [Blanco] Benth.[Lamiaceae]. *Advances in Environmental Biology*, 2301-2310.
- KAYHANIAN, M. 1999. Ammonia inhibition in high-solids biogasification: an overview and practical solutions. *Environmental Technology*, 20, 355-365.
- KLEYBÖCKER, A., LIEBRICH, M., VERSTRAETE, W., KRAUME, M. & WÜRDEMANN, H. 2012. Early warning indicators for process failure due to organic overloading by rapeseed oil in one-stage continuously stirred tank reactor, sewage sludge and waste digesters. *Bioresource technology*, 123, 534-541.
- KONGKATHIP, N., SAM-ANG, P., KONGKATHIP, B., PANKAEW, Y., TANASOMBAT, M. & UDOMKUSONSRI, P. 2009. Development of patchouli extraction with quality control and isolation of active compounds with antibacterial activity. *Kasetsart J.(Nat. Sci.)*, 43, 519.
- KOTSYURBENKO, O. 2005. Trophic interactions in the methanogenic microbial community of low-temperature terrestrial ecosystems. *FEMS microbiology ecology*, 53, 3-13.
- KROEKER, E., SCHULTE, D., SPARLING, A. & LAPP, H. 1979. Anaerobic treatment process stability. *Journal (Water Pollution Control Federation)*, 718-727.
- LABATUT, R. & GOOCH, C. 2012. Monitoring of anaerobic digestion process to optimize performance and prevent system failure. *Proceedings of Got Manure? Enhancing Environmental and Economic Sustainability*, 209-225.
- LAM, J. & HEEGDE, F. T. 2010. Domestic Biogas Compact Course: Technology and Mass-Dissemination Experiences from Asia. University of Oldenburg.
- LIANG, S. & MCDONALD, A. G. 2015. Anaerobic digestion of pre-fermented potato peel wastes for methane production. *Waste Management*, 46, 197-200.
- LIM, S. J. & FOX, P. 2013. Biochemical methane potential (BMP) test for thickened sludge using anaerobic granular sludge at different inoculum/substrate ratios. *Biotechnology and bioprocess engineering*, 18, 306-312.

- MAHBOUBI, A., YLITERVO, P., DOYEN, W., DE WEVER, H. & TAHERZADEH, M. J. 2016. Reverse membrane bioreactor: Introduction to a new technology for biofuel production. *Biotechnology advances*.
- MAHESHWARI, M., VASANTHA KUMAR, T., SHARMA, N. & CHANDEL, K. 1993. Patchouli-an Indian perspective. *Indian Perfumer*, 37, 9-9.
- MANOI, F. 2007. Perkembangan teknologi pengolahan dan penggunaan minyak nilam serta pemanfaatan limbahnya. *Balai penelitian Tanaman Obat dan Aromatherapy*.
- MCINERNEY, M., BRYANT, M., HESPELL, R. & COSTERTON, J. 1981. *Syntrophomonas wolfei* gen. nov. sp. nov., an anaerobic, syntrophic, fatty acid-oxidizing bacterium. *Applied and Environmental Microbiology*, 41, 1029-1039.
- MOROHOSHI, N. 1991. Chemical characterization of wood and its components. *Wood and cellulosic chemistry*, 331-392.
- MURUGAN, R. & LIVINGSTONE, C. 2010. Origin of the name 'patchouli' and its history. Indian Acad Sciences CV Raman Avenue, Sadashivanagar, Bangalore 560 080, India.
- MUSSATTO, S. I. & TEIXEIRA, J. 2010. Lignocellulose as raw material in fermentation processes. *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology (Méndez-Vilas, A., Ed.)*, 2, 897-907.
- NIELSEN, H. B., UELLEND AHL, H. & AHRING, B. K. 2007. Regulation and optimization of the biogas process: propionate as a key parameter. *Biomass and Bioenergy*, 31, 820-830.
- ONTENGCO, D., TORRES, R., ORTEGA, A. & HUFANO, R. 1997. Potential antituberculars from medicinal plants. *Proc 26th Annual Convention Philipp Soc Microbiol*.
- ONURSAL, E., OECHSNER, H. & EKINCI, K. 2011. Biogas Production Potential of Rose Oil Processing Wastes and Quail Manure in Turkiye: Assessment by Hohenheim Batch Test. *Tarım Makinaları Bilimi Dergisi*, 7.
- OWEN, W., STUCKEY, D., HEALY, J., YOUNG, L. & MCCARTY, P. 1979. Bioassay for monitoring biochemical methane potential and anaerobic toxicity. *Water research*, 13, 485-492.
- OYEN, L. & DUNG, N. X. 1999. *Plant resources of South-East Asia No. 19. Essential-oil plants*, Backhuys Publishers.

- PALMOWSKI, L. & MÜLLER, J. 1999. Influence of the size reduction of organic waste on their anaerobic digestion. *Water science and technology: a journal of the International Association on Water Pollution Research*, 41, 155-162.
- PALMQVIST, E. & HAHN-HÄGERDAL, B. 2000. Fermentation of lignocellulosic hydrolysates. II: inhibitors and mechanisms of inhibition. *Bioresource technology*, 74, 25-33.
- PARAWIRA, W., MURTO, M., READ, J. & MATTIASSON, B. 2005. Profile of hydrolases and biogas production during two-stage mesophilic anaerobic digestion of solid potato waste. *Process Biochemistry*, 40, 2945-2952.
- PURVES, W. K., ORIAN, G. H. & HELLER, H. C. 1995. *Life: The Science of Biology*, Sinauer Associates
- PURWANDARI, F. A., SANJAYA, A. P., MILLATI, R., CAHYANTO, M. N., HORVÁTH, I. S., NIKLASSON, C. & TAHERZADEH, M. J. 2013. Pretreatment of oil palm empty fruit bunch (OPEFB) by N-methylmorpholine-N-oxide (NMMO) for biogas production: Structural changes and digestion improvement. *Bioresource technology*, 128, 461-466.
- RAFIQUE, R., POULSEN, T. G., NIZAMI, A.-S., ASAM, Z.-U.-Z., MURPHY, J. D. & KIELY, G. 2010. Effect of thermal, chemical and thermo-chemical pre-treatments to enhance methane production. *Energy*, 35, 4556-4561.
- RAMACHANDRA, K. M., VASUNDHARA, M., FAROOQUI, A. A. & SRINIVASAAPPA, K. N. 2002. Evaluation of patchouli (*Pogostemon patchouli* Benth.) varieties in relation to different plant densities. *Indian Perfum*, 46, 7-14.
- RAMYA, H., PALANIMUTHU, V. & RACHNA, S. 2013. An Introduction to Patchouli (*Pogostemon cablin* Benth.)—A Medicinal and Aromatic Plant: It's Importance to Mankind. *Agricultural Engineering International: CIGR Journal*, 15, 243-250.
- RITTER, G. J., SEBORG, R. & MITCHELL, R. L. 1932. Factors affecting quantitative determination of lignin by 72 per cent sulfuric acid method. *Industrial & Engineering Chemistry Analytical Edition*, 4, 202-204.
- RIWAYATI, I. & SETIANTO, M. S. 2010. Pemanfaatan Limbah Penyulingan Daun Nilam sebagai Bahan Bakar Alternatif Melalui Pembuatan Briket. *Momentum*, 6.
- ROUCHES, E., HERPOËL-GIMBERT, I., STEYER, J. & CARRERE, H. 2016. Improvement of anaerobic degradation by white-rot fungi pretreatment of lignocellulosic biomass: A review. *Renewable and Sustainable Energy Reviews*, 59, 179-198.

- RYAN, M. & BYRNE, O. 1988. Plant-insect coevolution and inhibition of acetylcholinesterase. *Journal of chemical ecology*, 14, 1965-1975.
- SAEMAN, J. F., MOORE, W. E., MITCHELL, R. L. & MILLETT, M. A. 1954. Techniques for the determination of pulp constituents by quantitative paper chromatography. *Tappi journal*, 37, 336-343.
- SALMINEN, E., EINOLA, J. & RINTALA, J. 2003. The methane production of poultry slaughtering residues and effects of pre-treatments on the methane production of poultry feather. *Environmental Technology*, 24, 1079-1086.
- SANT'ANA, T. C. P. D., BLANK, A. F., VIEIRA, S. D., ARRIGONI-BLANK, M. D. F., JESUS, H. C. R. D. & ALVES, P. B. 2010. Influência do armazenamento de folhas secas no óleo essencial de patchouli (*Pogostemon cablin* Benth.).
- SASTROHAMIDJOJO, H. 2004. *Kimia minyak atsiri*, Universitas Gadjah Mada, Yogyakarta.
- SCHINK, B. 1997. Energetics of syntrophic cooperation in methanogenic degradation. *Microbiology and molecular biology reviews*, 61, 262-280.
- SHARMA, S. K., MISHRA, I., SHARMA, M. P. & SAINI, J. 1988. Effect of particle size on biogas generation from biomass residues. *Biomass*, 17, 251-263.
- SHEN, S., NGES, I. A., YUN, J. & LIU, J. 2014. Pre-treatments for enhanced biochemical methane potential of bamboo waste. *Chemical Engineering Journal*, 240, 253-259.
- SHYAM, J., SHARMA, A., BORAH, R., TALUKDAR, A., KATAKY, J., UNNI, B., MODI, M. & DEKA, P. Utilization of the waste of commercially important plants. Bioprospecting of commercially important plants. Proceedings of the national symposium on "Biochemical approaches for utilization and exploitation of commercially important plants", Jorhat, India, 12-14 Nov. 2003., 2004. Indian Society of Agricultural Biochemists, 290-293.
- SIEGERT, I. & BANKS, C. 2005. The effect of volatile fatty acid additions on the anaerobic digestion of cellulose and glucose in batch reactors. *Process Biochemistry*, 40, 3412-3418.
- SINGH, M., SHARMA, S. & RAMESH, S. 2002. Herbage, oil yield and oil quality of patchouli [*Pogostemon cablin* (Blanco) Benth.] influenced by irrigation, organic mulch and nitrogen application in semi-arid tropical climate. *Industrial Crops and Products*, 16, 101-107.
- SINGH, R., SINGH, M., SRINIVAS, A., RAO, E. P. & PUTTANNA, K. 2015. Assessment of Organic and Inorganic Fertilizers for Growth, Yield and

- Essential Oil Quality of Industrially Important Plant Patchouli (Pogostemon cablin)(Blanco) Benth. *Journal of Essential Oil Bearing Plants*, 18, 1-10.
- SINGH, R., SINGH, R., SONI, S. K., SINGH, S. P., CHAUHAN, U. K. & KALRA, A. 2013. Vermicompost from biodegraded distillation waste improves soil properties and essential oil yield of Pogostemon cablin (patchouli) Benth. *Applied Soil Ecology*, 70, 48-56.
- SJÖSTRÖM, E. 1993. *Wood chemistry: fundamentals and applications*, Gulf Professional Publishing.
- SLUITER, A., HAMES, B., RUIZ, R., SCARLATA, C., SLUITER, J. & TEMPLETON, D. 2008a. Determination of ash in biomass. Laboratory Analytical Procedure (LAP). *NREL, Golden, CO*.
- SLUITER, A., HAMES, B., RUIZ, R., SCARLATA, C., SLUITER, J., TEMPLETON, D. & CROCKER, D. 2008b. Determination of structural carbohydrates and lignin in biomass. *Laboratory analytical procedure*, 1617.
- SPEECE, R. E. 1996. *Anaerobic biotechnology for industrial wastewaters*. *Anaerobic biotechnology for industrial wastewaters*.
- SUHARTINI, S. 2014. *The anaerobic digestion of sugar beet pulp*. University of Southampton.
- SUN, P., ZHANG, W., YIN, F., ZHAO, X., LIU, J., CHEN, Y. & LIU, S. 2014a. Biogas production potential of transgenic *Vetiveria zizanioides* in mesophilic batch anaerobic digestion. *Scientific Research and Essays*, 9, 293-296.
- SUN, S.-L., WEN, J.-L., MA, M.-G. & SUN, R.-C. 2014b. Enhanced enzymatic digestibility of bamboo by a combined system of multiple steam explosion and alkaline treatments. *Applied Energy*, 136, 519-526.
- SUTARYO, S., WARD, A. & MOLLER, H. 2014. Ammonia Inhibition in Thermophilic Anaerobic Digestion of Dairy Cattle Manure. *Journal of the Indonesian Tropical Animal Agriculture*, 39, 83-90.
- SWAMY, M. K., BALASUBRAMANYA, S. & ANURADHA, M. 2010a. In vitro multiplication of Pogostemon cablin Benth. through direct regeneration. *African Journal of Biotechnology*, 9, 2069-2075.
- SWAMY, M. K., MOHANTY, S. K., SINNIHAH, U. R. & MANIYAM, A. 2015. Evaluation of Patchouli (Pogostemon cablin Benth.) Cultivars for Growth, Yield and Quality Parameters. *Journal of Essential Oil Bearing Plants*, 18, 826-832.

- SWAMY, M. K. & SINNIHAH, U. R. 2015. A Comprehensive review on the phytochemical constituents and pharmacological activities of Pogostemon cablin Benth.: an Aromatic Medicinal Plant of Industrial Importance. *Molecules*, 20, 8521-8547.
- SWAMY, M. K. & SINNIHAH, U. R. 2016. Patchouli (Pogostemon cablin Benth.): Botany, agrotechnology and biotechnological aspects. *Industrial Crops and Products*, 87, 161-176.
- SWAMY, M. K., SUDIPTA, K., BALASUBRAMANYA, S. & ANURADHA, M. 2010b. Effect of different carbon sources on in vitro morphogenetic response of patchouli (Pogostemon cablin Benth.). *Journal of Phytology*, 2.
- SYMONS, G. & BUSWELL, A. 1933. The methane fermentation of carbohydrates<sup>1, 2</sup>. *Journal of the American Chemical Society*, 55, 2028-2036.
- TAHERZADEH, M. J. 1999. *Ethanol from lignocellulose: physiological effects of inhibitors and fermentation strategies*, Chalmers University of Technology.
- TAHERZADEH, M. J. & KARIMI, K. 2007. Acid-based hydrolysis processes for ethanol from lignocellulosic materials: a review. *BioResources*, 2, 472-499.
- TAHERZADEH, M. J. & KARIMI, K. 2008. Pretreatment of Lignocellulosic Wastes to Improve Ethanol and Biogas Production: A Review. *International Journal of Molecular Sciences*, 9, 1621-1651.
- TAMPION, J. & TAMPION, M. 1987. *Immobilized cells: principles and applications*, Cambridge University Press.
- TORRES, R., BALGOS, N., VILLANUEVA, M., LANTO, E., CRUZ, M., ESTRELLA, R., SANTIAGO, R. & SALUD, S. Antibacterial essential oils from some Philippine plants. 3. Asia-Pacific Biotechnology Congress, Makati City (Philippines), 22-24 May 1996, 1996. PSMI.
- TUMUTEGYEREIZE, P., MURANGA, F., KAWONGOLO, J. & NABUGOOMU, F. 2011. Optimization of biogas production from banana peels: effect of particle size on methane yield. *African journal of biotechnology*, 10, 18243-18251.
- UPDEGRAFF, D. M. 1969. Semimicro determination of cellulose in biological materials. *Analytical biochemistry*, 32, 420-424.
- VERARDI, A., RICCA, E., DE BARI, I. & CALABRÒ, V. 2012. *Hydrolysis of lignocellulosic biomass: current status of processes and technologies and future perspectives*, INTECH Open Access Publisher.

- WAN, C. & LI, Y. 2012. Fungal pretreatment of lignocellulosic biomass. *Biotechnology Advances*, 30, 1447-1457.
- WANG, B., NGES, I. A., NISTOR, M. & LIU, J. 2014. Determination of methane yield of cellulose using different experimental setups. *Water science and technology*, 70, 599-604.
- WANG, J. Y., LIU, X. Y., KAO, J. & STABNIKOVA, O. 2006. Digestion of pre-treated food waste in a hybrid anaerobic solid-liquid (HASL) system. *Journal of Chemical Technology and Biotechnology*, 81, 345-351.
- WEILAND, P. 2008. Wichtige Messdaten für den Prozessablauf und Stand der Technik in der Praxis. *Gülzower Fachgespräche*, 27, 17-31.
- WIKANDARI, R. 2014. *Effect of fruit flavors on anaerobic digestion: inhibitions and solutions*, University of Borås, School of Engineering.
- WIKANDARI, R., GUDIPUDI, S., PANDIYAN, I., MILLATI, R. & TAHERZADEH, M. J. 2013. Inhibitory effects of fruit flavors on methane production during anaerobic digestion. *Bioresource Technology*, 145, 188-192.
- WIKANDARI, R., MILLATI, R., CAHYANTO, M. N. & TAHERZADEH, M. J. 2014a. Biogas production from citrus waste by membrane bioreactor. *Membranes*, 4, 596-607.
- WIKANDARI, R., YOUNGSUKKASEM, S., MILLATI, R. & TAHERZADEH, M. J. 2014b. Performance of semi-continuous membrane bioreactor in biogas production from toxic feedstock containing D-limonene. *Bioresource technology*, 170, 350-355.
- YAHYA, A. & YUNUS, R. M. 2013. Influence of Sample Preparation and Extraction Time on Chemical Composition of Steam Distillation Derived Patchouli Oil. *Procedia Engineering*, 53, 1-6.
- YÁÑEZ, R., GARROTE, G. & DÍ, M. J. 2009. Valorisation of a leguminous specie, *Sesbania grandiflora*, by means of hydrothermal fractionation. *Bioresource technology*, 100, 6514-6523.
- YANG, X., ZHANG, X., YANG, S.-P. & LIU, W.-Q. 2013. Evaluation of the Antibacterial Activity of Patchouli Oil. *Iranian Journal of Pharmaceutical Research : IJPR*, 12, 307-316.
- YIRONG, C. 2014. *Thermophilic anaerobic digestion of food waste*. University of Southampton.
- YOUNGSUKKASEM, S., AKINBOMI, J., RAKSHIT, S. K. & TAHERZADEH, M. J. 2013. Biogas production by encased bacteria in synthetic

membranes: Protective effects in toxic media and high loading rates.  
*Environmental technology*, 34, 2077-2084.

YOUNGSUKKASEM, S., RAKSHIT, S. K. & TAHERZADEH, M. J. 2011.  
Biogas production by encapsulated methane-producing bacteria.  
*Bioresources*, 7, 056-0065.

ZHENG, Y., ZHAO, J., XU, F. & LI, Y. 2014. Pretreatment of lignocellulosic  
biomass for enhanced biogas production. *Progress in Energy and  
Combustion Science*, 42, 35-53.