

## REFERENCES

- Assady, S., Alter, J., Axelman, E., Zohar, Y., Sabo, E., Litvak, M., Kaplan, M., Ilan, N., Vlodaysky, I., Abassy, Z. 2015. Nephroprotective Effect of Heparanase in Experimental Nephrotic Syndrome. *PLoS ONE* 10(3):1-14
- Bian, S., Guo, H., Ye, P., Luo, L., Wu, H., Xiao, W. 2012. Serum Uric Acid Level and Diverse Impacts on Regional Arterial Stiffness and Wave Reflection. *Iranian J Publ Health* 41:33-41
- Brenner, B.M., 2008. THE KIDNEY. 8<sup>th</sup> ed. Philadelphia: Saunders Elsevier.
- Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. 2012. *KDIGO* 3:19-62
- Davison, S.N. 2007. Chronic kidney disease Psychosocial impact of chronic pain. *Geriatrics* 62:17-23
- Floege, J., Burns, M.W., Alpers, C.E., Yoshimura, A., Pritzl, P., Gordon, K., Seifert A.R., Bowen-Pope, D.F., Couser, W.G., Johnson, R.J. 1992. Glomerular cell proliferation and PDGF expression precede glomerulosclerosis in the remnant kidney model. *Kidney International* 41:297-309
- Floege, J., Hackmann, B., Kliem, V., Kriz, W., Alpers, C.E., Johnson, R.J., Kuhn, K.W., Koch, Karl-Martin and R. Brunkhorst. 1997. Age related glomerulosclerosis and interstitial fibrosis in Milan normotensive rats: A podocyte disease. *Kidney International* 51:230-243
- Gil, N., Goldberg, R., Neuman, T., Garsen, M., Zcharia, E., Rubinstein, A.M., Kuppevelt, T.v., Meirovitz, A., Pisano, C., Li, J., Vlag, J.v.d., Vlodaysky, I., Elkin, M. 2012. Heparanase is Essential for the development of Diabetic Nephropathy in Mice. *DIABETES* 61:208-216

- Goldberg, S., Harvey, S.J., Cunningham, J., Tryggvason, K., Miner, J.H. 2009. Glomerular filtration is normal in the absence of both agrin and perlecan-heparan sulphate from the glomerular basement membrane. *Nephrol Dial Transplant* 24:2044-2051
- Goldshmidt, O., Zcharia, E., Cohen, M., Aingorn, H., Cohen, I., Nadav, L., Katz, B., Geiger, B., and I. Vlodavsky. 2003. Heparanase mediates cell adhesion independent of its enzymatic activity. *FASEB* 17:1015-1025
- Junqueira, L.C. & Carneiro, J. 2005. Basic Histology: Text and Atlas. 11<sup>th</sup> ed. United States of America: McGraw-Hill companies Inc.
- Kang, Duk-Hee Nakagawa, T., Feng, L., Watanabe, S., Lin, H., Marilda, M., Truong, L., Harris, R., Johnson, R.J. 2002. A Role for Uric Acid in the Progression of Renal Disease. *J Am Soc Nephrol* 13:2888-2897.
- Katz, A., Van-Dijk, D.J., Aingorn, H., Erman, A., Davies, M., Darmon, D., Hurvitz, H., Vlodavsky, I. 2002. Involvement of Human Heparanase in the Pathogenesis of Diabetic Nephropathy. *IMAJ* 4:996-1002
- Khosla, U.M., Zharikov, S., Finch, J.L., Nakagawa, T., Ronchal, C., Mu, W., Krotova, K., Block, E.R., Prabhakar, S., and R.J. Johnson. 2005. Hyperuricemia induces endothelial dysfunction. *Kidney International* 67:1739-1742
- Kim, Y.H., Goyal, M., Kurnit, D., Wharram, B., Wiggins, J., Holzmann, L., Kershaw, D. and R. Wiggins. 2001. Podocyte depletion and glomerulosclerosis have a direct relationship in PAN-treated rat. *Kidney International* 60:957-968
- Kramer, A., Hoven, M.v.d., Rops, A., Wijnhoven, T., Heuvel, L.v.d., Lensen, J., Kuppevelt, T.v., Goor, H.v., Vlag, J.v.d., Navis, G. and Jo H.M. Berden. 2006. Induction of Glomerular Heparanase Expression in Rats with Adriamycin Nephropathy Is Regulated by Reactive Oxygen Species and the Renin-Angiotensin System. *J Am Soc Nephrol* 17:2513-2520

- Levey, A.S., Eckardt, K.U., Tsukamoto, Y., Lebin, A., Coresh, J., Rossert, J., Zeeuw, D.D., Hostetter, T.H., Lameire, N. and Eknoyan, G. 2005. Definition and classification of chronic kidney disease: a position statement from kidney disease: Improving Global Outcomes (KDIGO). *Kidney international* 67(6):2089-2100
- Liu, X., Lu, L., Tao, B., Zhou, A., Zhu, Y. 2011. Amelioration of glomerulosclerosis with all-trans retinoic acid is linked to decreased plasminogen activator inhibitor-1 and -smooth muscle actin. *Acta Pharmacologica Sinica* 32: 70-78
- Moore, K. L., Dalley, A. F. & Agur, A. M. R. 2010. Clinically Oriented Anatomy. Philadelphia: Lippincott Williams & Wilkins.
- Nakagawa, T., Mazzali, M., Kang, Duk-Hee., Kanellis, J., Watanabe, S., Sanchez-Lozada, L.G., Rodriguez-Iturbe, B., Herrera-Acosta, J., Johnson, R.J. 2003. Hyperuricemia Causes Glomerular Hyperthrophy in the Rat. *J Am Soc Nephrol* 23:2-7
- Park, J., Jin, Y.M., Hwang, S., Cho, D., Kang, D., Jo, I., 2013. Uric acid attenuates nitric oxide production by decreasing the interaction between endothelial nitric oxide synthase and calmodulin in human umbilical vein endothelial cells: A mechanism for uric acid-induced cardiovascular disease development. Elsevier, *Nitric Oxide* 32:36-42
- Perhimpunan Nefrologi Indonesia (PERNEFRI). 2012. "5th Report Of Indonesian Renal Registry".
- Raats, C.J., Born, J.v.d., Berden, J. 2000. Glomerular heparan sulphate alterations; mechanism and relevance for proteinuria. *Kidney international* 57:385-400
- Sanchez-Lozada, L.G., Tapia, E., Santamaria, J., Avila-Casado, C., Soto, V., Nepomuceno, T., Rodriguez-Iturbe, B., Johnson, R.J., and Herrera-Acosta, J. 2005. Mild hyperuricemia induces vasocnstriction and maintains glomerular hypertension in normal

and remnant kidney rats. *Kidney international*  
67:237-247

Vlodavsky, I., Ilan, N., Naggi, A., Casu, B. 2016.  
Heparanase: Structure, Biological Function, and  
Inhibition by Heparin-Derived Mimetics of Heparan  
Sulfate. *Current Pharmaceutical Design* 13:2057-  
2073