

## DAFTAR PUSTAKA

- Adhin, M.R., Labadie-Bracho, M., dan Vreden, S.G., 2012. Status of potential PfATP6 molecular markers for artemisinin resistance in Suriname. *Malaria Journal*, 11(322): 1–5.
- A-Elbasit, I.E., Alifrangis, M., Khalil, I.F., Bygbjerg, I.C., Masuadi, E.M., Elbashir, M.I., Giha, H.A., 2007. The implication of dihydrofolate reductase and dihydropteroate synthetase gene mutations in modification of Plasmodium falciparum characteristics. *Malaria journal*, 6, p.108.
- Afonso, A., Hunt, P., Cheesman, S., Alves, A.C., Cunha, C.V., do Rosario, V., 2006. Malaria Parasites Can Develop Stable Resistance to Artemisinin but Lack Mutation in Candidate genes ATP6 (Encoding the Sarcoplasmic and Endoplasmic Reticulum Ca<sup>2+</sup> ATPase), tctp, mdr1, and cg10. *Antimicrobial Agents and Chemotherapy*, 50 (2): 480–489.
- Anderson, T.J.C., Nair, S., Sudimack, D., Williams, J.T., Mayxay, M., Newton, P.N., 2005. Geographical Distribution of Selected and Putatively Neutral SNPs in Southeast Asian Malaria Parasites. *Molecular Biology and Evolution*, 22: 2362–2374.
- Badan Perencanaan Pembangunan Daerah Jayapura, 2015. Profil Daerah Kabupaten Jayapura. Badan Perencanaan Pembangunan Daerah Jayapura, Jayapura.
- Bertaux, L., Quang, L.H., Sinou, V., Thanh, N.X., Parzy, D., 2009. New PfATP6 mutations found in Plasmodium falciparum isolates from Vietnam. *Antimicrobial agents and chemotherapy*, 53(10). 4570–4578.
- Bloland, P.B., 2011. *Drug Resistance in Malaria*. World Health Organization, Switzerland.
- Brasil, L.W., Areas, A.L., Melo, G.C., Oliveira, C.M., Alecrim, M.G.C., Lacerda, M.V.G., dkk., 2012. Pfatp6 molecular profile of Plasmodium falciparum isolates in the western Brazilian Amazon. *Malaria Journal*, 11: 111.
- Carrara, V.I., Lwin, K.M., Phyto, A.P., Ashley, E., Wiladphaingern, J., dan Sriprawat, K., 2013. Malaria Burden and Artemisinin Resistance in the Mobile and Migrant Population on the Thai–Myanmar Border, 1999–2011: An Observational Study. *PLOS Medicine*, 10: 1–16.
- CDC, 2014. 'CDC - DPDx - Malaria', . URL: <http://www.cdc.gov/dpdx/malaria/index.html> (diakses tanggal 13/5/2014).
- Chavchich, M., Gerena, L., Peters, J., Chen, N., Cheng, Q., dan Kyle, D.E., 2010. Role of pfmdr1 Amplification and Expression in Induction of Resistance to Artemisinin Derivatives in Plasmodium falciparum. *Antimicrobial Agents and Chemotherapy*, 54: 2455–2464.

- Chen, C., 2014. Infectious Diseases of Poverty | Full text | Development of antimalarial drugs and their application in China: a historical review. *Infectious Diseases of Poverty*, 3: 1–10.
- Cui, L. dan Su, X., 2009. Discovery, Mechanisms of Action and Combination Therapy of Artemisinin. *Expert review of anti-infective therapy*, 7: 999–1013.
- Cui, L., Wang, Z., Jiang, H., Parker, D., Wang, H., Su, X.-Z., Cui, L. 2012. Lack of Association of the S769N Mutation in Plasmodium falciparum SERCA (PfATP6) with Resistance to Artemisinins. *Antimicrobial Agents and Chemotherapy*, 56: 2546–2552.
- Dahlström, S., Veiga, M.I., Ferreira, P., Mårtensson, A., Kaneko, A., Andersson, B., dkk., 2008. Diversity of the sarco/endoplasmic reticulum Ca<sup>2+</sup>-ATPase orthologue of Plasmodium falciparum (PfATP6). *Infection, Genetics and Evolution*, 8: 340–345.
- Dinas Kesehatan Propinsi Papua, 2010. *Jumlah Penderita Menurut Jenis Penyakit*, Jayapura, Dinas Kesehatan Kota Jayapura.
- Dorsey, G., moses, R. kanya, dan singh, ajay, 2001. Polymorphisms in the Plasmodium falciparum pfcr1 and pfmdr-1 Genes and Clinical Response to Chloroquine in Kampala, Uganda. *The Journal of Infectious Diseases*, 183: 1417–1420.
- Eckstein-Ludwig, U., Webb, R.J., Van Goethem, I.D.A., East, J.M., Lee, A.G., Kimura, M., O'Neil, P.M., Bray, P.G., Ward, S.A., Krishna, S. 2003. Artemisinins target the SERCA of Plasmodium falciparum. *Nature*, 424: 957–961.
- Ervi, S., 2001. *Penggunaan Genotyping Untuk Menentukan Resistensi Parasit Terhadap Obat Antimalaria*. Laporan Penelitian Badan Litbang Kesehatan, Jakarta.
- Farooq, U. dan Mahajan, R.C., 2004. Drug resistance in malaria. *Journal of vector borne diseases*, 41: 45–53.
- Fernandez-Martinez, A., Mula, P., Cravo, P., Charle, P., Amor, A., Ncogo, P., 2013. Characterization of the Plasmodium falciparum Sarcoplasmic/Endoplasmic Reticulum Ca<sup>2+</sup>-ATPase Gene in Samples from Equatorial Guinea before Implementation of Artemisinin-Based Combination Therapy. *The American Journal of Tropical Medicine and Hygiene*, 88: 43–47.
- Ferreira, I.D., Martinelli, A., Rodrigues, L.A., Do Carmo, E.L., Do Rosário, V.E., Póvoa, M.M., Cravo, P. 2008. Plasmodium falciparum from Pará state (Brazil) shows satisfactory in vitro response to artemisinin derivatives and

absence of the S769N mutation in the SERCA-type PfATPase6. *Tropical Medicine & International Health*, 13: 199–207.

- Ferreira, P.E., Holmgren, G., Veiga, M.I., Uhle'n, P., Kaneko, A., Gil, J.P I., 2011. PfMDR1: mechanisms of transport modulation by functional polymorphisms. *PloS one*, 6(9): 23875-23885.
- Gómez-Saladín, E., Fryauff, D.J., Taylor, W.R., Laksana, B.S., Susanti, A.I., Purnomo, dkk., 1999. Plasmodium falciparum mdr1 mutations and in vivo chloroquine resistance in Indonesia. *The American Journal of Tropical Medicine and Hygiene*, 61: 240–244.
- Grace, J.M., Aguilar, A.J., Trotman, K.M., dan Brewer, T.G., 1998. Metabolism of  $\beta$ -Arteether to Dihydroqinghaosu by Human Liver Microsomes and Recombinant Cytochrome P450. *Drug Metabolism and Disposition*, 26: 313–317.
- Hadalia, Y.L., 2011. 'Profil Penggunaan Obat Antimalaria pada Pasien Malaria Tanpa Komplikasi di Ruang Penyakit Dalam Pria RSUD Jayapura', *Thesis*, Universitas Cenderawasih, Jayapura.
- Hakim, L., 2012. *Farmakokinetik Klinik*, 1st ed. bursa ilmu, yogyakarta.
- Hamajima, N., Saito, T., Matsuo, K., Kozaki, K., Takahashi, T., dan Tajima, K., 2000. Polymerase Chain Reaction with Confronting Two-pair Primers for Polymorphism Genotyping. *Japanese Journal of Cancer Research*, 91: 865–868.
- Harijanto, P.N., 2009. Malaria, dalam: Sedoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M., dan Setiati, S. (Editor), *Buku Ajar Ilmu Penyakit Dalam*. Interna Publishing, Jakarta.
- Humphreys, G.S., Merinopoulos, I., Ahmed, J., Whitty, C.J., Mutabingwa, T.K., Sutherland, C.J., Hallett, R.L., 2007. Amodiaquine and Artemether-Lumefantrine Select Distinct Alleles of the Plasmodium falciparum mdr1 Gene in Tanzanian Children Treated for Uncomplicated Malaria. *Antimicrobial agents and chemotherapy*, 51(3), pp.991–997.
- Ibrahim, M.L., Khim, M., Adam, HH., Arie, F., Duchemin, JB., 2009. Polymorphism of PfATPase in Niger: detection of three new point mutations. *Malaria journal*, 8, 28.
- Ilett, K.F., Ethell, B.T., Maggs, J.L., Davis, T.M.E., Batty, K.T., Burchell, B., dkk., 2002. Glucuronidation of Dihydroartemisinin in Vivo and by Human Liver Microsomes and Expressed UDP-Glucuronosyltransferases. *Drug Metabolism and Disposition*, 30: 1005–1012.
- Jambou, R., Legrand, E., Niang, M., Khim, N., Lim, P., Volney, B., Ekala M.T, Bouchier C., Esterre, P, Fandeur, T., Mercereau-Puijalon, O. 2005. Resistance of Plasmodium falciparum field isolates to in-vitro artemether and point mutations of the SERCA-type PfATPase6. *The Lancet*, 366: 1960–1963.

- Jambou, R., Martinelli, A., Pinto, J., Gribaldo, S., Legrand, E., Niang, M., Kim, N., Pharath, L., Volnay, B., Ekala, M.T., Bouchier, C., Fandeur, T., Berzosa, P., Benito, A., Ferreira, I.D., Ferreira, C., Vieira, P.P., Alecrim, M.D.G., Puijalon, O.M., Cravo, P., 2010. Geographic structuring of the *Plasmodium falciparum* sarco(endo)plasmic reticulum  $\text{Ca}^{2+}$  ATPase (PfSERCA) gene diversity. *PloS one*, 5(2), 9424-9426.
- Kamelia, M., 2010. *Studi Polimorfisme Gen Plasmodium falciparum chloroquine resistance transporter (pfCRT) dari Penderita Malaria di Kotamadya Bandar Lampung dan Kabupaten Lampung Selatan, Provinsi Lampung*. Program Pascasarjana Universitas Gadjah Mada.
- Kementerian Kesehatan Republik Indonesia, 2011a. *Profil Kesehatan Indonesia 2010*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Kementerian Kesehatan Republik Indonesia, 2011b. *Buku Saku Menuju Eliminasi Malaria*. Direktorat PPBB, Ditjen PP dan PL, Jakarta.
- Kementerian Kesehatan Republik Indonesia, 2013a. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 5 Tahun 2013, Tentang Pedoman Tata Laksana Malaria*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Kementerian Kesehatan Republik Indonesia, 2013b. *Buku Saku Menuju Eliminasi Malaria*. Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan, Jakarta.
- Kementerian Kesehatan Republik Indonesia, 2015. *Profil Kesehatan Indonesia 2014*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Konsultasi Independen Pemberdayaan Rakyat Papua, 2016. Gambaran Umum Kota Jayapura, URL : <http://kipra-papua.com/artikel/34-project-kipra/portnumbay/50-gambaran-umum-kota-jayapura/> (diakses tanggal 23/4/2016).
- Krishna, S., Pulcini, S., Fatih, F., dan Staines, H., 2010. Artemisinins and the biological basis for the PfATP6/SERCA hypothesis. *Trends in parasitology*, 26: 517–523.
- Kwansa-Bentum, B., Ayi I., Suzuki, T., Otchere, J., Kumagai, T., Anyan, WK., Osei, J.H.N., Asahi, H., Ofori, M.F., Akao, N., Wilson, M.D., Boakye, D., Ohta, N., 2011. *Plasmodium falciparum* isolates from southern Ghana exhibit polymorphisms in the SERCA-type PfATPase6 though sensitive to artesunate in vitro. *Malaria journal*, 10(1), 187-198.
- Mankil, J.H.K., Kim, H., Nam, K.Y., dan No, 2005. Three Dimensional Structure of *Plasmodium falciparum*  $\text{Ca}^{2+}$ -ATPase (PfATP6) and Docking of Artemisinin Derivatives to PfATP6. *Bioorganic & Medicinal Chemistry Letters*, 15: 2994–7.
- Marwoto, H.A. dan Sulaksono, S., 2004. Malaria di Purworejo. *Media Litbang Kesehatan*, 14: 28–36.

- Mehlotra, R.K., Henry-Halldin, C.N., dan Zimmerman, P.A., 2009. Application of pharmacogenomics to malaria: a holistic approach for successful chemotherapy. *Pharmacogenomics*, 10: 435–449.
- Menegon, M., Sannella, A.R., Majori, G., dan Severini, C., 2008. Detection of novel point mutations in the Plasmodium falciparum ATPase6 candidate gene for resistance to artemisinins. *Parasitology International*, 57: 233–235.
- Na-Bangchang, K., Ruengweerayut, R., Mahamad, P., Ruengweerayut, K., dan Chaijaroenkul, W., 2010. Declining in efficacy of a three-day combination regimen of mefloquine-artesunate in a multi-drug resistance area along the Thai-Myanmar border. *Malaria journal*, 9: 273.
- Naik, P.K., Srivastava, M., Bajaj, P., Jain, S., Dubey, A., Ranjan, P., Kumar, R., Singh, H. 2010. The binding modes and binding affinities of artemisinin derivatives with Plasmodium falciparum Ca<sup>2+</sup>-ATPase (PfATP6). *Journal of molecular modeling*, 17: 333–357.
- NCBI, 2014. 'Restriction Fragment Length Polymorphism (RFLP)', URL: <http://www.ncbi.nlm.nih.gov/genome/probe/doc/TechRFLP.shtml> (diakses tanggal 21/3/2016).
- NCBI, 2016a. Plasmodium falciparum 3D7 chromosome 5. URL: <http://www.ncbi.nlm.nih.gov/nuccore/23613028/> (diakses tanggal 16/7/2016)
- NCBI, 2016b. Plasmodium falciparum 3D7, chromosome 1. URL : [http://www.ncbi.nlm.nih.gov/nuccore/?term=NC\\_004325](http://www.ncbi.nlm.nih.gov/nuccore/?term=NC_004325) (diakses tanggal 16/7/2016).
- Noedl, H., Se, Y., Schaecher, K., Smith, B.L., Socheat, D., dan Fukuda, M.M., 2008. Evidence of Artemisinin-Resistant Malaria in Western Cambodia. *New England Journal of Medicine*, 359: 2619–2620.
- Noedl, H., Socheat, D., dan Satimai, W., 2009. Artemisinin-Resistant Malaria in Asia. *New England Journal of Medicine*, 361: 540–541.
- Nurkholis, F., 2015. 'Kajian Polimorfisme Gen PfMDR1 dan PfATP6 pada Pasien Malaria Falciparum Non Komplikasi di Kabupaten Purworejo', . Universitas Gadjah Mada, Yogyakarta.
- O'Neill, P.M., Barton, V.E., dan Ward, S.A., 2010. The Molecular Mechanism of Action of Artemisinin-The Debate Continues. *Molecules*, 15: 1705–1721.
- Peta Tematik Indonesia, 2013. Peta Administratif Kota Jayapura. URL : <http://petatematikindo.com/2013/06/administrasi-kota-jayapura-a1-1.jpg> (diakses tanggal 26/6/2016)
- Phompradit, P., Wisedpanichkij, R., Muhamad, P., Chaijaroenkul, W., dan Na-Bangchang, K., 2011. Molecular analysis of pfatp6 and pfmdr1

polymorphisms and their association with in vitro sensitivity in *Plasmodium falciparum* isolates from the Thai-Myanmar border. *Acta tropica*, 120: 130–135.

Phyo, A. P, Nkhoma, S., Stepniewska, K., Ashley, E.A., Nair, S., McGready, R., Moo, C., Al-Saai, S., Dondorp, A.M., Lwin, K.M., Singhasivanon, P., Day, N.P.J., White N.J., Anderson, T.J.C., Nosten, F. 2012. Emergence of artemisinin-resistant malaria on the western border of Thailand: a longitudinal study. *Lancet* 2012; 379: 1960–66, 379: .

Pillai, D.R., Lau, R., Khairnar, K., Lepore, R., Via, A., Staines, H.M., Krishna, S. 2012. Artemether resistance in vitro is linked to mutations in PfATP6 that also interact with mutations in PfMDR1 in travellers returning with *Plasmodium falciparum* infections. *Malaria Journal*, 11: 131.

RSU Jayapura, 2014. *Informasi Tentang RSU Jayapura*. <http://rumah-sakit.findthebest.co.id/1/1418/RSU-Jayapura> (diakses tanggal 25 Agustus 2015).

Sidhu, A.B.S., Valderramos, S.G., Fidock, D.A., 2005. pfmdr1 mutations contribute to quinine resistance and enhance mefloquine and artemisinin sensitivity in *Plasmodium falciparum*. , 57, pp.913–926.

Strachan, T. dan Read, A.P., 1999. PCR, DNA sequencing and in vitro mutagenesis, dalam: *Human Molecular Genetics*. Wiley liss, New york.

Sulastri, 2015. 'Evaluasi Efikasi dan Efek Samping Penggunaan Kombinasi Obat Artesunat Injeksi dan Dihydroartemisinin-Piperaquin serta Primakuin pada Penyakit Malaria Berat di RSUD Jayapura'. Universitas Gadjah Mada, Yogyakarta.

Suluh Papua, 2013. Kasus Malaria di Provinsi Jayapura. URL : <http://suluhpapua.com/read/2013/10/05/malaria> (diakses tanggal 26/6/2016).

Syafruddin, D., Asih, P.B.S., Aggarwal, S.L., dan Shankar, A.H., 2003. Frequency distribution of antimalarial drug-resistant alleles among isolates of *Plasmodium falciparum* in Purworejo district, Central Java Province, Indonesia. *The American journal of tropical medicine and hygiene*, 69: 614–620.

Syarif, A., 2007. *Farmakologi Dan Terapi*, 5th ed. Balai Penerbit FKUI, Jakarta.

Tahar, R., Ringwald, P., dan Basco, L., 2009. In vitro activity of dihydroartemisinin against clinical isolates of *Plasmodium falciparum* and sequence analysis of the P. falciparum ATPase 6 gene. *The American Journal of Tropical Medicine and hygiene*, 81(1): 13–19.

Tjitra, E., Gunawan, S., Laihad, F., Marwoto, H., Sulaksono, S., Arjoso, S., dkk., 1997. Evaluation of Antimalarial Drugs in Indonesia, 1981 - 1995. *Buletin Penelitian Kesehatan*, 25 (1): 27–58.



- Travassos, M.A. dan Laufer, M.K., 2009. Resistance to Antimalarial Drugs: Molecular, Pharmacologic, and Clinical Considerations. *Pediatric Research*, 65: 64R–70R.
- Vijaykadga, S., Rojanawatsirivej, C., Cholpol, S., Phoungmanee, D., Nakavej, A., dan Wongsrichanalai, C., 2006. In vivo sensitivity monitoring of mefloquine monotherapy and artesunate-mefloquine combinations for the treatment of uncomplicated falciparum malaria in Thailand in 2003. *Tropical medicine & international health: TM & IH*, 11: 211–219.
- WHO, 1995. *WHO Model Prescribing Information: Drugs Used in Parasitic Diseases - Second Edition: Protozoa: Malaria: Artemether*, 2nd ed. World Health Organization, Geneva.
- WHO, 2006. *Guidelines for the Treatment of Malaria*. WHO Press, Geneva, Switzerland.
- WHO, 2011. *Global Plan for Artemisinin Resistance Containment (GPARC)*. WHO Press, Switzerland.
- Widoyono, 2011. Penyakit Tropis, Epidemiologi, Penularan, Pencegahan dan Pemberantasannya, Edisi kedua. Erlangga Medical Series. Jakarta.
- Wongsrichanalai, C., Pickard, A.L., Wernsdorfer, W.H., dan Meshnick, S.R., 2002. Epidemiology of drug-resistant malaria. *The Lancet Infectious Diseases*, 2: 209–218.
- Zhang, G., Guan, Y., Zheng, B., Wu, S., Tang, L., 2008. No PfATPase6 S769N mutation found in Plasmodium falciparum isolates from China. *Malaria journal*, 7, 120-124.