DAFTAR PUSTAKA

Abadi, M. H. S., M. Mojadam and T. S. Nejad. 2014. The effect of drought stress and different levels of nitrogen on yield and yield components of sorghum. International Journal of Biosciences, 4 (3): 206-212.

Abro, S. A., R. Qureshi, F. M. Soomro, A. A. Mirbahar, and G. S. Jakhar. 2009. Effects of silicon levels on growth and yield of wheat in silty loam soil. Pakistan Journal of Botany, 41 (3): 1385–1390.

Ahmad F., Rahmatullah, T. Aziz, M. A. Maqsood, M. A. Tahir and S. Kanwal. 2007. Effect of silicon application on wheat (*Triticum aestivum* L.) growth underwater deficiency stress. Emir. J. Food Agric., 19 (2): 01-07.

Ahmad S.T., Haddad R. (2011): Study of silicon effects on antioxidant enzyme activities and osmotic adjustment of wheat under drought stress. Czech Journal of Genetics and Plant Breeding, 47: 17–27.

Ahmad. F., Rahmatullah, T. Aziz, M. A.Maqsood, M. A. Tahi and S. Kanwal. 2007. Effect of silicon application on wheat (*Triticum aestivum* L.) growth under water deficiency stress. Emir. J. Food Agric., 19 (2): 01-

Ahmadizadeh, M. 2013. Physiological and agro-morphological response to drought stress. Middle-East Journal of Scientific Research 13 (8): 998-1009.

Ahmadizadeh, M., A. Nori, H. Shahbazi and M. Habibpour, 2011. Effects of drought stress on yield, on some agronomic and morphological traits of durum wheat (*Triticum durum* Desf.) landraces under greenhouse condition. African Journal Biotechnology, 10 (64): 14097-14107. Ahmed

A, R. Ahmed, N. Mahmood and A. Tanveer. 2007. Performance of forage sorghum intercropped with forage legumes under different planting pattern. Pak J. Bot., 39:431-439.

Ahmed M., F. Hassen and Y. Khurshid. 2011. Does silicon and irrigation have impact on drought toler-ance mechanism of sorghum. Agricult Water Manag., 98:1808–1812

Ahmed M., F. Hassen, U. Qadeer and M. A. Aslam. 2011. Silicon application and drought tolerance mechanism of sorghum. Afr. J. Agric. Res. 6: 594-607.

Ahmed, M., A. Kamran, M. Asif, U. Qadeer, Z. I. Ahmed and A. Goyal. 2013. Silicon priming: a potential source to impart abiotic stress tolerance in wheat: A review. AJCS 7(4):484-491.

Ahmed, M., F. Hassan and Y. Khurshid. 2011. Does silicon and irrigation have impact on drought tolerance mechanism of sorghum. Agricultural Water Management. Volume98, Issue 12: 1808–18.

Ahmed, M., F. Hassen, U. Qadeer and M. A. Aslam. 2011. Silicon application and drought tolerance mechanismof sorghum. African Journal of Agricultural Research, 6 (3): 594-607.

Albert, B., F. Le Cahérec, M. F. Niogret, P. Faes, J. C. Avice, L. Leport and A. Bouchereau. 2012. Nitrogen availability impacts oilseed rape (Brassica napus L.) plant water status and proline production efficiency under water-limited conditions. Planta. 236(2): 659–676.

Aldesuquy H. and H.H Ghanem. 2015. Exogenous Salicylic Acid and Trehalose Ameliorate Short Term Drought Stress in Wheat Cultivars by Up- regulating Membrane Characteristics and Antioxidant Defense System, J Horticulture, 2:2 (139): 10 pp.

Aldesuquy H., S, Baka ZA, El-Shehaby OA, Ghanem HE (2013) Growth, lipid peroxidation and antioxidant enzyme activities as a selection criterion for the salt tolerance of wheat cultivars irrigated by seawater. Phyton 53: 153-165.

Ali M. A. M, Ramezani, S. M. Far, K. S. Asilan, M. M. Ghahderijan and S. S. Jamian. 2013. Application of silicon ameliorates salinity stress in sunflower (*Helianthus annuus* L.) plants. Int J Agric Crop Sci., 6:1367-1372.

Ali M. A., A. Abbas, S. Niaz, M. Zulkiffal and S. Ali. 2009. Morpho-physiological criteria for drought tolerance in sorghum (*Sorghum bicolor*) at seedling and post-anthesis stages. Int J Agric Biol., 11: 674-680

Ali M. A., S. Niaz, A. Abbas, W. Sabir and K. Jabran. 2009. Genetic diversity and assessment of drought tolerant sorghum landraces based on morph-physiological traits at different growth stages. Plant Omics J., 2: 214-227

Ali, A., M. Tahir, M. Amin, S. M. A. Basra, M. Maqbool and Dong Jin Lee, 2013. Si induced stress tolerance in wheat (*Triticum aestivum* L.) hydroponically grown under water deficit conditions. Bulgarian Journal of Agricultural Science, 19 (5): 951-957

Ali, H. M., M. H. Siddiqui, M. H.. al-Whaibi, M. O. Basalah, A. M. Sakran, and M.el-Zaidy. 2013. Effect of proline and abscisic acid on the growth and physiological performance of faba bean under water stress. Pak. J. Bot., 45(3): 933-940

Ali, M. A., S. Niaz, A. Abbas, W. Sabir and K. Jabran. 2009. Genetic diversity and assessment of drought tolerant sorghum landraces based on morpho-physiological traits at different growth stages. Plant Omics Journal: 2 (5): 214-227.

Ali, M. A., A. Abbas, S. I. Awan, K. Jabran and S. D. A. Gardezi. 2011. Correlated response of various morpho-physiological characters with grain yield in sorghum landraces at different growth phases. The Journal of Animal & Plant Sciences, 21(4): 671-679.

Alvarez J and L. E. Datnoff . 2001. The economic potential of silicon for integrated management and sustainable rice production. Crop Prot., 20: 43–48.

Alvarez, J., L.E. Datnoff, and G.H. Snyder. 2011. The economics of silicon applications on rice and sugarcane in Florida. Florida Cooperative Extension Service Fact Sheet FE475. UF/IFAS Electronic Data Information Source (EDIS) Database. University of Florida, Gainesville, FL (2009). Accessed July 22, 2011. http://edis.ifas.ufl.edu/fe475.

Amador, B.M., S. Yamada, T. Yamaguchi, E. Rueda-Puente, N. Ávila-Serrano, J.L. García-Hernández, R. López-Aguilar, E. Troyo-Diéguez, and A. Nieto-Garibay. 2007. Influence of calcium silicate on growth, physiological parameters and mineral nutrition in two legume species under salt stress. J. Agron. Crop Sci. 193(6): 413–421.

Anjum, S. A., L. C. Wang, M. Farooq, I. Khan, L. L. Xue . 2011b. Methyl jasmonate induced alteration in lipid peroxidation, antioxidative defense system and yield in soybean under drought. J Agron Crop Sci. 197 (4): 296-301

Anjum, S. A., X. Y. Xie, L. C. Wang, M. F. Saleem, M. Chen and W. Lei. 2011a. Morphological, physiological and biochemical responses of plants to drought stress. African Journal of Agricultural Research, 6(9): 2026-2032.

Argillier, V. Menanteau. 2000. Relationship of cell wall composition to in vitro cell wall digestibility of maize inbred line stems. Journal of the Science of Food and Agriculture, 80: 574–580.

Arjenaki, F. G., R. Jabbari and A. Morshed. 2012. Evaluation of drought stress on relative water content, chlorophyll content and mineral elements of wheat (*Triticum aestivum* L.) varieties. Intl. J. Agri. Crop Sci., 4 (11): 726-729.

Aroca R, P. Vernieri and J. M. Ruiz-Lozano. 2008. Mycorrhizal and non-mycorrhizal *Lactuca sativa* plants exhibit contrasting responses to

exogenous ABA during drought stress and recovery. J Exp Bot 59:2029–2041.

Aroca R, R. Porcel, and J. M. Ruiz-Lozano. 2007. How does arbuscular mycorrhizal symbiosis regulate root hydraulic properties and plasma membrane aquaporins in *Phaseolus vulgaris* under drought, cold or salinity stresses. New Phytol., 173:808–816.

Arvin, M. J. and D. J. Donnelly. 2008. Screening potato cultivars and wild species to abiotic stresses using an electrolyte leakage bioassay. J Agric Sci Technol. 10:33-42

Aslam M., M.S.I. Zamir, I. Afzal, M. Yaseen, M. Mubeen and A.Shoaib. 2013. Drought stress, its effect on maize production and development of drought tolerance through potassium application. Cercetări Agronomice în Moldova.
46. 2 (154): 99-114.

Atta, B. M., T. Mahmood and R. M. Trethowan. 2013. Relationship between root morphology and grain yield of wheat in north-western NSW, Australia. AJCS 7(13): 2108-2115.

Ávila F.W., D. P. Baliza, V. Faquin, J. Araujo, and S. J. Ramos. 2010. Silicon-nitrogen interaction in rice cultivated under nutrient solution. Revista Ciencia Agronomica, 41: 184–190.

Awal, M.A., and T. Ikeda, 2002. *Recovery strategy following the imposition of episodic soil moisture deficit in stands of peanut* (Arachis hypogaea *L*.). J. Agronomy & Crop Science 188: 185-192.

Aziz, P.T., M.F. Niogret and F. Larher, 2002. Proline level is partly under the control of abscisic acid in canola leaf discs during recovery from hyperosmoticstress. Physiol. Plant. 110: 376-383.

Bakhat, H. F., S. Hanstein, and S. Schubert. 2009. Optimal level of silicon for maize (*Zea mays* L. c.v. Amadeo) growth in nutrient solution under controlled conditions. 29 (1): 185-212

Barbosa, M. A. M., M. H. L. da Silva, G. D. M. Viana, T. R. Ferreira, C. L. F. C. Souza, E. M. Silva, G. Lobato and A. K. da Silva Lobato. 2015. Beneficial repercussion of silicon (Si) application on photosynthetic pigments in maize plants. AJCS 9 (11): 1113-1118.

Baruah A., K. Simkova, K. Apel and C. Laloi. 2009. Arabidopsis mutants reveal multiple singlet oxygen signaling pathways involved in stress response and development. Plant Mol. Biol., 70: 547- 563.

Bates, L.S., R.P. Waldren and I.D. Teare, 1973. *Rapid determination of free proline for water stress studies*. Plant Soil 39: 205-207.

Bayo, W., N. F. G. Rethman, P. S. Hammes, C Van der Merwe, J.Grimbeek and M. Van der Linde. 2006. Effect of water deficit stress on the physiology, growth and leaf cell Ultrastructure of Sorghum (*Sorghum bicolor* (L.) Moench. Ethiopian Journal of Biological Sciences, 5 (2): 161-176.

Bayoumi, T.Y., M.H. Eid and E.M. Metwali, 2008. Application of physiological and biochemical indices as a screening technique for drought tolerance in wheat genotypes. Afr. J. Biotechnol., 7: 2341– 2352

Beheshti, A. 2013. Genotypic variation for traits associated with dry matter remobilization in grain sorghum (*Sorghum bicolor* L. Moench) genotypes under drought stress conditions. Crop Breeding Journal, 3 (2): 113-122.

Bengough, A. G., B. M. McKenzie, P. D. Hallett and T. A. Valentine. 2011. Root elongation, water stress, and mechanical impedance: a review of limiting stresses and beneficial root tip traits. Journal of Experimental Botany, 62 (1): 59–68.

Beti, Y. A., A. Ispandi, dan Sudaryono. 1990. Sorgum. Monografi No. 5. Balai

Penelitian Tanaman Pangan, Malang. Direktorat Jenderal Perkebunan. 1996. Sorgum manis komoditi harapan di propinsi kawasan timur Indonesia. Risalah Simposium Prospek Tanaman Sorgum untuk Pengembangan Agroindustri, 17−18 Januari 1995. Edisi Khusus Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian No.4-1996:6−12.

Blum, A. 2011. Plant Breeding for Water-Limited Environments, Drought Resistance and Its Improvement. Springer New York. ISBN - 978-1-4419-7491-4.pp 152.

Blum, A., 1988. Plant Breeding for Stress Environments. CRC Press, Boca Raton, USA., : 223.

Borrell A. K., G. L. Hammer and R. G. Henzell. 2000. Does maintaining green leaf area in sorghum improve yield under drought. II Dry matter production and yield. Crop Sci 40: 1037- 1042.

Bouslama M. and Schapaugh W.T., 1984. Stress tolerance in soybean. Part. 1: Evaluation of three screening techniques for heat and drought tolerance. *Crop Sci*., 24: 933-937.

Boussen H., M. Ben Salem, A. Slama, E. Mallek-Maalej and S. Rezgui. 2010. Evaluation of drought tolerance indices in durum wheat recombinant inbred lines. CIHEAM, Options Méditerranéennes: Série A. Séminaires Méditerranéens; 95: 79- 83

Boutraa, T., A. Akhkha, A. A. Al-Shoaibi and A.M. Alhejeli. 2010. Effect of water stress on growth and water use efficiency (WUE) of some wheat cultivars (*Triticum durum*) grown in Saudi Arabia.Journal of Taibah University for Science, 3: 39–48.

Broadhurst C. L., G. R. Bauchan, C. A. Murphy, Y. T. Tang, C. Pooley, A. P. Davis and R. L. Chaney. 2013. Accumulation of zinc and cadmium and localization of zinc in *Picris divaricata* Vant. Environ Exp Bot 87:1–9 .Cai

K, D. Gao, S. Luo, R. Zeng, J. Yang and X. Zhu. 2008. Physiological and cytological mechanisms of silicon-induced resistance in rice against blast disease. Physiologia Plantarum. 134 : 324–333.

Canavar, O., K. P. Götz, F. Ellmer, F. M. Chmielewski and M. A. Kaynak. 2014. Determination of the relationship between water use efficiency, carbon isotope discrimination and proline in sunflower genotypes under drought stress. AJCS 8(2):232-242.

Casler, M. D. , D. R. Buxton, and K. P. Vogel. 2002. Genetic modification of lignin concentration affects fitness of perennial herbaceous plants. Theoretical and Applied Genetics, 104 (1): 127–131.

Casler, M. D., and H. J. G. Jung. 2006. Relationships of fibre, lignin, and phenolics to in vitro fibre digestibility in three perennial grasses. Animal Feed Science and Technology, 125 (1-2): 151–161.

Centritto M. 2002. Interactive effects of elevated CO_2 and drought on peach seedlings. Plant Biosys 5:177–188.

Centritto M., F. Brilli, R. Fodale and F. Loreto. 2011. Different sensitivity of isoprene emission, respiration and photosynthesis to high growth temperature coupled with drought stress in black poplar (*Populus nigra*) saplings.Tree Physiology 31, 275–286.

Chaitanya, K.V., D. Sundar, P.P. Jutur, S. Masilamani and R.A. Ramachandra. 2003. Water stress effects on photosynthesis in different mulbery cultivars. Plant Growth Regulator. 40: 75-80.`

Chandrasekar, V., R. K. Sairam and G. C. Srivastava. 2000. Physiological and biochemical responses of hexaploid and tetraploid wheat to drought stress. Journal of Agronomy and Crop Science. 185 (4): 219–227.

Chaves M. M., J. P. Maroco and J. Pereira. 2003. Understanding plant responses

to drought from genes to the whole plant. Funct Plant Biol. 30: 239–26.

Chaves, M. M., J. S. Pereira, J. Maroco, M. L. Rodrigues, C. P. P. Ricardo, M. L. Osorio, I. Carvalho, T. Faria and C. Pinheiro, 2002. How plants cope withwater stress in the field. Photosynthetis and growth. Ann. of Bot. 89: 907-916.

Chen M., C. Wei, J. Qi, X. Chen, J. Su, A. Li, A. Tao and W. Wu. 2011. Genetic linkage map construction for kenaf using SRAP, ISSR and RAPD markers. Plant Breed, 130:679–687.

Chen W, X. Yao, K. Cai and J. Chen. 2011. Silicon alleviates drought stress of rice plants by improving plant water status, photosynthesis and mineral nutrient absorption. Biology Trace Element. Res., 142 (1): 67-76.

Chen, P. Y., S. J. Cokus, M. Pellegrini and B. S. Seeker. 2010. Precise mapping for bisulfite sequencing. *BMC Bioinforma.* 11: 203.

Chen, T. H. and N. Murata. 2002. Enhancement of tolerance of abiotic stress by metabolic engineering of betting and other compatible solutes. Curr Opin. Plant Biol. 5: 250-257.

Chen, C. and Dickman, M.B. 2005. Proline suppresses apoptosis in the fungal pathogenColletotrichum trifolii. Proc. Natl. Acad. Sci. U. S. A. 102, 3459–3464

Choudhary, N. L., R. K. Sairam and A. Tyagi. 2011. Expression of delta1- pyrroline-5-carboxylate synthetase gene during drought in rice (*Oryza sativa L*.). Indian Journal of Biochemistry & Biophysics. 42: 366-370.

Clarke J. M., R. M. DePauw and T. F. Townley Smith. 1992. Evaluation of methods for quantification of drought tolerance in wheat. Crop Science. 32: 423-428.

Collinge, D. B. 2009. Cell wall appositions: the first line of defence. Journal of Experimental Botany. 60 (2): 351–352.

Coventry, R. J., G. P. Gillman, M. E. Burton, D. McSkimming, D. C. Burkett, and N. L. R. Horner. 2001. Rejuvenating soils with Minplus, a rock dust and soil conditioner to improve the productivity of acidic, highly weathered soils. A Report for the Rural Industries Research and Development Corporation (RIRDC), Publ. No 01/173, Townsville, Qld.

Crusciol C. A. C., A. L. Pulz, L. B. Lemos, R. P. Soratto and G. P. P. Lima. 2009. Effects of silicon and drought stress on tuber yield and leaf biochemical characteristics in potato. Crop Sci., 49: 949-954.

Crusciol, C.A.C., R.P. Soratto, G.S.A. Castro, C. H. M. D. Costa, and J. F. Neto. 2013. Foliar application of stabilized silicic acid on soybean, common bean, and peanut. Revista Ciência Agronômica, 44 (2): 404–410.

Dardanelli, J. L., J. T. Ritchie, M. Calmon, J. M. Andriani and D. J. Collino. 2004. An empirical model for root water uptake. Field Crops Res. 87:59-71.

Delauney, A. J. and D. P. S. Verma. 1993. Proline biosynthesis and osmoregulation in plants. Plant J. 4: 215-223.

de-Melo S. P., G. H. Korndörfer, C. M. Korndörfer, R. M. Q. Lana and D. G. Santana. 2003. Silicon accumulation and water deficit tolerance in Brachiaria grasses. Sciencia Agricola, 60 : 755–759.

Deshmukh, R. N. 2012. Osmolyte accumulation in *sorghum bicolor* under water stress. Bionano Frontier. 5 (2): 204-209.

Deshmuukh P.S., Sairam R.K., and Shukla D.S., 1991, Measurement of ion leakage as a screening technique for drought resistance in wheat genotypes. Indian Journal of Plant Physiology, 34: 89-91

Devi S. P. S. and B. Sujatha. 2014. Drought induced accumulation of soluble sugars and proline in two pigeon pea (*Cajanus cajan* L.Millsp.) cultivars. International Journal of Innovative Research & Development. 3 (4): 302-305.

Dhanda S. S., G. S. Sethi and R. K. Behl. 2004. Indices of drought tolerance in wheat genotypes at early stages of plant growth. J Agron Crop Sci 190: 6-12.

Dinh, H. T., W. Kaewpradit, S. Jogloy, N. Vorasoot and A. Patanothai. 2014. Nutrient uptake of peanut genotypes with different levels of drought tolerance under midseason drought. Turkish Journal of Agriculture and Forestry. 38: 495-505.

Direktorat Jenderal Tanaman Pangan dan Hortikultura. 1996. Prospek sorgum sebagai bahan pangan dan industri pangan. Risalah Simposium Prospek Tanaman Sorgum untuk Pengembangan Agroindustri, 17−18 Januari 1995. Edisi Khusus Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian No. 4: 2−5.

Dubey A., and A. Chandra. 2003. Differential changes in enzyme activities caused by water stress in cenchrus species. Indian J. Plant Physiol. (Special Issue). 339-345.

Elshafei, A. A., M. Saleh, A. A. Al-Doss1, K. A. Moustafa, F. H. Al-Qurainy and M. N. Barakat. 2013. Identification of new SRAP markers linked to leaf chlorophyll content, flag leaf senescence and cell membrane stability traits in wheat under water-stressed condition. AJCS 7(6):887-893

Emendack, Y., D. Malinowski, J. Burke, G. Burow and Z. Xin. 2014. Morpho-physiological characterization of cold andp pre-flowering drought tolerance in grain sorghum (*Sorghum bicolor* L. Moench) Inbreds. *American Journal of Experimental Agriculture*, *4(12): 1500-1516.*

Epstein, E. 1999. Silicon. Ann. Rev. Plant Physiol. Plant Mol. Biol. 50: 641-664.

Farooq S. and F. Azam. 2002. Co-existence of salt and drought tolerance in triticeae. Hereditas 135: 205-210.

Farooq, M., A. Wahid, D. J. Lee, S. A. Cheema and T. Aziz. 2010. Comparative time course action of the foliar applied glycinebetaine, salicylic acid, nitrous oxide, brassinosteroids and spermine in improving drought resistance of rice. J Agron Crop Sci. 196: 336-345.

Farooq, M., T. Aziz, M. Hussain, H. Rehman, K. Jabran and M. B. Khan. 2008. Glycinebetaine improves chilling tolerance in hybrid maize. J Agron Crop Sci. 194: 152–160.

Farooq, M., A. Wahid, N. Kobayashi, D. Fujita and S. M. A. Basra. 2009. Plant drought stress: effects, mechanisms and management. Agronomy for Sustainable Development. 29 (1): 185-212.

Fernández G. C. J. 1992. Effective selection criteria for assessing plant stress tolerance. In: Kuo C.G. (Ed.), *Proceedings of the International Symposium on "Adaptation of Vegetables and other Food Crops in Temperature and Water Stress"*, Chapter 25, Taiwan, 13-16 August, p. 257-270

Fischer R.A. and R. Maurer. 1978. Drought resistance in spring wheat cultivars. I. Grain yield response. *In: Aust. J. Agric. Res.,* 29: 897-912

Fleck, A. T., T. Nye, C. Repenning, F. Stahl, M. Zahn, and M. K. Schenk. 2011. Silicon enhances suberization and lignification in roots of rice (*Oryza sativa*). J Exp Bot., 62 (6): 2001–2011.

Fotovat, R., M. Valizadeh and M. Toorchi. 2007. Association between water use efficiency components and total chlorophyll content (SPAD) in wheat (*Triticum aestivum* L.) under well-watered and drought stress conditions. J. Food. Agric. Environ., 5: 225-227.

Fouad, M. O., A. Essahibi, L. Benhiba and A. Qaddoury. 2014. Effectiveness of arbuscular mycorrhizal fungi in the protection of olive plants against oxidative stress induced by drought. Spanish Journal of Agricultural Research, 12 (3): 763-771.

Franks, S. J. . 2011. Plasticity and evolution in drought avoidance and escape in the annual plant *Brassica rapa.* New Phytologist. Vol. 190, Issue 1: 249–257

Fuping, T., Z. Zihe, C. Zixuan, and W. Suomin. 2005. Effect of Si fertilizer on yield of alfalfa. *Gansu Nongye Daxue Xuebao* 40(1):42–47.

Galme´s J., J Flexas J, R. Save´ ans H. Medrano. 2007. Water relations and stomatal characteristics of Mediterranean plants with different growth forms and leaf habits: responses to water stress and recovery. Plant and Soil, 290, 139–155.

Gao X, C. Zou, L. Wang and F. Zhang. 2006. Silicon decreases transpiration rate and conductance from stomata of maize plants. J. Plant Nutr 29:1637–1647

Gao X., C. Zou, L. Wang and F. Zhang. 2005. Silicon Improves Water use efficiency in maize plants .Journal of Plant Nutrition, 27 (8): 2005

Gao, X. C. Zou, L. Wang, and F. Zhang. 2006. Silicon decreases transpiration rate and conductance from stomata of maize plants. Journal of Plant Nutrition, 29 (9): 1637–1647

Ghanbari, A. A., M. R. Shakiba, M. Toorchi and R. Choukan. 2013. Morpho-physiological responses of common bean leaf to water deficit stress. European Journal of Experimental Biology, 3(1):487-492.

Gharineh M. H. and A. Karmollachaab.2013. Effect of Silicon on physiological characteristics wheat growth under water deficit stress induced by PEG. International Journal of Agronomy and Plant Production. 4 (7), 1543-1548

Gholinezhad, E., A. Aynaband, A. H. Ghorthapeh, G. Noormohamadi and I. Bernousi. 2012. Effect of drought stress on grain yield, quality traits, phyllochron and leaf appearance rate of sunflower hybrid iroflor at different levels of nitrogen and plant population. J. Agric. & Environ. Sci., 12 (3): 306-314.

Golbashy. M., M. Ebrahimi, S. K. Khorasani and R. Choukan. 2010. Evaluation of drought tolerance of some corn (*Zea mays* L.) hybrids in Iran. African Journal of Agricultural Research. 5 (19): 2714-2719.

Gomes,F. P., Marco A. Olivab, Marcelo S. Mielkea, Alex-Alan F. Almeidaa, L. A. Aquinob. 2010. Osmotic adjustment, proline accumulation and cell membrane stability in leaves of *Cocos nucifera* submitted to drought stress. Scientia Horticulturae. Vol. 126, (3): 379–384.

Gomes, D. I., E. Detmann, S. D. C. V. Filho. 2011. Evaluation of lignin contents in tropical forages using different analytical methods and their correlations with degradation of insoluble fiber," Animal Feed Science and Technology, 168 (3-4): 206–222.

Gomes, M. M. A., A. T. Netto, E. Campostrini, R. B. Smith, M. A. T. Zullo, T. M. Ferraz, L.N. Siqueira, N. R.Leal and M. N. Vázquez. 2013. Brassinosteroid analogue affects the senescence in two papaya genotypes submitted to drought stress. Theoretical and Experimental Plant Physiology, 25(3): 186-195.

Gong H., K. Chen, G. Chen, S. Wang and C. Zhang. 2003. Effects of silicon on growth of wheat under drought. J. Plant Nutr., 26:1055–1063.

Gong, H., X. Zhu, K. Chen, S. Wang and C. Zhang. 2005. Silicon alleviates oxidative damage of wheat plants in pots under drought. Plant Science. 169 (2): 313–321. Gong

J.R., A.F. Zhao, Y. M. Huang, X. S. Zhang and C. L. Zhang. 2006. Water relations, gas exchange, photochemical efficiency, and peroxidative stress of four plant species in the Heihe drainage basin of Northern China. Photosynthetica 44: 355–364.

Gong H. J., K. M. Chen, Z. G. Zhao, G. C. Chen and W. J. Zhou. 2008. Effects of silicon on defense of wheat against oxidative stress under drought at different developmental stages. Biol. Plant. 52: 592– 596.

Gong, H. and K. Chen. 2012. The regulatory role of silicon on water relations, photosynthetic gas exchange, and carboxylation activities of wheat leaves in field drought conditions. Acta Physiol Plant, 34:1589–1594.

Gotoa M., H. Eharaa, K. Shyuichi, T. Keiji, O. Natsumi, Y. Yutaka, O. Satoru, Y. M. Sani and M. Osamu. 2003. Protective effect of silicon on phenolic biosynthesis and ultraviolet spectral stress in rice crop. Plant Sci., 164: 349–356.

Grassi, G. and F. Magnani. 2005. Stomatal, mesophyll conductance andbiochemical limitations to photosynthesis as affected by drought and leafontogeny in ash and oak trees. Plant Cell Environ., 28: 834-849.

Gregory, P. J., A. G. Bengough, D. Grinev, S. Schmidt, W. T. B. Thomas, T. Wojciechowski and I. M. Young. 2009. Root phenomics of crops: opportunities and challenges. Funct. Plant Biol., 36: 922-929.

Guendouz, A., K. Maamari, S. Guessoum, M. Hafsi and M. Benidir. 2012. Flag leaf senescence, chlorophyll content and its relationships with yield components under drought in durum wheat (*Triticum durum* desf). International Journal of Innovations in Bio-Sciences, 2 (4): 186-192.

Guha, G., D. Sengupta, G.H. Rasineni and A. R. Reddy, 2009. An integrated diagnostic approach to understand drought tolerance in mulberry *(Morus indica* L.). Flora, doi: 10.1016/j.flora.2009.01.004.

Gunes, A., A. Inal, E.G. Bagci, and S. Coban. 2007. Siliconmediated changes on some physiological and enzymatic.Crop science, vol. 49, 2009 parameters symptomatic of oxidative stress in barley grown in sodic-B toxic soil. J. Plant Physiol. 164:807–811.

Gunes, A., D.J. Pilbeam, A. Ina, and S. Coban. 2008. Influence of silicon on sunfl ower cultivars under drought stress, I: Growth, antioxidant mechanisms, and lipid peroxidation. Commun. Soil Sci. Plant Anal. 39:1885–1903.

Gupta, S. N., B. S. Dahiya, B. P. S. Malik and N. R. Bishnoi. 2005. Response of chickpea to water deficits and drought stress. *Haryana Agril. Univ. J. Res.,* 25 (1-2): 11-19.

Hafsi, M., A. Hadji, A. Guendouz and K. Maamari. 2013. Relationship between flag senescence and grain yield in durum wheat grown under drought conditions. Journal of Agronomy, 12 (2): 69-77

Hafsi, M., W. Mechmeche, L. Bouamama, A. Djekoune, M. Zaharieva and P. Monneveux. 2013. Flag leaf senescence, as evaluated by numerical image analysis, and its relationship with yield under drought in durum wheat. J. Agron. Crop Sci., 185: 275-280,

Hajibabaee, M., F. Azizi and K. Zargar. 2012. Effect of Drought Stress on Some Morphological, Physiological and Agronomic Traits in Various Foliage Corn Hybrids. American-Eurasian J. Agric. & Environ. Sci., 12 (7): 890-896,

Hamanishi, E. T., B. R Thomas, and M. M. Campbell. 2012. Drought induces alterations in the stomatal development program in *Populus.* J Exp Bot. 63 (13): 4959–4971.

Hamayun, M., E. Y. Sohn, S. A. Khan, Z. Shinwari, A.L. Khan, and I.J. Lee. 2010. Silicon alleviates the adverse effects of salinity and drought stress on growth and endogenous plant growth hormones of soybean [*Glycine max* (L.) *Merr*.]. Pak. J. Bot. 42 (3):1713–1722.

Hamayun, M., E.Y. Sohn, S.A. Khan, Z. Shinwari, A.L. Khan, and I.J. Lee. 2010.

Silicon alleviates the adverse effects of salinity and drought stress on growth and endogenous plant growth hormones of soybean (*Glycine max* (L.) Merr.). Pak. J. Bot. 42 (3):1713– 1722.

Hashemi A., A. Abdolzadeh and H. R. Sadeghipour. 2010. Beneficial effects of silicon nutrition in alleviating salinity stress in hydroponically grown canola, *Brassica napus* L., plants. Soil Sci Plant Nutr., 56: 244–253.

Hasheminasab H, M. T. Assad, A. Aliakbari and S. R. Sahhafi. 2012. Influence of drought stress on oxidative damage and antioxidant defense systems in tolerant and susceptible wheat genotypes. Journal of Agricultural Science 4: 20- 30.

Hassan, M., A. Qayyum, A. Razzaq and M. Ahmad. 2013. Evaluation of maize cultivars for drought tolerance based on physiological traits associated with cell wall plasticity. Jokull Journal., 63 (7): 466-478.

Hassanzadeh, M., A. Ebadi, M. P. Kivi, A. G. Eshghi. S. J. Somarin, M. Saedi and Z. Mahmoodabad. 2009. Evaluation of drought stchlorophyll content ress on relative water content and of sesame (*Sesamum indicum* L.) genotypes at early flowering stage. Research J. of Environmental Sci., 3 (3): 345-350.

Hatfield, R. D., J. Grabber, J. Ralph, and K. Brei. 1999. Using the Acetyl Bromide Assay To Determine Lignin Concentrations in Herbaceous Plants: Some Cautionary Notes. J. Agric. Food Chem, 47: 628−632.

Hattori T., K. Sonobe, H. Araki, S. Inanaga, P. An and S. Morita. 2008. Silicon application improves water uptake by sorghum through the alleviation of stressinduced increase in hydraulic resistance. J. Plant Nutr., 31: 1482-1495.

Hattori T., K. Sonobe, S. Inanaga, P. An, W. Tsuji, H. Araki, A. E. Eneji and S. Morita. 2007. Short term stomatal responses to light intensity changes and osmotic stress in sorghum seedlings raised with and without silicon. Environ. Exp. Bot., 60: 177-182.

Hattori T., S. Inanaga and H. Arak. 2005: Application of silicon enhanced drought tolerance in *Sorghum bicolor*. Plant Physiol., 123: 459–466.

Hattori, T., K. Sonobe, S. Inanaga, Ping An and S. Morita. 2008. Effects of Silicon on Photosynthesis of Young Cucumber Seedlings Under Osmotic Stress. Journal of Plant Nutrition,31: 1046–1058.

Hattori, T., K. Sonobe, S. Inanaga, P. An, W. Tsuji, H. Araki, A. E. Eneji and S. Morita. 2015. Short term stomatal responses to light intensity changes and osmotic stress in sorghum seedlings raised with and without silicon. Ecotoxicology and Environmental Safety. 119: 186–197.

Hoesksiou, F. A., E. A. Golovina, and J. Buitink. 2001. Mechanisms of plant desiccation tolerance. *Trends Plant Sci.* 6, 431-438.

Hoesksiou, F. A., E. A. Golovina and J. Buitink. 2001. Mechanisms of plant desiccation tolerance. Trends Plant Sci., 6: 431-438.

Hossain, M. B., M. W. Rahman, M. N. Rahman, A. H. M. N. Anwar and A. K. M. Hossen. 2010. Effects of water stress on yield attributes and yield of different Mungbean genotypes. Int. J. Sustain. Crop Prod., 5(1)19-24.

Hu, Y., W. C. Li, Y. Q. Xu, G. J. Li, Y. Liao, and F. L. Fu,. 2009. Differential expression of candidate genes for lignin biosynthesis under drought stress in maize leaves. Journal of Applied Genetics, 50 (3): 213–223,

Huber, H., N. C. Kane, M. S. Heschel, E. J. von Wettberg, J. Banta, A. Leuck, and J. Schmitt. 2004. Frequency and microenvironmental pattern of selection on plastic shade-avoidance traits in a natural population of Impatiens capensis. The American Naturalist 163:548–563.

Hussain. K, M. F. Nisar, A. Majeed, K. Nawaz, K. H. Bhatti, S. Afghan, A. Shahazad and S. Z.Hussnian. 2010. What molecular mechanism is

adapted by plants during salt stress tolerance. African Journal of Biotechnology. 9 (4): 416-422.

Hussein, M. M. and A. K. Alva. 2014. Growth, yield and water use effeciency of forage sorghum as affected by NPK fertilizer and deficit irrigation. American Journal of Plant Sciences. 5 (13): 7 pps.

Hussein, M. M. and S. A. Mahmoud. 2013. Evaluation of Water Stress on Mineral Status of Egyptian clover (*Trifolium alexandrinum*) Varieties. J. Basic. Appl. Sci. Res., 3(12)193-198. ISSN 2090-4304

Ibrahim A. H. and H. S. Aldesuquy. 2003. Glycine betaine and shikimik acid-induced modification in growth criteria, water relation and productivity of droughted *Sorghum bicolor* plants. Phyton-Horn, 43(2): 351-363..

ICRISAT/FAO. (1996). The World Sorghum and Millet Economies: Facts, trend and outlook. Published by FAO and ICRISAT. ISBN 92-5-103861-9. 68p.

Indradewa, D., 2001. *Gatra agronomis dan fisiologis pengaruh genangan dalam parit pada tanaman kedelai*. Disertasi. Universitas Gadjah Mada.Yogyakarta. 302h.

Irigoyen J. J., D. W. Einerich and M. Sánchez-Díaz. 1982. Water stress induced changes in concentrations of proline and total soluble sugars in nodulated alfalfa (*Medicago sativa*) plants. Physiologia Plantarum. 84 (1): 55–60.

Iwasaki, K., P. Maier, M. Fecht, and W. J. Horst. 2002. Effects of silicon supply on apoplastic manganese concentrations in leaves and their relation to manganese tolerance in cowpea (*Vigna unguiculata* (L.) Walp.). Plant and Soil, 238 (2): 281–288.

Izanloo A., A.G. Condon, P. Langridge, M. Tester, T. Schnurbusch, 2008. Different mechanisms of adaptation to cyclic water cekamans in two South Australian bread wheat cultivars. Journal of Experimental Botany, 59(12): 3327-3346.

Jadhav P. G., R. M. Naik and B. B. Desai. 2001. Effect of seed treatment with abscisic acid and putrescine on drought response of rabi sorghum cultivars.J. Maha. Agric. Univ. 26 (1): 123-124.

Jagtap V., and Bhargava S., 1995, Variation in the antioxidant metabolism of drought tolerant and drought susceptible varieties of sorghum. Moench exposed to high light, low water and high temperature stress. J. Plant Physiol., 145: 195-197.

Jangpromma. N. S. Thammasirirak. P. Jaisil and P. Songsri. 2012. Effects of drought and recovery from drought stress on above ground and root growth. and water use efficiency in sugarcane (*Saccharum officinarum* L.). AJCS 6(8):1298-1304.

Ji, K., Wang, Y., Sun W., Lou Q., Mei H., Shen S., Chen H. 2012. Drought-responsive mechanisms in rice genotypes with contrasting drought tolerance during reproductive stage. J Plant Physiol. 1;169(4):336-344.

Jongrungklang, N., B. Toomsan, N. Vorasoot, S. Jogloy, K. J. Boote, G. Hoogenboom, A. Patanothai. 2013. Drought tolerance mechanisms for yield responses to pre-flowering drought stress of peanut genotypes with different drought tolerant levels. Field Crops Research, Vol. 144: 34–42.

Kamali, M., Z. Ansar and M.B. FirouzAbadi. 2013. Efect of Drought Stres on Agronomic Traits of Lines of Rapesed. International Journal of Agronomy and Plant Production, Vol., 4 (7): 1419-1426.

Kanbar, A., , I. Al Gehani and I. El Drussi. 2013. Genotypic variability and DNA diversity studies in sorghum (Sorghum bicolor L. Moench) varieties under contrasting moisture stress conditions. Adv. Environ. Biol., 7(13), 3937-

3941.

Kapanigowda, M. H., R. Peruma, M. Djanaguiraman, R. M Aiken, T. Tesso , P. V .V.Prasad and C. R. Little. 2013. Genotypic variation in sorghum [Sorghum bicolor (L.) Moench] exotic germplasm collections for drought anddisease tolerance . Springer Plus 2:650, 13 pp . http://www.springerplus.com/content/2/1/650

Karmollachaab A, Bakhshandeh A, Gharineh MH, Moradi Telavat MR., Fathi G. 2013. Effect of Silicon application on Physiological characteristics and Grain Yield of Wheat under Drought stress condition. International journal of Agronomy and Plant Production. 4 (1): 30-37.

Karmollachaab, A and M.H. Gharineh. 2015. Effect of silicon application on wheat seedlings growth under water-deficit stress induced by polyethylene glycol. Iran Agricultural Research (2015) 34(1) 31-38

Kashiwagi J, L. Krishnamurthy, H. D. Upadhyaya, H. Krishna, S. Chandra, V. Vadez and R. Serraj. 2004. Genetic variability of drought avoidance root traits in the mini-core germplasm collection of chickpea (Cicer arietinum L.). Euphytica 146: 213-222.

Kaya, C., L. Tuna and D. Higgs. 2006. Effect of silicon on plant growth and mineral nutrition of maize grown.under water-stress condition. Journal of Plant Nutrition. 29: 1469-1480.

Kearl. L. C. 1982. Nutrient requirements of ruminants in developing countries. International Feedstuffs Institute, Utah Agricultural Experiment Station, Utah State University in Logan, Utah .

Khakwani, A. A., M. D. Dennett, M. Munir and M. S. Baloch. 2012. Wheat yield response to physiological limitations under water stress condition. The Journal of Animal & Plant Sciences, 22(3): 773-780.

Khayatnezhad, M., R. Gholamin, S. J. Somarin and R. Z. Mahmoodabad. 2011. The leaf chlorophyll content and stress resistance relationship considering in Corn cultivars (*Zea mays*). Advances in Environmental Biology, 5(1): 118-122.

Khosroshahi, M. Z., Mahmoud Esna-Ashari, Ahmad Ershadi, Ali Imani. 2014. Morphological Changes in Response to Drought Stress in Cultivated and Wild ` Almond Species. International Journal of Horticultural Science and Technology, 1 (1): 79-92.

Kiani SP, Maury P, Sarrafi A, Grieu P (2008) QTL analysis of chlorophyll fluorescence parameters in sunflower (Helianthus annuus L.) under well-watered and waterstressed conditions. Plant Sci. 175: 565–573.

Kim, J.S., B.L. Reuhs, M.M. Rahman, B. Ridley & R.W.Carlson (1996) Separation of bacterial capsular and lipopolysaccharides by preparative electrophoresis. Glycobiology, 6(4), 433- 437.

Kishor, P. B. K., Hong Z., Miao G. H., Hu C. A. A., and P. S Virma. 1995. Overexpression of pyroline-5-carboxylatesynthetase increase proline production and confers osmotolerance in transgenic plants. Plant Physiol. 108: 1387-1394.

Kishor., K P. B., S. Sangam, R. N. Amrutha, P. Sri Laxmi, K. R. Naidu, K. R. S. S. Rao, Sreenath Rao, K. J. Reddy, P. Theriappan and N. Sreenivasulu. 2003. Regulation of proline biosynthesis, degradation, uptake and transport in higher plants: Its implications in plant growth and abiotic stress tolerance. Curr. Sci. 88(3): 424-438.

Kocheva, K. & Georgiev, G., 2003. Evaluation of the reaction of two contrasting barley (*Hordeum vulgare* L.) cultivars in response to osmotic stress with PEG 6000. Belg. J.Plant PhysioL., (special issue), 290–294.

Kotula L., K. Ranathunge, L. Schreiber and E. Steudle. 2009. Functional and

chemical comparison of apoplastic barriers to radial oxygen loss in roots of rice (*Oryza sativa* L.) grown in aerated or deoxygenated solution. Journal of Experimental Botany. 60: 2155-2167.

Krause, D. O., S. E. Denman and R. I. Mackie . 2003. Opportunities to improve fiber degradation in the rumen: microbiology, ecology, and genomics.FEMS Microbiology, Reviews, 27 (5): 663–693.

Kristanto, B. A., D.W. Widjayanto, Sumarsono.,dan A Darmawati. 2011. Respon rumput raja terhadap pemupukan zeolit sebagai sumber silika pada tanah latosol. Buletin Sintesis, 15 (2): 1-5.

Kumar A., G. Tamogami, S. Iwahashi, H. PrasadAgrawal, V. Rakwal, R. Transient, 2003 - Regulation of jasmonic acid inducible rice MAP kinase gene (OSBWMK1) by diverse biotic and abiotic cekamanses. Plant PhysiolBiochem., 41: 355-361.

Lack, S., H. Dashti, G. Abadooz and A. Modhej. 2012. Effect of different levels of irrigation and planting pattern on grain yield, yield components and water use efficiency of corn grain (*Zea mays* L.) hybrid SC. 704. African Journal of Agricultural Research Vol. 7 (18): 2873-2878.

Lak, S., N. Naderi, S.A. Siadat, A. Aynehband and G. Noormohammadi, 2007. Effects of water deficiency stress on yield and nitrogen efficiency of grain corn hybrid KSC 704 at different nitrogen rates and plant population. Iranian J. Agric. Sci. Natur. Resour.14(2): 63- 76. (In Persian with English abstract).

Lakitan, B. dan N. Gofar, 2013. Kebijakan inovasi teknologi untuk pengelolaan Nasional Lahan Suboptimal, Palembang, 20-21 September 2013.

Lana R.M.Q., Korndorfer G.H., Zanão Júnior L.A., Silva A.F., Lana A.M.Q. (2003): Effect of calcium silicate on the produc-tivity and silicon accumulation in the tomato plant. Bioscience Journal, 19: 15–20.

Landon, J.R., 1984. Booker tropical soil manual. A handbook for soil survey andagricultural land evaluation in the tropics and subtropics. BookerAgriculture International Limited, London. 450 h.

Lanvermann, C., R. Evans, U, Schmitt, S. Hering, and P.Niemz. 2013. Distribution of structure and lignin within growth rings of Norway spruce. Wood Science and Technology, Vol. 47(3): 627-641.

Lee, B. R., K. Y. Kim, W. J. Jung, J. C. Avice, A. Ourry and T. H. Kim. 2007. Peroxidases and lignification in relation to the intensity of water-deficit stress in white clover (*Trifolium repens L*.). J. Exp. Bot., 58(6):1271-1279.

Lee, B. R., S. Muneer, S. H. Park, Q. Zhang and T. H. Kim. 2013. Ammonium-induced proline and sucrose accumulation,and their significance in antioxidative activity and osmoticadjustment. Acta Physiologiae Plantarum, Vol. 35 (9): 2655-2664.

Lee, S.K., E.Y. Sohn, M. Hamayun, J.Y. Yoon, and I.J. Lee. 2010. Effect of silicon on growth and salinity stress of soybean plant grown under hydroponic system. Agroforest. Syst. 80:333–340.

Li, F.D., P. Meng, D.L. Fu and B.P. Wang. 2008. Light distribution, photosynthetic rate and yield in a Paulownia-wheat intercropping system in China, *Agrofor. Sys*., 74: 163-172.

Liang Y, Zhu J, Li Z, Chu G, Ding Y, Zhang J, Sun W. 2008. Role of silicon in enhancing esistance to freezing stress in two contrasting winter wheat cultivars. Environ Exp Bot 64:286–294.

Liang Y. C., Q. Chen, W. E. Liu, H. Zhang and R. X. Ding. 2003. Exogenous silicon (Si) increases antioxidant enzyme activity and reduces lipid peroxidation in roots of salt-stressed barley (Hordeum vulgare L.). J Plant

Physiol 160:1157–1164.

Liu C, Y. Liu, K. Guo, D. Fan and G. Li. 2011. Effect of drought on pigments, osmotic adjustment and antioxidant enzymes in six woody plant species in Karst habitats of southwestern China. Journal of Environmental and Experimental Botany 71: 174- 183.

Liu, L. and H. Stützel. 2004. Biomass partitioning, specific leaf area, and water use efficiency of vegetable amaranth (*Amaranthus* spp.) in response to drought stress. Scientia Horticulturae, 102 (1): 15–27.

Lu, G., 2000. Studies on stomatal characteristics and drought-resistance for different types of drought-resistance soybean germplasm from Huang-huai Hai area. Soybean Sci., 19: 1-7.

Luan, S., 2002. Signaling drought in guard cells. Plant Cell Environ., 25: 229-237.

Lux, A., M. Luxova, J. Abe, E. Tanimoto, T. Hattori and S. Inanaga. 2003. The dynamics of silicon deposition in the sorghum root endodermis. New Phytol. 158:437-441.

Lux, A., M. Luxová, J. Abe, S. Morita, and S. Inanaga. 2003. Silicification of bamboo (*Phyllostachys heterocycla* Mitf.) root and leaf. Plant and Soil, 255 (1): 85–91.

Lux, A., M. Luxova, T. Hattori, S. Inanaga, and Y. Sugimoto. 2002. Silicification in sorghum (*Sorghum bicolor*) cultivars with different drought tolerance. Physiol. Plantarum 115:87–92.

Ma J. F., N. Yamaji and N. Mitani. 2007: An efflux transporter of silicon in rice. *Nature* 448: 209–212.

Ma JF. 2004. Role of silicon in enhancing the resistance of plants to biotic and abiotic stresses. Soil Science and Plant Nutrition. 50: 11–18.

Ma, J. F., S. Goto, K. Tamaki and M. Ichii. 2001. Role of root hairs and lateral roots in silicon uptake by rice. Plant Physiol., 127: 1773-1780.

Maktoobian, A. S., and H. R.. Javanmard. 2013. Drought stress effects on seed yield and yield components of barley cultivars marziyeh . International Journal of Agronomy and Plant Production. 4 (12), 3415-3418.

Martinez J. P., H. Silva, J. F. Ledent dan M. Pinto. 2007. Effect of drought stress on the osmotic adjustment, cell wall elasticity and cell volume of six cultivars of common beans (*Phaseolus vulgaris* L.). European Journal of Agronomy, 26:30–38.

Mastrorilli, M., N. Katerji, and G. Rana. 1999. Productivity and water use efficiency of sweet sorghum as affected by soil water deficit occurring at different vegetative growth stages. Eur. J. Agron. 11: 207–215.

Matichenkov, V.V., E. A. Bocharnikova, D.V. Calvert, and G.H. Snyder. 2000. Comparison study of soil siliconstatus insandysoils of south Florida. Soil Crop Sci. Florida Proc 59:132-137.

McDowell, N., William T. Pockman, Craig D. Allen, David D. Breshears, Neil Cobb, Thomas Kolb, Jennifer Plaut, John Sperry, Adam West, David G. Williams, Enrico A. Yepez. 2008. Mechanisms of plant survival and mortality during drought: why do some plants survive while others succumb to drought. New Phytologist. 178 (4): 719–739.

Mechin, V., O. .Meena, V. D. , M. L. Dotaniya, Vassanda Coumar, S. Rajendiran, Ajay, S. Kundu, A. Subba Rao. 2014. A Case for Silicon Fertilization to Improve Crop Yields in Tropical Soils Proceedings of the National Academy of Sciences, India Section B: Biological Sciences. 84 (3): 505-518.

Mirzaei, J. And A. Fazeli. 2013. The effects of Glomus mosseae on growth and physiology of *Acacia albida* Del. seedlings under drought stress . Journal of Biodiversity and Environmental Sciences (JBES), Vol. 3, No. 11: 54-60 .

Mitra J., 2001. Genetics and genetic improvement of drought resistance in crop

plants. In: *Curr. Sci*., 80(6), p. 758-762. Miyake Y, Takahashi E 1983: Effect of silicon on the growth of solution-cultured cucumber plant. *Soil Sci. Plant. Nutr*., 29, 71–83.

Monclus, R., E. Dreyer, M. Villa, F.M. Delmotte, D. Delay and J.-M. Petit . 2006. Impact of drought on productivity and water use efficiency in 29 genotypes of Populus deltoids3 *Populus nigra*. New Phytologist, 169: 765–777.

Morad, E., M. M. Nejad and M. Jaride. 2014. The effect of irrigation-off stress on yield and yield components of grain sorghum cultivars. Journal of Biodiversity and Environmental Sciences Vol. 4, No. 6: 465-471.

Moradi, H., G. A. Akbari, S. Khavari Khorasani, and H. A. Ramshini. 2012. Investigation of drought stress effect on morphologic traits, yield and yield components of corn (*Zea mays* L.) new hybrids. International Journal of Recent Scientific Research Research. Vol. 3, Issue, 6): 518 – 529.

Morsy, A. S. M. and N. E. M. Mohamed. 2013. Using silicon to ameliorate the deleterious effects of drought on wheat (*Triticum aestivum* L.). Stem Cell, 4(2): 1-8.

Moura, J. C. M. S., C. A. V. Bonine, J. D. O. F. Viana, M. C. Dornelas, P. Mazzafera. 2010. Abiotic and biotic stresses and changes in the lignin content and composition in plants. J. Integr. Plant Biol., 52, 360–376.

Mulyani A, dan Syarwani M. 2013. Sifatistik dan potensi lahan sub optimal untukpengembangan pertanian di Indonesia. Prosiding Seminar Nasiona Lahan Sub-optimal “Intensifikasi Pengelolaan Lahan Sub-optimal dalam Rangka Mendukung Kemandirian Pangan Nasional”, Palembang 20-21 September 2013.

Narayanan, S., R. M. Aiken, P. V. Vara Prasad, Zhanguo Xin, and Jianming Yu. 2013. Water and radiation use efficiencies in Sorghum. Agronomy Journal. Vol. 105 (3): 649-666.

Nasr, A. H., M. Zare, O. Alizadeh and N. M. Naderi. 2013. Improving effects of mycorrhizal symbiosis on sorghum bicolor under four levels of drought stress. African Journal of Agricultural Research. 8(43): 5347-5353.

Nayyar, H.and D. P. Walia. 2003. Water stress induced proline accumulation in contrasting wheat genotypes as affected by calcium and abscisic acid. *Bio.Plant*., 46:275-279.

Nazarli, H., F. Faraji andf M. R. Zardashti. 2011. Effect of drought cekamans and polymer on osmotic adjustment and photosynthetic pigments of sunflower. Cercetări Agronomice în Moldova, No. 1 (145): 35-41.

Neto C. F. O., R. S. Okumura, I. J. M. Viégas, H. E. O. Conceição, L.E. F. Monfort, R. T. L. da Silva, J. A. M. Siqueira, L.C. de Souza, R. C. L. da Costa and D. C. Mariano. 2014. Effect of water stress on yield components of sorghum (*Sorghum bicolor*). Journal Food, Agriculture and Environment (JFAE)., 12 (3&4): 223-228.

Nezhadahmadi, A,. Z. H. Prodhan, and G. Faruq. 2013. Drought Tolerance in Wheat. The Scientific WorldJournal. ArticleI D 610721, 12pp.

Novaes, E., M. Kirst, V. Chiang, H. Winter-Sederoff, and R. Sederoff. 2010. Lignin and biomass: a negative correlation for wood formation and lignin content in trees. Plant Physiology,154 (2): 555–561.

Nutrient Requirements of Dairy Cattle. Seventh Revised Edition, 2001 National Academy Press. Washington, D.C.

Osborne, S.L., D.D. Schepers, J.S. Francis and M.R. Schlemmer, 2002. Use of spectral radiance to estimate in- season biomass and grain yield in nitrogen and water stress on corn. Crop Science, 42: 165-171.

Ozkur O., F.Ozdemir, M. Bor, and I. Turkan. 2009. Physiochemical and antioxidant responses of the perennial xerophyte *Capparis ovata* Desf. to

drought. Environ. Exp. Bot. 66: 487–492.

Pandey, H. C., M. J. Baig, Shahid Ahmed, Vikas Kumar and Praveen Singh. 2013. Studies on morpho-physiological characters of different Avena species under stress conditions. African Journal of Biotechnology, Vol. 12(43): 6170-6175.

Pedersen, J. F., K. P. Vogel, and D. L. Funnell. 2005. Impact of reduced lignin on plant fitness. Crop Science, vol. 45, no. 3: 812–819.

Pfeiffer, T.W., M.J. Bitzer, J.J. Toy, and J.F. Pedersen. 2010. Heterosis in sweet sorghum and selection of a new sweet sorghum hybrid for use in syrup production in Appalachia. Crop Sci. 50: 1788-1794.

Premachandra GS, Saneoka H, Fujita K, Ogata S (1992) Leaf drought relations, osmotic adjustment, cell membrane stability, epicuticular wax load and growth as affected by increasing drought deficits in sorghum. J Exp Bot 43: 1569-76.

Puangbut, D., S. Jogloy, N. Vorasoot, C. Akkasaeng, T. Kesmala, R. C. N. Rachaputi, G. C. Wright, and A. Patanothai. 2009. Association of root dry weight and transpiration efficiency of peanut genotypes under early season drought. Agricultural Water Management, Vol. 96 (10): 1460-1466. doi:10.1016/j.agwat.2009.04.018.

Reca, J., J. Roldan, M. Alcaide, R. Lopez, and E. Camacho. 2001. Optimisation model for water allocation in deficit irrigation systems. I. Description of the model. Agric. Water Manage., 48: 103-116.

Riboulet, C., B. Lefèvre, D. Dénoue, and Y. Barrière. 2008. Genetic variation in maize cell wall for lignin content, lignin structure, p-hydroxycinnamic acid content, and digestibility in set of 19 lines at silage harvest maturity," Maydica, vol. 53, no. 1: 11–19.

Rodrigues, F.A., D.J. McNally, L.E. Datnoff, J. B. Jones, C. Labbé, N. Benhamou, J.G.Menzies, and R.R. Bélanger. 2004. Silicon enhances the accumulation of diterpenoid phytoalexins in rice: a potential mechanism for blast resistance. Phytopahology 94:177–183.

Rosielle A.A. and Hamblin J., 1981. Theoretical aspects of selection for yield in stress and non-stress environments. In: *Crop Sci.*, 21: 943-946. Saberi

A. R. and Siti Aishah H. 2013. Growth analysis of forage sorghum (*Sorghum bicolor* (L.) Moench) varieties under varying salinity and irrigation frequency. The International Journal of Biotechnology, 2 (7): 130-140.

Safarnejad A. 2008. Morphological and biochemical responses to osmotic stress in alfalfa (*Medicago sativa* L.). Pak. J. Bot., 40: 735-746.

Sage, R. F., and Athena D. McKown. 2006. Is C4 photosynthesis less phenotypically plastic than C3 photosynthesis. J. Exp. Bot. 57(2):303-317.

Sairam, R. K. and D. Saxena. 2000. Oxidative stress and antioxidants in wheat genotypes: possible mechanism of water stress tolerance. J. Agro. & Crop Sci., 184: 55-61.

Salekdeh G. H., M. Reynolds and B. J. Bennett . 2009. Conceptual framework for drought phenotyping during molecular breeding. Trends Plant Sci., 14: 488–496.

Sarker, B. C. and M. Hara. 2011. Effects of elevated CO_2 and water stress on the adaptationof stomata and gas exchange in leaves of eggplants (*Solanum melongena* L.). Bangladesh J. Bot., 40 (1): 1-8.

Sayar, R., H. Kemira, A. Kameli and M. Mosbahi. 2008. Physiological tests as predictive appreciation for drought tolerance in durum wheat (*Triticum durum* Desf.). Agron. Res. 6: 79-90.

Schittenhelm, S. and S. Schroetter. 2014. Comparison of Drought Tolerance of Maize, Sweet Sorghum and Sorghum-Sudangrass Hybrids. Journal of

Agronomy and Crop Science. 200 (1): 46–53.

Selvakumar G. and P. Thamizhiniyan. 2011. The effect of the arbuscular mycorrhizal (AM) fungus Glomus intraradices on the growth and yield of chilli (*Capsicum annuum* L.) under salinity stress. World Appl. Sci. J., 14 (8): 1209-1214.

Shaddad, M. A. K., H. M. A. El-Samad and M. T. Mohammed. 2013. Drought tolerance of some *Zea mays* genotypes at early growth stage. Academia Journal of Biotechnology 1(8): 121-126.

Shana, L., Caihong Yanga, Yi Lia, Yanan Duana, Dongmei Genga, Zhenyin Lia, Rong Zhanga, Guifang Duana. 2015. Effects of drought stress on root physiological traits and root biomass allocation of Reaumuria soongorica Acta Ecologica Sinica Volume 35, Issue 5: 155–159.

Sharifi, P., R. Amirnia, E. Majidi, H. Hadi, M. Roustaii, B. Nakhoda, H. M. Alipoor and F. Moradi. 2012. Relationship between drought stress and some antioxidant enzymes with cell membrane and chlorophyll stability in wheat lines. African Journal of Microbiology Research. 6 (3): 617-623.

Sheikhpour, S., H. Moradi, I. Koohmareh, K. Rigi, A. Keshtehgar . 2014. Effect of water stress on crop yield. Journal of Novel Applied Sciences, 3 (2): 206-208.

Shekoofa, A. and Y. Emam. 2006. Maize (*Zea mays* L.) growth and yield response to ethephon application under water stress conditions. Iran Agricultural Research., 24: 2, 25: 1

Sher, A., L. Barbanti, M. Ansar1 and M. A. Malik. 2013. Growth response and plant water status in forage sorghum [*Sorghum bicolor* (L.) Moench] cultivars subjected to decreasing levels of soil moisture. AJCS 7 (6): 801-808.

Sherrard, M. E. and H. Maherali. 2006. The adaptive significance of drought escape in *avena barbata*, an annual grass. Evolution 60(12):2478-2489.

Silva, M. A., J. L. Jifon, J. A. G. Da Silva and V. Sharma. 2007. Use of physiological parameters as fast tools to screen for drought tolerance in sugarcane. *Braz J. Plant Physiol* 19:193-201.

Silva, O. N., A.K.S. Lobato, F.W. Ávila, R.C.L. Costa, C.F. O. Neto, B.G. Santos Filho, A.P. M. Filho, R.P. Lemos, J.M. Pinho, M.B.C.L. Medeiros, M.S. Cardoso and I.P. Andrade. 2012. Silicon induced increase in chlorophyll is modulated by the leaf water potential in two water-deficient tomato cultivars. Plant Soil Environ., 58, (11): 481–486.

Silva. M. M.. J. L. Jifon. C. M. dos Santos. C. J. Jadoski. J. A. G da Silva. 2013. Photosynthetic capacity and water use efficiency in sugarcane genotypes subject to water deficit during early growth phase. Braz. arch. biol. technol. 56 (5): 735-748.

Sinaki, J.M., E.M. Heravan, A.H.S. Rad, G. Noormohammadi and G. Zarei, 2007. The effects of water deficit during growth stages of canola (*Brassica napus* L.). American-Eurasian J. Agri. Environ. Sci., 2: 417-22.

Sio-Se Mardeh A., A. Ahmadi, K. Poustini and V. Mohammadi. 2006. Evaluation of drought resistance indices under various environmental conditions. Field Crops Research, 98 (2-3): 222-229.

Songsri P., S.Jogloy, T. Kesmala N. Vorasoot, C. Akkasaeng, A. Patanothai and C. C. Holbrook. 2008. Heritability of drought resistance traits and correlation of drought resistance and agronomic traits in peanut. Crop Sci., 48: 2245-2253.

Sonobe K., T. Hattori, P. An, W. Tsuji, A. E. Eneji, S. Kobayashi, Y. Kawamura K. Tanaka and S. Inanaga S., 2011. Effect of silicon application on sorghum root responses to water stress. J. Plant Nutr., 34: 71-82.

Sonobe, K., T. Hattori, P. An, W. Tsuji, E. Eneji and K. Tanaka. 2009. Diurnal variations in photosynthesis, stomatal conductance and leaf water relation in sorghum grown with or without silicon under water stress. Journal of Plant Nutrition, 32 (3): 433-442.

Sonobe, K., T. Hattorri, P. An, W. Tsuji, A.E. Eneji, S. Kobayashi, Y. Kawamura, K. Tanaka and S. Inanaga. 2010. Effect of silicon application on sorghum root responses to water stress. J. Plant Nutr. 34:71–82.

Stone, P. J., D. R. Wilson, J. B. Reid and R. N. Gilespie. 2011. Wat deficit efects on swet corn. Water use, radiation use eficiency growth and yield. AustJAgri Res. 52(1): 103-13.

Surendar K. K., D. D. Devi, I. Ravi, P. Jeyakumar and K. Velayudham. 2013, Effect of Water Deficit on Relationship between Yield and Physiological Attributes of Banana Cultivars and Hybrids, International Journal of Horticulture. 3.(12): 61-69.

Surendar, K. K., V. Rajendran, D. D. Devi, P. Jeyakumar, I. Ravi and K. Velayudham. 2013. Impact of water deficit on growth attributes and yields of banana cultivars and hybrids. African Journal of Agricultural Research. Vol. 8(48): 6116-6125.

Szabados, L. and A. Savoure. 2010. Proline: a multifunctional amino acid.Trends in Plant Science. 15(2):89-97.

Tahi H., S. Wahbi, C. E. Modafar, A. Aganchich and R. Serraj. 2008. Changes in antioxidant activities and phenol content in tomato plants subjected to partial root drying and regulated deficit irrigation. Plant Biosyst. 142: 550–562.

Takele, A. 2000. Seedling emergence and growth of sorghum genotypes under variable soil moisture deficit. Acta Agron Hung 48: 95-102.

Tan Y, Z. S. Liang abd S. H. Bo. 2006. Effect of water deficits on the activity of anti- oxidative enzymes and osmoregulation among 3 different genotypes of Radix Astragali at seeding stage. Colloids Surface B. 49: 60–65.

Terzi, R, and Asim. Kadioglu, 2006. Drought stress tolerance and the antioxidant enzyme system in Ctenanthe Setosa. Acta Biologica CRacoviensia Series Botanica, 48/2: 89-96.

Ud-din, J., S. U. Khan and I. Ali. 2009. Physiological assessment of drought tolerance in wheat (*Triticum aestivum* L.) varieties under moisture stress conditions . Biologia (PAKISTAN), 55 (1&2): 1-9. Uddin,

S., S. Parvin and M. A. Awal. 2013. Morpho-physiological aspects of mungbean (*vigna radiata* l.) in response to water stress. International Journal of Agricultural Science and Research (IJASR), Vol. 3, (2): 137-148.

Ulemale, C. S., S.N. Mate and D.V. Deshmukh. 2013. Physiological indices for drought tolerance in chickpea (*Cicer arietinum* L.). World Journal of Agricultural Sciences, 9 (2): 123-131.

Ünyayar S, Y. Keles and E. Ünal. 2009. Proline and ABA levels in two sunflower genotypes subjected to water stress. Bulg J Physiol., 30: 34-47. Vadez, V . 2014. Root hydraulics: The forgotten side of roots in drought adaptation. Field Crops Research, 165 (1): 15-24.

Valentovic, P., M. Luxova, L. Kolarovic and O. Gasparikova. 2006. Effect of osmotic stress on compatible solutes content, membrane stability and water relations in two maize cultivars. Plant Soil Environ., 52(4): 186-191.

Van Soest P. J. and R. H Wine . 1968. Determination of lignin and cellulose in acid detergent fiber with permanganate. J. Assoc. off. Anal. Chem. 51: 780–785.

Van Soest P. J. 1963.Use of detergents in the analysis of fibrous feeds. II. A

rapid method for the determination of fiber and lignin. J. Assoc. Off. Anal. Chem. 46: 829–835.

Van Soest, P. J. and J. B. Robertson. 1980. Systems of analysis for evaluating fibrous feeds. In: Standardization of Analytical Methodology in Feeds (Pigden, W. J., Balch, C. C. & Graham, M., eds.): 49–60.

Varga, B., E. Varga-László, S. Bencze, K. Balla, O. Veisz. 2013. Water use of winter cereals under well-watered and drought-stressed conditions. Plant Soil Environ., 59 (4): 150–155.

Venkateswarlu, B. and K. Ramesh. 1993. Cell membrane stability and biochemical response of cultured cells of groundnut under polyethylene glycol-induced water stress. Plant Science, vol., 90 (2): 179–185.

Wang B, Z. Li, A. E. Eneji, X. Tian, Z. Zhai, J. Li and L. Duan. 2008. Effects of coronatine on growth, gas exchange traits, chlorophyll content, antioxidant enzymes, and lipid peroxidation in maize (Zea mays L.) seedlings under simulated drought stress. Plant Prod. Sci. 11: 283-290.

Wang Q. F., Y. H. Hou, J. L. Miao and G. Y. Li. 2009. Effect of UV-B radiation on the growth and antioxidant enzymes of Antarctic sea ice microalgae *Chlamydomonas sp*. ICE-L. Acta Physiol. Plant. 31: 1097–1102.

Wang Y. X., Stass A, Horst W. J. 2004. Apoplastic binding of aluminum is involved in silicon-induced amelioration of aluminum toxicity in maize. Plant Physiology 136: 3762–3770.

Wang. M. L., M. Cole, B. Tonnis, D. Pinnow, Z. Xin, J. Davis, Y. C. Hung, J. Yu, G. A. Pederson and G. Eggleston. 2014. Comparison of stem damage and carbohydrate composition in the stem juice between sugarcane and sweet sorghum harvested before and after late fall frost. Journal of Sustainable Bioenergy Systems, 4: 161-174.

Wright, G.C., R.C. Nageswara Rao and G.D. Farquhar, 1994. Water use efficiency and carbon isotope discrimination in peanut under water deficit conditions. Crop Sci., 34: 92-97.

Wu, Q.S., R.-X. Xia, Y.-N. Zou, 2008. Improved soil structure and citrus growth after inoculation with three arbuscular mycorrhizal fungi under drought stress. European J. Soil Biol., 44: 122-128.

Wu, X., S. Staggenborg, J. L. Propheter, W. L. Rooney, J. Yu, and D. Wang. 2010. Features of sweet sorghum juice and their performance in ethanol fermentation. Ind. Crop Prod., 31:164–170.

Xie T., P. Su and I. Shan. 2010. Photosynthetic characteristics and water use efficiency of sweet sorghum under different watering regimes. Pak. J. Bot., 42(6): 3981-3994.

Xie, Z., F. Song, H. Xu, H. Shao and R. Song. 2014. Effects of silicon on photosynthetic characteristics of maize (*Zea mays* L.) on alluvial soil. The Scientific World Journal, Article ID 718716, 6 page http://dx.doi.org/10.1155/2014/718716.

Xu P. L, Y. K. Guo, J. G. Bai, L. Shang and X. J. Wang. 2008. Effects of long-term chilling on ultrastructure and antioxidant activity in leaves of two cucumber cultivars under low light. Physiol Plant 132: 467-478.

Xu, Z. and G. Zhou. 2008. Responses of leaf stomatal density to water status and its relationship with photosynthesis in a grass. Journal of Experimental Botany, 59 (12): 3317–3325.

Yadav P. C., A. C. Sadhu and P. K. Swarnkar. 2007. Yield and quality of multi-cut forage sorghum (Sorghum sudanense) as influenced by integrated nitrogen management. Indian J of Agron., 52: 330-334.

Yadav RD, Keshwa GL, Yadva SS, 2002. Effect of integrated use of FYM, urea

and sulphur on growth and yield of Isabgol *(Plantago ovata*). J. Medicinal and Aromatic Plant Sci., 25: 668-671.

Yadav S.K., N. J. Lakshmi, M. Maheswari, M. Vanaja and B. Venkateswarlu. 2005. Influence of water deficit at vegetative, anthesis and grain filling stages on water relation and grain yield in sorghum. Indian J. Plant Physiol., 10: 20-24.

Yadava R. B. R.., R. K. Ehatt and D. S. Katiyar. 1991. Physiological evaluation of fodder sorghum genotypes for drought tolerance. Sorghum News Lett. 32: 59.

Yang H. M and G. X. Wang. 2001. Leaf stomatal densities and distribution in *Triticum aestivum* under drought and CO_2 enrichment. Acta Phytoecologica Sinica. 25:312–316.

Yang, F., J. Hu, J. Li, X. Wu and Y. Qian. 2009. Chitosan enhances leaf membrane stability and antioxidant enzyme activities in apple seedlings under drought stress. Plant Growth Regul. 58: 131–136.

Yang, J., Z. Zhang, Q. Zhu and W. Wang, 2001. Remobilization of carbonreserves in response to water deficit during grain filling of rice. Field CropsRes. 71: 47-55.

Yin, L., S. Wang, J. Li, K. Tanaka and M. Oka. 2013. Application of silicon improves salt tolerance through ameliorating osmotic and ionic stresses in the seedling of Sorghum bicolor. Acta Physiol Plant, 35:3099–3107.

Zaefizadeh, M. 2011. Genetic diversity of wheat landraces using multivariate analysis under normal irrigation and drought stress conditions. African J. Agric. Res., 6(10): 2294-2302..

Zarei. B., A. Naderi, M. R. Jalal Kamali, S. Lack and A. Modhej. 2013. Determination of physiological traits related to terminal drought and heat stress tolerance in spring wheat genotypes. International Journal of Agriculture and Crop Sciences. IJACS, 5, (21) : 2511-2520.

Zargar, S. M, and A. Agnihotri. 2013. Impact of silicon on various agro-morphological and physiological parameters in maize and revealing its role in enhancing water stressTolerance. Emir. J. Food Agric., 25 (2): 138-141.

Zhang LX, J. H. Lai, Z. S. Liang ans M. Ashrat. 2014. Interactive effects of sudden and gradual drought stress and foliar-applied glycinebetaine on growth, water relations, osmolyte accumulation and antioxidant defence system in two maize cultivars differing in drought tolerance. Journal of Agronomy and Crop Science 200: 425-433.

Zhang X.Y., H. M. Wang , Z. D. Hou and G. X. Wang. 2003. Stomatal density and distributions of spring wheat leaves under different planting densities and soil moisture levels. Acta Phytoecologica Sinica, 27, 133–136.

Zhang YP, Wang ZM, Wu YC, Zhang X. 2006. Stomatal characteristics of different green organs in wheat under different irrigation regimes. Acta Agronomica Sinica 32, 70–75.

Zhang, J., Yang Chen, Paul Sewell and Michael A. Brook. 2015. Utilization of softwood lignin as both crosslinker and reinforcing agent in silicone elastomers. Green Chemestry., 17 (3): 1811-1819.

Zhao, D., Zhaojun Hao, Jun Tao, and Chenxia Han. 2013. Silicon application enhances the mechanical strength of inflorescence stem in herbaceous peony (*Paeonia lactiflora* Pall.). Scientia Horticulturae, Vol.151: 165–172.