

- Abreu, L.G., Melgaco, C.A., Abreu, M.H.N.G., Lages, E.M.B., & Paiva, S.M. (2015). Effect of malocclusion among adolescents on family quality. *Eur Arch Paediatr Dent*.
- Anderson, J.J.B., Ambrose, W.W., Garner, S.C. (1998). Biphasic effects of genistein on bone tissue in the ovariectomized, lactating rat model. *Am. J. Clin. Nutr*, 78: 593S-609S.
- Ariffin, S.H.Z., Yamamoto, Abidin, I.Z.Z., Wahab, R.M. A., & Ariffin, Z.Z. (2011). Cellular and molecular changes in orthodontic tooth movement, Review Article. *The Scientific World Journal*, 11:1788–1803.
- Atashi, M.H.A. (2007). Prevalence of malocclusion in 13-15 year-old adolescents in Tabriz. *JODD*, vol.1(1): 1-6.
- Badran, S.A. (2010). The effect of malocclusion and self-perceived aesthetic self-esteem of a sample of Jordanian adolescents. *European Journal of Orthodontics* 32:638-644
- Bayliss, L., Mahoney, D.J., & Monk, P. (2011). Normal bone physiology, remodelling and its hormonal regulation. *Surgery*, 30(2): 47-53.
- Bedell, S., Nachtigall, M., & Naftolin, F. (2014). The pros and cons of plant Estrogens for menopause. *Journal of Steroid Biochemistry & Molecular Biology*, 139: 225-236.
- Bharadwaj, S., Naidu, A.G., Betageri, G.V., Prasadarao, N.V., Naidu AS (2009). "Milk ribonuclease-enriched lactoferrin induces positive effects on bone turnover markers in postmenopausal women". *Osteoporosis International* 20 (9): 1603–11.
- Blair, H.C., Jordan, S.E., Peterson, T.G., Barnes, S. (1996). Variable effects of tyrosine kinase inhibitors on avian osteoclastic activity and reduction of bone loss in ovariectomized rats. *J Cell Biochem.*; 61: 629-37
- Blog,R.2008: Desain Penelitian. <http://www.rakim-ypk.blokspot.com>
- Brzezinski, A & Debi, A. (1999). PhytoEstrogens: the “natural” selective Estrogen receptor modulators? *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 85: 47-51.
- Carranza, FA (ed.). (1990). *Glickman's Clinical Periodontology 7<sup>th</sup> edition*. Philadelphia : W.B. Saunders Company.
- Cassidy, A. (2003). Potential risks and benefits of phytoEstrogen-rich diets. *Int. J. Vitam. Nutr. Res.*, 73(2): 120-126.



Combined effect of soy isoflavones and vitamin D3 in ovariectomized rats. *Nutrition*, 29: 250-257.

Chien, H.H., Lin, W.L., & Cho, M.I. (1999). Expression of TGF-beta isoforms and their receptors during mineralized nodule formation by rat periodontal ligament cells in vitro. *J. Periodontal Res*, vol.34(6): 301-9.

Cornwell, T., Cohick, W., & Raskin, I. (2004). Dietary phytoEstrogens and health. *Phytochemistry*, 65(99): 5-1016.

Crouse, J.R., Morgan, T., Terry, J.G., Ellis, J., Vitolins, M., & Burke, G.L. (1999). A randomized trial comparing the effect of casein with that of soy protein containing varying amounts of isoflavones on plasma concentrations of lipids and lipoproteins. *Arch Intern Med*, 159: 2070-2076

Dang, Z.C. & Lowik, C. (2005). Dose-dependent effects of phytoEstrogens on bone. *TRENDS in Endocrinology and Metabolism*, vol 25 no 5: 208-213.

Dang, Z.C. & Lowik, C.W.G.M. (2004). The balance between concurrent activation of Ers and PPARs determines daidzein-induced osteoGenistein esis and adipoGenistein esis. *J Bone Miner Res*, volume 19 no 5: 853-861.

Dang, Z.C., Audinot, V., Papapoulos, S.E., Boutin, J.A., Lowik, C.W.G.M. (2003). Peroxisome proliferator-activated receptor  $\gamma$  (PPAR $\gamma$ ) as a molecular target for the soy phytoEstrogen genistein . *Journal of Biological Chemistry*, vol 278 no 2: 962-967

Day, A.J., DuPont, M.S., Ridley, S., Rhodes, M., Rhodes, M.J.C., Morgan, M.R.A., & Williamson, G. (1998). Deglycosylation of flavonoid and isoflavonoid glycosides by human small intestine and liver  $\beta$ -glucosidase activity. *FEBS Letters*, 436: 71-75.

de Albuquerque Taddei, S.R., Moura, A.P., Andrade, I., Garlet, G.P., Thiago, P., Garle, T.P., Teixeira, M.M., & Aparecida da Silva, T.I. (2012). Experimental model of tooth movement in mice: A standardized protocol for studying bone remodeling under compression and tensile strains. *Journal of Biomechanics*, 45: 2729-273

De Vernejoul, M-C. (1998). Markers of bone remodeling in metabolic bone disease. *Drugs & Aging*, 12 Suppl.1: 9-14.

Delmas, P.D. (1991). What do we know about biochemical bone markers? *Bailli-re's Clinical Obstetrics and Gynaecology* 817 Vol. 5, No. 4 : 817-829.

Dewi, O. (2008). *Analisis Hubungan Maloklusi dengan Kualitas Hidup pada Remaja SMU Kota Medan Tahun 2007*. Tesis. Universitas Sumatera Utara.

Dudic, A., Giannopoulou, C., & Kiliaridis, S. (2013). Factors related to the rate of orthodontically induced tooth movement. *Am. J. Orthod Dentofacial*, 143: 616-21.



affect masticatory performance? *Angle Orthodontist*, Vol 72(1): 21-27.

Evensen, J.P. & Øgaard, B. (2007). Are malocclusions more prevalent and severe now? A comparative study of medieval skulls from Norway. *J. Orthod Dentofacial Orthop*, 131: 710-6.

Ferron, M. & Lacombe, J. (2014). Regulation of energy metabolism by the skeleton: osteocalcin and beyond. *Archives of Biochemistry and Biophysics*, 561: 137-146.

Fitzpatrick, L.A. (2008). Reprint of soy isoflavones : hope or hype? *Maturitas*, 61(1-2): 132-140.

Fraher, L. (1993). Biochemical markers of bone turnover. *Clin Biochem*, 26:431–432

Gao Y.H., & Yamaguchi, M. (2000). Suppressive effect of genistein on rat bone osteoclasts: involvement of protein kinase inhibition and protein tyrosine phosphatase activation. *Int J Mol Med*; 5(3): 261-7.

Graber, R.L., Vanarsdall Jr., 2000, *Orthodontics, current principles and techniques*, ed. 4, Mosby, St. Louis, h.557-646

Grieve, W. G., Johnson, G. K., Moor, R. N., Reinhardt, R. A., DuBois, L. M. (1994). Prostaglandin E (PGE) and interleukin-1 $\beta$ (IL-1 $\beta$ ) levels in gingival crevicular fluid during human orthodontic tooth movement. *American Journal of Orthodontics and Dentofacial Orthopedics* 105: 369–374

Grigoriadis A.E., Kennedy, M., Bozec, A., Brunton, F., Stenbeck, G., Park, I-H., Wagner, E.F., & Keller, G.M. (2010). Directed differentiation of hematopoietic precursors and functional osteoclasts from human ES and iPS cells. *Blood*, 115 (14): 2769–2776.

Gundberg, C.M. & Nishimoto, S.K. (2006). Vitamin K Dependent Proteins of Bone and Cartilage in Seibel, M.J., Robins, S.P. & Bilezikian, J.P. (eds.) *Dynamics of Bone and Cartilage Metabolism*. Philadelphia: Academic Press.

Hofbauer, L.C., Khosla, S., Dunstan, C.R., Lacey, D.L., Spelsberg, T.C., & Riggs, B.L.(1999). Estrogen stimulates Genistein e expression and protein production of osteoprogesterin in human osteoblastic cells. *Endocrinology*, Vol 140 (9): 4367-4370.

Huang, H., Williams, R.C., & Kyrkanides, S. (2014). Accelerated orthodontic tooth movement: molecular mechanisms. *Am. J. Orthod. Dentofacial Orthop.*, 146:620-32.

Jung, M-H. (2010). Evaluation of the effects of malocclusion and orthodontic treatment on self esteem in an adolescent population. *Am J Orthod Dentofacial Orthop*, 138:160-6

Kalajzic, Z., Peluso, E.B., Utreja, A., Dymant, N., Nihara, J., Xu, M., Chen, J., Uribe, F., & Wadhwa, S. (2014). Effect of cyclical forces on the periodontal ligament



- King, G.J., Keeling, S.D., & Wironski, T.J. (1991). Histomorphometric study of alveolar bone turnover in orthodontic tooth movement. *Bone*, vol. 12: 401-409.
- Kini, U. & Nandeesh, B.N. (2012). Physiology of bone formation, remodeling, and metabolism in Fogelman, I., Gnanasegaran, G., & Van der Wall, H. (eds.). *Radionuclide and Hybrid Bone Imaging*. Springer-Verlag Berlin Heidelberg
- Kitaura, H., Kimura, K., Ishida, M., Sugisawa, H., Kohara, H., Masako, Y., & Takano-Yamamoto, T. (2013). Effect of cytokines on osteoclast formation and bone resorption during mechanical force loading of the periodontal membrane. *The Scientific World Journal* : 1-7
- Kondo, M., Kondo, H., Miyazawa, K., Goto, S., & Togari, A. (2013). Experimental tooth movement-induced osteoclast activation is regulated by sympathetic signaling. *Bone*, 52: 39-47.
- Krassas, G.E. & Papadopoulou, Ph. (2001). OEstrogen action on bone cells. *J Musculoskel Neuron Interact* 2(2): 143-151.
- Krishnan, V. & Davidovitch, Z. (2006). Cellular, molecular, and tissue-level reactions to orthodontic force. *American Journal of Orthodontics and Dentofacial Orthopedics*, 129(4): 469–e1.
- Kuiper, G.G.J.M., Lemmen, J.G., Carlsson, B.O., Cortodontin, J.C., Safe, S.H., Van Der Saag, P.T., Van Der Burg, B., & Gudtafsson, J-A. (1998). Interaction of Estrogenic chemicals and phytoEstrogen with Estrogen receptor  $\beta$ . *Endocrinology*, vol 139 no 10: 4252-4262.
- Laganà, G., Masucci, C., Fabi, F., Bollero, P., & Cozza, P. (2013). Prevalence of malocclusions, oral habits and orthodontic treatment need in a 7-to 15-year-old schoolchildren population in Tirana. *Progress in Orthodontics*, vol.14(12): 1-7.
- Laguhi, V.A., Anindita, P.S., & Gunawan, P.N. (2014). Gambaran maloklusi dengan menggunakan HMAR pada pasien di rumah sakit gigi dan mulut Universitas Sam Ratulangi Manado. *Jurnal e-Gigi*, vol.2(2): 1-7.
- Lee, A. J., Hodges, S., & Eastell, R. (2000). Measurement of osteocalcin. *Ann. Clin. Biochem*, 37 ( Pt 4): 432–446.
- Lee, J.H., Renita, M., Froritto, R.J., St Martin, S.K., Schwartz, S.J., & Vodovotz, Y. (2004). Isoflavone characterization and antioxidant activity of Ohio Soybeans. *J.Agric.Food Chem*, 52: 2647-2651.
- Lee, K.S., Kim, H.J., Li, Q.L., Chi, X.Z., Ueta, C., Komori, T., Wozney, J.M., Kim, E.G., Choi, J.Y., Ryoo, H.M., & Bae, S.C. (2000). Runx2 is a common target of transforming growth factor  $\beta$ 1 and bone morphoGenistein etic protein 2, and cooperation between Runx2 and Smad5 induces osteoblast-specific Genistein e



expression in the pulp of the pulp stem cell precursor cell line C2C12. *Molecular and Cellular Biology*, 20(23): 8783–8792.

- Lew, K.K., Foong, W.C., & Loh, E. (1993). Malocclusion prevalence in an ethnic Chinese population. *Aust Dent J*, vol. 38(5): 442-9.
- Ma, D.F., Qin, L.Q., Wang, P.Y., & Kato, R. (2008). Soy isoflavone intake inhibits bone resorption and stimulates bone formation in menopausal women: meta-analysis of randomized controlled trials. *Eur J Clin Nutr*, 62: 155-61.
- Masella, R.S. & Meister, M. (2006). Current concepts in the biology of orthodontic tooth movement. *American Journal of Orthodontics and Dentofacial Orthopedics*, 129(4): 458–468.
- MirHashemi, A.H., Afshari, M., Alaeddini, M., Etemad-Moghadam, S., Dehpour, A., Sheikhzade, S., & Akhondi, M.S.A. (2013). Effect of Atorvastatin on orthodontic tooth movement in male wistar rats. *Journal of Dentistry*, vol 10 no 6, 532-539.
- Mundy, G.R. (2006). Nutritional modulators of bone remodelling during aging. *Am J Clin Nutr*, vol. 83 (suppl): 427S-30S.
- Parfitt, A.M. (1988). Bone remodeling. Relationship to the amount and structure of bone and pathogenesis and prevention of fractures in Riggs, BL & Melton, LJ (eds.). *Osteoporosis Etiology, Diagnosis and Management*. New York: Raven Press.
- Paterni, I., Granchi, C., Katzenellenbogen, J.A., & Minutolo, F. (2014). Estrogen receptors alpha (ER $\alpha$ ) and beta (ER $\beta$ ) : Subtype-selective ligands and clinical potential. *Steroids*, 90:13-29
- Patti, A., Genistein nari, L., Merlotti, D., Dotta, F., & Nuti, R. (2013). Endocrine actions of osteocalcin. *International Journal of Endocrinology*, 1-10
- Price, K. & Fenwick, G. (1985). Naturally occurring oestrogens in foods - A review. *Food Additives and Contaminants*, 2, 73 -106.
- Prince, R. (2001). Phytoestrogen and other phytochemical effects on bone. In Marcus, R., Feldman, D., & Kelsey, J. *Osteoporosis, Second Edition, Volume 2*. California : Academic Press.
- Prince, R.L. & Draper, C. (2000). Bone and calcium. In Lobo, R.A., Kelsey, J., & Marcus, R. (Eds). *Menopause: Biology and Pathobiology*. San Diego : Academic Press.
- Puchacz, E., Lian, J.B., Stein, G.S., Wozney, J., Huebner, K., & Croce, C. (1989). *Endocrinology*, 124(5): 2648–50. doi:10.1210/endo-124-5-2648. PMID 2785029.
- Pudyani, S.P., Asmara, W., Ana, I.D., & Utari, T.R (2014). Alkaline phosphatase expression during relapse after orthodontic tooth movement, *Dent.J. (Maj.Ked.Gigi)*, 47(1) : 25-30.

- Ramfjord, S.P. & Ash, M.M. (1989). *Periodontology and Periodontics: Modern Theory and Practice*. Tokyo: Ishiyaku Euroamerica
- Reifenstein, E.C. & Albright, F. (1947). The metabolic effects of steroid hormones in osteoporosis. *Journal of Clinical Investigation*, 26(1): 24–56.
- Ren, Y., Kuijpers-Jagtman, A.M., & Maltha, J.C. (2005). Immunohistochemical evaluation of osteoclast recruitment during experimental tooth movement in young and adult rats. *Archives of Oral Biology*, 50: 1032-1039.
- Ren, Y., Maltha, J.C., Van't Hof, M.A., & Kuijpers-Jagtman, A.M. (2003). Age effect on orthodontic tooth movement in rats. *J Dent Res*, vol.82(1): 38-42.
- Ren, Y., Maltha, J.C., van't Hof, M.A., Von den Hoff, J.W., Kuijpers-Jagtmant, A.M., & Zhang, D. (2002). Cytokine levels in crevicular fluid are less responsive to orthodontic force in adults than in juveniles. *J. Clin. Periodontol*, 29: 757-762.
- Roberts-Harry, D. & Sandy, J. (2004). Orthodontics. Part 10: Impacted teeth. *British Dental Journal*, 196: 319-327.
- Ruslin, M., Forouzanfar, T., Astuti, I.A., Soemantri, E.S., & Tuinzing, D.B. (2015). The epidemiology, treatment, and complication of dentofacial deformities in an Indonesian population: a 21-year analysis. *J Oral Maxillofac Surg Med Pathol*,
- Setchell, K.D.R. (2001). Soy isoflavones-benefits and risks from nature's Selective Estrogen Receptor Modulators (SERMs). *Journal of the American College of Nutrition*, vol 20 No.5: 354S-362S.
- Setchell, K.D.R. & Adlercreutz, H. (1988). Mammalian lignans and phytoEstrogens. Recent studies on their formation, metabolism and biological role in health and disease. In: Rowland, I. R. (ed) *Role of the Gut Flora in Toxicity and Cancer*, pp. 315-345. Academic Press, London, U.K
- Singh, G., 2007, *Textbook of Orthodontics*, 2th edition, Jaypee Brothers Medical Publishers (P) Ltd, New Delhi, India, h.4
- Sirotkin, A.V & Harrath, A.H. (2014). PhytoEstrogens and their effects. *European Journal of Pharmacology*, 741 : 230-236.
- Taba, M., Kinney, J., Kim, A.S., & Giannobile, W.V. (2005). Diagnostic biomarkers for oral and periodontal diseases. *Dental Clinics of North America*, 49(3): 551–571
- Tang, X., Zhu, X., Liu, S., Wang, S., & Ni, X. (2011). Isoflavon supress cyclic adenosine 3',5'-monophosphate regulatory element-mediated transcription in osteoblastic cell line. *Journal of Nutritional Biochemistry*, 22: 865-873.
- Taylor, K.R., Kiyak, A., Huang, G.J., Greenlee, G.M., Jolley, C.J., & King, G.J. (2009). Effects of malocclusion and its treatment on quality of life of



- Tepavčević, V., Cvejić, J., Poša, M., & Popović, J. (2011). Isoflavone content and composition in soybean in Tzi Bun Ng (ed), *Soybean- Biochemistry, Chemistry, and Physiology*. Croatia: InTech.
- Trisnarizki, L. (2007). *Pengaruh ekstrak biji Nigella sativa (jinten hitam) terhadap kadar albumin darah tikus wistar yang diberi metotreksat*. Karya Tulis Ilmiah, Fakultas Kedokteran Universitas Diponegoro Semarang.
- Tsuda, M., Kitazaki, T., Ito, T., & Fujita, T. (1986). The effect of ipriflavone (TC-80) on bone resorption in tissue culture. *J Bone Miner Res*, 1:207-11.
- Turhan, N.O., Bolkan, F., Duvan, C.I., & Ardicoglu, Y. (2008). The effect of isoflavones on bone mass and bone remodelling markers in postmenopausal women. *Turk J Med Sci*, 38(2): 145-152
- Ucar, F. I. , Uysal,T., Ekizer, A., & Sönmez, M.F. (2013). The effect of isoflavones on early bone formation on orthopedically expanded suture in male rat. *Journal of Orthodontic Research* , vol 1: 16-21.
- Ushiroyama, T., Okamura, S., Ikeda, A., & Ueki, M. (1995). Efficacy of ipriflavone and 1 alpha vitamin D therapy for the cession of vertebral bone loss. *Int J Gynaecol Obstet*,48: 283-8.
- Van der Eerden B.C.J., Lowik, C.W.G.M., Wit, J.M., & Karperien, M. (2004). Expression of Estrogen receptors and enzymes involved in sex steroid metabolism in the rat tibia during sexual maturation. *Journal of Endocrinology*, 180: 457-467.
- Vaya, J. & Tamir, S. (2004). The relation between the chemical structure of flavonoids and their Estrogen-like activities. *Current Medicinal Chemistry*, 11: 1333-1343.
- Wang, H. & Murphy, P.A. (1994). Isoflavone content in commercial soybean foods. *J Agric Food Chem*, 42:1666-73.
- Wang, Q., Ge, X., Tian, X., Zhang, Y., Zhang, J., & Zhang, P. (2013). Soy isoflavone: the multipurpose phytochemical (review). *Biomedical reports*, 1:697-701.
- Wuttke, W., Jarry, H., & Seidlova-Wuttke, D. (2007). Isoflavones-safe food additives or dangerous drugs? *Ageing Research Reviews*, 6: 150-188.
- Xu , X., Zhao, Q., Yang, S., Fu , G., Chen, Y. (2010). A new approach to accelerate orthodontic tooth movement in women: Orthodontic force application after ovulation *Medical Hypothese*, 75:405– 407
- Yamaguchi, M. (2002). Isoflavone and bone metabolism: its cellular mechanism and preventive role in bone loss. *Journal of Health Science*, 48 (3): 209-222.
- Zoch, M.L., Clemens, T. L. , Riddle, R. C. (2015). New insights into the biology of osteocalcin. *Bone*, No. of pages: 8; 4C: 2, 3.