



DAFTAR PUSTAKA

- Agus, A. 2007. Membuat Pakan Ternak Secara Mandiri. Cetakan Pertama. PT. Citra Aji Parama.Yogyakarta.
- Akinola, L.A.F. and B.T. Sese. 2012. Performance and body composition of Japanese quail (*Coturnix coturnix japonica*) fed different dietary nutrients in Nigerian humid tropical environment. Journals of Animal Science Advanced. 2: 907-913.
- Aminzade, B., B. Karami, and E. Lotfi. 2012. Growth response and carcass characteristics of Japanese quail to *Menta piperita* plant supplementation. International Journal of the Bioflux Society. 4:24-27.
- Ani, A. O., G. C. Okeke, and M. B. Emeh. 2009. Response of growing Japanese quail (*Coturnix coturnix japonica*) chicks to diets containing different energy and protein levels. Proceedings 34th Annual Conference Nigeria Society for Animal Production. Uyo. pp. 328-331.
- Ashour, E. A., F. M. Reda, and M. Alagawany. 2015. Effect of gradded replacement of corn by broken rice in growing Japanese quails on growth performance, carcass traits, and economic. Asian Journal of Animal Science. 9:404-411.
- Astuti, M. 2007. Pengantar Ilmu Statistik Untuk Peternakan dan Kesehatan Hewan. Binasti Publisher. Bogor.
- Bonos, E. M., E. V. Cristaki, and P. C. Florou. 2010. Performance and carcass characteristics of Japanese quails as affected by sex or mannan oligosaccharides and calcium propionate. South African Journal of Animal Science. 40:173-184.
- Diwayani, R. M., D. Sunarti, dan W. Sarengat. 2012. Effects of free choice feeding on early laying performance of japanese quail (*Coturnix coturnix japonica*). Animal Agricultural Journal. 1:23-32.
- Ekine, O. A. 2007. Influence of dietary energy sorce on atherosclerosisis hematology, protein, ash ratio and performance in the Japanese quails. Thesis. Departement of Animal Science. River State University of Science and Technology. Port Harcourt.



- Ferket, P. R. 2004. Alternatives to antibiotics in poultry production: responses, practical experience and recommendations. Nutritional Biotechnology in The Feed and Food Industries: Proceedings. Alltech's 20th Annual Symposium. Kentucky. pp.56-67.
- Ghosh, H. K., G. Halder, G. Samantha, and S. Koley. 2008. Effect of dietary supplementation of organic acid and mannan oligosaccharide on plasma mineral and carcass trait Japanese quail. Asian Journal of Poultry Science. 1: 1-7.
- Homer, P. 1980. Poultry, Feeds, and Nutrition. AVI publishing Company. Westport.
- Kent, N. L. 1983. Technology of Cereal. 3rd Ed. Pergamon Press. Sydney.
- Khaksar, V., M. V. Krimpen, H. Hashemipour, and M. Pilevar. 2012. Effect of thyme essential oil on performance, some blood parameters and ileal microflora of Japanese quails. Journal of Poultry Science. 49: 106-110.
- Kianfar, R., H. Moravej, M. Shivazad, M. Taghinejad, and M. A. Shahrash. 2013. The effect of dry heat processing, autoclaving, and enzyme supplementation on the nutritive value of wheat for growing Japanese quails. Journal of Applied Animal Research. 41:93-102.
- Kul, S., I. Seker, and O. Yidrim. 2006. Effect of separate and mixed rearing according to sex on fattening performance and carcass characteristics in Japanese quails (*Coturnix coturnix japonica*). Archiv für Tierzucht, Dummerstorf. 49: 607-614.
- Mardiansyah, A. 2013. Performa produksi dan organ dalam puyuh yang diberi pakan mengandung dedak gandum dan tepung daun mengkudu. Skripsi Sarjana Peternakan. Institut Pertanian Bogor. Bogor.
- Mizutani, M. 2003. The Japanese Quail. Laboratory Animal Research Station. Institute for Biological Science. Yamanashi.
- National Research Council (NRC). 1994. Nutrient Requirements of Poultry. National Academy Press. Washington DC.
- Ngutte, A. 2010. Quails Project Technician Research Support Services. Institute for Agro Pastoral Activities. Ebolowa.
- North, M. O. and D. D. Bell. 1990. Commercial Production Manual. 4th ed. Avi Book Published. New York.



- Olubimawa, O. M., E. S. Hatuna, U. Musa, T. O. Akinwale, L. H. Lombin, and O. G. Longe. 1999. Effect of dietary energy levels of cocoa-husk based diet on productive performance of Japanese quails. Nigerian Journal of Animal Production. 26: 88-92.
- Paul, P. C. and H. Palmer. 1972. Food Theory and Applications. J. Wiley Publisher. Michigan.
- Riganakos, K. A. and M. G. Kontominas. 1995. Effect of heat treatment on moisture sorption behavior of wheat flours using a hygrometric technique. Developments in Food Science. 37: 995-1005.
- Salajegheh, M. H., S. Ghazi, R. Mahdavi, and O. Mozafari. 2012. Effects of different levels of dried tomato pomace on performance, egg quality and serum metabolites of laying hens. African Journal of Biotechnology. 11:15373-15379.
- Setianto, J., E. Soetrisno, Suharyanto, dan Tamzan. 2005. Penggunaan campuran cassava dan tepung daun indigofera sebagai pengganti jagung dalam ransum terhadap performansi puyuh petelur pada umur 1-5 minggu. Jurnal Ilmu-Ilmu Pertanian Indonesia. 7:76-81.
- Shanaway, M. M. 1994. Quail Production System: A Review. Food and Agriculture Organization of United Nation. Roma. pp. 73-75.
- Sinurat, A. P., T. Purwadaria, L. K. Bontang, dan T. Pasaribu. 2006. Evaluasi nilai gizi solid heavy phase sebagai pengganti jagung dalam ransum broiler. Jurnal Ilmu Ternak dan Veteriner. 11: 167-174.
- Sudaryati, S., Wihandoyo, dan Zuprizal. 2003. Pengaruh penggunaan germ gandum dan roti afkir dalam campuran pakan terhadap kinerja pertumbuhan dan persentase karkas burung puyuh. Buletin Peternakan. 27:124-128.
- Tuleun, C. D. dan N. A. Dashe. 2010. Effect of dietary levels of toasted mucuna seed meal (tmsm) on the performance and egg quality parameters of laying Japanese quails (*Coturnix-coturnix japonica*). International Journal of Poultry Science. 9:1092-1096.
- Varghese, S. 1979. Japanese quails (*Coturnix*). Bulletin Extension-1069. Michigan State University. Lansing.
- Wiradimadja, R., W. G. Piliang, M. T. Suhartono, dan W. Manalu. 2007. Umur dewasa kelamin puyuh jepang betina yang diberi tepung daun katuk (*Sauvagesia androgynus*). Journal of Animal Production. 9:67-72.