UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Poli(butilen itakonat) dan Poli(butilen itakonat) Tersambung Silang Gliserol Terhadap Karakter Plastik Biodegradabel Ca-Alginat/Asam Stearat
AAN FEBRIANTO, Dr. Adhitasari Suratman, M.Si ; Dr. Dwi Siswanta, M.Eng
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahmann, D. and Dorgan, J.R., 2007, *Bioengineering for Pollution Prevention Trought of Development Biobased Energy and Materials*, State of the Science Report, U.S, Environmental Protection Agency, Office of Research and Development, National Center of Environmental Research, Washington DC.

Anker, M., Berntsen, J., Hermansson, A., Stading, M., 2002, Improved Water Vapor Barrier of Whey Protein Films by Addition of an Acetylated Monoglyceride, *Innov. Food Sci. Emerg.*, 3, 87–92.

Ayranci, E., and Tunc, S., 2001, The Effect of Fatty Acid Content on Water Vapour and Carbondioxide Transmissions of Cellulose-based Edible Films, *Food Chem.*, 72, 231–236.

Azwar, A., 2002, *Pengantar Ilmu Kesehatan Lingkungan*, Yayasan Mutiara, Jakarta.

Banker, G.S., 1966, Film Coating Theory and Practice, *J. Pharm. Sci.*, 55(1), 81-89.

Bertan, L.C., Tanada-Palmu, P.S., Siani, A.C. and Grosso, C.R.F., 2005, Effect of Fatty Acids and 'Brazilian Elemi' on Composite Films Based on Gelatin, *Food Hydrocolloid,* 19, 73–82.

Bertuzzi, M.A., Castro Vidaurre, E.F., Armada, M., and Gottifredi, J.C., 2007, Water Vapor Permeability of Edible Starch Based Films, *J. Food Eng.*, 80, 972-978.

Borchard, W., Kenning, A., Kapp, A., Mayer, C, 2005, Phase Diagram of the System Sodium Alginate/Water: a Model for Biofilms., *Int. J. Biol. Macromol*., 5(5), 247-56.

Bourlieu, C., Guillard, V., Vallès-Pamiès, B., Guilbert, S., and Gontard, N., 2009, Edible Moisture Barriers: How to Assess of Their Potential and Limits in Food Products Shelf-life Extension?, *Crit. Rev. Food Sci.*, 49, 474-499.

Caner, C., Vergano, P.J. and Wiles, J.L., 1998, Chitosan Film Mechanical and Permeation Properties as Affected by Acid, Plasticizer and Storage, *J. Food. Sci*., 63, 1049-1052.

Chen, L., 2008, *Mechanical and Water Vapor Barrier Properties of Tapioca Starch/Decolorized Hsian_Tsao Leaf Gum Films In The Presence of Plasticizer*, National Chung Hsin University, Taiwan.

Cheng, L.H., Karim, A.A. and Seow, C.C., 2008, Characterisation of Composite Films Made of Konjac Glucomannan (KGM), Carboxymethyl Cellulose (CMC) and Lipid, *Food Chem.*, 107, 411-418.

Colla, E., Sobral, P.J., Menegalli, F.C., 2006, Amaranthus Cruentus Flour Edible Films: Influence of Stearic Acid Addition, Plasticizer Concentration and

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Poli(butilen itakonat) dan Poli(butilen itakonat) Tersambung Silang Gliserol Terhadap Karakter Plastik Biodegradabel Ca-Alginat/Asam Stearat
AAN FEBRIANTO, Dr. Adhitasari Suratman, M.Si ; Dr. Dwi Siswanta, M.Eng
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Emulsion Stirring Speed on Water Vapor Permeability and Mechanical Properties, *J. Agr. Food Chem.,* 54, 6645–6653.

Damat, 2008, Efek Jenis dan Konsentrasi Pemlastis Terhadap Karakteristik Edible Film dari Pati Garut Butirat, *J. Agritek.*, 16, 333-500.

Damodaran, S., and Paraf, A., 1997, *Food Protein and Their Application*, Marcel Dekker Inc, New York.

Da silva, M.A., Bierhalz, A.C.K., and Kieckbusch, T.G., 2009, Alginate and Pectin Composite Films Crosslinked with Ca^{2+} Ions: Effect of the Plasticizer Concentration, *Carbohyd. Polym.*, 77, 736-742.

Davanc¸ T., Tanada-Palmu, P., Grosso, C., 2007, Composite Films Made with Gelatin, Tracetin, Stearic and Caproic Acids: Effect of pH and Surfactants Addition on the Functionality of Films, *Ciênc. Tecnol. Aliment.,* 27, 408–416.

Donhowe, G. and Fennema, O., 1994, *Edible Film and Coating: Characteristic, Formation, Definitions and Testing Methods*, In Krochta, J.M., Baldwin, E.A. and Nisperos-Carriedo, M.O. (eds.), *Edible Coating and Film to Improve Food Quality*, Technomic Publ. Co. Inc. Lancaster, Pennsylvania, 378 pp.

Draget, K.I., Smidsrod, O., Braek, G.S., 2005, *Polysaccharides and Polyamides in Food Industry, Properties, Production and Patent*, Wiley-Vch Verlag Gmbh & Co. kgaa, Weinheim.

Fadhila, R., 2014, Pengaruh Penambahan Gliserol Terhadap Poli(butilen itakonat) dengan Metode Vakum Polikondensasi, *Skripsi*, Jurusan Kimia FMIPA UNS, Surakarta.

Fakhouri, F.M., Grosso, C., 2003, Efeito de Coberturas Comestíveis na vida útil de Goiabas in Natura (*Psidium Guajava l.*) Mantidas sob Refrigerac¸ *Braz. J. Food Techn*, 132.

Forssell, P., Lahtinen, R., Lahelin, M., and Myllärinen, P., 2002, Oxygen Permeability of Amylase and Amylopectin Films, *Carbohyd. Polym.*, 47, 125-129.

Garcia, M.A., Martino, M.N., Zaritzki, N.E., 2006, Lipid Addition to Improve Barrier Properties of Edible Starch-based Films and Coating, *Food Chem. Toxicol.,* 65, 941–947.

Gontard, N., Duchez, C., Cuq, J.-L., and Guilbert, S., 1993, Edible Composite Films of Wheat and Lipids: Water Vapour Permeability and Other Physical Properties, *Int. J. Food Sci. Techn.*, 29, 39–50.

Griffin, R.C., 1994, *Technical Methode of Analyst*, Mc.Graw Hill, New York.

Guilbert, S., 1986, *Technology and Application of Edible Protective Films. In Mathlouthi, M. (Ed.), Food Packaging and Preservation: Theory and Practice*, 371–394, Essex, Elsevier.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Poli(butilen itakonat) dan Poli(butilen itakonat) Tersambung Silang Gliserol Terhadap Karakter Plastik Biodegradabel Ca-Alginat/Asam Stearat
AAN FEBRIANTO, Dr. Adhitasari Suratman, M.Si ; Dr. Dwi Siswanta, M.Eng
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Heddy, S., 2000, Pengaruh Dosis EM4 dan Pupuk Kandang Sapi Terhadap Pertumbuhan dan Hasil Tanaman Sawi (Brassica juncea L.), *J. Agritek*, 8(4), 505-510.

Higa, T dan Wigiana, G.W., 1994, *Mikroorganisme Sakti dari Jepang*, Indonesia Kyusei Nature Farming Societys, Jakarta.

Hoefler, A.C., 2004, *Hydrocolloids*, Eagan Press st. Pane, Minnesota, USA.

Hui, Y.H., 2006, *Handbook of Food Science Technology, and, Engineering Volume I,* CRC Press, USA.

Irawati, D., 2013, Sintesis dan Karakterisasi Poli(butilen itakonat) dengan Penambahan Gliserol sebagai Agen Pengikat Silang, *Skripsi*, Jurusan Kimia FMIPA UNS, Surakarta.

Isnawati, R., 2008, Kajian Rasio Mentega dan Kitosan dalam Edible Film Protein Pollard Terhadap Sifat Fisik Telur Ayam, *Skripsi*, Fakultas Peternakan Universitas Brawijaya, Malang.

Kester, J.J., and Fennema, O.R., 1986, Edible Film and Coatings: a Review, *J. Food Tech*., 7, 51.

Krochta, J.M., 1990, Emulsion Films on Food Products to Control Mass Transfer, *AIChE*, 86(277), 57-61.

Krochta,J.M., 1997, Edible and Biodegradable Polymer Films: Challenges and Opportunities, *Food Techn.*, 51, 61-74.

Idson, B., and J.Lazarus, 1994, *Semipadat, dalam; Teori dan Praktek Farmasi Industri*, edisi 3, Terjemahan S. Suyatmi, UI Press, Jakarta, 1091-1100.

Lai, H.M., Padua, G.W., Wei, W.S., 1997, Properties and Microstructure of Zein Sheets Plastisized with Palmitic and Stearic Acids, *Cereal Chem.*, 74(1), 83-90.

Lee, K.Y., and Mooney, D.J., 2012, Alginate: Properties and Biomedical Applications, *Prog. Polym. Sci.*, 37(1), 106–126.

Leja, K. and Lewandowicz, G., 2010, Polymer Biodegradation and Biodegradable Polymers a Review, *Polish J. of Environ*., 19(2), 255-266.

Martín-Belloso, O., Soliva-Fortuny, R.C., and Baldwin, E.A., 2005, Conservación Mediante Recubrimientos Comestibles, In G. A. González-Aguilar, A. A. Gardea, and F. Cuamea-Navarro (Eds.), *Nuevas Tecnologías de Conservación de Productos Vegetales Frescos Cortados* (pp. 77-94), Sonora, CIAD, A.C.

Marques, P.T., Lima, A.M.F., Bianco, G., Laurindo, J.B., Borsali, R., Lemein, S., Soldi, V., 2006, Thermal Properties and Stability of Cassava Starch Films Cross-linked with Tetraethylene Glycol Diacrylate, *Polym Degrad. Stabil.*, 91, 726–732.

McCormick, A.E., 2001, Alginate–Lifecasters Gold, *J. Art Cast.*

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Poli(butilen itakonat) dan Poli(butilen itakonat) Tersambung Silang Gliserol Terhadap Karakter Plastik Biodegradabel Ca-Alginat/Asam Stearat
AAN FEBRIANTO, Dr. Adhitasari Suratman, M.Si ; Dr. Dwi Siswanta, M.Eng
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Mchugh, D.J., 2003, *A Guide to Seaweed Industry*, Food and Agric. Org. of the Un, Rome.

Mitsui,T., 1997, *New Cosmetic, Science*, Elsever, Amsterdam.

Müller, C.M.O., Laurindo, J.B., Yamashita, F., 2011, Effect of Nanoclay Incorporation Method on Mechanical and Water Vapor Barrier Properties of Starch-based Films, *Ind. Crops and Prod.*, 33, 605–610.

Nemet, N.T., Soso V.M. and Lazic, V.L., 2010, Effect Of Glycerol Content and pH Value Of Film-forming Solution On The Functional Properties Of Protein-based Edible films, *APTEFF*, 41, 1-203.

Nurminah, M., 2002, *Penelitian Sifat Berbagai Bahan Kemasan Plastik dan Kertas serta Pengaruhnya terhadap Bahan yang Dikemas*, Teknologi Pertanian, Fakultas Pertanian USU.

Orhan, Y., Hrenovic, J., dan Buyukgungor, H., 2004, Biodegradation of Plastic Compos Bags Under Controlled Soil Conditions, *Acta Chim. Slov.*, 51, 579–58.

Palmu, P.S., Grosso, C.R.F., 2005, Effect of Edible Wheat Gluten-based Films and Coatings on Refrigerated Strawberry (Fragaria ananassa) Quality, *Postharvest Biol. Tech*, 36, 199–208.

Park, J.W., Testin, R.F., Park, H.J., Vergano, P.J. and Weller, C.L., 1994, Fatty Acid Concentration Effect on Tensile Strength, Elongation, and Water Vapor Permeability of Laminated Edible Films, *J. Food Sci*, 59(4), 916-919.

Parra, D.F., Tadini, C.C., Lugão, A.B., 2004, Mechanical Properties and Water Vapor Transmission in Some Blends of Cassava Starch Edible Films, *Carbohyd. Polym.,* 58, 475–481.

Pavlath A.E., Gossett C., Camirand W. and Robertson G.H., 1999, Ionomeric Films of Alginic Acid, *J. Food Sci*., 64, 61–63.

Pawar, S.N., and Edgar, K. J.,2012, Alginate Derivatization: A Review of Chemistry, Properties and Applications, *Biomater.*, 33, 3279–3305.

Perez-Gagó, M.B., and Krochta, J.M., 2001, Lipid Particle Size Effect on Water Vapor Permeability and Mechanical Properties of Whey Protein/Beeswax Emulsion Films, *J. Agr. Food Chem.*, 49(2), 996-1002.

Petersson, M., Stading, M., 2005, Water Vapor Permeability and Mechanical Properties of Mixed Starch–Monoglyceride Films and Effect of Film Forming Conditions, *Food Hydrocolloid,* 19, 123–132.

Pranamuda, H., 2001, *Pengembangan Bahan Plastik Biodegradable Berbahan Baku Pati Tropis*, Badan Pengkajian dan Penerapan Teknologi, Jakarta.

Prasetyaningrum, A., Rokhati, N., Kinasih D.N. dan Wardhani, F.D.N., 2010, Karakterisasi *Bioactive Edible* Film dari Komposit Alginat dan Lilin

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Poli(butilen itakonat) dan Poli(butilen itakonat) Tersambung Silang Gliserol Terhadap Karakter Plastik Biodegradabel Ca-Alginat/Asam Stearat
AAN FEBRIANTO, Dr. Adhitasari Suratman, M.Si ; Dr. Dwi Siswanta, M.Eng
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Lebah sebagai Bahan Pengemas Makanan *Biodegradable*, *Seminar Rekayasa Kimia dan Proses*, 2, 1411-4216.

Rhim, J.W., 2004, Physical and Mechanical Properties of Water Resistant Sodium Alginate Films, *LWT-Food Sci. Techn.*, 37, 323-330.

Rodriguez, M, Oses, J., Ziani, K. and Mate, J.I., 2006, Combined Effect of Plasticizer and Surfactants on the Physical Properties of Starch Based Edible Films, *Food Res. Int*., 39, 840-846.

Rowe, R.C., Paul, J.S., and Marian, E.Q., 2009, *Handbook of Pharmaceutical Excipients*, Royal Pharmaceutical Society of Great Britain, London.

Sanjaya, I.G dan Puspita, T., 2013, *Pengaruh Penambahan Kitosan dan Plasticizer Gliserol Pada Karakteristik Plastik Biodegradable dari Pati Limbah Kulit Singkong*, Laboratorium Pengolahan Limbah Industri, Jurusan Teknik Kimia, Institut Teknologi Sepuluh November Surabaya.

Schmidt, V.C.R., Porto, L.M., Laurindo, J.B., Menegali, F.C., 2013, Water Vapor Barrier and Mecanichal Properties of Starch Films Containing Stearic Acid, *Ind. Crops Prod.*, 41, 227– 234.

Schnabel, W. (1981), Biodegradation, dalam *Polymer Degradation, Principles and Practical Applications,* Macmillan Publishing Co, Inc., New York, 154 – 176.

Sejati, K., 2009, *Pengolahan Sampah Terpadu*, Kanisius, Yogyakarta.

Sulistyorini, F., 2014, Poli(butilen itakonat) Tersambung Silang Gliserol Sebagai Pemlastis dalam Plastik Biodegradabel Ca-alginat/Kitosan, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.

Shellhammer, T.H., Krochta, J.M., 1997, Whey Protein Emulsion Film Performance as Affected by Lipid Type and Amount, *J. Food Sci.*, 62, 390–394.

Siswono, 2008, *Jaringan Informasi Pangan dan Gizi, volume XIV*, Ditjen Bina Gizi Masyarakat, Jakarta.

Sothornvit, R., and Krochta, J.M., 2001, Plasticizers Effect on Mechanical Properties of b-Lactoglobulin Films, *J. Food Eng.*, 50, 149-155.

Suppakul, P., 2006, *Plasticizer and Realtive Humidity Effects on Mechanical Properties of Cassava Flour Films*, Department of Packaging Technology, Faculty of Agro-Industry, Kasetsart University, Bangkok, Thailand.

Stevens M.P, 2001, *Polymer Chemistry*, Oxford University Press, Inc, England.

Tapia-Blacido, D., Mauri, A.N., Menegalli, F.C., Sobral, P.J.A., Anon, M.C., 2007, Contribution of the Starch, Protein, and Lipid Fractions to the Physical, Thermal, and Structural Properties of Amaranth (Amaranthus caudatus) Flour Films, *J. Food Sci.,* 72, 293–300.

Tsai, G.J., Zhang, S.L. and Shieh, P.L., 2008, Antimicrobial Activity of Low Molecular Weight Chitosan Obtained from Cellulose Digestion of Chitosan, *J. Food Prot*., 67, 396-398.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Poli(butilen itakonat) dan Poli(butilen itakonat) Tersambung Silang Gliserol Terhadap Karakter Plastik Biodegradabel Ca-Alginat/Asam Stearat
AAN FEBRIANTO, Dr. Adhitasari Suratman, M.Si ; Dr. Dwi Siswanta, M.Eng
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Vanin, F.M., Sobral, P.J.A., Menegalli, F.C., Carvalho, R.A., Habitante, A.M.Q.B., 2005, Effects of Plasticizers and Their Concentrations on Thermal and Functional Properties of Gelatin based Films, *Food Hydrocolloid*, 19, 899–907.

Vargas, M., Pastor, C., Chiralt, A., McClements, D.J., and González-Martínez, C., 2008, Recent Advances in Edible Coatings for Fresh and Minimally Processed Fruits, *Crit. Rev. Food Sci. Nutrition*, 48, 496-511.

Wahyu, M.K., 2009, *Pemanfaatan Pati Singkong sebagai Bahan Baku Edible Film,* Fakultas Teknologi Industri Pertanian Universitas Padjajaran, Bandung.

Widiawati, T.N., 2014, Pengaruh Poli(butilen itakonat) Terhadap Karakter Plastik Biodegradabel Ca-alginat/Kitosan*, Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.

Weller, C.L., Gennadios, A. and Saraiva, R.A., 1998, Edible Bilayer Films from Zein and Grain Sorghum Wax or Carnauba Wax, *LWT-Food Sci. Techn.*, 31, 279-285.

Yang, J.-S., Xie, Y.-J., and He, W., 2011, Research Progress on Chemical Modification of Alginate: A Review, *Carbohyd. Polym.*, 84(1), 33–39.

Yang, L. and Paulson, A.T., 2000, Effects of Lipids on Mechanical and Moisture Barrier Properties of Edible Gellan Film, *Food Res. Int.*, 33, 571–578.

Yunizal, 2004, *Teknik Pengolahan Alginat,* Pusat Riset Pengolahan Produk dan Sosial Ekonomi Kelautan dan Perikanan, Jakarta.