

DAFTAR PUSTAKA

- Adani, N., G., Muskanonfolo, M.,R., Hendrerto, I.,B., 2013, Kesuburan Perairan Ditinjau dari Kandungan Klorofil-*a* Fitoplankton: Studi Kasus di Sungai Wedung, Demak, Diponegoro *J. Of Maquares*, 2(4), 38-45.
- Ainsworth, Alan, Chlorophyllin Copper Complex, 04 Maret 2015, <http://www.nullo.com/chlorophyllin.html>
- American Standard Testing Materials (ASTM), 2006, *Standard Guide for Conducting Static Acute Toxicity Tests with Microalgae. Standard E1218-04*. In : *Annual Book of Standards, vol.11(6) Biological Effects and Environmental Fate; Biotechnology* ; Water and Environmental Technology, West Conshohocken, 278-291.
- Andarwulan, N., Faradilla, 2012, *Pewarna Alami untuk Makanan*, Institut Pertanian Bogor, Bogor.
- Asean Canada Corporate Program on Marine Science (ACCPMS), 1995, *Protocol for Sublethal Toxicity Test Using Tropical Marine Organisms. ASEAN-Canada Cooperative Programme on Marine Science-Phase II. Regional Workshop on Chronic Toxicity Testing*, Burphal University, Institute of Marine Science, Thailand.
- Berard, A. 1996. Effect of Organic Four Solvents on Natural Phytoplankton Assemblages: Consequences for Ecotoxicological Experiments on Herbicides, *Bull. Environ. Contam. Toxicol.*, 57, 183–190.
- Bielmyer G.K., M. Grosell, R. Bhagooli, A.C. Baker, C. Langdon, P. Gillette, T. Capo, 2010, Differential Effects of Copper on Three Species of Scleractinian Corals and Their Algal Symbionts (*Symbiodinium* spp.), *Aquat Toxicol*, 97,125-133.
- Botes, L. 2003. *Phytoplankton Identification Catalogue* ., April 2001. GloBallast Monograph, Saldanha Bay, South Africa.
- Brand, L.E., Sunda, W.G., Guillard, R.R.L., 1986. Reduction of Marine Phytoplankton Reproduction Rates by Copper and Cadmium. *J. Exp. Mar. Biol. Ecol.* 96, 225–250.
- Burkhead, J.L., Gogolin Reynolds, K.A., Abdel-Ghany, S.E., Cohu, C.M., Pilon, M., 2009, Copper homeostasis, New Phytol, *Tansley Review*, 182, 799–816.
- Campanella, L., F.Cubadda, M. P. Sammartino, and A.Saoncella, 2000, An Algal Biosensor for the Monitoring of Water Toxicity in Estuarine Environments, *Water Res.*, 25 , 69–76.

- Chekmeneva, E., Prohens, R., Di'az-Cruz, J. M., Arino, C., Esteban, M., 2008, Thermodynamics of Cd^{2+} and Zn^{2+} binding by the phytochelatin (c-Glu-Cys)4-Gly and its precursor glutathione, *Anal. Biochem*, 375, 82–89.
- Chu, K. H and HashimM. A. 2007. Copper biosorption on immobilized seaweed biomass: Column breakthrough characteristics, *J. Environ. Sci.*19: 928-932.
- Croot, P.L., Karlson, B., Elteren, J.T., Kroon,J., 2003, Uptake and efflux of ^{64}Cu by the Marine Cyanobacterium *Synechococcus*, *Limnol.Oceanogr.*, 48(1), 179-188.
- Darmono, 1995, *Logam dalam Sistem Biologi Makhluk Hidup*, UI Press, Jakarta.
- Davis, C. C, 1955, *The Marine and Freshwater Plankton*, Michigan State, University of Washington Press, USA.
- Davis, T.A., Volesky, B., Mucci, A., 2003. A review of the biochemistry of heavy metalbiosorption by brown algae. *Water Res.* 37, 4311–4330.
- Day, R.A., and Underwood, 2002, *Analisis Kimia Kuantitatif*, Penerbit Erlangga, Jakarta.
- De Filippis, L.F., 1979, The Effect of Heavy Metal Compounds on the Permeability of Chlorella Cells, *Z. Pflanzen physiol.* 92, 39–49.
- Doyle, F.M., dan Liu, Z., 2003, The Effect of Triethylenatetraamine(Trien) on the Ion Flotation of Cu^{2+} and Ni^{2+} , *J. Colloid Interface Sci.*, 258, 369-401.
- Dreuw, A., Fleming, G.R., and Head-Gordon, M., 2003, Chlorophyll Fluorescence Quenching by Xanthophylls, *Phys. Chem. Chem. Phys.*, 5, 3247- 3256.
- Dwidjoseputro, 1986, *DuniaTumbuhan*, Gramedia, Jakarta.
- Fogg, G.E. 1975. *Algal Cultures and Phytoplankton Ecology*. University of Winconsin press, UK.
- Fryxell, G.A and Medlin, L.K., 1981, *Chain Forming Diatom :Evidence Pararell Evolution of Chaetoceros*, *Cryptogamie : Algologie* 2.
- Hach Company, 2012, *DR 2800TM Portable Spectrophotometer*, Loveland Colorado, USA.
- Hamida , 1980, *Pengaruh Logam Berat Terhadap Lingkungan*, *Pewarta Oceana*, Lembaga Oseanologi Jakarta, 6:2,1-7.
- Hendorn,J., 2012, *Turner Design 10-AU Fluorometer Calibration for Chlorophyll a Analysis*, Cochlan Phytoplankton Ecophysiology Laboratory, San Franscisco State University, California.

- Hindarti,D., 1997, *Metode Uji Toksisitas*, Pusat Penelitian dan Pengembangan Oseanografi Lembaga Ilmu Pengetahuan Indonesia (P3O LIPI), Jakarta, 171-184.
- Holeman, A.F., dan Wiberg, G., 2001, *Inorganic Chemistry*, Academic Precc, San Diego.
- Huheey, J.E., Keiter E.A., Keiter R.L., 1993, *Inorganic Chemistry*, 4th edition, Harper Collins College Publisher.
- Ismail, M., S.M.Phang, S.I. Tong and M.T. Brown, 2002, A Modified Toxicity Testing Method using Tropical Marine Microalgae, *Environ. Monit. Assess.*, 75 :145-154.
- Iyer, A., Mody K., dan Jha, B., 2005, Biosorption of Heavy Metals by A Marine Bacterium, *Mar. Pollut. Bull*, 50, 340-343.
- Jones, B., Bolam, T., 2007, Copper Speciation Survey from UK Marinas, Harbours and Estuaries, *Mar. Pollut. Bul.*, 54, 1127–1138.
- Karez, C.S., Pereira, R.C., 1995, Metal contents in polyphenolic fractions extracted from the brown alga *Padinagymnospora*, *Bot. Mar.*, 38, 151–155.
- Karlsson, dan J., Eklund, B., 2004, New biocide-free anti-fouling paints are toxic, *Mar. Pollut. Bul.*, 49, 456–464.
- Klaassen, C. D., Amdur, M. O., and Doull, J. 1986.*Toxicology The Basic Science of Poison*, 3rd. Ed. The Macmillan Publishing Company, New York.
- Kloareg, B., Quatrano, R.S., 1988. Structure of the cell-walls of marine algae and ecophysiological functions of the matrix polysaccharides.*Oceanogr. Mar. Biol.* 26, 259–315.
- Kupper, H., Setlik, I., Spiller, M., Küpper, F.C., Prasil, O., 2002, Heavy Metal Induced Inhibition of Photosynthesis: Targets of in Vivo Heavy Metal Chlorophyll Formation. *J. Phycol.* 38, 429–441.
- Kupper,H.,F.C.,Spiller,M., 1996, Environ mental relevance of heavy metal-substituted chlorophylls using the example of water plant, *J.Exp.Bot*, 47, 259–266.
- Kurniawan J.I., dan Aunurohim, 2014, Biosorpsi Logam Zn²⁺danPb²⁺oleh Mikroalga *Chlorella* sp, *J. sains dan senipomits*, 3 (1), 2337-3520.
- Li, Mei, Hu,C.,Zhu, Q., Chen,L., Kong, Z.,Liu,Z., 2006, Copper and Zinc Induction of Lipid Peroxidation and Effect on Antioxidant Enzyme Activities in the Microalga *Pavlova viridis* (Prymnesiophyceae), *Chemosphere*, 62, 565-572.

- Limantara, L., R. Fujii, J- P. Zhang, T. Kakuno, H. Hara, A. Kawamori, T. Yagura, R. J. Cogdell, and Y. Koyama, 1998, Generation of Triplet and Cation Radical Bacteriochlorophyll *a* in Carotenoidless LH₁ and LH₂ Antenna Complexes from *Rhodobacter sphaeroides*. *Biochem.*, 37, 17469-17486.
- Madigan, M.T., J.M.Martinko,P.V. Dunlap and D.P. Clark, 2009, *Brock biology of Microorganism*, 12thed, Pearson Education Inc, San Fransisco, xxviii-1061 hlm 136.
- Martaningtyas, D.,2002, *Bahaya Cemaran Logam Berat*, Pikiran Rakyat Cyber Media 2003-2004, Bandung.
- Matthiessen P, Reed J, Johnson M, 1999, Sources and Potential Effects of Copper and Zinc Concentrations in the Estuarine Waters of Essex and Suffolk, United Kingdom, *Mar. Pollut. Bull.*, 38, 908–20.
- Medeiros, H.,E., Perez B.,A, Gallerani G., 20017, Antifouling Activity of Seaweed Extracts from Guarujá, São Paulo, Brazil *Braz. j. oceanogr.* , 55 (4), 257-264.
- Millero, F.J., Woosley, R., Ditrolio, B.,Waters,J., 2009, Effect of Ocean Acidification on the Speciation of Metals in Seawater,*Oceanography*, 22 (4), 72-85.
- Mitchelmore, C.L., E.A. Verde. & V.M. Weis, 2007, Uptake and Partitioning of Copper and Cadmium in the Coral *Pocillopora damicornis*, *Aqua. Toxicol*, 85, 48 – 56.
- Monteiro CM, Castro PML, Malcata FX, 2010, Cadmium Removal by Two Strain of *Desmosdesmus pleiomorphus* Cells, *J. Of Water Air Soil Pollut.*, 208, 17-27.
- Moreno-Garrido, I., Lubian, L.M., Soares, A.M.V.M., 2000, Influence of Cellular Density in Determination of EC₅₀ in Microalgal Growth Inhibition Tests, *Ecotoxicol. Environ. Saf.* 47, 112–116.
- Muliadi, 2010, *Pengaruh Penambahan Glutathion pada Bioakumulasi Ion Cd²⁺ oleh Fitoplankton Laut Chaetoceros calcitrans dan Tetraselmis chuii*, Fakultas MIPA, UNHAS, Makassar.
- Nielsen, H.D., Brown, M.T., Brownlee, C., 2003, Cellular Responses of Developing *Fucus Serratus* Embryos Exposed to Elevated Concentrations of Cu²⁺, *Plant Cell Environ.*, 26, 1737–1747.
- Nontji, A, 1993, *Laut Nusantara*, Penerbit Jembatan, Jakarta.
- Norberg-King, T.J, 1993, *A Linear Interpolation Method for Sub lethal Toxicity: The Inhibition Concentration (Icp) Approach (version 2.0)*, U.S.

Environmental Protection Agency, Environmental Research Laboratory, Duluth, M.N. Tech. Report 03-93 of the National Effluent Toxicity Assessment Center, U.S, 30pp.

O’Kelly, J.C., 1974, *Inorganic Nutrients*, In : Algal Physiology and Biochemistry (Eds : W.D.P. Stewart), University of California Press, Berkelev, 610-635.

Overnell J., 1975, The effect of heavy metals on photosynthesis and loss of cell potassium in two species of marine algae, *Dunaliellatertiolecta* and *Phaeodactylumtricornutum*, *Mar Biol*, 29:99.

Palar, H., 1994, *Pencemaran dan Toksikologi Logam Berat*, Penerbit Rineka Cipta, Jakarta.

Panggabean, L.M.G., Santoso, J.,Setyaningsih, I., danSantioso, E., 1998, *Senyawa Antibakteri dari Nitzchia sp.*, Makalah disajikan dalam Prosiding Seminar Bioteknologi Kelautan Indonesia, LIPI, Jakarta 15 Oktober.

Pellegrini, M., Laugier, A., Sergent, M., Phan-Tan-Luu, R., Valls, R., Pellegrini, L., 1993, Interactions Between the Toxicity of the Heavy Metals Cadmium, Copper, Zinc in combinations and the Detoxifying Role of Calcium in the Brown Alga *Cystoseira Barbata*, *J. Appl. Phycol*, 5, 351–361.

Perales-Vela, H.V., S. González-Moreno, C. Montes-Horcasitas & R.O. Cañizares-Villanueva, 2007, Growth, Photosynthetic and Respiratory Responses to Sub-lethal Copper Concentrations in *Scenedesmus Incrassatulus* Chlorophyceae), *Chemosphere*, 67, 2274-2281.

Pinto, E., Sigaud-Kutner, T.C.S., Leitao, M.A.S., Okamoto, O.K., Morse, D., Colepicolo,P., 2003. Heavy metal-induced oxidative stress in algae. *J. Phycol.* 39,1008–1018.

Ponnuswamy, I., Madhavan, S., danShabudeen, S., 2013, Isolation and Characterization of Green Microalgae for Carbon Sequestration, Waste Water Treatment and Bio-fuel Production, *J.Bio-Sci and Bio-tech*, 5(2), 17-26.

Powel,J.K., Brawn, L.P., Byrne, H.R., and Gadja, T., 2007, Chemical Speciation of Environmentally Significant Heavy Metals with Inorganic Ligands Part 2, *J.Pure. Appl. Chem.*, 79, 895-950.

Pranajaya, R.P., Djunaedi, A., Yulianto, B., 2014, Pengaruh Tembaga Terhadap Kandungan Pigmen dan Pertumbuhan Mikroalga Merah *Porphyridium cruentum*, *Ilmu Kelautan*, 19(2), 97-104.

Pratama, I, 2011, Pengaruh Metode Pemanenan Mikroalga terhadap Biomassa dan Kandungan Wsensial *Chlorella vulgaris*, Universitas Indonesia, Jakarta.

- Puspitasari, R dan Purbonegoro, T., 2013, Efek Tembaga terhadap Pertumbuhan Mikroalga Laut, *Isochrysis* sp, Pusat *Penelitian Oseanografi LIPI, Lingkungan Tropis*, vol 5(2) 121-129.
- Rai, L.C., Gaur, J.P., Kumar, H.D., 1981, Phycology and heavy-metal pollution, *Biol. Rev*, 56, 99–151.
- Rand, G.M, and S.R. Petrocelli, 1985, *Fundamental of Aquatic Toxicology : Methods and Applications*, Hemisphere Publishing Company, New York : xvii hal 666.
- Riedel, G.F., 2008, *Copper*, Elsevier: Amsterdam, The Netherlands.
- Rijstenbil, J.W., Derksen, J.W.M., Gerringa, L.J.A., Poortvliet, T.C.W., Sandee, A., Van den Berg, M., Van Drie, J., Wijnholds, J.A., 1994. Oxidative Stress Induced by Copper: Defense and Damage in the Marine Planktonic Diatom *Ditylum Brightwellii*, Grown in Continuous Cultures with High and Low Zinc Levels. *Mar. Biol.* 119, 583–590.
- Riyono, S.H., 1997, *Metode Analisis Air Laut, Sedimen Dan Biota*, Buku 2, Pusat Penelitian dan Pengembangan Oseanografi, LIPI, Jakarta.
- Rusyani, E., 2001, *Pengaruh Dosis Zeolit yang Berbeda terhadap Pertumbuhan Isochrysis galbana Klon Tahiti Skala Laboratorium dalam Media Komersial*, Skripsi, Progran Studi Budidaya Perairan, Fakultas Perikanan dan Kelautan, Institut Pertanian Bogor, Bogor.
- Sabrettin, 2012, *Effect of Co₂ Concentration and Temperature on Growth Rate and Lipid Content of Isochrysis galbana*, Izmir Institute of Technology, Turkey.
- Santana-Casiano, J. M., Gonzalez-Davila, M., Perez-Pefia, J., Millerob, F. J., 1995, Pb²⁺ interactions with the marine phytoplankton *Dunaliella tertiolecta*, *Mar. Chem*, 48, 115-129.
- Schmuhl, R., Krieg, H.M., dan Keizer, K., 2001, Adsorption of Cu (II) and Cr(II) Ions by Chitosan : Kinetics and Equilibrium Studies, *Water S.A.*, 27(1), 1-7.
- Sembiring, Z., Buhani, Suharso, dan Sumadi, 2009, Isoterm Adsorpsi Ion Pb (II), Cu (II) dan Cd (II) pada Biomassa *Nannochloropsis* sp yang Dienkapsulasi Akuagel Silika, *Indo. J.Chem.*, 9 (1), 1-5.
- Shioi, Y., Tamai, H., Sasa, T., 1978, Inhibition of Photosystem-II in Green Alga *Ankistrodesmus Falcatus* by Copper, *Physiol. Plant.*, 44, 434–438.
- Sihombing, R.F., Aryawati, R., Hartoni, 2013, Kandungan Klorofil-a Fitoplankton di Sekitar Perairan Desa Sungsang Kabupaten Banyuasin Provinsi Sumatera Selatan, *J.Maspari*, 5(1), 34-39.

- Solisio C, A. Lodi, D. Soletto, Converti, 2008, Copper biosorption on *Spirulina platensis* Biomass, *Bioresource Tech*, 99:5933-5937.
- Srinivasan, M., Swain, G.W., 2007, Managing the Use of Copper-Based Antifouling Paints, *Environ. Manage.*, 39, 423-441.
- Strömberg, T., 1980, The Effect of Dissolved Copper on the Increase in Length of Four Species of Intertidal Furoid Algae, *Mar. Environ. Res*, 3, 5-13.
- Sudaryanto, A., 2001, *Contaminan by Buyltin Compounds in Mussels, Fishes and Sediments from Coastal Waters of Asian Developing Countries*, Master Thesis, Ehime University, Japan.
- Thurman, H.V., Trujillo, A.P., 2007, *Essentials of Oceanography, 9th Edition*, Pearson Education Inc., New Jersey.
- Turner A., 2010, Marine Pollution from Antifouling Paint Particles, *Mar. Pollut. Bul.*, 60 :159-171.
- Tzardis, t., S. E., G. W. Patterson, G. H. Wikfors, P. K. Gladu, and D. Harrison, 1993, *Sterols of Chaetoceros and Skeletonema*, *Lipids, Aquaculture*, 28, 465-467.
- Veli, S., dan Alyuz, B., 2007, Adsorption of Copper and Zinc from Aqueous Solutions by Using Natural Clay, *J.Hazard.Mater.*, 149, 226-233.
- Verma, S.R., Shantasatyanaranyan, 2013, Toxicity of Heavy Metal to a Freshwater Crustacean *Ceriodaphnia dubia*, *IJCPS*, 2, 123-131.
- Vey, J.P.M, and J.M. Fox, 1983, *Hatchery techniques for Penaeid Shrimp utilized by Texas A&M. CRC : Crustacean Aquakulture*, Handbook of Marikultur, Vol 1, Florida.
- Yap, C.K., Ismail, A., Omar, H., Tan, S.G., 2004, Toxicities and tolerances of Cd, Cu, Pb and Zn in a Primary Producer (*Isochrysis galbana*) and in a Primary Consumer (*Perna viridis*), *Environ.International*, 29, 1097-1104.
- Yebra, D.M., Kiil, S., Dam-Johansen, K., 2004, Antifouling Technology Past, Present and Future Steps Towards Efficient and Environmentally Friendly Antifouling Coatings. *J.Porgcoat*, 50, 75-104.
- Ytreberg, E., Karlsson, J., Eklund, B., 2010, Comparison of Toxicity and Release Rates of Cu and Zn from Anti-fouling Paints Leached in Natural and Artificial Brackish Seawater, *Sci.of the Total Environ.*, 408, 2459-2466.
- Zumdahl, Steven S., 2009, *Chemical Principles*, Houghton Mifflin Company, New York.