

DAFTAR PUSTAKA

- Abudabos, A. M., A. H. Alyemni, and M. B. A. Al Marshad. 2013. *Bacillus subtilis* PB6 based-probiotic (CloSTATTM) improves intestinal morphological and microbiological status of broiler chickens under *clostridium perfringens* challenge. *International Journal of Agriculture and Biology*. 15: 978-982.
- Ahsabi, M., N. Iriyanti, dan S. Mugiyono. 2013. Penggunaan berbagai jenis probiotik dalam ransum terhadap kadar lemak dan kolesterol kuning telur ayam arab. *Jurnal Ilmiah Peternakan*. 1: 323-331.
- Allerd, J. B., L. S. Jensen, and G. McGinnis. 1957. Factor affecting the response of chicks and poults to feed pelleting. *Poultry Science*. 36: 517-523.
- Anjum, M. I., A. G. Khan, A. Azim, and M. Afzal. 2005. Effect of dietary supplementation of multi-strain probiotic on broiler growth performance. *Pakistan Veterinary Journal*. 25: 25-29.
- Awad, W., K. Ghareeb, and J. Böhm. 2008. Intestinal structure and function of broiler chickens on diets supplemented with a synbiotic containing enterococcus faecium and oligosaccharides. *International Journal of Molecular Science*. 9: 2205-2216.
- Awad, W. A., K. Ghareeb, S. Abdel-Raheem, and J. Bö. 2009. Effects of dietary inclusion of probiotic and synbiotic on growth performance, organ weights, and intestinal histomorphology of broiler chickens. *Poultry Science*. 88: 49-55.
- Callaway, T. R., T. S. Edrington, R. C. Anderson, R. B. Harvey, K. J. Genovese, C. N. Kennedy, D. W. Venn, and D. J. Nisbet. 2008. Probiotics, prebiotics, and competitive exclusion for prophylaxis against bacterial disease. *Animal Health Research Reviews*. 9: 217-225.
- Chalghoumi, A., A. Belgacem, I. Trabelsi, Y. Bouatour, and R. Bergaoul. 2013. Effect of dietary supplementation with probiotic or essential oils on growth performance of broiler chickens. *International Journal of Poultry Science*. 12: 538-544.
- Chen, K. L., W. L. Kho, S. H. You, R. H. Yeh, S. W. Tang, and C. W. Hsieh. 2009. Effects of *Bacillus subtilis* var. *natto* and *Saccharomyces cerevisiae* mixed fermented feed on the enhanced growth performance of broilers. *Journal of Poultry Science*. 88: 309-315.

- Cheng, T. K., M. L. Hamre, and C. N. Coon. 1997. Effect of environmental temperature, dietary protein, and energy levels on broiler performance. *Journal of Applied Poultry*. 6: 1-17.
- Collins, M. D. and G. R. Gibson. 1999. Probiotics, prebiotics, and synbiotics: approaches for modulating the microbial ecology of the gut. *The American Journal of Clinical Nutrition*. 69: 1052-1057.
- Cooper M. A. and K. W. Washburn. 1998. The relationships of body temperature to weight gain, feed consumption, and feed utilization in broilers under heat stress. *Poultry Science*. 77: 237-242.
- Dale, N. M. and H. L. Fuller. 1980. Effect of diet composition on feed intake and growth of chicks under heat stress. II. Constant vs. cycling temperatures. *Journal of Poultry Science*. 59:1434-1441.
- Deaton, J. W., F. N. Reece, and T. H. Vardaman. 1968. The effect of temperature and density on broiler performance. *Poultry Science*. 47: 293–300.
- Deeb, N. and A. Cahaner. 1999. The effects of naked neck genotypes, ambient temperature, and feeding status and their interactions on body temperature and performance of broilers. *Journal of Poultry Science*. 78:1341-1346.
- Demirkan, E. 2011. Production, purification, and characterization of α -amilase by *Bacillus subtilis* and its mutant derivatives. *Turkish Journal of Biology*. 35: 705-712.
- Deng, X., J. Shi, and M. G. Kong. 2006. Physical mechanisms of inactivation of *Bacillus subtilis* spores using cold atmospheric plasmas. *Institute of Electrical and Electronics Engineers Transactions on Plasma Science*. 34: 1310-1316.
- Deniz, G., A. Orman, F. Cetinkaya, H. Gencoglu, Y. Meral, and I. I. Turkmen. 2011. Effect of probiotic (*Bacillus subtilis* DSM 17299) supplementation on the caecal microflora and performance in broiler chickens. *Revue de Médecine Vétérinaire*. 162: 538-545.
- Denli, M., F. Okan, and K. Çelik. 2003. Effect of dietary probiotic, organic acid, and antibiotic supplementation to diets on broiler performance and carcass yield. *Pakistan Journal of Nutrition*. 2: 89-91.
- Dono, N. D. 2012. Nutritional strategies to improve enteric health and growth performance of poultry in the post antibiotic era. Ph.D. Thesis. University of Glasgow. Glasgow.

- Flint, J. F. and M. R. Garner. 2009. Feeding beneficial bacteria: a natural solution for increasing efficiency and decreasing pathogens in animal agriculture. *Journal of Applied Poultry Research*. 18: 367-378.
- Fritts, C. A., J. H. Kersey, M. A. Motl, M. A. Kroger, F. Yan, Q. Jiang, A. L. Campos, A. L. Waldroup, and P. W. Waldrou. 2000. *Bacillus subtilis* C-3102 (Calsporin) improves live performance and microbiological status of broiler chickens. *Journal of Applied Poultry Science*. 9: 149-155.
- Fuller, R. 1989. Probiotics in man and animals. *Journal of Applied Bacteriology*. 66: 365–378.
- Glisson, J. R. 1998. Bacterial respiratory diseases of poultry. *Journal of Poultry Science*. 77: 1139-1142.
- Gratz, S. W., H. Mykkanen, and H. S. El-Nezami. 2010. Probiotics and gut health: A special focus on liver diseases. *World Journal of Gastroenterology*. 16: 403-410.
- Gunal, M., G. Yayli, O. Kaya, N. Karahan, and O. Sulak. 2006. The effects of antibiotik growth promoter, probiotic or organic acid supplementation on performance, intestinal microflora and tissue of broiler. *Journal of Poultry Science*. 5: 149-155.
- Gunawan, dan M. M. S. Sundari. 2003. Pengaruh penggunaan probiotik dalam ransum terhadap produktivitas ayam. *Indonesian Bulletin of Animal and Veterinary Science*. 13: 92-98.
- Hooge, D.M., H. Ishimaru, and M. D. Sims. 2004. Influence of dietary *Bacillus subtilis* C-3102 spores on live performance of broiler chickens in four controlled pen trials. *Journal of Applied Poultry Research*. 13: 222-228.
- Huang, M. K., Y. J. Choi, R. Hounde, J. W. Lee., B. Lee., and X. Zhao. 2004. Effects of lactobacilli and an acidophilic fungus on the production performance and immune responses in broiler chickens. *Journal of Poultry Science*. 83: 788-795.
- Jayaraman, S., G. Thangavel, H. Kurian, R. Mani, R. Mukkalil, and H. Chirakkal. 2013. *Bacillus subtilis* PB6 improves intestinal health of broiler chickens challenged with *Clostridium perfringens*-induced necrotic enteritis. *Journal of Poultry Science*. 92: 370-374.
- Jin, L. Z., Y. W. Ho, N. Abdullah, and S. Jalaludin. 1998. Growth performance, intestinal microbial populations and serum cholesterol of broilers fed diets containing Lactobacillus cultures. *Journal of Poultry Science*. 77: 1259–1265.

- Jin, L. Z., Y. W. Ho, N. Abdullah, and S. Jalaludin. 1996. Influence of dried *Bacillus subtilis* and lactobacilli cultures on intestinal microflora and performance in broilers. *American Journal of Applied Science*. 9: 397-403.
- Joyner, D. E., R. D. Arthur, and B. N. Jacobson. 1984. Winter weight dynamics, grain consumption and reproductive potential in Canada geese. *The Condor*. 86: 275-280.
- Kamran Z., M. Sarwar, M. Nisa, M. A. Nadeem, S. Mahmood, M. E. Babar, and S. Ahmed. 2008. Effect of low-protein diets having constant energy-to-protein ratio on Performance and carcass characteristics of broiler chickens from one to thirty-five days of age. *Poultry Science*. 87: 468-474.
- Khaksefidi, A. and T. Ghoorchi. 2006. Effect of probiotic on performance and immunocompetence in broiler chicks. *The Journal of Poultry Science*. 43: 296-300.
- Knap, A. B., Kehlet, M. Bennedsen, G. F. Mathis , C. L. Hofacre , B. S. Lumpkins, M. M. Jensen, M. Raun, and A. Lay. 2011. *Bacillus subtilis* (DSM17299) significantly reduces *Salmonella* in broilers. *Poultry Science*. 90: 1690-1694.
- Marks, H. L. 1981. Role of water in regulating feed intake and feed efficiency of broilers. *Journal of Poultry Science*. 60: 698-707.
- Marks, H. L. 1996. Carcass composition, feed intake, and feed efficiency following long-term selection for four-week body weight in Japanese quail. *Journal of Poultry Science*. 72: 1005-1011.
- McNaughton J. L. and F. N. Reece. 1984. Factors affecting pelleting response. 1. Influence of dietary energy in broiler starter diets. *Journal of Poultry Science*. 63: 682-685.
- Molnár, A. K., B. Podmaniczky, P. Kürti, Zs. Juhász, M.M. Jensen, D. Gerendai, and Zs. Szábo. 2005. Influence of *Bacillus subtilis* on broiler performance. *Proceeding of the European Symposium on Poultry Nutrition*. September 25-29, 2005, Balatonfüred, Hungary. pp. 273-275.
- Mountzouris, K. C., P. Tsirtsikos, E. Kalamara, S. Nitsch, G. Schatzmayr, and K. Fegeros. 2007. Evaluation of the efficacy of a probiotic containing *Lactobacillus*, *Bifidobacterium*, *Enterococcus*, and *Pediococcus* Strains in promoting broiler performance and modulating cecal microflora composition and metabolic activities. *Poultry Science*. 86: 309–317.

- Onderci, M., N. Sahin, K. Sahin, G. Cikim, A. Aydın, I. Ozercan, and S. Aydın. 2006. Efficacy of supplementation of α -amylase-producing bacterial culture on the performance, nutrient use, and gut morphology of broiler chickens fed a corn-based diet. *Poultry Science*. 85: 505-510.
- Opalinski, M., A. Maiorka, F. Dahlke, F. Cunha, F.S.C. Vargas, and E. Cardozo. 2007. On the use of a probiotic (*Bacillus subtilis* – strain DSM 17299) as growth promoter in broiler diets. *Brazilian Journal of Poultry Science*. 9: 99-103
- Parsons, A. S., N. P. Buchanan, K. P. Blemings, M. E. Wilson, and J. S. Moritz. 2006. Effect of corn particle size and pellet texture on broiler performance in the growing phase. *Journal of Applied Poultry*. 15: 245-255.
- Pelicano, E. R. L., P. A. Souza, D. F. Figueiredo, M. M. Boiago, S. R. Carvalho, and V. F. Bordon. 2005. Intestinal mucosa development in broiler chickens fed natural growth promoters. *Brazilian Journal of Poultry Science*. 7: 221-229.
- Perić, L., N. Milošević, D. Žikić, S. Bjedov, D. Cvetković, S. Markov, M. Mohnl, and T. Steiner. 2010. Effects of probiotic and phytogenic products on performance, gut morphology and cecal microflora of broiler chickens. *Archive Tierzucht*. 53: 350-359.
- Qian, H., E. T. Kornegay, and D. M. Denbow. 1996. Phosphorus equivalence of microbial phytase in turkey diets influenced by calcium to phosphorus levels. *Journal of Poultry Science*. 75: 69-81.
- Reid, G. and R. Friendship. 2002. Alternatives to antibiotic use: probiotics for the gut. *Journal of Animal Biotechnology*. 13: 97–112.
- Santoso, U., K. Tanaka, and S. Ohtani. 1995. Effect of dried *Bacillus subtilis* culture on growth, body composition and hepatic lipogenic enzyme activity in female broiler chicks. *British Journal of Nutrition*. 74: 523-529.
- Sen, S., S. L. Ingale, Y. W. Kim, J. S. Kim, K. H. Kim, J. D. Lohakare, E. K. Kim, H. S. Kim, M. H. Ryu, I. K. Kwon, and B. J. Chae. 2012. Effect of supplementation of *Bacillus subtilis* LS 1-2 to broiler diets on growth performance, nutrient retention, cecal microbiology, and small intestinal morphology. *Research in Veterinary Science*. 93: 264-268.
- Shareef, A. M. and A. S. A. Al-Dabbagh. 2009. Effect of probiotic (*Saccharomyces cerevisiae*) on performance of broiler chicks. *Iraqi Journal of Veterinary Science*. 23: 23-29.

- Sibbald, I. R., J. D. Summers, and S. J. Slinger. 1959. Factors affecting the metabolizable energy content of poultry feeds. Department of Nutrition and Poultry Husbandry, Ontario Agricultural College. Ontario.
- Sinurat, A. P., T. Purwadaria, M. H. Togatorop, dan T. Pasaribu. 2003. Pemanfaatan bioaktif tanaman sebagai “*feed additive*” pada ternak unggas: Pengaruh pemberian gel lidah buaya atau ekstraknya dalam ransum terhadap penampilan ayam pedaging. Indonesian Journal of Animal and Veterinary Science. 8: 139-145.
- Suarez, M. E., H. R. Wilson, F. B. Mather, C. J. Wilcox, and B. N. McPherson. 1997. Effect of strain and age of the broiler breeder female on incubation time and chick weight. Journal of Poultry Science. 78: 1029-1038.
- Suh, H. J. and H. K. Lee. 2001. Characterization of a keratinolytic serine protease from *Bacillus subtilis* KS-1. Journal of Poultry Chemistry. 20: 165-169.
- Teo, A. Y. and H. M. Tan. 2007. Microflora of broilers fed on corn-soy diets supplemented with *Bacillus subtilis* PB6 (CloSTAT). Journal of Applied Poultry Research. 16: 296-303.
- Vicente, J. L., L. Avina, Torres-Rodriguez, B. Hargis, and G. Tellez. 2007. Effect of a *Lactobacillus Spp*-based probiotic culture product on broiler chicks performance under commercial conditions. Journal of Poultry Science. 3: 154-158.
- Wahju, J. 2004. Ilmu Nutrisi Unggas. Gadjah Mada University Press. Yogyakarta.
- Wu, B. Q., T. Zhang, L. Q. Guo, and J. F. Lin. 2011. Effects of *Bacillus subtilis* KD1 on broiler intestinal flora. Poultry Science. 90: 2493-2499.
- Wu, X. C., W. Lee, L. Tran, and S. L. Wong. 1991. Engineering a *Bacillus subtilis* expression-secretion system with a strain deficient in six extracellular proteases. Journal of Bacteriology. 173: 4952-4958.
- Xie, J., R. Zhang, C. Shang, and Y. Guo. 2009. Isolation and characterization of a bacteriocin produced by an isolated *Bacillus subtilis* LFB112 that exhibits antimicrobial activity against domestic animal pathogens. Journal of Biotechnology. 8: 5611-5619.
- Yeo, J. and K. I. Kim. 1997. Effect of feeding diets containing an antibiotic, a probiotic or yucca extract on growth and intestinal urease activity in broiler chicks. Journal of Poultry Science. 76: 381-385.

- Yoneda, Y. and B. Maruo. 1975. Mutation of *Bacillus subtilis* causing hyperproduction of amylase and protease, and its synergistic effect. *Journal of Bacteriology*. 124:48-54.
- Yu, B., J. R. Liu, F. S. Hasiao, and P. W. S. Chiou. 2008. Evaluation of *Lactobacillus reuteri* Pg4 strain expressing heterologous β -glucanase as a probiotics in poultry diets based on barley. *Journal of Animal Science*. 141: 82-91.
- Zhang, A. W., B. D. Lee, S. K. Lee, K. W. Lee, G. H. An, K. B. Song, and C. H. Lee . 2005. Effects of yeast (*Saccharomyces cerevisiae*) cell components on growth performance, meat quality and ileal mucosa development of broiler chicks. *Journal of Poultry Science*. 84: 1015-1021.