



DAFTAR PUSTAKA

- Aguilar, R.B., 2011, Evaluating Treatment Algorithms for the Management of Patients With Type 2 Diabetes Mellitus: A Perspektif on the Definition of Treatment Success, *Clinical Therapeutics*, **33** (4), 408-421.
- Ajayi, E.A., A.O. Ajayi, O.E. Olalekan, 2010, Treatment to targets in type 2 diabetics: analysis of out-patients practice at a remote Western Nigerian hospital, *Internet Journal of Medical Update*, **5** (2), 8-14.
- American Diabetes Association (ADA), 2014, Position statement: Standards of Medical Care in Diabetes 2014, *Diabetes Care*, **37** (suppl. 1).
- American Diabetes Association (ADA), 2015, Position statement: Standards of Medical Care in Diabetes 2015, *Diabetes Care*, **38** (suppl. 1).
- Anonim, 2011, *Type 2 Diabetes Adult Outpatient Insulin Guidelines*, Sutter Medical Foundation, California.
- Anonim, 2013, Peraturan Presiden Nomor 12 tentang Jaminan Kesehatan, Sekretariat Kabinet RI, Jakarta.
- Anonim, 2014, Peraturan Menteri Kesehatan Republik Indonesia Nomor 27 tentang Petunjuk Teknis Sistem Indonesian Case Base Groups (INA-CBGs), Menteri Kesehatan Republik Indonesia, Jakarta.
- Aslam, M., Chik K.T., & Prayitno, A., 2003, *Farmasi Klinik (Clinical Pharmacy) ; Menuju Pengobatan Rasional dan Penghargaan Pilihan Pasien*, Gramedia, Jakarta.
- Bennet, W. L., Maruthur, N.M., Singh, S., Segal, J.B., Wilson, L.M., Chatterjee, R., Marinopoulos, S.S., Puhan, M.A., Ranasinghe, P., Block, L., Nicholson, W.K., Huftless, S., Bass, E.B., Bolen, S., 2011, Comparative Effectiveness and Safety of Medications for Type 2 Diabetes: An Update Including New Drugs and 2-Drug Combination, *Ann Intern Med*, **154** (9), 602-613.
- Camara, A., Balde, N.M., Sobngwi-Tambekou, J., Kengne, A.P., Diallo, M.M., Tchatchoua, A.P.K., Kake, A., Sylvie, N., Balkau, B., Bonnet, F., Sobngwi, E., 2014, Poor glycemic control in type 2 diabetes in the South of the Sahara: The issue of limited access to an HbA1c test, *Diabetes Res Clin Pract*, 1-6.
- Chang Yu, P., Bosnyak, Z., Ceriello, A., 2010, The Importance of glycated haemoglobin (HbA1c) and post prandial glucose (PPG) control on



cardiovascular outcomes in patients with type 2 diabetes, *Diabetes Research and Clinical Practice*, **89**, 1-9.

Chaudhari, V.P., & Barna G., 2013, Changing pattern of prescribing antidiabetic agents in patients suffering from diabetes mellitus, *International Journal of Basic & Clinical Pharmacology*, **2**, 47-50.

Cipolle, R. J., Strand, L. M., Morley, P. C., 2007, *Pharmaceutical Care Practice The Clinician's guide*, 2nd edition, Mc GrawHill Companies, New York.

Coons, S.J., 2005, Health Outcomes and Quality of Life, in Dipiro, J.T (Eds), *Pharmacotherapy A Pathophysiologic Approach*, sixth edition, 1-5, Appleton and Lange, Standford Connecticut.

De Witt, D.E., & Irl B. Hirsch, 2003, Outpatient Insulin Therapy in Type 1 and Type 2 Diabetes Mellitus, *JAMA*, **289** (17), 2254-2264.

Deedwania, P.C., 2011, Blood Pressure Control in Diabetes Mellitus is Lower Always Better, and How Low Should It Go, *Circulation*, **123**, 2776-2778.

Depkes RI, 2005, *Pharmaceutical Care untuk Penyakit Diabetes Melitus*, Departemen Kesehatan RI, Jakarta.

Dokken, B.B., 2008, The Pathophysiology of Cardiovascular Disease and Diabetes: Beyond Blood Pressure and Lipids, *Diabetes Spectrum*, **21**, 160-164.

Fisman, E.Z., Tenenbaum, A., Motro, M., Adler, Y., 2004, Oral Antidiabetic Therapy in Patients with Heart Disease, *Herz*, **29**, 290-298.

Gaede, P., Lund-Anderson, H., Parving, H., Pederson, O., 2008, Effect of a Multifactorial Intervention on Mortality in Type 2 Diabetes, *The New England Journal of Medicine*, **358** (6), 580-591.

Gale, E.A.M., & K.M. Gillespie, 2001, Diabetes and gender, *Diabetologia*, **44**, 3-15.

Garber, A.J., J. Wahlen, T. Wahl, P. Bressler, R. Braceras, E. Allen, R. Jain, 2006, Attainment of glycaemic goals in type 2 diabetes with once-, twice-, or thrice-daily dosing with biphasic insulin aspart 70/30 (The 1-2-3 study), *Diabetes, Obesity and Metabolism*, **8**, 58-66.

Goudswaard, A.N., Stolk, R.P., Zuijhoff, P., Rutten, G.E.H.M., 2004, Patient characteristics do not predict poor glycaemic control in type 2 diabetes patients treated in primary care, *European Journal of Epidemiology*, **19**, 541-545.



Hermann, L.S., Schersten, B., Bitzen, P., Kjellstrom, T., Lindgarde, F., Melander, A., 1994, Therapeutic Comparison of Metformin and Sulfonylurea, Alone and in Various Combinations, *Diabetes Care*, **17** (10), 1100-1109.

Hermansen, K., Mortesen, L.S., Hermansen, M., 2008, Combining insulins with oral antidiabetic agents: effect on hyperglycemic control, markers of cardiovascular risk and disease, *Vascular Health and Risk Management*, **4** (3), 561-574.

Holman, R.R., Paul, S.K., Bethel, M.A., Neil, H.A.W., Matthews, D.R., 2008, Long-Term Follow-up after Tight Control of Blood Pressure in Type 2 Diabetes, *The New England Journal of Medicine*, **359** (15), 1565-1576.

Hongdiyanto, A., Yamlean, P.V.Y., Supriati, H.S., 2014, Evaluasi Kerasionalan Pengobatan Diabetes MElitus Tipe 2 pada Pasien Rawat Inap Di RSUP Prof. Dr. R. D. Kandou Manado Tahun 2013, *Pharmacon*, **3** (2), 77-86.

International Diabetes Federation (IDF), 2014, Diabetes Facts and Figures , <http://www.idf.org/worlddiabetesday/toolkit/gp/facts-figures>, 21 Juni 2014.

Inzucchi, S.E., Bergenstal, R.M., Buse, J.B., Diamant, M., Rerrannini, E., Nauck, M., Peters, A.L., Tsapas, A., Wender, R., Matthews, D.R., 2012, Management of Hyperglycemia in Type 2 Diabetes: A Patient Centered Approach, *Diabetes Care*, **32**, 1364-1379.

Kemenkes, 2011, *Modul Penggunaan Obat Rasional*, Kementerian Kesehatan RI, Jakarta.

Khan, H., Lasker, S.S., Chowdhury, T.A., 2011, Exploring reason for very poor glycaemic control in patients with Type 2 diabetes, *Primary Care Diabetes*, **5**, 251-255.

Knowler, W.C., Barrett-Connor, E., Fowler, S.E., Hamman, R.F., Lachin, J.M., Walker, E.A., Nathan, D.M., 2002, Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin, *The New England Journal of Medicine*, **346** (6), 393-403.

Koda Kimble, M.A., Young, L.Y., Alldredge, B.K., Corelli, R.L., Guglielmo, B.J., Kradjan, W.A., Williams, B.R., 2009, *Applied Therapeutics The Clinical Use of Drugs*, 9th Edition, Lippincott Williams & Wilkins, USA.



Kumolosari, E., Siregar, C.J.P., Susiani, S., Amalia, L., Puspawati, F., 2001, Studi Pola Penggunaan Antibiotika Betalaktam di ruang Perawatan Bedah di Sebuah Rumah Sakit di Bandung, Laporan Penelitian, Institut Teknologi Bandung, Bandung dalam Arifin I., Erna P., Tri Murti A., 2007, Evaluasi kerasionalan pengobatan diabetes melitus tipe 2 pada pasien rawat inap di Rumah Sakit Bhakti Wira Tamtama Semarang tahun 2006, *Ilmu Farmasi dan Farmasi Klinik*, **4** (1), 23-29.

Lacy, L.F., Armstrong, L.L., Goldman, M.P., Lance, L.L., 2009, *Drug Information Handbook A Comprehensive Resource for All Clinicians and Healthcare Professional*, 17th edition, Lexi-comp.Inc, Ohio.

Mayfield, J.A., & Russell D.W., 2004, Insulin Therapy for Type 2 Diabetes: Rescue, Augmentation and Replacement of Beta-Cell Function, *American Family Physician*, **70** (3), 489-501.

Nathan, D.M., Buse, J.B., Davidson, M.B., Heyne, R.J., Holman, R.R., Sherwin, R., Zinman, B., 2006, Manajement of Hyperglycemia in Type 2 Diabetes : A Consensus Algorithm for the Initiation and Adjustment of Therapy, *Diabetes Care*, **29** (8), 1963.

Nathan, D.M., Buse, J.B., Davidson, M.B., Ferrannini, E., Holman, R.R., Sherwin, R., Zinman, B., 2009, Medical Manajement of hyperglycaemia in type 2 diabetes mellitus: a consensus algorithm for the initiation and adjustment of therapy, *Diabetologia*, **52**, 17-30.

Nelson, R.G., William C.K., Pettitt, D.J., Bennett, P.H., 1995, Kidney Disease in Diabetes, in Ronald Aubert, *Diabetes in America*, 2nd Edition, National Institutes of Health Institute of Diabetes and Digestive and Kidney Diseases, USA.

Olurishe, C. O., Gyang, S.S., Olurishe, T.O., Shekarau, T.T., 2012, Drug Utilization Review of Anti-diabetic Medications and Therapeutic Outcome in Type 2 Diabetes in a Tertiary Hospital in Northern Nigeria, *West African Journal of Pharmacy*, **23** (2), 27-33.

Perkumpulan Endokrinologi Indonesia (Perkeni), 2011, *Konsensus Pengelolaan Diabetes Melitus Tipe 2 di Indonesia*, Jakarta.

Sanal, T.S., Nair, N.S., Adhikari, P., 2011, Factors associated with poor control of type 2 diabetes mellitus: A systematic review and Meta-analysis, *Journal of Diabetology*, **3**, 1-10.



Schmieder, R.E., Gitt, A.K., Koch, C., Bramlage, P., Ouarrak, T., Tschope, D., and For the DIALOGUE study group, 2015, Achievement of individualized treatment targets in patient with comorbid type-2 diabetes and hypertension : 6 months results of the DIALOGUE registry, *BMC Endocrine Disorders*, **15** (23), 1-12.

Sivasankari, V., Manivannan, E., Priyadarsini, S.P., 2013, Drug Utilization Pattern of Antidiabetic Drugs in A Rural Area of Tamildanu, South India- A Prospective, Observational Study, *International Journal of Pharma and Bio Sciences*, **4** (1), 514-519.

Swinnen S.G., Simon A.C.R., Holleman F., Hoekstra J.B., DeVries J.H., 2011, Insulin detemir versus insulin glargine for type 2 diabetes mellitus. *Cochrane Database of Systematic Reviews* 2011, Issue 7.

Szava-Kovats, G., & Johnson, J.A., 1997, *A review of diabetes cost of illness studies*, Institute of Pharmaco-Economics.

Tatro, D.S., 2009, *Drug Interaction Fact*, Wolters Kluwer Health, California.

Tjay, T.H & Rahardja K, 2002, *Obat-obat Penting*, edisi V, 693-713, PT Elex Media Komputindo, Jakarta.

Triplitt, C.L., Reasner, C.A., Isley, W.L., 2008, Diabetes Mellitus, in Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.g., Posey, L.M., (Eds.), *Pharmacotherapy A Pathophysiology Approach*, 7th edition, 1207-1208, 1214-1226, Mc Graw Hill, New York.

Turner, R.C., Cull, C.A., Frighi, V., Holman, R.R., 1999, Glycemic Control With Diet, Sulfonylurea, Metformin, or Insulin in Patients With Type 2 Diabetes Mellitus, *JAMA*, **281** (21), 2005-2012.

Wang, T.J., & Ramachandran, S.V., 2005, Epidemiology of Uncontrolled Hypertension in United States, *Circulation*, **112**, 1651-1662.

Wu, L. & Klaus, G.P., 2014, Diabetic Dyslipidemia, *Metabolism Clinical and Experimental*, **63**, 1465-1475.

Wulffele, M.G., Adriaan K., Philippe L., Daniel B., Jeles C. O., Bob Borger Van Der Burg, Ab J.M. Donker, Coen D. A. S., 2002, Combination of Insulin and Metformin in the Treatment of Type 2 Diabetes, *Diabetes Care*, **25**, 2133-2140.



EVALUASI POLA TERAPI DAN OUTCOME KLINIK PADA PASIEN DIABETES MELITUS TIPE 2 RAWAT JALAN JAMINAN

KESEHATAN NASIONAL

ASMARA ARGAWATI, Dra. Tri Murti Andayani, Sp.FRS., Ph.D., Apt.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yan Bi, Zhu, D., Cheng, J., Zhu, Y., Xu, N., Cui, S., Li, W., Cheng, X., Wang, F., Hu, Y., Shen, S., Weng, J., 2010, The Status of Glycemic Control: A Cross-Sectional Study of Outpatients With Type 2 Diabetes Mellitus Across Primary, Secondary, and Tertiary Hospital in the Jiangsu Province of China, *Clinical Therapeutics*, **32** (5), 973-983.

Yang, W., Qiuhe Ji, Dalong Z., Jinkui Y., Lulu C., Zhimin L., Demin Y., Li Yan, 2008, Biphasic Insulin Aspart 30 Three Times Daily Is More Effective Than a Twice-Daily Regimen, Without Increasing Hypoglycemia, in Chinese Subjects With Type 2 Diabetes Inadequately Controlled on Oral Antidiabetes Drugs, *Diabetes Care*, **31**, 852-856.