

## DAFTAR PUSTAKA

- Afianto, E., & Liviawaty, E. 2005. Pakan Ikan. Penerbit Kanisius. Yogyakarta.
- Al-Janabi, J., Harstuck J. A., Tang J. 1972. *Kinetics and Mechanism of Pepsin Activation*. J Biol Chem 247 : 4628-32.
- Amrun, M., & Umiyah. 2005. Pengujian Antiradikal Bebas *Difenilpikril Hidrazil* (DPPH) Ekstrak buah Kenitu (*Chrysophyllum cainito L.*) dari daerah Jember. Jurnal Ilmu Dasar VI (2). Halaman 110-112
- Andhyni, E.T. 2009. Isolasi senyawa enzimatis dalam RNA Helikus Virus Japanese Encephalitis. FMIPA UI.
- Atlas, R.M., & Richard, B. 1987 *Microbial Ecology : Fundamentals and Applications (Second Edition)*. The Benjamin Cummings Publishing Company, California.
- Baehaki, A. Rinto & B. Arif, 2011. Isolasi dan Karakterisasi Protease dari bakteri Tanah Rawa Indralaya, Sumatra Selatan, J. Teknologi dan Industri Pangan, Vol. XXII (1) : 10-16
- Baek, H.H & K.R. Cadwallader. 1995. Enzymatic Hydrolysis of Crayfish Processing By-products. J. Food Sci. 60 (5): 929-935.
- Belitz, H.D, Grosch W, Schieberle P. 2009. Food Chemistry. Springer-Verlag. Germany.
- Benjakul, S. & M. T. Morrisey. 1997. Protein hydrolysates from pacific whiting solid wastes. J. Agric. Food. Chem. 45:3423-3430.
- Bhaskar, N., & Mahendrakar N. S. 2008. Protein hydrolysate from visceral waste protein of catla (*Catla catla*): optimization of hydrolysis condition for a commercial neutral protease. Journal Bioresource Technology 99:4105-4111.
- Blois, M. S. (1958). Antioxidants determination by the use of a stable free radical. Nature, 4617, 1199–1200.
- Boyer, H.W., dan B.C. Carlton. 1971. Production of two proteolytic enzymes by a transformable strain of *Bacillus Cereus* sp.ubtilis, Arch. Biochemistry Biophysic, 128:442-455.
- Brooks, G. F., J. S. Butel & S. A. Morse. 2005. Medical Microbiology. Mc Graw Hill, New York.
- Clemente, A. 2000. Enzymatic protein hydrolysates in human nutrition. Food Sci. and Tech. 11:254-262.
- Connors, K, 1992. Stabilitas Kimiawi Sediaan Farmasi. Jilid I dan II. IKIP Semarang Press. Semarang.
- Creighton E.T. 1993. Protein Struktur & Molecular Properties. 2nd ed. W. H. Freeman and Company. New York.
- Davis, W.W. & T.R. Stout. 1971. Disc Plate Methods of Microbiological Antibiotic Assay. Microbiology 22: 659-665.



- [EDC] Enzyme Development Corporation. 1999. Meat Tenderezing, A Brief Discussion. Enzyme Development Corporation. New York.
- Englard, S. & Seifter, S. 1990. Precipitation Techniques. Meth. Enzymol.
- Fahmi, A.S & E. Susanto. 2012. Senyawa fungsional dari ikan : aplikasinya dalam pangan. Jurnal Aplikasi teknologi pangan, Vol.1(4):95-102.
- FDA (Food and Drug Administrations's). (2011). 2 (Ed):U.S.Food and Drug Administrations. Parklawn Drive Rockville. MD 20857.
- Hadiwiyoto, S. 1993. Teknologi Pengolahan Hasil Perikanan I. Liberty, Yogyakarta.
- Hanani, E., Mun'im A., Sekarini R. 2005. Identifikasi senyawa antioksidan dalam spons *callyspongia* sp. Dari kepulauan seribu. Majalah Ilmu Kefarmasian, Vol.2 : 127 – 133.
- Harnedy, P.A. & R.J. FitzGerald. 2012. Bioactive peptidas from marine processing waste and shellfish: A review. Journal of Functional Foods. 4: 6-24.
- Harper, H., V.M. Rodwell, & P.A. Mayes. 1979. Biokimia. Terjemahan dari: Harper's Biochemistry. Jakarta: Penerbit Buku Kedokteran EGC.
- Harrison, M.J, Burton N.A, Hiller IH. 1997. Catalytic mechanism of enzyme papain: prediction with a hibrid quantum mechanical or molecular machanical potential. Journal of American Chemical Soceety. 199:12285-12291
- Hermawan, A., Hana, W., & Wiwiek, T. 2007. Pengaruh Ekstrak Daun Sirih (Piper betle L.) Terhadap Pertumbuhan Staphylococcus aureus dan Escherichia coli dengan Metode Difusi Disk. Universitas Erlangga.
- Hermanto, S., Sumarlin L. O., Fatimah W. 2013. *Diverentiation of Bovine and Porcine Gelatine Based on Spectroscopic and Electrophoretic Analysis. Journal Food Pharmaceutical Sciences.* 68-73.
- Hoyle N.T & J.H. Merrit. 1994. Quality of Fish Protein Hydrolisates from Herring (Clupea harengus).J.Food Sci. 59 (1): 76-79, 129.
- Ibrahim M, 2007. Mikrobiologi: Prinsip dan Aplikasi.Surabaya: Unesa University Press.
- Je J.Y., Qian Z, Byun H.G., Kim S.K. 2007. Purification and antioxidant characterization of an antioxidant peptide obtained from tuna backbone protein by enzymatic hydrolysis. Process Biochem; 42:846-849
- Je JY, Qian ZJ, Lee SH, Byun HG, Kim SK. 2008. Purification and antioxidant properties of begeye tuna (*Thunnus obesus*) dark muscle peptide on free radicalmediated oxidative systems. J Med Food 11:629-637.
- Je Young. J., Qian. J., Byun H., Kim. S., 2007. Purification and characterization of an ntioxidant peptide obtained from tuna backbone protein by enzymatic hydrolysis. Department of Chemistry, Pukyong National University, Busan 608-737, Republic of Korea
- Ketaren, S. 1986. Pengantar Teknologi Minyak dan Lemak Pangan. Cetakan Pertama. Jakarta : UI-Press.



- Kiay, N., Suryanto, E., Mamahit, L., Efek Lama Perendaman Ekstrak Kalamansi (Citrus Microcarpa) terhadap Aktivitas Anti-oksidan Tepung Pisang Goroho (Musa spp.). Chem. Prog. 2011, 4, 27-33
- Kirk RE, Orthmer JB. 1953. Encyclopedia of Chemical Technology. Volume IX. New York: The Interscience Encyclopedia Inc.
- KKP. 2010. Kementrian Kelautan dan Perikanan dalam Angka. Kementrian Kelautan dan Perikanan. <http://www.perikanan-budidaya.dkp.go.id>. Jakarta (6 Juli 2015)
- Klompong V, Benjakul S, Kantachote D, Shahidi F. 2010. Use of protein hydrolysate from yellow stripe trevally (Selaroides leptolepis) as microbial media. Food Bioprocess Technology [online]. <http://www.springerlink.com/content>
- Koesoemawardani D, Nurainy D, Hidayati S. 2008. Proses Pembuatan Hidrolisat Protein Ikan Rucah. jurnal Natur Indonesia 13(3):256-261.
- Kumalaningsih, Sri. 2006. Antioksidan Alami-Penangkal Radikal Bebas, Sumber, Manfaat, Cara Penyediaan dan Pengolahan. Trubus Agrisarana. Surabaya.
- Kunst A. 2000. Enzymatic modification of soy proteins to improve their functional properties. Megazine Industrial protein 8: 9-11
- Kurniawan dan I. Sunan. 2006. Pengaruh cara sterilisasi terhadap penguraian Kloramfenikol dalam sediaan tetes mata dengan metode uji dipercepat. Laporan Penelitian Fakultas Farmasi Universitas Padjajaran. Jatinagor.
- Kurniawati, Y. 2004. Pembuatan kecap ikan secara enzimatik dengan bahan jeroan bandeng. Skripsi Jurusan Perikanan UGM.
- Ilic', N., Novkovic', M., Guida, F., Xhindoli, D., Benincasa, M., Tossi, A., & Juretic', D. (2013). Selective antimicrobial activity and mode of action of adeptantins, glycine-rich peptide antibiotics based on anuran antimicrobial peptide sequences. Biochimica et Biophysica Acta, 1828, 1004–1012.
- Liviawaty E. 2001. Organoleptik Ikan. Laboratorium Teknologi Pengolahan Hasil Perikanan. Bandung: Fakultas Pertanian. Universitas Padjajaran.
- Lehninger AL. 1990. Dasar-dasar Biokimia, terjemahan Meggy Thenawidjaya. Jakarta. Penerbit Erlangga.
- Molyneux P. 2004. The use of the stable free radical diphenylpicrylhydrazil (DPPH) for estimating antioxidant activity. Journal Science and Technology. 26 (2): 211-219.
- Morioka, K., S. Fuji, Y. Itoh, C. Liu & A. Obatake. 1999. Recovery of Amino Acid from the Protein in the Head and Viscera of Fritage Mackerel by Autolysis. Fisheries Science. 65 (4) : 588-591.
- Muljanah, I. 1992. Hidrolisat protein ikan. Kumpulan Hasil-Hasil Penelitian Pasca Panen Perikanan. Pusat Penelitian dan Pengembangan Perikanan, Jakarta.
- Muljanah, I. 2009. *Penggunaan Pewarna Alami pada Produk Sosis Ikan*. Pusat Penelitian dan Pengembangan Perikanan, Jakarta.



- Murwani. Retno, 2010. Modul Perkuliahan “Pokok Bahasan Protein dan Asam Nukleat”. Lab.Biokimia Nutrisi. Universitas Diponegoro. Semarang.
- Nurhayati T, Salamah E, Hidayat T. 2003. Karakteristik hidrolisat protein ikan selar (*Caranx leptolepis*) yang diproses secara enzimatis. Buletin Teknologi Hasil Perikanan 10(1) : 23-34
- Nurhayati T, Salamah E, Hidayat T. 2007. Karakteristik hidrolisat protein ikan selar (*Caranx leptolepis*) yang diproses secara enzimatis. Buletin Teknologi Hasil Perikanan 10(2) : 23-34
- Oke, J. M. & Hamburger M. O. 2002. Screening of some Nigerian medicinal plants for antioxidant activity using 2, 2 diphenyl picryl hydrazyl radical. Afr. J. Biomed.
- Papadopoulos, M.C., A.R. EL-Boushy and E.M. Katelaars. 1985. Effect of different processing condition on amino acid digestibility of feather meal determined by chicken assay. Poults.Sci. 64: 1729 –1741.
- Pelczar, M. J. & E.C.S. Chan. 1988. Dasar-dasar Mikrobiologi. Jakarta: Universitas Indonesia (UI Press).
- Pigot, G. M. & Tucker B. W. 1990. Utility Fish Flesh Effectively While Maintaining Nutritional Qualities. seafood Effect of Technology on Nutrition. New York (AS): Marcel Dekker.
- Poedjiadi, A & Supriyanti, F.M.T.1997.Dasar-dasar biokimia.Jakarta : UI press
- Pohl, T. 1990. Concentration of Proteins and Removal of Salutes dalam M.P. Deutscher, Methods of Enzymology: Guide to Protein Purification.Vol :182. Academic Press. New York.
- Puastuti,Wisri. 2007.Teknologi Pemrosesan Bulu Ayam dan Pemanfaatannya sebagai Sumber Protein Ruminansia. Balai penelitian Ternak, Bogor.
- Rao, M.M., A.M. Tanksale, M.S. Gatge & V.V. Desphande. 1998. Molecular and biotechnological aspects of microbial proteases. Microbiology and Molecular Biology Revolution, Vol.62(3):597-635.
- Rebeca, B.D, M.T. Pena-Vera & M. Diaz-Castaneda. 1991. Production of Fish Protein Hydrolisates with Bacterial Proteases; Yield and Nutritional Value. J, Food Sci. 56 (2) : 309-314.
- Saanin H. 1989. Taksonomi dan Kunci Identifikasi Ikan 1.Binacipta. Jakarta
- Salamah, E., E. Ayuningrat, & S. Purwaningsih. 2008. Penapisan awal komponen bioaktif dari Kijing Taiwan (*Anadonta woodiana* Lea.) sebagai senyawa antioksidan. *Buletin Teknologi Hasil Perikanan*, 11(2): 119-132.
- Salawu SO. Adu OC. Akindabuhsi AA. 2004. Nutritive value of fresh and brackish water catfish as a function of size and processing methods. Eur Food Res Technol 220:531-534.
- Shahidi, F.,J. Synowiecki & J. Balejko. 1994. Proteolytic Hydrolysis of Muscle Proteins of Harp Seal (*Phoca groenlandica*). J. Agric. Food Chem. 42; 2634-2638.



- Shahidi, F, X. Han, J.Synowiecki. 1995. Production and charecteristics of Protein Hydrolysis of Shrimp Meat. Food Chem. 61:131-138.
- Sila, A., Nedjar-Arroume, N., Hedhili, K., Chataigné, G., Balti, R., Nasri, M., Dhulster, P., & Bougateg, A. (2014). Antibacterial peptides from barbel muscle protein hydrolysates: Activity against some pathogenic bacteria. LWT-Food Science and Technology, 55, 183–188. Song, R., Wei, R. B., Luo, H. Y.,
- Sudarmadji, S., B. Haryono, & Suhardi. 1996. Prosedur Analisa untuk Bahan Makanan dan Pertanian. Liberty. Yogyakarta.
- Sudarmadji, S., B. Haryono, & Suhardi. 1997. Prosedur Analisa untuk Bahan Makanan dan Pertanian. Edisi ke tiga, Liberty. Yogyakarta.
- Suhartono, M.T. 1989. Protease. Departemen Pendidikan dan Kebudayaan. Direktorat Jenderal Pendidikan Tinggi. Pusat Antar Universitas Bioteknologi, IPB. Bogor.
- Sheriff. S.A., Balasubramanian. S., Baranitharan. R., Ponmurugan. P., 2013. *Synthesis and in vitro antioxidant functions of protein hydrolysate from backbones of Rastrelliger kanagurta by proteolytic enzymes*. College of Applied Medical Sciences, Shaqra University. Saudi Arabia
- Synowiecki, J., & N.A.A.Q. Al-Khateeb. 2000. The Recovery of Protein Hydrolysate during Enzimatic Isolation of Chitin from Shrimp Cragon cragon Processing Discard. Food Chem. 68: 147-152.
- Todar. K. 2008. Bacillus cereus Keracunan Makana. [www.textbookofbacteriology.net](http://www.textbookofbacteriology.net) [22 Oktober 2009].
- Ward, O.P. 1983. Proteinase. In: W. Fogarty (ed.). Microbial Enzymes and Biotechnology. Applied Science Publication. London. p:251-317.
- Wijayanti AT. 2009. Kajian Penyaringan dan Lama Penyimpanan dalam Pembuatan Fish Peptone dari ikan Selar Kuning (*Caranx leptolepis*). Bogor: Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor.
- Winarno, F.G. 1997. Pengantar Teknologi Pangan. Gramedia. Jakarta.
- Winarno, F. G. 1980. Kimia Pangan dan Gizi. P.T Gramedia Pustaka Utama. Jakarta
- Winarsih, H. 2007. Anti-oksidan Alami dan Radikal Bebas : Potensi dan Aplikasinya dalam Kesehatan. Kanisius. Yogyakarta
- Yamamoto, A. 1975. Proteolytic enzym. Di dalam G. Reed (ed). Enzym Processing. Academic Press. New York.
- Yin, L.J, C.I. Pan, & S.T. Jiang. 2002. Effect of lactic acid bacterial fermentation on the characteristics of minced mackerel. Journal FoodScience, Vol.67(2):786-792.
- Zaitsev. 1969. Fish Curing and Processing. Moskow University Publisher, Moskow.



Zubia, Mayalen., Fabre, S. Marie, Kerjean, V., Lann V.K., Pouvreau, S.V., Fauchon, M., Deslands. E. 2009. Antioxidant and antitumoural activities of some Phaeophyta from Brittany coats. Elsevier. France.