

DAFTAR PUSTAKA

- Alam, Md. N., Bristi, N. J., Rafiquzzaman, Md., 2012, Review on In Vivo and In Vitro Methods Evaluation of Antioxidant Activity, *Saudi Pharmaceutical Journal* (2013) 21, 143–152.
- Ali, S.M., dan Yosipovitch, G., 2013, Skin pH: From Basic Science to Basic Skin Care, *Acta Derm Venereol* 2013; 93: 261–267.
- American Cancer Society, 2014, Skin Cancer: Basal and Squamous Cell, <http://www.cancer.org>, diakses pada 13 Maret 2015.
- Andayani, I.A.P.T., 2014, Optimasi Formula Gel Tabir Surya dengan Bahan Karbopol dan Nanokitosan serta Uji Aktivitas SPF dan Antioksidan, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Anonim, 2009, *Farmakope Herbal Indonesia* edisi pertama, Departemen Kesehatan RI, Jakarta.
- Ashara, K.C., Paun, J.S., Soniwala, M.M., Chavada, J.R., dan Mori, N.M., 2014, Micro-emulsion based emulgel: a novel topical drug delivery system, *Asian Pac J Trop Dis* 2014; 4(Suppl 1): S27-S32.
- Astuti, Y., Sundari, D., Winarno, M.W., 1996, Tanaman Kencur (*Kaempferia galanga* L.) : Informasi Tentang Fitokimia dan Efek Farmakologi, *Warta Tumbuhan Obat Indonesia*, hal 26.
- Athikomkulchai, S., Vayumhasuwan, P., Tunvichien, S., Piyapong, S., Malaipuang, S., dan Ruangrunsi, N., 2007, The Development of Sunscreen Products From *Kaempferia galanga*, *J Health Res* 2007, 21(4): 253-256.
- Bansal, V., Sharma, P.K., Sharma, N., Pal, O.P., dan Malviya, R., 2011, Applications of Chitosan and Chitosan Derivatives in Drug Delivery, *Advances in Biological Research* 5 (1): 28-37, 2011.
- Bendary, E., Francis, R.R., Ali, H.M.G., Sarwat, M.I., dan El Hady, S., 2013, Antioxidant and Structure-Activity Relationship (SARs) of Some Phenolic and Anilines Compounds, *Annals of Agricultural Science* (2013) 58(2), 173-181.
- Bogh, M.K.B., Schmedes, A.V., Philipsen, P.A., Thieden, E., dan Wulf, H.C., 2009, Vitamin D Production after UVB Exposure Depends on Baseline Vitamin D and Total Cholesterol but Not on Skin Pigmentation, *Journal of Investigative Dermatology* (2010), Volume 130.

- Bolton, S., dan Bon, C., 2004, *Pharmaceutical Statistics Practical and Clinical Applications*, 4th edition Revised and Expanded, Marcel Dekker, Inc., USA.
- Buchbauer, G., dan Baser, K.H.C., 2010, *Handbook of Essential Oils: Science, Technology, and Applications*, CRC Press, USA.
- Burns, T., Breathnach, S., Cox, N., dan Griffiths, C., 2013, *Rook's Textbook of Dermatology* 8th edition, Wiley-Blackwell Publishing, United Kingdom.
- Butler, B. L., Vernago, P. J., Testin, R. F., Bunn, J. M., dan Wiles, J. L., 1996, Mechanical and Barrier Properties of Edible Chitosan Films as affected by Composition and Storage, *J. Food Science*, 67, 1162-1169.
- Cosmetic, Toiletry And Fragrance Association (CTFA), 2014, *Cosmetics Europe: Guidelines on Stability Testing of Cosmetic Products*, <http://www.cosmeticseurope.eu>, diakses pada 18 Mei 2015.
- Carocho, M., dan Ferreira, I.C.F.R., 2013, A Review on Antioxidants, Prooxidants and Related Controversy: Natural and Synthetic Compounds, Screening and Analysis Methodologies and Future Perspectives, *Food and Chemical Toxicology* 51 (2013) 15–25.
- Chen, R.H., dan Heh, R.S., 1999, Sun Protection and Skin Hydration Effects and Physico-Chemical Properties of Sun Screen Lotion Containing Water-Soluble Chitosans, *J Appl Cosmetol* 17, 56-71 (April – June 1999).
- da Rocha Filho, P.A., 2014, Nanoemulsions as a Vehicle for Drugs and Cosmetics, *JSM Nanotechnol Nanomed* 2(1): 1017.
- Dash, M., Chiellini, F., Ottenbrite, R.M., Chiellini, E., 2011, Chitosan - A Versatile Semi-Synthetic Polymer in Biomedical Applications, *Progress in Polymer Science* 36 (2011) 981–1014.
- Elya, B., Dewi, R., Budiman, M.H., 2013, Antioxidant Cream of *Solanum lycopersicum* L., *Int.J.PharmTech Res.* 2013,5(1).
- Departemen Kesehatan Dirjen POM, 1995, *Farmakope Indonesia edisi IV*, Departemen Kesehatan RI, Jakarta.
- Dhawan, B., Aggarwal, G., Harikumar, S.L., 2013, Enhanced Transdermal Permeability of Piroxicam Through Novel Nanoemulgel Formulation, *Int J Pharm Investig.* 2014 Apr-Jun; 4(2): 65–76.
- Gallarate, M., Chirio, D., Bussano, R., Peira, E., Battaglia, L., Baratta, F., dan Trotta, M., 2013, Development of O/W nanoemulsions for ophthalmic

administration of timolol, *International Journal of Pharmaceutics* 440 (2013) 126– 134.

Gandjar, I. G., dan Rohman, A., 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.

Garg, A., Aggarwal, D., Garg, S., dan Singla, A.K., 2002, *Spreading of Semisolid Formulations An Update*, <http://www.pharmtech.com>, diakses pada 7 Maret 2015.

Georgantelis, D., Ambrosiadis, I., Katikoy, P., Blekas, G., dan Georgakis, S. A., 2007, Effect of rosemary extract, chitosan, and α -tocopherol on microbiological parameters and lipid oxidation of fresh pork sausages stored at 40C. *Meat Science*, 76, 172-181.

Guibal, E., 2004, Interaction of metal ions with chitosan-based sorbents: a review. *Separation and Purification Technology*, 38, 43-74.

Gupta, P.K., Prandit, J.K., Kumar, A., Swaroop, P., dan Gupta, S., 2010, Pharmaceutical Nanotechnologypharma Novel Nanoemulsion-High Energy Emulsification Preparation, Evaluation, and Application, *The Pharma Research Journal*, (3), 117-138.

Horiba, 2014, A Guidebook To Particle Size Analysis, <http://www.horiba.com/us/particle>, diakses Pada 14 Juni 2015.

Herrling, Th., Jung, K., dan Fuchs, J., 2005, Measurements of UV-generated free radicals/reactive oxygen species (ROS) in skin, *Spectrochimica Acta Part A* 63 (2006) 840–845.

Höferl, M., Stoilova, I., Schmidt, E., Wanner, J., Jirovetz, L. Trifonova, D., Krastev, L. dan Krastanov, A., 2014, Chemical Composition and Antioxidant Properties of Juniper Berry (*Juniperus communis* L.) Essential Oil. Action of the Essential Oil on the Antioxidant Protection of *Saccharomyces cerevisiae* Model Organism, *Antioxidants* 2014, 3, 81-98.

Hudha, M.I., Daryon, E.D., dan Muyassaroh, 2013, Minyak Kencur Dari Rimpang Kencur Dengan VariabelJumlah Pelarut Dan Waktu Maserasi, *Jurnal Teknik Kimia*, Vol.8, No.1, September 2013.

Indrayan, A.K., Kurian, A., Tyagi, P.K., Shairu, A., dan Rathi, A.K., 2007, Comparative Chemical Study of Two Varieties of Attractive Medicinal Plant *Kaempferia galanga* Linn., *Natural Product Radiance*, Vol 6(4), 2007, pp 327-335.

- Jaiswal, M., Dudhe, R., da Sharma, P. K., 2014, Nanoemulsion: An Advanced Mode of Drug Delivery System, *Biotech* (2015) 5:123–127.
- Jansen, R., Osterwalder, U., Wang, S.Q., Burnett, M., Lim. H.W., 2013, Photoprotection Part II. Sunscreen: Development, Efficacy, and Controversies, *J Am Acad Dermatol* 2013;69:867.e1-14.
- Juzeniene, A. dan Moan, J., 2012, Beneficial Effects of UV Radiation Other Than Via Vitamin D Production, *Dermato-Endocrinology* 4:2, 109–117; April/May/June 2012.
- Ketaren, S., 1986, *Pengantar Teknologi Minyak dan Lemak Pangan*, UI Press, Jakarta.
- Khlebnikov, A.I., Schepetkin, I.A., Domina, N.G., Kirpotina, L.N., Quinn, M.T., 2007. Improved Quantitative Structure–Activity Relationship Models to Predict Antioxidant Activity of Flavonoids in Chemical, Enzymatic, and Cellular Systems. *Bioorg. Med. Chem.* 15, 1749–1770.
- Kumar, K.M.P., Asish, G.,R., Sabu, M., dan Balachandran, I., 2013, Significance of gingers (*Zingiberaceae*) in Indian System of Medicine - Ayurveda: An overview, *Anc Sci Life.* 2013 Apr-Jun; 32(4): 253–261.
- Kumar, Ajay, 2014, Chemical Composition of Essential Oil Isolated From The Rhizomes of *Kaempferia Galanga L.*, *Int J Pharm Bio Sci* 2014 Jan; 5(1): (P) 225- 231.
- Lachman, L., Lieberman, H.A., dan Kanig, J.L., 1994, *Teori dan Praktek Farmasi Industri* Jilid I, diterjemahkan oleh Siti Suyatmi, UI Press, Jakarta.
- Mahato, R.I., 2007, *Pharmaceutical Dosage Forms and Drug Delivery*, CRC Press, New York.
- Malvern Instruments Limited, 2011, Dynamic Light Scattering Common Terms Defined, <http://www.malvern.com>, diakses pada 14 Juni 2015.
- Mansur, J. S., Breder M. N. R., Mansur, M. C. A., dan Azulay, R. D., 1986, Determination of Sun Protection Factor by Spectrofotometry, *An. Bras, Dermatol.*
- Martin, A., Swarbrick, J., dan Cammarata, 1993, *Farmasi Fisik: Dasar-Dasar Kimia Fisik Dalam Ilmu Farmasetik* Jilid 2, diterjemahkan oleh Yoshita, UI Press, Jakarta.
- Mitsui, T., 1997, *New Cosmetic Science*, 32-38, 142, Elsevier Science B.V., Netherlands.

- Pardede, E M., 2014, Formulasi dan Uji Aktivitas Tabir Surya dan Antioksidan Krim O/W Nanokitosan, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Rahn-Chique, K., Puertas, A.M., Romero-Cano, M.S., Rojas, C., Urbina-Villalba, G., 2012, Nanoemulsion stability: Experimental evaluation of the flocculation rate from turbidity measurements, *Advances in Colloid and Interface Science* 178 (2012) 1–20.
- Regianto, H., 2009, Minyak Atsiri Rimpang Kencur (*Kaempferia galanga* L.) Karakterisasi Simplisia, Isolasi dan Analisis Komponen Minyak Atsiri secara GC-MS, *Skripsi*, Fakultas Farmasi Universitas Sumatera Utara, Medan.
- Rippon, M., White, R., dan Davies, P., 2007, Skin Adhesives and Their Role in Wound Dressings, *Wounds UK*, 2007, Vol 3, No 4.
- Rolland, J., Guillet, P., Schumers, J., Duhem, N., Preat, V., dan Gohy, J., 2012, Polyelectrolyte Complex Nanoparticles from Chitosan and Poly(acrylic acid) and Polystyrene-block-Poly(acrylic acid), *Journal Of Polymer Science Part A: Polymer Chemistry* 2012, 50, 4484–4493.
- Rostiana, O., D., Rosita S.M., Rahardjo, M., dan Taryono, 2005, *Budidaya Tanaman Kencur*, Balitro, Bogor.
- Rowe, R.C., Sheskey, P.J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients* 6th edition, Pharmaceutical Press, Italy.
- Sacchetti, G., Maietti, S., Muzzoli, M., Scaglianti, M., Manfredini, S., Radice, M., dan Bruni, R., 2005, Comparative Evaluation of 11 Essential Oils of Different Origin as Functional Antioxidant, Antiradicals and Antimicrobials in Food, *Food Chemistry* 91 (2005) 621-632.
- Schaich, K.M., Tian, X., dan Xie, J., 2015, Reprint of “Hurdles and pitfalls in measuring antioxidant efficacy: A critical evaluation of ABTS, DPPH, and ORAC assays”, *Journal of Functional Foods* (2015), doi: 10.1016/j.jff.2015.05.024.
- Sahoo, S., Parida, R., Singh, S., Padhy, R.N., dan Nayak, S., 2014, Evaluation of Yield, Quality and Antioxidant Activity of Essential Oil of In Vitro Propagated *Kaempferia galanga* Linn., *Journal of Acute Disease* (2014) 124-130.
- Sayre, R. M., Agin, P. P., Levee, G. J., dan Marlowe, E., 1979, *Comparison of in vivo and in vitro Testing of Sunscreening Formulas*, Photochem, Photobiol.

- Sheu, M., Lin, C., Huang, M., Shen, C., dan Ho, H., 2003, Correlation of In vivo and In vitro Measurements of Sun Protection Factor, *Journal of Food and Drug Analysis*, Vol. 11, No. 2, 2003, Pages 128-132.
- Shi, L., Shan, J., Ju, Y., Aikens, P., dan Prud'homme, R.K., 2011, Nanoparticles as Delivery Vehicles for Sunscreen Agents, *Colloids and Surfaces A: Physicochem. Eng. Aspects* 396 (2012) 122– 129.
- Smitha, B., Sridhar, S., dan Khan, A.A., 2004, Polyelectrolyte Complexes of Chitosan and Poly(acrylic acid) As Proton Exchange Membranes for Fuel Cells, *Macromolecules* 2004, 37, 2233-2239.
- Solans, C., Izquierdo, P., Nolla, J., Azemar, N., dan Garcia-Celma, M.J., 2005, Nano-emulsions, *Current Opinion in Colloid & Interface Science* 10 (2005) 102 – 110.
- Standring, S., 2008, *Gray's Anatomy : The Anatomical Basis of Clinical Practice*, Churchill Livingstone, UK.
- Syamsuhidayat, S.S., dan Hutapea, J.R., 1991, *Inventaris Tanaman Obat Indonesia*, edisi pertama, Departemen Kesehatan RI.
- Taufikkurohmah, T., 2005, Synthesis of p-Methoxy-Cinnamil-p-Metoxycinamate From Ethyl P-Methoxycinamate was Isolated from Dried Rhizome *Kaempferia Galanga* L. as Sunscreen Compound, *Indo. J. Chem.*, 2005, 5 (3), 193 – 197.
- Umar, M.I., Asmawi, M.Z.B., Sadikun, A., Altaf, R., Iqbal, M.A., 2011, Phytochemistry and Medicinal Properties of *Kaempferia galanga* L. (Zingiberaceae) Extracts, *Afr. J. Pharm. Pharmacol.* Vol. 5(14), pp. 1638-1647.
- WHO, 2002, Global Solar UV Index: A Practical Guide, <http://www.who.int/uv/>, diakses pada 6 Maret 2015.
- Wilkinson, J. B. dan Moore, R. J., 1982, *Harry's Cosmeticology*, 7th Ed., 223-224, 226, 231-235, 254, George Godwin, London.
- Wooster, T.J., Golding, M., dan Sanguansri, P., 2008, Impact of Oil Type on Nanoemulsion Formation and Ostwald Ripening Stability, *Langmuir* 2008, 24, 12758-12765.
- Yoshizawa, T., Shin-ya, Y., Hong, K., Kajiuchi, T., 2005, pH- and Temperature-Sensitive Release Behaviors From Polyelectrolyte Complex Films Composed of Chitosan and PAOMA Copolymer, *European Journal of Pharmaceutics and Biopharmaceutics* 59 (2005) 307–313.