

DAFTAR PUSTAKA

- Achard, P., H. Cheng, L. D. Gwauwe, J. Decat, H. Schoutteten, T. Mortiz T., D. V. D. Straeten, J. Peng and N. P. Harberd. 2006. Integration of plant responses to environmentally activated signals. *Science*, 311: 19-94.
- Anonim. 2013. Deskripsi Jagung Varietas Bisma. <<http://puslittan.bogor.net>>. Diakses pada tanggal 15 Oktober 2013.
- Anonim. 2013. Pupuk Mikrobiologis. <id.wikipedia.org/wiki/Pupuk_mikrobiologis>. Diakses pada tanggal 15 Oktober 2013.
- Badami, K. dan A. Amzeri. 2011. Identifikasi varian somaklonal toleran kekeringan pada populasi jagung hasil seleksi in vitro dengan PEG. *Agrovigor* (4): 7-13.
- Badan Pusat Statistik. 2013. Produksi Padi, Jagung, dan Kedelai. <<http://www.bps.go.id>>. Diakses pada tanggal 15 Oktober 2013.
- Bates, L. S., Waldren R. P. And I. D. Teare. 1973. Rapid deterioration of free proline for water stress studies. *Plant and Soil*. 39:205-207.
- Blum, A. 2002. Drought tolerance, Is it a complex trait? Field screening for drought tolerance in crop plants with emphasis on rice. p. 17–22. *In* N.P. Saxena and J.C. O'Toole (ed.) Field screening for drought tolerance in crop plants with emphasis on rice. Int. Workshop on Field Screening for Drought Tolerance in Rice, Patancheru, India. 11–14 Dec. 2000. ICRISAT, Patancheru, India, and the Rockefeller Foundation, New York.
- Bohnert, H.J. dan Jenson R. G. 1996. Strategies for engineering water stress tolerance in plants. *Trends Biotechnol.* 14: 89-97.
- Borel, C., D. T. Simonneau, and F. Tradieu. 1997. Stomatal conductance and ABA concentration in the xylem sap of barley lines of contrasting genetic origin. *Aust. J. Plant Physiol.* (24): 607-615.
- Chaves, M. M., J. P. Marocco and J. S. Pereira. 2003. Understanding plant response to drought from genes to whole plant. *Functional Plant Biology* (30): 239-264.
- Dealuney, A. J. dan Verms D. P. S. 1993. Proline biosynthesis and osmoregulation in plants. *Plant J.* 4:215-223.
- Dey, Pal K. K., Bhatt D. M., Chauhan S. M. 2004. Growth promotion and yield enhancement of peanut (*Arachis hypogaea* L.) by application of plant growth promoting rhizobacteria. *Microbial Res.* 159(4): 371-394.

- Dubrovsky, J. G., dan L. F. Go'mez lomeli. 2003. Water deficit accelerates determinate developmental program of the primary root and does not affect lateral root initiation in a sonoran desert cactus (*Pachycereus pringlei*, cactaceae). *American J. Botany* (90): 823-831.
- Efendi, R. 2009. Tanggap Genotipe Jagung Toleran dan Peka Terhadap Cekaman Kekeringan Pada Fase Perkecambahan. *Prosiding Seminar Nasional Serealia* : 82-91.
- Farooq M, Wahid A, Kobayashi N, Fujita D, and Basra S. M. A. 2009. Plant drought stress: effects, mechanisms and management. *Agronomy for Sustainable Development* 29: 185-212.
- Fischer, K.S. dan Fukai, S. 2003. How rice responds to drought. *Cit.* Fischer, K.S., Lattife, R., Fukai, S., Atlin, G., and Hardy, B. *Breeding rice for drought prone enviroments.* International Rice Research Institute, Los Banõs, Philippines.
- Fitter, A. H. Dan R. K. M. Hay. 1991. *Fisiologi Tanaman.* Diterjemahkan oleh S. Andani dan Purbayanti. Gadjah Mada University Press., Yogyakarta.
- Hardjatmo. 1999. *Karakteristik Mineralogi dan Sifat Kimia-Fisika Zeolit.* Pusat Penelitian dan Pengembangan Teknologi Mineral, Bandung.
- Hisinger, P., A.G. Bengough, D. Vetterlein and Iain M. Young. 2009. Rhizosphere: biophysics, biogeochemistry and ecological relevance. *Plant Soil* (321):117-152.
- Husen E., Wahyudi A. T., Suwanto A., Giyanto. 2011. Growth enhancement and disease reduction of soybean by 1-aminocyclopropane-1-carboxylate deaminase-producing *Pseudomonas*. *Am. J. Appl. Sci.* 8(11): 1073-1080.
- Jaleel, C. A., P. Manivannan, B. Sankar, A. Kishorekuar, R. Gopi, R. Somasundaram, and R. Panneerselvam. 2007. Water deficit stress mitigation by calcium chloride in *Catharanthus roseus*: Effect on oxidative stress, proline metabolism and indole alkaloid accumulation, colloids surf. *B. Biointerfaces* (60): 110-116.
- Joetono, J., S. Soedarsono, S. Hartadi, S. Kabirun, S. Suhadi, D. Soesanto. 1980. *Pedoman Praktikum Mikrobiologi Umum.* Departemen Mikrobiologi Fakultas Pertanian UGM, Yogyakarta.
- Kinkel, L.L., M.Wilson, and S.E. Lindow. 2000. Plant species and plant incubation conditions influence variability in epiphytic bacterial population size. *Microbiol. Ecol.* 39:1-11.

- Leveau, J. H. J., dan Lindow S. E. 2005. Utilization of the plant hormone indole-3-acetic acid for growth by *Pseudomonas putida* strain 1290. *Appl. Environ. Microbiol.* 71(5): 2365-2371.
- Levitt, J. 1980. *Responses of Plant to Environmental Stresses* 2nd ed. New York Academic,
- Liu, T., dan J. van Staden. 2000. Selection and characterization of sodium chloride tolerant callus of *Glycine max* (L.). *Merr. cv. Acme. Plant Growth Reg.* 31: 195-207.
- McManus, M. T., R. L. Bielecki, J. R. Caradus and D. J. Barker. 2000. Pinitol accumulation in mature leaves of white clover in response to a water deficit. *Environmental and Experimental of Botany*, 43: 11-18.
- Ozturk S., dan Aslim B. 2010. Modification of exopolysaccharide composition and production by three cyanobacterial isolates under salt stress. *Environ. Sci. Pollut. Res.* 17(3): 595-602.
- Patten, C. L., dan Glick B. R. 2002. Role of *Pseudomonas putida* indoleacetic acid in development of the host plant root system. *Appl. Environ. Microbiol.* 68(8): 3795-3801.
- Quist, T. M., I. Sokolchik, H. Z. Shi, R. J. Joly, R. A. Bressan, A. Maggio, M. Narsimhan and X. Li. 2009. HOS3, an ELO like gene, inhibits effect of ABA and implicates a S-1-P/Ceramide control system for abiotic stress responses in *Arabidopsis thaliana*. *Molecular Plant*, 2: 138-151.
- Roberson, E. B., dan Firestone M. K. 1992. Relationship between desiccation and exopolysaccharide production in soil *Pseudomonas* sp. *Appl. Environ. Microbiol.* 58 1284-1291.
- Salisbury, F.B. dan Ross C.W. 1992. *Topics in Environmental Physiology*. In: *Plant Physiology*. Chapter 25. Wadsworth Publishing Company Inc, Printed in Belmon, California.
- Subekti, N.A., Syafruddin, Roy Efendi, dan Sri Sunarti. 2012. *Morfologi Tanaman dan Fase Pertumbuhan Jagung*. <<http://balitsereal.litbang.deptan.go.id/ind/images/stories/empat.pdf>>. Diakses pada tanggal 15 Oktober 2013.
- Watanabe, S., Kojima K., Ide Y. and Sasaki S. 2000. Effects of saline and osmotic stress on proline and sugar accumulation in *Populus euphratica* in vitro. *Biol. Plant* 33: 448-454.

- Wibowo, S. T. 2008. Hormone IAA content, nutrient uptake, and growth of some cultivated crops in response to the application of biofertilizer. Thesis. Institut Pertanian Bogor, Bogor.
- Wu, S. C., Z. H. Cao, Z. G. Li, K. C. Cheung, M. H. Wong. 2005. Effect of biofertilizer containing N-fixer, P and K solubilizer and AM fungi on maize growth: a greenhouse trial. *Geoderma* 125p: 155-166.
- Yi Zhi, Z. dan Tian L. 2000. Changes of proline levels and abscisic acid content in tolerant/sensitive cultivars of soybean under osmotic conditions. *Soybean Genetic Newsletter* 27:1-4.
- Zhao, Y., Christensen S. K., Fankhauser C., Cashman J. R., John J. D., Weigel D., Chory J. 2001. A role for flavin monooxygenase like enzyme in auxin biosynthesis. *Science* 291(5502): 306-309.