

DAFTAR PUSTAKA

- Ahmadian, M., Wang, Y., Sul, H.S., 2010, Lipolysis in adipocytes, *International Journal of Biochemistry & Cell Biology*, 42, 555-559.
- Ali, B.H., Blunden G., Tanira M.O., Nemmar A., 2008, Some phytochemical, pharmacological and toxicological properties of ginger (*Zingiber officinale* Roscoe): A review of recent research, *Food and Chemical Toxicology*, 46, 409-420.
- Arch, J.R. and Wilson S., 1996, Prospects for beta 3-adrenoceptor agonists in the treatment of obesity and diabetes, *International Journal of Obesity and Related Metabolic Disorders*, 20(3), 191-199.
- Artanti, D., 2008, Pengaruh Pemberian Jus Buah Pare (*Momordica charantia*) terhadap Kadar Trigliserida Serum Tikus Wistar Jantan yang Diberi Diet Tinggi Lemak, *Artikel Penelitian*, Fakultas Kedokteran Universitas Diponegoro, Semarang.
- Badan POM RI, 2010, *Serial Data Ilmiah Terkini Tumbuhan Obat PEGAGAN *Centella asiatica* (L.) Urban*, Direktorat Obat Asli Indonesia, 1, Badan Pengawas Obat dan Makanan Republik Indonesia, Jakarta.
- Barbe, P., Millet, L., Galitzky, J., Lafontan, M., Berlan, M., 1996, In situ assessment of the role of the beta 1-, beta 2- and beta 3-adrenoceptors in the control of lipolysis and nutritive blood flow in human subcutaneous adipose tissue, *British Journal of Pharmacology*, 117(5), 907-913.
- Barel, A.O., Paye, M., Maibach, H.I, 2009, *Handbook of Cosmetic Science and Technology*, 603-609, Informa Healthcare, USA.
- Baumann, L., 2002, *Cosmetic Dermatology Principles and Practice*, 2th Edition, 34-35, The McGraw-Hill Companies, New York.
- Bonte, F., Dumas, M., Chaudagne, C., Meybeck, A., 1994, Influence of asiatic acid, madecassic acid, and asiaticoside on human collagen I synthesis, *Planta Medica*, 60, 133-135.
- Brinkhaus, B., Lindner, M., Schuppan, D., Hahn, E.G., 2000, Chemical, Pharmacological and Clinical Profile of The East Asian Medicinal Plant *Centella asiatica*, *Phytomedicine*, 7, 427-448.
- Buettner, R., Parhofer, K.G., Woenckhaus, M., Wrede, C.E., Kunz-Schughart, L.A., Schohlmerich, J., *et al.*, 2006, Defining high-fat-diet rat models: metabolic and molecular effects of different fat types, *Journal of Molecular Endocrinology*, 485-501.
- Burns, T., Breathnach, S., Cox, N., Griffiths, C., 2010, *Rook's Textbook of Dermatology*, Volume 1, 8th Edition, 1-34, Wiley-Blackwell, Oxford.

- Bylka, W. Z., 2013, *Centella asiatica* in cosmetology, *Postepy Dermatologii Alergolii*, 46-49.
- Chrubasik, S., Pitler, M.H., Roufogalis, B.D., 2005, Zingiberis rhizome: Comprehensive review on the ginger effect and efficacy profiles, *International Journal of Phytotherapy & Phytopharmacology*, Vol. 12, 684-701.
- Company, W.S., 1995, *Kamus Saku Kedokteran Dorland*, EGC, Jakarta.
- Dalimartha, S., 2000, *Atlas tumbuhan obat Indonesia*, Volume 2, 149, Trubus Agriwidya, Jakarta.
- Di Salvo, R.M., 1995, Controlling the appearance of cellulite, *Cosmetics & Toiletries*, 110, 50-59.
- Draelos, Z.D., 2001, In search of answers regarding cellulite, *Cosmetic Dermatology*, 14, 55-58.
- Duke, J.A., 1987, *Handbook of Medical Herbs*, 109-110, CRC Press Inc., Boca Raton, Florida.
- Evelyn, C.P., 1979, *Anatomi dan Fisiologi untuk Paramedic*, 19, Gramedia Pustaka Utama, Jakarta.
- Fischer, A.H., Jacobson, K.A., Rose, J., Zeller, R., 2006, *Hematoxylin and Eosin Staining of Tissue and Cell Sections*, Cold Spring Harbor Laboratory Press, USA.
- Fuhrman, B., Rosenblat, M., Hayek, T., Coleman, R., Aviram, M., 2000, Ginger extract consumption reduces plasma cholesterol, inhibits LDL oxidation and attenuates development of atherosclerosis in atherosclerotic, apolipoprotein E-deficient mice, *Journal of Nutrition*, 130(5), 1124-1131.
- Ghisalberti, 2000, Use of Conjugated Linoleic Acid (CLA) for The Topical Treatment of Cellulite, *Pentapharm AG*, 1.
- Gibney, M.J., Vorster H.H., Kok, F.J., 2002, *Introduction to Human Nutrition*, 92-114, Blackwell Science, Oxford.
- Goldman, M.P., 2002, Cellulite: a review of current treatments, *Cosmetic Dermatology*, 15(2), 17-20.
- Goldman, M.P., Bacci, P.A., Leibaschoff, G., Hexsel, D., Angelini, F., 2006, *Cellulite Pathophysiology and Treatment*, 2-7, 11, 16, 41, 62, 68-69, CRC Press Inc., Boca Raton, Florida.
- Goyal, R.K. and Kadnur, S.V., 2005, Beneficial effects of *Zingiber officinale* Roscoe on fructose induced hyperlipidemia and hyperinsulinemia in rats, *Indian Journal of Experimental Biology*, Vol. 43, No. 12, 1161-1164.

- Greenway, F.L., Bray, G.A., Heber, D., 1995, Topical fat reduction, *Obesity Research*, 4, 561S-568S.
- Guenther, E., 1972, Minyak Atsiri, diterjemahkan oleh S. Ketaren, 1987, Jilid I, UI-Press, Jakarta.
- Hachem, A. and Borgoin, J.Y., 1979, Étude anatomo – clinique des effets de l'extrait titré de centella asiatica dans la lipodystrophie localisée, *La Méd Prat*, 12(Suppl. 2), 17–21.
- Hashim, P., Sidek, H., Helan, M. H., Sabery, A., Palanisamy, U. D., Ilham, M., 2011, Triterpene Composition and Bioactivities of *Centella asiatica*, *Molecules*, 16, 1310-1322.
- Herlina, R., Murhananto, Endah, H., Listyarini, T., Pribadi, S.T., 2002, *Khasiat & Manfaat jahe Merah si Rimpang Ajaib*, 9-12, PT. Agro Media Pustaka Utama, Jakarta.
- Hermanto, S., Anna, M., Rizkina, H., 2008, Profil dan Karakteristik Lemak Hewani (Ayam, Sapi, dan Babi) Hasil Analisa FTIR dan GCMS, *Artikel Penelitian*, Fakultas Sains dan Teknologi Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Holm, C., 2003, Molecular mechanisms regulating hormone-sensitive lipase and lipolysis, *Biochemical Society Transactions*, 31, 1120–1124.
- Ismail, N.S., 2014, Protective Effects of Aqueous Extracts of Cinnamon and Ginger Herbs Against Obesity and Diabetes in Obese Diabetic Rat, *World Journal of Dairy & Food Sciences*, 9(2), 145-153.
- Jamila, I.M., 2015, Gambaran Histologi Korteks Serebrum Lobus Temporal Lasiwen (*Myotis* sp.) dengan Pewarnaan *Cresyl Echt Violet*, *Skripsi*, Fakultas Kedokteran Hewan, Universitas Gadjah Mada, Yogyakarta.
- Jamil, S.S., Nizami, Q., Salam, M., 2007, *Centella asiatica* (Linn.) Urban, A review, *Natural Product Radiance*, 6 (2), 158-170.
- Juckett, G., 2004, *Herbal Medicine in Modern Pharmacology with Clinical Application*, 6th edition, 785, Lippincott Williams & Wilkins, Philadelphia.
- Junqueira, L.C., 2007, *Persiapan Jaringan untuk Pemeriksaan Mikroskopik Histology Dasar: Teks dan Atlas*, Edisi 10, EGC, Jakarta.
- Khan, M.H., Victor, F., Rao, B., Sadick, N.S., 2010, Treatment of cellulite: part I, Pathophysiology, *Journal of the American Academy of Dermatology*, 62(3), 361–370.
- Klaus, S., 1997, Functional differentiation of white and brown adipocytes. *Bioessays*, 19, 215-223.

- Knobloch, K., Joest, B., Vogt, P.M., 2010, Cellulite and extracorporeal Shockwave therapy, *BMC Women's Health*, 10(29), 1-3.
- Koswara, S., 2010, *Jahe, Rimpang dengan Sejuta Khasiat*, <http://www.ebookpangan.com/>, 4 Mei 2015.
- Kristina, N.N., Kusumah, E.D., Lailani, P.K., 2009, Analisis Fitokimia dan Penampilan Pola Pita Protein Tumbuhan Pegagan (*Centella asiatica*) Hasil Konservasi *in Vitro*, *Buletin Penelitian Tanaman Rempah dan Obat*, 20 (1), 11-20.
- Kuroshima, A., 1993, Brown adipose tissue thermogenesis as a physiological strategy for adaptation, *Japanese Journal of Physiology*, 43, 117.
- Langin, D., 2006, Adipose tissue lipolysis as a metabolic pathway to define pharmacological, *Pharmacological Research*, 53, 482-491.
- Lee, J., Jung, E., Kim, Y., *et al.*, 2006, Asiaticoside induced human collagen I synthesis through TGF-beta Receptor I Kinase (TbetaRI Kinase)-independent smad signalling, *Planta Medica*, 72, 324-328.
- Lutony, T.L. and Rahmayanti, Y., 2002, *Produksi dan Perdagangan Minyak Atsiri*, Edisi IV, Penebar Swadaya, Jakarta.
- Mahady, G.B., Pendland, S.L., Yun, G.S., Lu, Z.Z., Stoia, A., 2003. Ginger (*Zingiber officinale* Roscoe) and the gingerols inhibit the growth of Cag A+ strains of *Helicobacter pylori*, *Anticancer Research*, 23(5A), 3699-3702.
- Mauriege, P., Pergola, G.D., Berlan, M., Lafontan, M., 1988, Human fat cell beta-adrenergic receptors: beta agonist-dependent lipolytic responses and characterization of beta-adrenergic binding sites on human fat cell membranes with highly selective beta1-antagonists, *Journal of Lipid Research*, 29, 587-601.
- Mishra, P., 2009, Isolation, spectroscopic characterization and molecular modeling studies of mixture of *Curcuma longa*, ginger and seeds of fenugreek, *International Journal PharmTech Research*, 1, 79-95.
- Mulyono, 2002, *Khasiat dan Manfaat Jahe Merah si Rimpang Ajaib*, 2-14, Agro Media Pustaka, Jakarta.
- Murray, M.T., 1995, *The Healing Power of Herbs: The Enlightened: The Enlightened Person's Guide to Wonders of Medical Plants*, 2nd Edition, Prima Publishing, California.
- Mustafa, T. and Srivastava, K.C., 1990, Ginger (*Zingiber officinale*) in migraine headache, *Journal of Ethnopharmacology*, 29, 267-273.
- Nurnberger, F. and Muller, G., 1978, So-called cellulite: an invented disease, *Journal of Dermatologic Surgery and Oncology*, 4, 221-229

- Nurtjahja, E.H., Ammit, A.J., Roufogalis, B.D., Tran, V.H., Duke, C.C., 2003, Effective anti-platelet and COX-1 enzyme inhibitors from pungent constituents of ginger, *Thrombosis Research*, 111(4-5), 229-265.
- Ortonne, J.P., Zartarian, M., Verschoore, M., *et al.*, 2008, Cellulite and skin ageing: is there any interaction?, *Journal of the European Academy of Dermatology and Venereology*, 22(7), 827-834.
- Oryza, 2006, Red Ginger Eztract: An All Natural Anti-arthritic & Anti-inflammatory Agent for Food & Cosmetics Applications, *Oryza Oil & Fat Chemical Co.*, LTD, Tokyo.
- Paimin, F.B. and Murhananto, 2006, *Budidaya, Pengelolaan, Perdagangan, Jahe*, Penebar Swadaya, Jakarta.
- Pramono, S., 1992, Profil Kromatogram Ekstrak Herba Pegagan yang Berefek Antihipertensi, *Warta Tumbuhan Obat Indonesia*, Vol. 1, No. 2, 37-39.
- Pugliese, P.T., 2007, The pathogenesis of cellulite: a new concept, *Journal of Cosmetic Dermatology*, 16, 140-142.
- Rahn, T., Ridderstrale, M., Tornqvist, H., Manganiello, V., Fredrikson, G., Belfrage, P., Degerman, E., 1994, Essential role of phosphatidylinositol 3-kinase in insulin-induced activation and phosphorylation of the cGMP-inhibited cAMP phosphodiesterase in rat adipocytes, *FEBS Letters*, 350, 314-318.
- Rawlings, A.V., 2006, Cellulite and its treatments, *International Journal of Cosmetic Science*, 28, 175-190.
- Rieger, M.M., 2010, *Harry's Cosmetology*, 8th Edition, 3-4, Chemical Publishing, New York.
- Rona, C., Carrera, M., Berardesca, E., 2006, Testing anticellulite products, *International Journal of Cosmetic Science*, 28, 169-173.
- Sabiston, 1995, *Buku Ajar Bedah*, Bagian I, EGC, Jakarta.
- Saladin, K.S., 2006, *Anatomy & Physiology The Unity of Form and Function*, 4th Edition, Mcgraw-Hill Science.
- Saravanan, G., Ponmurugan, P., Deepa, M.A., Senthilkumar, B., 2014, Anti-obesity action of gingerol: effect on lipid profile, insulin, leptin, amylase and lipase in male obese rats induced by a high-fat diet, *Journal of the Science of Food and Agriculture*, 94(14), 2972-2977.
- Sastroamidjojo, S., 1980, *Obat Asli Indonesia*, Cetakan III, 182, Penerbit Dian Rakyat, Jakarta.

- Singh, A.B., Akanksha, Singh, N., Maurya, R., Srivastava, A.K., Anti-hyperglycaemic, lipid lowering and anti-oxidant properties of [6]-gingerol in db/db mice, *International Journal of Medicine and Medical Sciences*, Vol. 1(12), 536-544.
- Sjostrom, L., Bjorntorp, P., Vrana, J., 1971, Microscopic fat cell size measurements on frozen-cut adipose tissue in comparison with automatic determinations of osmium-fixed fat cells, *Journal of Lipid Research*, Vol. 12, 522.
- Smalls, L.K., Lee, C.Y., Whitestone, J., Kitzmiller, W.J., Wickett, R.R., Visscher, M.O., 2005, Quantitative model of cellulite: three-dimensional skin surface topography, biophysical characterization, and relationship to human perception, *Journal of Cosmetic Science*, 56, 105–120.
- Soumyanath, A., Zhong, Y.P., Gold, S.A., Yu, X., Koop, D.R., Bourdette, D., Gold, B.G., 2005, *Centella asiatica* accelerates nerve regeneration upon oral administration and contains multiple active fractions increasing neurite elongation in-vitro, *Journal of Pharmacy and Pharmacology*, 57(9), 1221-1229.
- Sripramote, M. and Lekhyananda, 2003, A randomized comparison of ginger and vitamin B6 in the treatment of nausea and vomiting pregnancy, *Journal of The Medical Association of Thailand*, 86(9), 846-853.
- Stahl, E., 1985, *Analisis Obat secara Kromatografi dan Mikroskopik*, Penerbit ITB, Bandung.
- Sudarsono, Gunawan, D., Wahyuono., S., Donatus I.A., Purnomo, 2002, *Tumbuhan Obat II, Hasil Penelitian, Sifat-sifat, dan Penggunaan*, 41-44, Pusat Penelitian Obat Tradisional, Universitas Gadjah Mada, Yogyakarta.
- Suprpti, M.L., 2003, *Teknologi Pengolahan Pangan: Aneka Awetan Jahe*, Kanisius, Yogyakarta.
- Synder, P.B., Esselstyn, J.M., Loughney, K., Wolda, S.L., Florio, V.A., 2005, The role of cyclic nucleotide phosphodiesterases in the regulation of adipocyte lipolysis, *Journal of Lipid Research*, 46, 494-503.
- Tampubolon, T., 1981, *Tumbuhan Obat*, 27-28, Bhratara Karya Aksara, Jakarta.
- Tenni, R., Zanaboni, G., De Agustini, M.P., Rossi, A., Bendotti, C., Cetta, G., 1988, Effect of the triterpenoids fraction of *Centella Asiatica* on macromolecules of the connective matrix in human skin fibroblast cultures, *Italian Journal of Biochemistry*, 36, 69-77.
- Wasitaatmadja, S.M., 2007, *Ilmu Penyakit Kulit dan Kelamin*, 3, Penerbit Universitas Indonesia, Jakarta.

- Wasitaatmadja, S.M., 2010, *Faal Kulit*, dalam: Djuanda, A., Hamzah, M., Aisah, S., Ilmu Penyakit Kulit dan Kelamin, Edisi Keenam, 7-8, Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Wijayakusuma, H. and Dalimartha, S., 1995, *Ramuan Tradisional untuk Pengobatan Darah Tinggi*, 71-72, Penebar Swadaya, Jakarta.
- Willetts, K.E., Ekancki, A., Eden, J.A., 2003, Effect of Ginger extract on pregnancy-induced nausea: a randomised controlled trial, *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 43(2), 139-144.
- Wohlmuth, H., Smith, M.K., Brooks, L.O., Myer, S.P., Leach D.N., 2006, Essential oil composition of diploid and tetraploid clones of ginger (*Zingiber officinale* Roscoe) grown in Australia, *Journal of Agricultural and Food Chemistry*, 54, 1414-1419.
- Yoosok, C., Bunyaphatsara, N., Boonyakiat, Y., Kantasuk, C., 2000, Anti-herpes Simplex Virus Activities of Crude Water Extracts of Thai Medicinal Plants, *Phytomedicine*, 6, 411.
- Zakaria, F.R., Wiguna, J., Hartoyo A., 1999, Konsumsi Minuman Jahe (*Zingiber officinale* Roscoe) meningkatkan Aktivitas Sel Natural Killer Mahasiswa Pesantren Ulil Albab di Bogor, *Buletin Teknologi dan Industri Pangan*, X (2), 40-46, Jurusan Teknologi Pangan dan Gizi, Institut Pertanian Bogor.
- Zenbio, 2010, *Cellulite Treatment Screening Kit Human Adipocyte Lipolysis Assay For Detection of Both Free Glycerol And Non-Esterified Fatty Acids*, Zen-bio Inc., Chapel Hill-Nelson Blvd.
- Zhang, S.X., 1999, *An Atlas of Histology*, 33, Springer Science & Business Media, New York.