

DAFTAR PUSTAKA

- Aisen P, Enns C, Wessling-Resnick M. 2001. Chemistry and biology of eukaryotic iron metabolism. *Int J Biochem Cell Biol.* 33:940–959.
- Anonim. 2011. Anemia, Blood Transfusions, Iron Overload, & Myelodysplastic Syndromes: A Handbook for Adult MDS Patients. The Myelodysplastic Syndromes Foundation, Inc. p: 6
- Anonim.2013.<http://www.suaramerdeka.com/v1/index.php/read/news/2013/03/18/149492/Waduh-Ada-5.365-Penderita-Thalassemia-di-Indonesia> diakses tanggal 2 November 2014
- Andrews, S. C., Robinson, A. K. & Rodriguez-Quñones, F. 2003. Bacterial iron homeostasis. *FEMS Microbiology Reviews* 27, 215–237.
- Anwar, Tazeen. Naila Yaqub, Zahoor Ahmad. 2013. Efficacy and Safety of Intensive Desferal [Deferoxamine] Infusion in Thalassemia associated Iron Overload. *Ann. Pak. Ins. Med. Sci* 9(4):195-197
- Basavraj Nagoba, Deepak Vedpathak. 2011. Medical Applications of Siderophore. Review Article. *Eur J Gen Med* 8(3) : 229-235
- Bagg, A., and J. B. Neilands.1985. Mapping of a mutation affecting regulation of iron uptake systems in *Escherichia coli* K-12. *J. Bacteriol.*161:450–453.
- Blattner FR, Plunkett G, Bloch CA, Perna NT, Burland V, Riley M, Collado-Vides J, Glasner JD, Rode CK, Mayhew GF, Gregor J, Davis NW, Kirkpatrick HA, Goeden MA, Rose DJ, Mau B, Shao Y.1997. The complete genome sequence of *Escherichia coli* K-12. *Science* 277 (5331): 1453–62
- Bojeyskar, Dataa, Pran K. Chakrabartty. 2013. Siderophore Biosynthesis genes of *Rhizobium* sp. isolated from *Cicer areitinum* L. *Biotech* 4:391-401
- Borgna-Pignatti C, Cappellini MD, De Stefano P, et al. 2006. Cardiac morbidity and mortality in deferoxamine- or deferiprone-treated patients with thalassemia major. *Blood*;107:3733-3737
- Braun V, Hantke K.1997.Receptor-mediated bacterial iron transport. In: Winkelmann G, Carrano CJ, eds. *Transition Metals in Microbial Metabolism*.Amsterdam: Harwood Academic Publishers :81-116.
- Cow CD. 1980.Iron reductase in *Pseudomonas aeruginosa*. *J. Bacteriol.*;141:199-204
- Clarke TE, Braun V, Winkelmann G, Tari LW, Vogel HJ.2002.X-ray crystallographic structures of the *Escherichia coli* periplasmic protein FHuD bound to hydroxamate-type siderophores and the antibiotics albomycin. *J. Biol. Chem* : 277:13966-13972.
- College of Science. *Determination of Iron by Thyancyanate colorimetry*. University of Centerbury

- Danuta. Kalinowski and Richardson. 2005. The Evolution of Iron Chelators for the Treatment of Iron Overload Disease and Cancer. *Pharmacological Reviews*. (57) : 4
- Davidson, A. L. and Nikaido, H. 1991. Purification and characterization of the membrane-associated components of the maltose transport system from *Escherichia coli*. *J. Biol.Chem.* 266, 8946-8951
- Davis BA, Porter JB. 2000. Long-term outcome of continuous 24-hour deferoxamine infusion via indwelling intravenous catheters in high-risk beta-thalassemia. *Blood* ;95:1229-1236
- Dertz, Emily A., Jide Xu, Alain Stintzi, and Kenneth N. Raymond. 2006. Bacillibactin-Mediated Iron Transport in *Bacillus subtilis* . *J. Am. Chem. Soc.* 128 (1): 22–23
- Eisendle M, Schrettl M, Kragl C, Muller D, Illmer P, Haas H. 2006. The intracellular siderophore ferricrocin is involved in iron storage, oxidative-stress resistance, germination, and sexual development in *Aspergillus nidulans*. *Eukaryot Cell* 5:1596–1603
- Earhart, C. F. 1987. Ferrienterobactin transport in *Escherichia coli*, p. 67-81. In G. Winkelmann, D. van der Helm, and J. B. Neilands (ed.), Iron transport in microbes, plants and animals. *VCH Verlagsgesellschaft GmbH*, Weinheim, Germany.
- Eckburg PB, Bik EM, Bernstein CN, Purdom E, Dethlefsen L, Sargent M, Gill SR, Nelson KE, and Relman DA. 2005. Diversity of the human intestinal microbial flora. *Science* 308 (5728): 1635–8
- Fanglian, 2011. *E. coli* Genomic DNA Extraction. <http://www.bio-protocol.org/e97>. Diakses tanggal 18 Maret 2015
- Fardeau, S, C. Mullie, A. Dassonville-Klimpt, N. Audic, A. Sasaki, P. Sonnet. 2011. Bacterial iron uptake : a promising solution against multidrug resistant bacteria. Science against microbial pathogens : communicating current research and technological advance. A. Mendez-Vilas.
- Fischer E, Strehlow B, Hartz D, Braun V. 1990. Soluble and membrane-bound ferrisiderophore reductases of *E. Coli* K-12 *Arch. Microbiol.*153:329-336.
- Fleming MD, Trenor CC. 1997. 3rd, Su MA. Microcytic anaemia mice have a mutation in Nramp2, a candidate iron transporter gene. *Nat Genet*, 16:383–386
- Freson K, Matthijs G, Thys C, MarienP, Hoylaerts MF, Vermynen J, Van Geet C.2002.Different substitutions at residue D218 of the X-linked transcription factor GATA1 lead to altered clinical severity of macrothrombocytopenia and anemia and are associated with variable skewed X inactivation. *Hum Mol Genet* 11:147-152.

- Flint J, Harding RM, Boyce AJ, Clegg JB. 1998. The population genetics of the hemoglobinopathies. *Bailliere's Clinical Hematology*. 11:1-50
- Galanello R, Melis MA, Ruggeri R, Addis M, Scalas MT, Maccioni L, Furbetta M, Angius A, Tuveri T, Cao A. 1979. Beta⁰ thalassemia trait in Sardinia. *Hemoglobin*. 3:33-46
- Glick, B.R., Patten, C.L., Holguin, G. and Penrose, D.M. 1999. *Biochemical and Genetic Mechanisms Used by Plant Growth Promoting Bacteria*. Imperial College Press. London.
- Harris, W. R., Carrano, C. J., Cooper, S. R., Sofen, S. R., Avdeef, A. E., McArdle, J. V. & Raymond, K. N. 1979. Coordination chemistry of microbial iron transport compounds. 19. Stability constants and electrochemical behavior of ferric *enterobactin* and model complexes. *J. Am. Chem. Soc.* 101, 6097–6104.
- Gawroński, Pieter. Magdalena Górecka. Magdalena Bederska. Anna Rusaczonok. Ireneusz Ślesak. Jerzy Kruk and Stanisław Karpiński. Isochorismate synthase 1 is required for thylakoid organization, optimal plastoquinone redox status, and state transitions in *Arabidopsis thaliana*. *Journal of Experimental Botany*. Vol 64 (12) pp : 3669-3679
- Harrison PM, Arosio P. 1996. The ferritins: molecular properties, iron storage function and cellular regulation. *Biochim Biophys Acta*; 1275:161–203
<http://eol.org/pages/972688/names?all=1> diakses pada tanggal 12 Januari 2015
<http://www.ebi.ac.uk/s4/summary/molecular?term=entC&classification=83333&tid=gNameb0593> diakses pada tanggal 10 Juni 2015
- Ito, T., and J. B. Neilands. 1958. Products of "low-iron fermentation" with *Bacillus subtilis*: isolation, characterization and synthesis of 2,3-dihydroxybenzoylglycine. *J. Am. Chem. Soc.* 80:4645-4647.
- Jacobs A. 1997. Low molecular weight intracellular iron transport compounds. *Blood* .50:433–439.
- Kaiser A & Leistner E. 1990. Role of the *entC* gene in *enterobactin* and *menaquinone* biosynthesis in *E. coli*. *Arch biochem Biophys*. 276(2):331-5
- Kwon, M.E.S, Hudspet & Meganathan. 1996. Anaerobic Biosynthesis of *Enterobactin* in *Escherichia coli*: Regulation of *entC* Gene Expression and Evidence against Its Involvement in *Menaquinone* (Vitamin K2) Biosynthesis. *Journal of Bacteriology*. Vol 178 (11) p: 3252-3259
- Klaus Hantke. 2001. Iron and metal regulation in bacteria, *Elsevier*. vol. 4, no2, pp. 172-177
- Loomis, L.D. Raymond, K.N. 1991. *Inorganic Chemistry*. p : 30
- Loper, J.E., Henkels, M.D. 1999. Utilization of heterologous siderophore enhances levels of iron available to *Pseudomonas putida* in the rhizosphere. *Applied Environmental Microbiology*. 65, 5357-5363.

- Martini, Frederic, Judi L. Nath, Edwin F. Bartholomew. 2012. *Fundamental of Anatomy & Physiology* 9th ed. Benjamin Cummings. pp: 640
- Microbiologyonline. Bacteria. Retrieved 27 February 2014.
- Morgan EH. 1981. Transferrin biochemistry, physiology and clinical significance. *Mol Aspects Med.* 4:1–123
- Nahlik, M. S., Fleming, T. P. & McIntosh, M. A. 1987. Cluster of genes controlling synthesis and activation of 2,3-dihydroxybenzoic acid in production of *enterobactin* in *Escherichia coli*. *J. Bacteriol.* 169, 4163–4170.
- Nahlik, M. S., Brickman, T. J., Ozenberger, B. A. & McIntosh, M. A. 1989. Nucleotide sequence and transcriptional organization of the *Escherichia coli enterobactin* biosynthesis cistrons entB and entA. *J. Bacteriol.* 171,784–790
- Neilands, J.B. 1981. Microbial iron compounds. *Annual Review of Biochemistry* 50, 715- 731.
- Nick H, Acklin P, Lattmann R, Buehlmayer P, Hauffe S, Schupp J, and Alberti D. 2003. Development of tridentate iron chelators: from desferrithiocin to ICL670. *Cur Med Chem* 10:1065–1076.
- Olivieri NF and Brittenham GM.1997.Iron-chelating therapy and the treatment of thalassemia. *Blood* 89:739–761.
- Pollack, J.R. Nielands, J.B. 1970. *Biochem. Biophys. Res. Community.* p : 38
- Raymond, K. N. 2003. *Enterobactin*: An archetype for microbial iron transport, *PNAS*, vol.100
- Richardson DR. 2002. The role of iron in cell cycle progression and the proliferation of neoplastic cells. *Biochim Biophys Acta.* 1603:31–46.
- Schrier SL, Centis F, Verneris M, Ma L, and Angelucci E.2003.The role of oxidant injury in the pathophysiology of human thalassemias. *Redox Rep* 8:241–245.
- Sridharan, Sudharsan, Nigel Howard, Olivier Kerbarh, Michał Błaszczuk, Chris Abell and Tom L. Blundell. 2010. Crystal Structure of *Escherichia coli Enterobactin*-specific Isochorismate Synthase (EntC) Bound to its Reaction Product Isochorismate: Implications for the Enzyme Mechanism and Differential Activity of Chorismate-utilizing Enzymes. *J Mol Bio* (397) : 290-300
- Tam R, Saier MH.1993.Structural, functional, and evolutionary relationships among extracellular solute-binding receptors of bacteria. *Microbiol. Rev.*1993;57:320-346.
- Sigel, A. dan Sigel,G. 1998. Iron transport and storage in microorganisms, plants, and animals, metal ions in biological systems Vol. 35, Marcel Dekker, Basel.
- Singleton, P. 1999. *Bacteria in Biology, Biotechnology and Medicine* (5th ed.). Wiley. pp. 444–454.

- Viprakasit V, Gibbons RJ, Broughton BC, Tolmie JL, Brown D, Lunt P, Winter RM, Marinoni S, Stefanini M, Brueton L, Lehmann AR, Higgs DR. 2001. Mutations in the general transcription factor TFIID result in beta-thalassemia in individuals with trichothiodystrophy. *Hum Mol Gene.* 10:2797-2802.
- Widmaier, Eric. Hershel Raff, and Kevin T Strang. 2011. *Vander's Human Physiology : The Mechanism of Body Function, 8th edition*. McGraw-Hill Companies. p : 376-377
- Wandersman, C., and P. Delepelaire. 2004. Bacterial iron sources: from siderophores to hemophores. *Annu. Rev. Microbiol.* 58, 611-647. Wooldridge, K.
- Wong C and Richardson DR. 2003. Thalassaemia: emergence of new and improved iron chelators for treatment. *Int J Biochem Cell Biol* 35:1144–1149.
- Zoller, Heinz, Ian McFarlane, Igor Theurl, Sylvia Stadlmann, Elizabetha Nemeth, David Oxley, Tomas Ganz, David J. Halsall, Timothy M. Cox, and Wolfgang Vogel. 2005. Primary Iron Overload With Inappropriate Hcpidin Expression in V162del Ferroportin Disease. *American Association for the Study of Liver Diseases*, 42(2):466-72