

DAFTAR PUSTAKA

- Adnan, A.Z., Noer, Z., dan Zulzannah, 2011, Analysis of Essential Oil Components from Fresh Leaves of *Piper crocatum* Ruiz. & Pav. And *Curcuma domestica* Val. *Parmacon*, **15** (1): 16-22
- Anonim, 2007, Keladi Tikus, <http://lawankanser.net/english/images/keladi-tikus.jpg>, 1 Juli 2015
- Anonim, 2012, Sirih Merah <http://www.plantamor.com/index.php?plant=2092>, 1 Juli 2015
- Anonim, 2012, Meniran, <http://www.plantamor.com/index.php?plant=990>, 1 Juli 2015
- Anonim, 2015, Asam Galat, <http://www.sigmaaldrich.com/medium/structureimages/10/mfcd00002510.png>, 1 Juli 2015
- Alfarabi, M., Bintang, M., Suryani, dan Safithri, M., 2010, The Comparative Ability of Antioxidant Activity of *Piper crocatum* in Inhibiting Fatty Acid and Free Radical Scavenging, *HAYATI*, **17**(4): 201-204
- Apriyanto, S., 2011, Uji Aktivitas Imunomodulator Ekstrak Etanolik Daun Sirih Merah (*Piper crocatum* Lamk.) Terhadap Proliferasi Limfosit dan Fagositosis Makrofag pada Tikus yang Diinduksi Vaksin Hepatitis B, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta
- Backer, C.A. dan Van Den Brink. R.C.B., 1963, *Flora of Java*, 167, 170, Published under The auspices of the rijksherbarium, Leyden
- Backer, C.A. dan Van Den Brink. R.C.B., 1965, *Flora of Java, Vol I*, hal. 468, N.V.P. Noordhoff-Groningen, Netherlands
- Backer, C.A., R, C.B., dan Van Den Brink, 1968, *Flora of Java (Spermatophyte Only), Vol III*, hal. 123, N.V.P. Noordhoff Groningen, The Netherland.
- Bagalkotkar, G., Sagineedu, S.R., Saad, M.S., dan Stanslas, J., 2006, Phytochemicals from *Phyllanthus niruri* Linn. and Their Pharmacological Properties: A Review, *J.Pharm. Pharmacol*, **58**, 1559-1570.
- Bendich, A., 1993, Physiological Role of Antioxidants in the Immune System, *J. Dairy Sci.* **76** (9), 2789-2794.

- Barlow, S.M., 1990, Toxilogical Aspects of Antioxidant Used as Food Additives, dalam Hudson, B.J.F., (Ed.), *Food Antioxidants* , 253, Elsevier Applied Science, London.
- Brand-Williams, W., Cuvelier, M.E., dan Berset, C., 1995, Use of a Free Radical Method to Evaluate Antioxidant Activity, *Lebens-Wiss. u-Technol*, **28** (1):25-30
- Choo, C.Y, Chan, K.L., Sam, T.W., Hitotsuyagi, Y., dan Takeya, K., 2001., The Cytotoxicity and Chemical Constituents of The Hexane Fraction of *Typhonium flagelliforme* (Araceae), *J. Ethnopharmacol.*, **77**, 129-131
- Choon, S.L., Rosemal, H.M.H. Mas, Nair, N.K., Majid, M.I.A., Mansor, S.M., dan Navaratnam, V., 2008, *Typhonium flagelliforme* inhibits cancer cell growth in vitro and induces apoptosis: An evaluation by the bioactivity guided approach. *J. Etnopharmacol.*, 118:14-20
- Chun, O.K., Kim, D.O., dan Lee, C.Y., 2003, Superoxide Radical Scavenging Activity of The Major Polyphenols in Fresh Plums, *J. Agric. Food Chem.*, **51**, 8067-8072
- Depkes RI . 1986 . *Sediaan Galenik*, hal. 5-7, Departemen Kesehatan, Jakarta.
- Depkes RI, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat, Cetakan Pertama*, hal 5-11. Departemen Kesehatan RI, Jakarta.
- Farida, Y., Wahyudi P.S., Wahono, S., dan Hanafi, M., 2012, Flavonoid Glycoside From The Ethyl Acetate of Keladi Tikus *Typhonium Flagelliforme* (Lodd) Blume Leave, *AJSC*, **1** (4), 16-21
- Fried, B., dan Sherma, J., 1999, *Thin layer Chromatography Techniques and Applications*, 3rd Ed., 3-6, 147-149, Marcel Dekker Inc, New York
- Gandjar, I.G. dan Rohman, A., 2009, *Kimia Farmasi Analisis*, hal. 326-329, 362-364, Pustaka Pelajar, Yogyakarta.
- Gordon, M.H., 1990. The Mechanism of Antioxidants Action In Vitro. Di dalam Hudson, B.J.F. (Ed.), *Food Antioxidants*, 1-18, Elsevier Applied Science, London
- Green, R.J., 2004, Antioxidant Activity of Peanut Plant Tissues, *Thesis*, Faculty of North Carolina State University, Raleigh.

- Gulcin, I., Uguz, M.T., Oktay, M., Beydemir, S., dan Kufrevioglu, O.I., 2004, Evaluation of The Antioxidant and Antimicrobial Activities of Clau Sage (*Salvia sclarea*, L.), *Turk I. Agric. For.*, **28**, 25-33
- Gurav, S.N.D., Deshkar, N., Gulkari, V., Duragkar, N., dan Patil, A., 2007, Free Radical Scavenging Activity of *Polygala chinensis* Linn., *Pharmacologyonline*, **2**: 245-253
- Harfia, M. & Lucie, W., 2009, Uji Aktivitas Ekstrak Etanol 50% Umbi Keladi Tikus (*Typhonium flagelliforme* (Lodd.) Bl.) Terhadap Sel Kanker Payudara (MCF-7) Secara *In Vitro*, *Media Litbang Kesehatan*, **XIX**(1)
- Harish, R., dan Shivanandappa, T., 2006, Antioxidant activity and Hepatoprotective Potential of *Phyllanthus niruri*, *Food chemistry*, **95**(2): 180-185.
- Heo, H. J., Kim, Y. J., Chung, D., dan Kim, D. O., 2007, Antioxidant Capacities of Individual and Combined Phenolics in a Model System. *Food Chemistry*, **104**(1): 87-92.
- Hutapea, J.R. 1994, *Inventaris Tanaman Obat Indonesia III*, hal. 207-208, Depkes RI, Jakarta
- Jakobek, L., Seruga, M., Kosanovic, M., dan Novak, I., 2007, Antioxidant Activity and Polyphenols of Aronia in Comparison to Other Berry Species, *Agric. Conspec. Sci.*, **72**, 1-4
- Kahl, R., dan Kappus, H., 1993, Toxicology of the Synthetic Antioxidants BHA and BHT in comparison with natural antioxidant vitamin E, *Z Lebensm Unters Forsch.*, **196** (4) : 329-38
- Kardinan, A. dan Kusuma, F.R., 2004, *Meniran Penambah Daya Tahan Tubuh Alami*, hal. 1-61, Agromedia Pustaka, Tangerang
- Kardinan dan Taryono, 2003. *Tumbuhan Obat lembaga Biologi Nasional LIPI*, Balai Pustaka, Jakarta
- Khoris, V., 2015, Efek Imunomodulator Kombinasi Ekstrak Etanolik Herba Meniran (*Phyllanthus niruri* L.), Umbi Keladi Tikus (*Typhonium flagelliforme* (Lodd.) Bl.), dan Daun Sirih Merah (*Piper crocatum* Ruiz. & Pav.) Terhadap Fagositosis Makrofag Tikus Secara *In Vitro*, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta

- Kikuzaki, H., Hisamoto, M., Hirose, K., Akiyama, K., dan Taniguchi, H., 2002, Antioxidant Isolated from Leaf Wax of Eucalyptus Leaves, *J. Agric. Biol. Chem.*, **45**, 735-739
- Kumar, D., Arya, V., Kaur, R., and Bhat Z.A., 2012, A Review of Immunomodulators in the Indian Traditional Health Care System, *J. Microbiology, Immunology and Infection*, **45** :165-184
- Mammadov, R., Ili, P., Ertem, E.H., 2011, Antioxidant Activity and Total Phenolic Content of *Gagea fibrosa* and *Romulea ramiflora*, *Iran. J. Chem. Eng.*, **30** (3) :57-62
- Mc. Kay, T.B., Lyon, D., Sarker-Nag, A., Priyadarsini, S., Asara, J.M., dan Karamichos, D., 2015, Quercetin Attenuates Lactate Production and Extracellular Matrix Secretion in Keratoconus, *Scientific Reports*, **5**: 9003.
- Mohan, S., Abdul, A.B., Wahab, S.I.A., Al-Zubairi, A.S., 2008, Antibacterial and Antioxidant Activities of *Typhonium flagelliforme* (Lodd.) Blume T,uber, *Am. J. Biochem. Biotechnol.*, **4** (4):402-407
- Pinelo, M., Manzocco, L., Nuñez, M. J., dan Nicoli, M. C., 2004, Interaction Among Phenols in Food Fortification: Negative Synergism on Antioxidant Capacity, *J. Agric. Food. Chem.*, **52**(5): 1177-1180.
- Pokorny, J., Yanishlieva, N., dan Gordon, M., 2001, *Antioxidant in Food ; Practical Applications*, hal. 72-73, CRC Press, New York
- Praptiwi, P. D., dan Harapini, M., 2006, Nilai Peroksida dan Aktivitas Anti Radikal Bebas Diphenyl Picril Hydrazil Hydrate (DPPH) Ekstrak Metanol *Knema laurina*, *Majalah Farmasi Indonesia*, **17** (1) : 32-36
- Pratt, D.E., dan Hudson, B.J.F., 1990, Natural Antioxidants not Exploited Commercially dalam B.J.F. Hudson, (Ed), *Food Antioxidants*, Elsevier Applied Science, London
- Prihartanto, Y., 2008, Efek Kombinasi Ekstrak Daun Legundi (*Vitex trifolia* L.) dan Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb.) Terhadap Reaksi Anafilaksis Kutaneus Aktif pada Tikus Wistar Jantan yang Diinduksi Ovalbumin, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.

- Prior, R.L., Wu, X., dan Schaich, K., 2005, Standardized Methods for The Determination of Antioxidant Capacity and Phenolics in Foods and Dietary Supplements, *J. Agric. Food. Chem.*, **55**, 2698A-J.
- Proestos, C., Sereli, D., dan Komaitis, M., 2006, Determination of Phenolic Compounds in Aromatic Plant by RP-HPLC and GC-MS, *J. Food Sci.*, **95**, 44-52.
- Puertollano, M.A., Puertollano, E., Cienfuegos, G.A., dan Pablo, M.A., 2011, Dietary Antioxidants: Immunity and Host Defense, *Current Topics in Medicinal Chemistry*, **11**(14): 1752-1766
- Pujimulyani, D., 2003, Pengaruh Bleaching Terhadap Sifat Antioksidasi Sirup Kunir Putih (*Curcuma mangga* val.), *Agritech.*, **23**, 137-141.
- Rahayu, D.S., Kusriani, D., dan Fachriyah, E. 2009, Penentuan Aktivitas Antioksidan dari Ekstrak Etanol Daun Ketapang (*Terminalia catappa* L) dengan metode 1,1-Difenil-2-Pikrilhidrazil (DPPH), *Laporan Penelitian*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Diponegoro, Semarang
- Rohman, A., Riyanto, S., dan Hidayati, N.K., 2007, Aktivitas Antioksidan, Kandungan Fenolik Total, dan Flavonoid Total Daun Mengkudu (*Morinda citrifolia* L.), *Agritech*, **27**(4) : 147-151
- Romanovä, D., Vachalkovä, A., Cipäk, L., Ovesnä, Z., dan Rauko, P., 2001, Study of antioxidant effect of apigenin, luteulin, and quercetin by DNA protective method, *Neoplasma*, **48** (2) : 104-107
- Safitri, M., Fahma, F., 2008, Potency of *Piper crocatum* Decoction as an Antihyperglycemia in Rat Strain *Sprague Dawley*, *HAYATI J Biosci*, **15** (1), 47
- Sagala, R. J., Uji Imunomodulator Kombinasi Ekstrak Etanolik Herba Meniran (*Phyllanthus niruri* Linn.), Umbi Keladi Tikus (*Typhonium flagelliforme* (Lodd.) Blume) dan Daun Sirih Merah (*Piper crocatum*) terhadap Fagositosis Makrofag Secara *In Vitro*, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta
- Sambada, D.L.E., 2011, *Metode Folin Ciocalteu*, <http://edhisambada.wordpress.com>, 15 April 2015
- Sastroamidjojo, S., *Obat Asli Indonesia*, hal.182, Dian Rakyat, Jakarta

- Sarastrri, R.F., 2012, Pengaruh Pemberian Campuran Ekstrak Etanol Temulawak (*Curcuma xanthorrhiza* Roxb.) dan Sambiloto (*Andrographis paniculata* (Burm.f) Nees) Terhadap Fagositosis Makrofag Secara *In Vitro* pada Mencit Jantan Balb/c, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Shahidi, F. dan M. Naczki. 2004. *Phenolic in Food Nutraceuticals*. CRC Press. Boca Raton, Florida
- Shao, Z. H., Vanden Hoek, T. L., Li, C. Q., Schumacker, P. T., Becker, L. B., Chan, K. C., dan Yuan, C. S. (2004). Synergistic Effect of *Scutellaria baicalensis* and Grape Seed Proanthocyanidins on Scavenging Reactive Oxygen Species *In Vitro*, *Am. J. Chin. Med.*, **32**(01): 89-95.
- Sherma, J., 1994, Basic Tehniques, Material, and Apparatus, dalam Sherma, J. dan Fried, B., *Handbook of Thin Layer Chromatography*, 2nd Ed., 3-6, Marcel Dekker inc, New York.
- Singleton, V.L. dan Rossi, J.A., 1965, Colorimetry of Total Phenolic with Phosphomolybdic-Phospotungstic Acid Reagent, *Am. J. Enol. Vitic.*, **16** : 147
- Snyder L.R. dan Kirkland J.J, 1997, *Practical HPLC Method Development*, 2nd edition, John Wilwy dan Sons, Inc.
- Sriningsih, Wibowo, A.E., 2009, Efek Imunostimulan Ekstrak Meniran (*Phyllanthus niruri* L.) Secara *In Vitro* Pada Tikus, *Jurnal Bahan Alam Indonesia*, **7** (1), 18
- Sriyanti, N.K.D., 2012, Efek Imunomodulator Ekstrak Etanolik Umbi Keladi Tikus (*Typhonium flagelliforme* (Lodd.) Blume) Terhadap Kemampuan Fagositosis Makrofag Pada Tikus Terinduksi Cyclophospamide, *Skripsi*, Fakultas Farmasi Gadjah Mada, Yogyakarta.
- Striegel dan Hill, 1996, *Thin Layer Chromatography for Binding Media Analysis*, 25-28, Los Angeles: The Getty Conversation Institute
- Sudewo, Bambang, 2004, *Tanaman Obat Populer Penggempur Aneka Penyakit*, hal. 13-15, Agromedia Pustaka, Jakarta
- Sudewo, B. 2010. *Basmi Penyakit dengan Sirih Merah* (Revisi). Agromedia Pustaka. Jakarta

- Sulistiyani, Arniputri, dan Retna, B., 2007, Identifikasi Komponen Utama Minyak Atsiri Sirih Merah. *Biodiversitas*, **8**(2): 136-137.
- Sutomo, 2014, Isolasi dan Identifikasi Senyawa Penangkap Radikal DPPH dan Imunomodulator dari Buah Kasturi (*Mangifera casturi* Kosterm.) Suku Anacardiceae, *Disertasi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Shirmila, J.G., dan Radhamany, P.M., 2012, Identification and Determination of antioxidant constituents of bioluminescent mushroom, *Asian. Pac. J. Trop. Biomed.*, **2**(1):386-391
- Syahid, 2007, Keragaman Morfologi, Pertumbuhan, Produksi, Mutu dan Fitokimia Keladi tikus (*Thyphonium flagelliforme* (Lodd.) Blume) Asal Variasi Somaklonal, *Jurnal Littri*, **14**(3): 113-118
- Trivedi, N.P., Rawal, U.M., dan Patel, B.P., 2007, *Hepatoprotective Effect of Andrographolide Against Hexachlorocyclohexane-induced Oxidative Injury*, <http://www.ncbi.nlm.nih.gov/pubmed/17761640>, 15 April 2015,
- Utami, R.C., 2009, Aktivitas Antioksidan Fraksi Etil Asetat Buah Merah (*Pandanus conoideus* Lamk.) dan Subfraksi-subfraksinya Melalui Uji Pengkhelatan Logam, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada
- Vasu, S., Palaniyappan, V., dan Badami, S., 2010, A Novel Microwave—Assisted Extraction for the Isolation of Andrographolide from *Andrographis paniculata* and Its *In Vitro* Antioxidant Activity, *Natural Product Research*, **24** : 1560-1567.
- Vattem, D. A., Jang, H. D., Levin, R., dan Shetty, K., 2006, Synergism of Cranberry Phenolics with Ellagic Acid and Rosmarinic Acid for Antimutagenic and DNA Protection Functions, *J.Food biochem.*, **30**(1): 98-116.
- Vermerris, W dan Nicholson, R., 2006, *Phenolic Compound Biochemistry*, hal.152-153, 166-169, Springer, Dordrecht.
- Wang, W., Weng, X., dan Cheng, D. (2000). Antioxidant Activities of Natural Phenolic Components from *Dalbergia odorifera* T. Chen. *Food Chemistry*, **71**(1), 45-49.
- Wijayakusuma, H. dan Dalimartha, S., 2001, *Ramuan Tradisional untuk Pengobatan Darah Tinggi*, hal. 64, Penebar Swadaya, Jakarta.



Pengaruh Kombinasi Ekstrak Sirih Merah (*Piper crocatum* Ruiz. & Pav), Meniran (*Phyllanthus niruri* L.), dan Keladi Tikus (*Typhonium flagelliforme* (Lodd) Bl.) Terhadap Aktivitas Antioksidan dan Kadar Fenolik Total

CHANDRA PRADNYANA A., Andayana Puspitasari Gani, M.Si, Apt.

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zin, M.Z., Abdul Hamid, A., Osman, A., dan Saari, N., 2004, Antioxidative Activity of Extract from Mengkudu (*Morinda citrifolia* L.) , *J. Food Chem.*, **94**, 169-178



UNIVERSITAS
GADJAH MADA

Pengaruh Kombinasi Ekstrak Sirih Merah (*Piper crocatum* Ruiz. & Pav), Meniran (*Phyllanthus niruri* L.), dan Keladi Tikus (*Typhonium flagelliforme* (Lodd) Bl.) Terhadap Aktivitas Antioksidan dan Kadar Fenolik Total

CHANDRA PRADNYANA A., Andayana Puspitasari Gani, M.Si, Apt.

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>