



REFERENCE

- American Psychiatric Association, 2000, *Diagnostic and statistical manual of mental disorders, Fourth Edition, Text Revision: DSM-IV-TR*, American Psychiatric Publishing Inc, Washington, DC, pp. 943.
- Beck, C. T. (2001). Predictors of postpartum depression: an update. *Nursing Research*, 50, 275-285.
- Berghella, V. (2007). *Maternal-fetal evidence based guidelines*. London: Informa Healthcare.
- Bhatia, S. C., Baldwin, S. A., & Bhatia, S. K. (1999). Electroconvulsive therapy during the third trimester of pregnancy. *J Ect*, 15(4), 270-274.
- Bloch, M., Schmidt, P. J., Danaceau, M., Murphy, J., Nieman, L., & Rubinow, D. R. (2000). Effects of gonadal steroids in women with a history of postpartum depression. *American Journal of Psychiatry*, 157, 924-930.
- Boyce, P. M. & Todd, A. L. (1992). Increased risk of postnatal depression after emergency caesarean section. *Med.J.Aust.*, 157, 172-174.



Boyd RC, Le HN, Somberg R. Review of screening instruments for postpartum depression. *Arch Womens Ment Health*. 2005;8:141-53. [[PubMed](#)]

Cdc.gov, (2014). CDC - Pregnancy Complications - Reproductive Health. [online] Available at : <http://www.cdc.gov/reproductivehealth/maternalinfanthealth/pregcomplications.htm#n1> [Accessed 14 Dec. 2014].

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of postnatal depression. Development of the 10-item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.

Cohen, LS & Nonacs, RM 2005, *Postpartum Mood Disorder*. In *Mood and Anxiety Disorder during Pregnancy and Postpartum*. *Review of Psychiatry Vol. 24*, Arlington: American Psychiatric Publishing, vol. 24, pp. 77-96.

Corral, M., Kuan, A., & Kostaras, D. (2000). Bright light therapy's effect on postpartum depression. *American Journal of Psychiatry*, 157(2), 303-304.

Dennis, C.-L. (2003). Detection, prevention, and treatment of postpartum depression. In Stewart, D.E., Robertson, E., Dennis, C.-L., Grace, S.L., &



Wallington, T. (2003). *Postpartum depression : Literature review of risk factors and interventions.*

DHAWAN, V., BROOKES, Z. and KAUFMAN, S. (2004). Long-term effects of repeated pregnancies (multiparity) on blood pressure regulation. *Cardiovascular Research*, 64(1), pp.179-186.

Dorland, WAN 2003, *Dorland's Illustrated Medical Dictionary*, 30th edn, Elsevier Saunders, Philadelphia.

Dorn, J. B. (1985). Electroconvulsive therapy with fetal monitoring in a bipolar pregnant patient. *Convuls Ther*, 1(3), 217-221.

Emedicine.Mescape.cin, (2014). *Labor and Delivery in the Emergency Department Clinical Presentation.* [online] Available at: <http://Emedicine.mescape.com/article/796379> [Accessed 6 dec.2014].

Forman, D. N., Videbech, P., Hedegaard, M., Salvig, J. D., & Secher, N. J. (2000). Postpartum depression: identification of women at risk. *British Journal of Obstetrics & Gynaecology*, 107, 1210-1217.



- Gregoire, A. J., Kumar, R., Everitt, B., Henderson, A. F., & Studd, J. W. (1996). Transdermal oestrogen for treatment of severe postnatal depression. [see comments.]. *Lancet*, 347(9006), 930-933.
- Gavin, N., Gaynes, B., Lohr, K., Meltzer-Brody, S., Gartehner, G. and Swinson, T. (2005). Perinatal Depression. *Obstetrics & Gynecology*, 106(5, Part 1), pp. 1071-1083.
- Hannah, P., Adams, D., Lee, A., Glover, V., & Sandler, M. (1992). Links between early post-partum mood and post-natal depression. *British Journal of Psychiatry*, 160, 777-780.
- Halbreich, U & Karkun, S 2014, *Cross-cultural and social diversity of prevalence of postpartum depression and depressive symptoms*, PubMed, Available from: <<http://ncbi.nlm.nih.gov/pubmed/16466664>>, [2 December 2014].
- Hollon, S. D. (1998). What is cognitive behavioural therapy and how does it work? *Curr Opin Neurobiol*, 8(2), 289-292.



Horowitz, J. (2005). Identifying and Treating Postpartum Depression. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 34(2), pp.264-273.

Howard, l. (2014). *Clinical Evidence Handbook: Postnatal Depression - American family physician*. [Online] Aafp.org. Available at: <http://www.aafp.org/afp/2005/1001/p1294.html> [accessed 10 Dec.2014].

Hutagaol, ET 2010, Efektivitas Intervensi Edukasi Pada Depresi Postpartum, Postgraduate Program Thesis, Nursing Faculty, University of Indonesia, Depok.

Idaiani, S & Basuki, B 2012, *Postpartum depression in Indonesian women: a national study*, Ministry of Health eJournal, vol. 3, no.1, pp.3-8.

Irham 2014, *Perbandingan Risiko Depresi Pascasalin Pada persalinan Vaaginal dan Seksio Sesarea*, Postgraduate program thesis, obstetric and Gynecologic Department, Gadjah Mada University, Yogyakarta.

J. Easton, V. and H. Mc Coll, J. (2014). *Statistics Glossary - Basic Definitions*. [online] Stats.gla.ac.uk. Available at:



http://www.stats.gla.ac.uk/steps/glossary/basic_definitions.html#popn [Accessed 8 Dec. 2014].

Johnstone, S. J., Boyce, P. M., Hickey, A. R., Morris-Yatees, A. D., & Harris, M. G. (2001). Obstetric risk factors for postnatal depression in urban and rural community samples. *Australian and New Zealand Journal of Psychiatry*, 35, 69-74.

Josefsson, A., Angelsioo, L., Berg, G., Ekstrom, C. M., Gunnervik, C., Nordin, C. et al. (2002). Obstetric, somatic, and demographic risk factors for postpartum depressive symptoms. *Obstetrics and Gynecology*, 99, 223-228.

K, Brett. W, Barfield. and C, Williams. and c, w. (2014). Prevalence of Self-Reported Postpartum Depressive Symptoms --- 17 States, 2004--2005. [online] Cdc.gov. Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5714a1.htm> [Accessed 8 Dec. 2014].

Kaplan, HI & Sadock, BS 1995, *Comprehensive Textbook of Psychiatry*/VI, 6th edn, Williams & Wilkins, USA.



Kumar, R. & Robson, K. M. (1984) A prospective study of emotional disorders in childbearing women. *British Journal of Psychiatry*, 144, 35-47.

Livingston, J. C., Johnstone, W. M., Jr., & Hadi, H. A. (1994). Electroconvulsive therapy in a twin pregnancy: a case report. *Am J Perinatol*, 11(2), 116-118.

Marcus, S M., Barry, K.L., Flynn, H. A., Tandon, R, & Greden, J.F. (2001). Treatment guidelines for depression in pregnancy. *International journal of Gynaecology & Obstetrics*, 72(1), 61-70.

McLean, P. D., & Hakstian, A. R. (1979). Clinical depression: comparative efficacy of outpatient treatments. *J Consult Clin Psychol*, 47(5), 818-836.

Merckmanuals.com, (2014). Risk Factors for Complications During Pregnancy: High-Risk Pregnancy: Merck Manual Professional. [online] Available at: http://www.merckmanuals.com/professional/gynecology_and_obstetrics/high-Risk_pregnancy/risk_factors_for_complications_during_pregnancy.html [Accessed 15 Dec. 2014].



Miyake, Y., Tanaka, K., Sasaki, S. and Hirota, Y. (2011).
Employment, income, and education and risk of
postpartum depression: The Osaka Maternal and Child
Health Study. *Journal of Affective Disorders*, 130(1-
2), pp.133-137.

Nonacs, R., & Cohen, L. S. (1998). Postpartum mood
disorders: diagnosis and treatment guidelines.
Journal of Clinical Psychiatry, 59 Suppl 2, 34-40.

Nonacs, R, & Cohen, L. S.(2002). Depression during
pregnancy: diagnosis and treatment options. *J clin
psychiatry*, 63 suppl 7, 24-30.

Nursalam 2003, Konsep Penerapan Metodologi Penelitian
Ilmu Keperawatan: Pedoman Skripsi, Tesis, dan
Instrumen Penelitian Keperawatan, Salemba Medika,
Jakarta.

O'hara, M. and Swain, A. (1996). Rates and risk of
postpartum depression—a meta-analysis. *Int Rev
Psychiatry*, 8(1), pp.37-54. Kaplan, HI & Sadock, BS
1995, *Comprehensive Textbook of Psychiatry/VI*, 6th
edn, Williams & Wilkins, USA.



- Opara, E. and Zaidi, J. (2007). The interpretation and clinical application of the word 'parity': a survey. *BJOG: An International Journal of Obstetrics & Gynaecology*, 114(10), pp.1295-1297.
- Pearlstein, T., Howard, M., Salisbury, A. and Zlotnick, C. (2009). Postpartum depression. *American Journal of Obstetrics and Gynecology*, 200(4), pp.357-364.
- Rabheru, K. (2001). The use of electroconvulsive therapy in special patient populations. *Can J Psychiatry*, 46(8), 710-719.
- Rukh, R, Kafeel, H, Naveed, S & Sarwar, G, Prevalence of Postpartum Depression In Primigravida and Multigravida With Normal Physiological Status, Faculty of Pharmacy, Jinnah University for women, Karachi-Pakistan.
- Reynolds, W. M., & Coats, K. I. (1986). A comparison of cognitive-behavioral therapy and relaxation training for the treatment of depression in adolescents. *J Consult Clin Psychol*, 54(5), 653-660.
- Robertson, E., Celasun, N., and Stewart, D.E. (2003). Risk factors for postpartum depression. In Stewart, D.E., Robertson, E., Dennis, C.-L., Grace, S.L., &



- Wallington, T.(2003). *Postpartum depression: Literature review of risk factors and interventions.*
- Robinson, G.E. & Stewart, D.E.(2001). Postpartum disorders. In N.L. Stotlan & D.E. Stewart(Eds.), *Psychological aspects of women's health care* (2nd ed. Ed., pp. 117-139). Washington, DC: American psychiatric Press, Inc.
- Sadock, B., Kaplan, H. and Sadock, V. (2007). Kaplan & Sadock's synopsis of psychiatry. Philadelphia: Wolter Kluwer/Lippincott Williams & Wilkins.
- Sadock, BS & Sadock, VA 2007, *Kaplan & Sadock's Synopsis of Psychiatry: Behavioral Sciences/Clinical Psychiatry*, 10th edn, Lippincott Williams & Wilkins, USA.
- Sastroasmoro, S & Ismael, S 2011, *Dasar-dasar Metodologi Penelitian Klinis*, 4th edn, Sagung Seto, Jakarta.
- Stern, TA, Herman, JB & Slavin, PL 2004, *Guide to Primary Care Psychiatry*, 2nd edn, McGraw Hill, USA.
- Stewart, D.E., Robertson, E., Dennis, C-L., Grace, S.L., & Wallington, T. (2003). *Postpartum depression: Literature review of risk factors and interventions.*



- Vahratian, A., Hoffman, M., Troendle, J. and Zhang, J. (2006). The Impact of Parity on Course of Labor in a Contemporary Population. *Birth*, 33(1), pp.12-17.
- Verkerk, G., Denollet, J., Van Heck, G., Van Son, M. and Pop, V. (2005). Personality Factors as Determinants of Depression in Postpartum Women: A Prospective 1-Year Follow-up Study. *Psychosomatic Medicine*, 67(4), pp.632-637.
- Wisner, K. L., Parry, B. L., & Piontek, C. M. (2002). Clinical practice. Postpartum depression. *N.Engl.J.Med.*, 347, 194-199.
- Warner, R., Appleby, L., Whitton, A., & Faragher, B. (1996). Demographic and obstetric risk factors for postnatal psychiatric morbidity. *British Journal of Psychiatry*, 168, 607-611.
- Yamashita, H, Yoshida, K, Nakano, H & Tashiro, N 2000, *Postnatal Depression in Japanese Women Detecting the Early Onset of Postnatal Depression*, *Journal of Affective Disorder*, vol. 58, pp. 45-54.
- Yellowlees, P. M., & Page, T. (1990). Safe use of electroconvulsive therapy in pregnancy. *Med J Aust*, 153(11-12), 679-680.