

DAFTAR PUSTAKA

- Akli, S., Zheng, P.-J., Multani, A.S., Wingate, H.F., Pathak, S., Zhang, N., dkk., 2004. Tumor-Specific Low Molecular Weight Forms of Cyclin E Induce Genomic Instability and Resistance to p21, p27, and Antiestrogens in Breast Cancer. *Cancer Research*, **64**: 3198–3208.
- Anto, R.J., Mukhopadhyay, A., Denning, K., dan Aggarwal, B.B., 2002. Curcumin (diferuloylmethane) induces apoptosis through activation of caspase-8, BID cleavage and cytochrome c release: its suppression by ectopic expression of Bcl-2 and Bcl-xl. *Carcinogenesis*, **23**: 143–150.
- Arjonen, A., Kaukonen, R., Mattila, E., Rouhi, P., Högnäs, G., Sihto, H., 2014. Mutant p53-associated myosin-X upregulation promotes breast cancer invasion and metastasis. *The Journal of Clinical Investigation*, **124**: 1069–1082.
- Bao, L., Haque, A., Jackson, K., Hazari, S., Moroz, K., Jetly, R., dkk., 2011. Increased Expression of P-Glycoprotein Is Associated with Doxorubicin Chemoresistance in the Metastatic 4T1 Breast Cancer Model. *The American Journal of Pathology*, **178**: 838–852.
- Beckerman, R., Donner, A.J., Mattia, M., Peart, M.J., Manley, J.L., Espinosa, J.M., dkk., 2009. A role for Chk1 in blocking transcriptional elongation of p21 RNA during the S-phase checkpoint. *Genes & Development*, **23**: 1364–1377.
- Bijman, M.N.A., Amerongen, G.P. van N., Laurens, N., Hinsbergh, V.W.M. van, dan Boven, E., 2006. Microtubule-targeting agents inhibit angiogenesis at subtoxic concentrations, a process associated with inhibition of Rac1 and Cdc42 activity and changes in the endothelial cytoskeleton. *Molecular Cancer Therapeutics*, **5**: 2348–2357.
- Bortner, D.M. dan Rosenberg, M.P., 1997. Induction of mammary gland hyperplasia and carcinomas in transgenic mice expressing human cyclin E. *Molecular and Cellular Biology*, **17**: 453–459.
- Brunton, L., Lazo, J. S. dan Parker, K. L., 2005, *Goodman & Gilman's The Pharmacological Basis of Therapeutics*, 11th Edition, McGrawHill, Lange.
- Bukholm, I.R., Husdal, A., Nesland, J.M., Langerød, A., dan Bukholm, G., 2003. Overexpression of Cyclin A Overrides the Effect of p53 Alterations in Breast Cancer Patients with Long Follow-up Time. *Breast Cancer Research and Treatment*, **80**: 199–206.
- Burdall, S.E., Hanby, A.M., Lansdown, M.R., dan Speirs, V., 2003. Breast cancer cell lines: friend or foe? *Breast Cancer Research*, **5**: 89–89.
- Chang, Q., Liu, Z.-R., Wang, D.-Y., Kumar, M., Chen, Y.-B., dan Qin, R.-Y., 2004. Survivin expression induced by doxorubicin in cholangiocarcinoma. *Differentiation*, **2**: 14–70.
- Childs, A.C., Phaneuf, S.L., Dirks, A.J., Phillips, T., dan Leeuwenburgh, C., 2002. Doxorubicin Treatment in Vivo Causes Cytochrome c Release and Cardiomyocyte Apoptosis, As Well As Increased Mitochondrial Efficiency, Superoxide Dismutase Activity, and Bcl-2:Bax Ratio. *Cancer Research*, **62**: 4592–4598.
- Chiu, T.-L. dan Su, C.-C., 2009. Curcumin inhibits proliferation and migration by

- increasing the Bax to Bcl-2 ratio and decreasing NF- κ Bp65 expression in breast cancer MDA-MB-231 cells. *International Journal of Molecular Medicine*, **23**: .
- Choudhuri, T., Pal, S., Agwarwal, M.L., Das, T., dan Sa, G., 2002. Curcumin induces apoptosis in human breast cancer cells through p53-dependent Bax induction. *FEBS Letters*, **512**: 334–340.
- Cho, Y.B., Lee, W.Y., Song, S.Y., Shin, H.J., Yun, S.H., dan Chun, H.-K., 2007. Matrix metalloproteinase-9 activity is associated with poor prognosis in T3-T4 node-negative colorectal cancer. *Human Pathology*, **38**: 1603–1610.
- Da'i, M., Hanwar, D., dan Utami, W., 2007a. Sintesis PGV-0 dengan Katalis Asam Dan Pengembangan Analisis Kemurnian Dengan HPLC (High Performance Liquid Chromatography).
- Da'i, M., 2008. Mekanisme molekuler aktivitas analog kurkumin pentagamavunon terhadap sel kanker payudara (T74D), *disertasi*, Universitas Gadjah Mada.
- Da'i, M., Meiyanto, E., dan Supardjan, 2004. Efek Antiproliferatif Pentagamavunon-O Terhadap Sel Myeloma: Atniproliferative Effect of Pentagamanunon-O on Myeloma Cells. *Sains Kesehatan*, **17**
- Da'i, M., Meiyanto, E., Supardjan, Jenie, U.A., dan Kawaichi, M., 2007b. Potensi Antiproliferative Analog Kurkumin Pentagamavunon Terhadap Sel Kanker Payudara T47D. *Artocarpus*, **7**.
- DeVita, V.T., Lawrence, T.S., dan Rosenberg, S.A., 2010. *Cancer: Principles and Practice of Oncology-Advances in Oncology*. Lippincott Williams & Wilkins.
- Fingleton, B., 2006. Matrix metalloproteinases: roles in cancer and metastasis. *Frontiers in Bioscience*, **11**: 479.
- Geho, D.H., Bandle, R.W., Clair, T., dan Liotta, L.A., 2005. Physiological Mechanisms of Tumor-Cell Invasion and Migration. *Physiology*, **20**: 194–200.
- Hanahan, D. dan Weinberg, R.A., 2011. Hallmarks of Cancer: The Next Generation. *Cell*, **144**: 646–674.
- Han, X., Pan, J., Ren, D., Cheng, Y., Fan, P., dan Lou, H., 2008. Naringenin-7-O-glucoside protects against doxorubicin-induced toxicity in H9c2 cardiomyocytes by induction of endogenous antioxidant enzymes. *Food and Chemical Toxicology: An International Journal Published for the British Industrial Biological Research Association*, **46**: 3140–3146.
- Hermawan, A., Fitriyani, A., Junedi, S., dan Ikawati, M., 2011. PGV-0 and PGV-1 Increased Apoptosis Induction of Doxorubicin on MCF-7 Breast Cancer Cells. *PHARMACON*, **12**: .
- Hirai, H., Roussel, M.F., Kato, J.Y., Ashmun, R.A., dan Sherr, C.J., 1995. Novel INK4 proteins, p19 and p18, are specific inhibitors of the cyclin D-dependent kinases CDK4 and CDK6. *Molecular and Cellular Biology*, **15**: 2672–2681.
- Holy, J.M., 2002. Curcumin disrupts mitotic spindle structure and induces micronucleation in MCF-7 breast cancer cells. *Mutation research. Genetic toxicology and environmental mutagenesis*, **518**: 71–84.
- Ikawati, M. dan Edy Meiyanto, D., 2008. 'Modulasi daur sel dan pemacuan apoptosis pada sel kanker kolon WiDr oleh perlakuan tunggal pentagama mavunon-0 dan kombinasinya dengan 5-fluorouracil'. Universitas Gadjah

Mada.

- Ismiyati, N., 2012. Peningkatan Aktivitas Sitotoksik Doxorubicin terhadap Sel Hela, Sel WiDr, Sel MCF-7, Dan Sel MCF-7/Dox oleh Kalium PGV-0 dan Penelusuran Mekanisme Molekuler pada Protein Kinase in Silico'. *Tesis*, Universitas Gadjah Mada.
- Istyastono, E.P., Utama, A.A., dan Supardjan, A.M., 2010. Synthesis New Potential Anti-Inflammatory Agent Sodium Salt of Pentagamavunon-0. *Indonesian Journal of Chemistry*, **4**: 180–185.
- Johnson, E., Seachrist, D.D., DeLeon-Rodriguez, C.M., Lozada, K.L., Miedler, J., Abdul-Karim, F.W., dkk., 2010. HER2/ErbB2-induced breast cancer cell migration and invasion require p120 catenin activation of Rac1 and Cdc42. *The Journal of Biological Chemistry*, **285**: 29491–29501.
- Kenny, H.A., Kaur, S., Coussens, L.M., dan Lengyel, E., 2008. The initial steps of ovarian cancer cell metastasis are mediated by MMP-2 cleavage of vitronectin and fibronectin. *The Journal of Clinical Investigation*, **118**: 1367–1379.
- Kolb, R.H., Greer, P.M., Cao, P.T., Cowan, K.H., dan Yan, Y., 2012. ERK1/2 Signaling Plays an Important Role in Topoisomerase II Poison-Induced G2/M Checkpoint Activation. *PLoS ONE*, **7**: e50281.
- Kunnumakkara, A.B., Diagaradjane, P., Anand, P., Harikumar, K.B., Kuzhuvilil, H.B., Deorukhkar, A., dkk., 2009. Curcumin sensitizes human colorectal cancer to capecitabine by modulation of cyclin D1, COX-2, MMP-9, VEGF and CXCR4 expression in an orthotopic mouse model. *International Journal of Cancer*, **125**: 2187–2197.
- Leu, T.-H., Su, S.L., Chuang, Y.-C., dan Maa, M.-C., 2003. Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity. *Biochemical Pharmacology*, **66**: 2323–2331.
- Lin, H.-J., Su, C.-C., Lu, H.-F., Yang, J.-S., Hsu, S.-C., Ip, S.-W., dkk., 2010. Curcumin blocks migration and invasion of mouse-rat hybrid retina ganglion cells (N18) through the inhibition of MMP-2, -9, FAK, Rho A and Rock-1 gene expression. *Oncology Reports*, **23**: .
- Lin, S.-S., Lai, K.-C., Hsu, S.-C., Yang, J.-S., Kuo, C.-L., Lin, J.-P., dkk., 2009. Curcumin inhibits the migration and invasion of human A549 lung cancer cells through the inhibition of matrix metalloproteinase-2 and -9 and Vascular Endothelial Growth Factor (VEGF). *Cancer Letters*, **285**: 127–133.
- Lu, J.-J., Cai, Y.-J., dan Ding, J., 2011. Curcumin induces DNA damage and caffeine-insensitive cell cycle arrest in colorectal carcinoma HCT116 cells. *Molecular and Cellular Biochemistry*, **354**: 247–252.
- Mackenzie, G.G., Queisser, N., Wolfson, M.L., Fraga, C.G., Adamo, A.M., dan Oteiza, P.I., 2008. Curcumin induces cell-arrest and apoptosis in association with the inhibition of constitutively active NF- κ B and STAT3 pathways in Hodgkin's lymphoma cells. *International Journal of Cancer*, **123**: 56–65.
- Matsuoka, S., Edwards, M.C., Bai, C., Parker, S., Zhang, P., Baldini, A., dkk., 1995. p57KIP2, a structurally distinct member of the p21CIP1 Cdk inhibitor family, is a candidate tumor suppressor gene. *Genes & Development*, **9**: 650–662.
- Meeran, S.M. dan Katiyar, S.K., 2008. Cell cycle control as a basis for cancer

- chemoprevention through dietary agents. *Frontiers in bioscience : a journal and virtual library*, **13**: 2191–2202.
- Meiyanto, E., Agustina, D., Supardjan, A.M., dan Da'i, M., 2007. PVG-O induces apoptosis on T47D breast cancer cells line through caspase-3 activation. *Jurnal Kedokteran Yarsi*, **15**: 075–079.
- Meiyanto, E., Putri, D.D.P., Susidarti, R.A., Murwanti, R., Sardjiman, null, Fitriasari, A., dkk., 2014. Curcumin and its analogues (PGV-0 and PGV-1) enhance sensitivity of resistant MCF-7 cells to doxorubicin through inhibition of HER2 and NF-kB activation. *Asian Pacific journal of cancer prevention: APJCP*, **15**: 179–184.
- Meiyanto, E., Supardjan, Da'i, M., dan Agustina, D., 2006. Efek Antiproliferatif Pentagamavunon-0 terhadap Sel Kanker Payudara T47D. *Jurnal Kedokteran Yarsi*, **14**: 011–015.
- Mrena, J., Wiksten, J., Nordling, S., Kokkola, A., Ristimäki, A., dan Haglund, C., 2006. MMP-2 but not MMP-9 associated with COX-2 and survival in gastric cancer. *Journal of Clinical Pathology*, **59**: 618–623.
- Mukhopadhyay, A., Basu, N., Ghatak, N., dan Gujral, P.K., 1982. Anti-inflammatory and irritant activities of curcumin analogues in rats. *Agents and Actions*, **12**: 508–515.
- Murray, A.W., 2004. Recycling the Cell Cycle: Cyclins Revisited. *Cell*, **116**: 221–234.
- Nitiss, J.L., 2009. Targeting DNA topoisomerase II in cancer chemotherapy. *Nature reviews. Cancer*, **9**: 338–350.
- Nurulita, N.A., Meiyanto, E., Sugiyanto, Matsuda, E., dan Kawaichi, M., 2012. Gynura procumbens modulates the microtubules integrity and enhances distinct mechanism on doxorubicin and 5-fluorouracil-induced breast cancer cell death. *Oriental Pharmacy and Experimental Medicine*, **12**: 205–218.
- Oda, Y., 1995. Inhibitory effect of curcumin on SOS functions induced by UV irradiation. *Mutation Research*, **348**: 67–73.
- Omi, Y., Shibata, N., Okamoto, T., Obara, T., dan Kobayashi, M., 2009. Immunohistochemical Demonstration of Membrane-bound Prostaglandin E2 Synthase-1 in Papillary Thyroid Carcinoma. *Acta Histochemica et Cytochemica*, **42**: 105–109.
- O'Sullivan-Coyne, G., O'Sullivan, G.C., O'Donovan, T.R., Piwocka, K., dan McKenna, S.L., 2009. Curcumin induces apoptosis-independent death in oesophageal cancer cells. *British Journal of Cancer*, **101**: 1585–1595.
- Park, C., Kim, G.Y., Kim, G.D., Choi, B.T., Park, Y.-M., dan Choi, Y.H., 2006. Induction of G2/M arrest and inhibition of cyclooxygenase-2 activity by curcumin in human bladder cancer T24 cells. *Oncology Reports*, **15**: 1225–1231.
- Parri, M. dan Chiarugi, P., 2010. Rac and Rho GTPases in cancer cell motility control. *Cell communication and signaling: CCS*, **8**: 23.
- Pecorino, L., 2012. *Molecular Biology of Cancer: Mechanisms, Targets, and Therapeutics*, 3 edition. ed. OUP Oxford.
- Porter, D.C., Zhang, N., Danes, C., McGahren, M.J., Harwell, R.M., Faruki, S., dkk., 2001. Tumor-Specific Proteolytic Processing of Cyclin E Generates

- Hyperactive Lower-Molecular-Weight Forms. *Molecular and Cellular Biology*, **21**: 6254–6269.
- Prasad, C.P., Rath, G., Mathur, S., Bhatnagar, D., dan Ralhan, R., 2009. Potent growth suppressive activity of curcumin in human breast cancer cells: Modulation of Wnt/ β -catenin signaling. *Chemico-Biological Interactions*, **181**: 263–271.
- Pulaski, B.A. dan Ostrand-Rosenberg, S., 2001. Mouse 4T1 breast tumor model. *Current Protocols in Immunology / Edited by John E. Coligan ... [et Al.]*, **Chapter 20**: Unit 20.2.
- Rachman, F. dan Purnami, S.W., 2012. Perbandingan Klasifikasi Tingkat Keganasan Breast Cancer Dengan Menggunakan Regresi Logistik Ordinal Dan Support Vector Machine (SVM). *Jurnal Sains dan Seni ITS*, **1**: D130–D135.
- Sahu, R.P., Batra, S., dan Srivastava, S.K., 2009. Activation of ATM/Chk1 by curcumin causes cell cycle arrest and apoptosis in human pancreatic cancer cells. *British Journal of Cancer*, **100**: 1425–1433.
- Sandur, S.K., Ichikawa, H., Pandey, M.K., Kunnumakkara, A.B., Sung, B., Sethi, G., dkk., 2007. Role of pro-oxidants and antioxidants in the anti-inflammatory and apoptotic effects of curcumin (diferuloylmethane). *Free Radical Biology and Medicine*, **43**: 568–580.
- Schafer, J.M., Lee, E.S., O'Regan, R.M., Yao, K., dan Jordan, V.C., 2000. Rapid development of tamoxifen-stimulated mutant p53 breast tumors (T47D) in athymic mice. *Clinical Cancer Research: An Official Journal of the American Association for Cancer Research*, **6**: 4373–4380.
- Serajuddin, A.T.M., 2007. Salt formation to improve drug solubility. *Advanced Drug Delivery Reviews*, , Drug Solubility: How to Measure it, How to Improve it **59**: 603–616.
- Sherr, C.J., 1996. Cancer Cell Cycles. *Science*, **274**: 1672–1677.
- Sugiyama, T. dan Sadzuka, Y., 1999. Combination of Theanine with Doxorubicin Inhibits Hepatic Metastasis of M5076 Ovarian Sarcoma. *Clinical Cancer Research*, **5**: 413–416.
- Supardjan, M.A., dan Verawati, E.Y., 2005, Sintesis Kalium Pentagamavunonat-0 Menggunakan Kalium Hidroksida dengan Pelarut Tetrahidrofur-an-Etanol, *MFI*, **16**(4):239-245.
- Tacar, O., Sriamornsak, P., dan Dass, C.R., 2013. Doxorubicin: an update on anticancer molecular action, toxicity and novel drug delivery systems. *Journal of Pharmacy and Pharmacology*, **65**: 157–170.
- Tennesen, H.H. dan Greenhill, J.V., 1992. Studies on curcumin and curcuminoids. XXII: Curcumin as a reducing agent and as a radical scavenger. *International Journal of Pharmaceutics*, **87**: 79–87.
- Tewey, K.M., Rowe, T.C., Yang, L., Halligan, B.D., dan Liu, L.F., 1984. Adriamycin-induced DNA damage mediated by mammalian DNA topoisomerase II. *Science*, **226**: 466–468.
- Tsvetkov, P., Asher, G., Reiss, V., Shaul, Y., Sachs, L., dan Lotem, J., 2005. Inhibition of NAD(P)H:quinone oxidoreductase 1 activity and induction of p53 degradation by the natural phenolic compound curcumin. *Proceedings of*

- the National Academy of Sciences of the United States of America*, **102**: 5535–5540.
- Van Engeland, M., Ramaekers, F.C.S., Schutte, B., dan Reutelingsperger, C.P.M., 1996. A novel assay to measure loss of plasma membrane asymmetry during apoptosis of adherent cells in culture. *Cytometry*, **24**: 131–139.
- Verma, S.P., Goldin, B.R., dan Lin, P.S., 1998. The inhibition of the estrogenic effects of pesticides and environmental chemicals by curcumin and isoflavonoids. *Environmental Health Perspectives*, **106**: 807–812.
- Vinod, B.S., Antony, J., Nair, H.H., Puliappadamba, V.T., Saikia, M., Shyam Narayanan, S., dkk., 2013. Mechanistic evaluation of the signaling events regulating curcumin-mediated chemosensitization of breast cancer cells to 5-fluorouracil. *Cell Death & Disease*, **4**: e505.
- Vries, E.G.E. de, Gietema, J.A., dan Jong, S. de, 2006. Tumor Necrosis Factor–Related Apoptosis-Inducing Ligand Pathway and Its Therapeutic Implications. *Clinical Cancer Research*, **12**: 2390–2393.
- Wilken, R., Veena, M.S., Wang, M.B., dan Srivatsan, E.S., 2011. Curcumin: A review of anti-cancer properties and therapeutic activity in head and neck squamous cell carcinoma. *Molecular Cancer*, **10**: 12.
- Yodkeeree, S., Ampasavate, C., Sung, B., Aggarwal, B.B., dan Limtrakul, P., 2010. Demethoxycurcumin suppresses migration and invasion of MDA-MB-231 human breast cancer cell line. *European Journal of Pharmacology*, **627**: 8–15.
- Yoysungnoen, P., Wirachwong, P., Bhattarakosol, P., Niimi, H., dan Patumraj, S., 2006. Effects of curcumin on tumor angiogenesis and biomarkers, COX-2 and VEGF, in hepatocellular carcinoma cell-implanted nude mice. *Clinical Hemorheology and Microcirculation*, **34**: 109–115.
- Zampieri, L., Bianchi, P., Ruff, P., dan Arbuthnot, P., 2002. Differential modulation by estradiol of P-glycoprotein drug resistance protein expression in cultured MCF7 and T47D breast cancer cells. *Anticancer Research*, **22**: 2253–2259.