

## DAFTAR PUSTAKA

- Actis-Goretta, L., Ottaviani, J.I., and Fraga, C.G., Inhibition of Angiotensin Converting Enzyme Activity by Flavonol-Rich Foods, *J. Agric.Food Chem.*, 2006;54:229-234.
- Al Shukor, N., van Camp, J., Gonzales, G.B., Staljanssens, D., Struijs, K., Zotti, M.J., Raes, K., and Smagghe, G., Angiotensin-Converting Enzyme Inhibitory Effects by Plant Phenolic Compounds: A Study of Structure Activity Relationships, *J. Agric. Food Chem.*, 2013; 61(48): 11832-11839.
- Anam, E.M., Cyanogenic and non-cyanogenic glycosides from *Manihot esculenta* (Euphorbiaceae), *Indian Journal of Chemistry*, 2009;48B:423-429.
- Asif, M., and Khodadadi, E., Medicinal uses and chemistry of flavonoid contents of some common edible tropical plants, *Journal of Paramedical Sciences*, 2013;Vol.4, No.3:119-38.
- Atanassova, M., and Bagdassaria, V., Rutin Content In Plant Products, *Journal of the University of Chemical Technology and Metallurgy*, 2009;44(2): 201-203.
- Backer, C.A., and van den Brink, R.C.B., 1965, *Flora of Java (Spermatophytes Only)*, Vol.I, N.V.P. Noordhoff-Groningen, Netherlands. p.496.
- Atlas, S.A., The Renin-Angiotensin Aldosterone System: Pathophysiological Role and Pharmacologic Inhibition, *Journal of Managed Care Pharmacy*, 2007;13(8)(suppl S-b):S9-S20.
- Belović, M., Ilić, N.M., Tepić, A.N., Šumić, Z.M., Selection of Condition for Angiotensin-Converting Enzyme Inhibition Assay: Influence of Sample Preparation and Dapar, *Food and Feed Research*, 2013;40(1):11-15.
- Blainski, A., Lopes, G.C., and de Mello, J.C.P., Application and Analysis of the Folin Ciocalteu Method for the Determination of the Total Phenolic Content from *limonium Brasiliense* L., *Molecules*, 2013;18:6852-6865, ISSN:1420-3049.
- Braithwaite, A. & Smith, F.J., 1999, *Chromatographic Methods* 5<sup>th</sup> Edition, Kluwer academic Press, Dordrecht, The Netherlands. p. 44-80.
- Brown, N.J., Vaughan, D.E., Angiotensin-Converting Enzyme Inhibitors, *American Heart Association, Circulation*, 1998;97:1411-1420.

- Carey, H.M., Siragy, R.M., Newly recognized components of the renin-angiotensin system: potential roles in cardiovascular and renal regulation, *Endocrine Reviews*, 2003;24(3):261-271. ISSN:1945-7189.
- Chen, Zhen-Yu, Peng, C., Jiao, R., Wong, Y.M., Yang, N., Huang, Y., Anti-hypertensive Nutraceuticals and Functional Foods, *J.Agric.Food Chem*, 2009; 57: 4485-4499.
- Chobanian, A.V.; Bakris, G.L.; Black, H.R.; Cushman, W.C.; Green, L.A.; Izzo, J.L.; Jones, D.W.; Materson, B.J.; Oparil, S.; Wright, J.T.; Roccella, E.J, Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure, *Hypertension*, 2003;42:1206–1252.
- Chun, O.K., Kim, D., Lee, C.Y., Superoxide Radical Scavenging Activity of the Major Polyphenols in Fresh Plums, *J.Agric.Food Chem.*, 2003;51:8067-8072.
- Cushman, D.W., and Cheung, H.S., Spectrometric assay and the properties of the angiotensin-converting enzyme of rabbit lung, *Biochemical Pharmacology*, 1971;20(7):1637-1648.
- Depkes RI, 1995, *Farmakope Indonesia*, Edisi IV, Departemen Kesehatan Republik Indonesia, Jakarta. p.1065.
- Direktorat Pengawasan Obat Tradisional, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Depkes RI, Dirjen POM, Jakarta.
- DiPiro, J. T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G. and Posey, L.M, 2005, *Pharmacotherapy: A Pathophysiologic Approach*, 6th edition, The McGraw-Hill Companies, Inc, New York. p. 185-260.
- DiPiro, J.T., Wells, B.G., Schwinghammer, T.L., DiPiro, C.V., 2009, *Pharmacotherapy Handbook*, 7<sup>th</sup> edition, The McGraw-Hill Companies, Inc, New York. p. 111-129.
- Ebuehi, O.A.T., Babalola, O., Ahmed, Z., Phytochemical, nutritive and anti-nutritive composition of cassava (*Manihot Esculenta* L) tubers and leaves, *Nigerian Food Journal*, 2005; 23(1): 40-46.
- Fuchs, S., Hong, D.X., Hubert, C., Michaud, A., Campbell, D.J., Adams, J.W., Capecechi, M.R., Corvol, P., Bernstein, K.E., Angiotensin-Converting Enzyme C-Terminal Catalytic Domain Is the Main Site of Angiotensin I Cleavage In Vivo, *American Heart Association, Hypertension*, 2008;51:267-274, ISSN:1524-4563.

- Gritter, R.J., Bobbit, J.M. & Schwatring, 1991, *Introduction to Chromatography*, diterjemahkan oleh Padmawinata, Edisi II, Penerbit ITB, Bandung. p 107-157.
- Guan-Hong Li, Huan Liu, Yong-Hui Shi, Guo-Wei Le, Direct Spectrophotometric Measurement of Angiotensin I-converting Enzyme Inhibitory Activity for Screening Bioactive Peptides. *Journal of Pharmacology and Biomedical Analysis*, 2005;37:219-224.
- Guererro, L., Castillo, J., Quinones, M., Garcia-Vallve, S., Arola, L., Pujadas, G., Muguerza, B., 2012, Inhibition of Angiotensin-Converting Enzyme Activity by Flavonoids : Structure-Activity Relationship Studies, *PLoS ONE* 7(11): e49493. doi:10.1371/journal.pone.0049493.
- Gupta, N., Chauhan, R.S., Pradhan, J.K., 5.Rutin : A bioactive flavonoid, *Handbook of Medicinal Plant and their Bioactive Compounds*, 2014: 51-57.
- Kemenkes RI, 2013, *Riset Kesehatan Dasar Tahun 2013*, Departemen Kesehatan Republik Indonesia, Jakarta.
- Khopkar, S.M., 2002, *Konsep Dasar Kimia Analitik*, Penerbit Universitas Indonesia, Jakarta.
- Kumar, R., Kumar, A., Sharma, R., and Baruwa, A., Pharmacological review on Natural ACE inhibitors, *Der Pharmacia Lettre*, 2010;2(2):273-293.
- Kumar, S., and Pandey, A. K., Chemistry and Biological Activities of Flavonoids: An Overview, *The Scientific World Journal*, 2013;ID162750.
- Laragh, J.H., Baer, L., Brunner, H.R., Buhler, F.R., Vaughan, J.E., Renin, angiotensin and aldosterone system in pathogenesis and management of hypertensive vascular disease, *American Journal of Medicine*, 1972;52(5):633-652.
- Loh, S.P., and Hadira, O., *In vitro* Inhibitory Potential of Selected Malaysian Plants Against Key Enzymes Involved in Hyperglycemia and Hypertension, *Mal J Nutr*, 2011;17(1):77-86.
- Markham, K.R., 1988, *Cara mengidentifikasi flavonoid*, Penerbit ITB, Bandung.
- Mongkolsilp, S., Pongbupakit, I., Sae-Lee, N., Sitthithaworn, W., Radikal Scavenging Activity and Total Phenolic Content of Medicinal Plants Used in Primary Health Care, *SWU J Pharm Sci*, 2004;9(1):32-35.
- Naidu, M.R.L., Jana, S., Babu, S.M., Antihypertensive Effect of Rutin Hydrate in L-NAME Induced Hypertensive *Sprague Dawley* Rats, *International*

*Journal of Pharmacy and Bio Sciences*, 2013;2(6):151-161, ISSN:2319-8141.

Oh, H., Kang, D.G., Kwon, T.O., Jang, K.K., Chai, K.Y., Yun, Y.G., Chung, H.T., Lee, H.S., Four glycosides from the leaves of *Abeliophyllum distichum* with inhibitory effects on angiotensin converting enzyme, *Phytotherapy Research*, 2003;17(7):811-813.

Oviasogie, P.O., Okoro, D., and Ndiokwere, C.L., Determination of total phenolic amount of some edible fruits and vegetables, *African Journal of Biotechnology*, 2009;8(12):2819-2820.

Paech, M.J., and Tracey, M.V., 1955, *Moderne Methoden der Pflanzen Analyse/ Modern Methods of Plant Analysis*, Vol.3, Springer Berlin Heidelberg, Berlin. p.473.

Pereira, D.M., Valentão, P., Pereira, J.A., Andrade, P.B., Phenolics: From Chemistry to Biology, *Molecules*, 2009;14:2202-2211, ISSN:1420-3049.

Prior, R.L., Wu, X., Schaich, K., Standardized Methods for the Determination of Antioxidant Capacity and Phenolics in Food and Dietary Supplements, *J. Agric. Food Chem*, 2005;53:4290-4302.

Richardson, K.V.A., Quality Characteristics, Root Yield and nutrient Composition of six Cassava (*Manihot esculenta* Crantz) Varieties, *Gladstone Road Agricultural Centre Crops Research Report*, 2013;No.18.

Rohman, R., Riyanto, S., Yuniarti, N., Saputra, W.R., Utami, R., and Mulatsih, W., Antioxidant activity, total phenolic, and total flavonoid of extracts and fractions of red fruit (*Pandanus conoideus* Lam), *International Food Research Journal*, 2010; 17: 97-106.

Saeed, N., Khan, M.R., and Shabbir, M., Antioxidant activity, total phenolic and total flavonoid contents of whole plant extracts *Torilis letophylla* L., *BMC Complementary and Alternative Medicine*, 2012; 12: 221-212.

Salawu, O.S., Innocenti, M., Giaccherini, C., Akindahunsi, A. A., Mulinacci N., Phenolic Profiles of Four Processed Tropical Green Leafy Vegetables Commonly Used as Food, *Natural Products Communication*, 2008; 3(12): 2043-2048.

Salawu, O.S., Akindahunsi, A.A., Sanni, D.M., Decorti, G., Cvorovic, J., Tramer, F., Passamonti, S., and Mulinacci, N., Cellular antioxidant activities and cytotoxic properties of ethanolic extracts of four tropical green leafy vegetables, *African Journal of Food Science*, 2011; 5(4): 267 – 275.

- Sastrohamidjojo, H., 1991, *Spektroskopi*, Liberty, Yogyakarta. p.11-12.
- Schneider, G., 1985, *Pharmazeutische Biologie*, Bibliographisches Institut, Wissenschaftsverlag. p.291.
- Sendón, J.L., Swedberg, K., McMurray, J., Tamargo, J., Maggioni, A.P., *et.al.*, The Task Force on ACE-inhibitors of the European Society of Cardiology, Expert Consensus document on angiotensin converting enzyme inhibitors in cardiovascular disease, *European Heart Journal*, 2004; 25: 1454-1470.
- Sharma, S., Ali, A., Ali, J., Sahni, J. K., Baboota, S., Rutin : therapeutic potential and recent advances in drug delivery, *Expert Opin Investig Drugs*, 2013; 22: 1063-1079.
- Stahl, E., 1985, *Analisis Obat secara Kromatografi dan Mikroskopi*, Penerbit ITB, Bandung.
- Sweitzer, N.K., What Is an Angiotensin Converting Enzyme Inhibitor?, *American Heart Association, Circulation*, 2003;108:e16-e18.
- Syamsuhidayat, S.S., dan Hutapea, J.R., 1991, *Inventaris Tanaman Obat Indonesia (I)*, Depkes RI, Jakarta.
- Tapas, A.R., Sarkarkar, D.M., Kakde, R.B., Flavonoid as Nutraceuticals: A Review, *Tropical Journal of Pharmaceutical Research*, 2008; 7(3): 1089-1099.
- Tsumbu, C.N., Deby-Dupont, G., Tits, M., Angenot, L., Franck, T., Serteyn, D. and Mouthys-Mickland, A., Antioxidant and Antiradical Activities of *Manihot esculenta* Crantz (Euphorbiaceae) Leaves and Other Selected Tropical Green Vegetables Investigated on Lipoperoxidation and Phorbol-12-myristate-13-acetate (PMA) Activated Monocytes, *Nutrients*, 2011; 3: 818-838. ISSN 2072-6643.
- Tursiman, Ardiningsih, P., Nofiani, R., Total Fenol Fraksi Etil Asetat dari Buah Asam Kandis (*Garcinia dioica* Blume), *JKK*, 2012; 1(1): 45-48. ISSN 2303-1077.
- Ueno, H., Horie, S., Nishi, Y., Shogawa, H., Kawasaki, M., Suzuki, S., Hayashi, T., Arisawa, M., Shimizu, M., Yoshizaki, M., Morita, N., Chemical and Pharmaceutical Studies on Medicinal Plants in Paraguay, Geraniin, an Angiotensin-Converting Enzyme Inhibitor from "Paparai Mi", *Phyllanthus niruri*, *Journal of Natural Products*, 1988; 51(2): 357-359.
- van Steenis, C.G.G.J., 1975, *Flora untuk sekolah di Indonesia*, Pradnya Paramita, Jakarta.

WHO, 2013, *A global brief on Hypertension*, World Health Organization Press, Geneva.

Wobeto, C., Correa, A.D., de Abreu, C.M.P., dos Santos, C.D., de Abreu, J.R., Nutrients in the Cassava (*Manihot esculenta* Crantz) Leaf Meal at Three Ages of the Plant, *Ciênc. Tecnol.Aliment.*, Campinas, 2006;26(4): 865-869.