

DAFTAR PUSTAKA

- [1] X. Li and J. Wen, "Review of building energy modeling for control and operation," *Renew. Sustain. Energy Rev.*, vol. 37, pp. 517–537, 2014.
- [2] Nehrir, M., Dkk. "A Review of Hybrid Renewable / Alternative Energy Systems for Electric Power Generation: Configurations, Control, and Applications." *IEEE Transactions on Sustainable Energy*, Vol.2, pp.392-403, 2011.
- [3] NEI "Monthly fuel cost to US Electric Utilities." available from. <http://www.nei.org/Knowledge-Center/Nuclear-Statistics/Costs-Fuel-Operation,-Waste-Disposal-Life-Cycle/Monthly-Fuel-Cost-to-US-Electric-Utilities>. Accessed October 25, 2014.
- [4] ESDM, PDI." Kajian Supplay Demand Energy." *Kementrian Energi dan Sumber Daya Mineral*, Vol.-, pp.15, 2012.
- [5] Bakos, G., dan Soursos, M." Technical feasibility and economic viability of a grid-connected PV installation for low cost electricity production." *Energy and Buildings*, Vol.34, pp.753-758, 2002.
- [6] Dalton, G.J., Dkk. "Feasibility analysis of stand-alone renewable energy supply options for a large hotel." *Renewable Energy*, Vol.33, pp.1475–1490, 2008.
- [7] Dalton, G.J., Dkk. "Feasibility analysis of renewable energy supply options for a grid-connected large hotel." *Renewable Energy*, Vol.34, pp.955–964, 2009.
- [8] Shahinzadeh,H., Dkk."Technical and economic study for use the Photovoltaic systems for electricity supply in Ishafan Museum Park." *IJSTR*, Vol.2, pp.1-9, 2013.
- [9] Giriantari, IAD., Dkk. "Economic Cost Study of Photovoltaic Solar System for Hotel in Nusa Lembongan." *International Corference on Smart Green Technology in Electrical and Information Systems (ICSGTEIS)*, no. 3, pp. 13–16, 2014.
- [10] Fazelpour, Farifar, *et al.* "Feasibility of Satisfying Electrical Energy needs with Hybrid Systems for a Medium Size Hotel on Kish Island, Iran." *Energy*, Vol 73, pp. 856-865, 2014.
- [11] Upadhyay,S. dan Sharma, M.P. "A review on configuration, control and sizing methodologies of hybrid energy systems." *Renewable and Sustainable Energy Reviews*, Vol 38, pp. 47-63, 2014.
- [12] Sinha, S. dan Chandel, S. "A Review of software tools for hybrid energy systems." *Renewable and Sustainable Energy Reviews*, Vol 32, pp. 192-205, 2014.

- [13] Aris Kornelakis, "Multiobjective Particle Swarm Optimization for the optimal design of photovoltaic grid-connected systems," *Solar Energy*, vol. 84, no. 12, December, pp. 2022–2033, 2010.
- [14] J. Kennedy and R. Eberhart, "Particle swarm optimization," in *IEEE International Conference on Neural Networks, 1995. Proceedings.*, vol.4, Perth, WA, pp. 1942 – 1948, 1995.
- [15] H.H. Fard, S.M.M. Tafreshi, and S.M. Hakimi, "Optimization of grid-connected microgrid consisting of PV/FC/UC with considered frequency control," in *Turkish Journal of Electrical Engineering & Computer Sciences.*, Turki, 2013.
- [16] Mahmud, Nasif, *et al.* "Modeling and Cost Analysis of Hybrid Energy System for St. Martin Island using HOMER." *IEEE*, Vol.-, pp.-, 2013.
- [17] Ghasemi, A., Dkk. "Techno-Economic analysis of stand-alone hybrid photovoltaic-diesel-battery system for rural electrification in eastern part of Iran-A step toward sustainable rural development." *Renewable and Sustainable Energy Reviews*, Vol.28, pp. 456-462, 2013
- [18] Kaldellis, J. Dkk. "Optimum PV-diesel hybrid systems for remote consumers of the Greek territory." *Applied Energy*, Vol.97, pp.61-67, 2012.
- [19] Khelif, A., *et al.* "Feasibility study of hybrid Diesel – PV power plants in the southern of Algeria: Case study on AFRA power plant." *Electrical Power and Energy Systems*, Vol.43, pp. 546-553, 2012.
- [20] Shaahid, S. and Elhadidy, M., "Economic Analysis of Hybrid Photovoltaic-Diesel-Baterai Power Systems for Residential Loads in Hot Regions – A step to Clean Future." *Renewable and Sustainable Energy Reviews*, Vol.12, pp. 488-503, 2008.
- [21] Ghaem, S. Dkk." Modeling and control strategy of a hybrid PV/Wind/Engine/Battery system to provide electricity and drinkable water for remote applications." *(ISES) Solar World Congress, Energy Procedia*, Vol.57, pp.1401-1410, 2014.
- [22] Kusakana, K., and H.J. Vermaak. "Hybrid Diesel Generator - Battery Systems for Offgrid Rural Applications." *In 2013 IEEE International Conference on Industrial Technology (ICIT)*, Vol 839–44, 2013.
- [23] Bakos, G., dan Soursos, M." Technical feasibility and economic viability of a grid-connected PV installation for low cost electricity production." *Energy and Buildings*, Vol.34, pp.753-758, 2002.
- [24] M. Amer, A. Namaane, and N. K. M. Sirdi, "Optimization of Hybrid Renewable Energy Systems (HRES) Using PSO for Cost Reduction," *Energy Procedia*, vol. 42, pp. 318–327, 2013.
- [25] Khatib, T., Dkk." Optimization Of A PV/Wind Micro-Grid For Rural Housing Electrification Using A Hybrid Iterative / Genetic Algorithm : Case Study Of

- Kuala Terengganu, Malaysia." *Energy and Buildings*, Vol.47, pp.321-331, 2012.
- [26] Dufo-lópez, R. Dkk." Multi-Objective Optimization Minimizing Cost And Life Cycle Emissions Of Stand-Alone PV-Wind-Diesel Systems With Batteries Storage." *Applied Energy*, Vol.88, pp.4033-4041, 2011.
- [27] Sharafi, M dan Elmekawy, T." Multi-objective optimal design of hybrid renewable energy systems using PSO-simulation based approach." *Renewable Energy*, Vol.68, pp.67-79, 2014.
- [28] L. Zhang, G. Barakat, and A. Yassine, "Design and optimal sizing of hybrid PV/wind/diesel system with battery storage by using DIRECT search algorithm ," in *15th International Power Electronics and Motion Control Conference (EPE/PEMC), 2012* , Novi Sad, pp. DS3b.19-1 - DS3b.19-7, 2012.
- [29] A.K. Bansal, R. Kumar, and R.A. Gupta, "Economic Analysis and Power Management of a Small Autonomous Hybrid Power System (SAHPS) Using Biogeography Based Optimization (BBO) Algorithm," *IEEE Transactions on Smart Grid.*, vol. 4, no. 1, March, pp. 638 – 648, 2013.
- [30] Daming Xu and Longyun Kang, "Ant Colony Optimization of Off-grid Renewable Energy Systems," in *35th International Telecommunications Energy Conference 'Smart Power and Efficiency' (INTELEC), Proceedings of 2013*, Hamburg, Germany, pp. 1 – 6, 2013.
- [31] Bull, S."Renewable Energy Today and Tomorrow." *Proceeding of the IEEE*: Vol.89, pp. 1216-1226, 2001.
- [32] Jumina dan Wijaya, K."Renewable Energy Resources." PSE UGM, available from : <http://pse.ugm.ac.id/?p=377>. Accessed February 10, 2015.
- [33] M., Carlos, *et al.*"Practical Method to Estimate Energy Potential Generated by Photovoltaic cells:Practice Case at Merida City." *Energy Procedia (ISES Solar World Congress)*, Vol. 57, pp. 245-254, 2013.
- [34] Wang, Y., Dkk." Cost and CO2 reductions of solar photovoltaic power generation in China: Perspectives for 2020." *Renewable and Sustainable Energy Reviews*, Vol.39, pp.370-380, 2014.
- [35] A.K. Raja, Amit Prakash Srivastava, and Manish Dwivedi, "Power Plant Engineering". New Delhi, India: *New Age International Publisher*, 2006.
- [36] Bajpai, P. dan Dash, V."Hybrid Renewable Energy systems for Power Generation in Stand-alone Applications : A Review." *Renewable and Sustainable Energy Reviews*, Vol 16, pp. 2926-2939, 2012.
- [37] Luna-Rubio, R., Dkk." Optimal sizing of renewable hybrids energy systems: A review of methodologies." *Solar Energy*, Vol.86, pp. 1077-1088, 2012.

- [38] SEIA.” *Photovoltaic Solar Technology.*” available from: <http://www.seia.org/policy/solar-technology/photovoltaic-solar-electric>. Accessed at March 07, 2013.
- [39] Samlexsolar.”*The Difference between Solar Cell, Modul and Array.*” Available from; <http://www.samlexsolar.com/learning-center/solar-cell-modul-array.aspx>. Accessed at March 19, 2015
- [40] Zahedi, A. “Solar Photovoltaic (PV) Energy; Latest Developments in the Building Integrated and Hybrid PV Systems.” *Renewable Energy*, Vol.31, pp: 711–718, 2006.
- [41] Schmid, J., “Real Energy Production of Residential Photovoltaic Systems”. *Domestic Use of Electrical Energy Conference*, -, -, 134-137,-.
- [42] Fraunhofer Institute for Solar Energy System s ISE, and team. “World Record Solar Cell with 44,7% Efficiency.” *Press Release*, No.22/13, pp.1-6, 2013.
- [43] Ribeiro, P., Dkk.” Energy Storage Systems for Advanced Power Applications.” *Proceeding of the IEEE*, Vol.89, pp.1774-1756, 2001.
- [44] Li, Xiwang and Wen, Jin. “Review of building energy modeling for control and operation.” *Renewable and Sustainable Energy Reviews*, Vol.37, pp.517-537, 2014.
- [45] Bruch, M. and Müller, M. “Calculation of the Cost-Effectiveness of a PV Battery System.” *Energy Procedia*, Vol.46, pp.262-270, 2014.
- [46] Mcdowatl, J. “Conventional Battery Technologies; Present & Future.” *IEEE*, Vol.00, pp.1538-1540, 2000.
- [47] G. A. Rampinelli, A. Krenzinger, and F. C. Romero, “Mathematical models for efficiency of inverters used in grid connected photovoltaic systems,” *Renew. Sustain. Energy Rev.*, vol. 34, pp. 578–587, 2014.
- [48] S.M.M. Tafreshi and S.M. Hakimi, "Optimal sizing of a stand-alone hybrid power system via particle swarm optimization (PSO)," in *International Power Engineering Conference, 2007. IPEC 2007.*, Singapore, , pp. 960 – 965, 2007
- [49] K. Yasuda, A. Ide, and N. Iwasaki, "Adaptive particle swarm optimization," in *IEEE International Conference on Systems, Man and Cybernetics, 2003.*, vol. 151, pp. 1554 – 1559, 2003.
- [50] Singiresu S. Rao, “Engineering Optimization, Theory and Practice,” New York : JohnWiley & Sons., 4th edition, 2009.
- [51] Republik Indonesia , Kementrian PU. “Peta/Jaringan Jalan Provinsi Sumatera Utara.” Available from: <http://loketpeta.pu.go.id/peta/jaringan-jalan-provinsi-sumatera-utara/>. Accessed November 02, 2014.

- [52] PT.PLN.”Statistik PLN 2013.” Available from: <http://www.pln.co.id/dataweb/STAT/STAT2013IND.pdf>. Accessed at February 15, 2015.
- [53] Alibaba. “ 250kW/500kW Inverter.” Available from: <http://indonesian.alibaba.com/product-gs/250kw-500kw-on-grid-solar-inverter-for-mw-power-plant-60158161026.html>. Accessed at March 03, 2015.
- [54] Pvinfosights. “Solar PV module Weekly Spot Price.” Available from: <http://pvinsights.com/>. Accessed at March 03, 2015.
- [55] Batterystuff. “*Trc jan 2v 1110 AH Deep Cycle Premium Line Flooded Battery –L16RE-2V.*” Available from: <http://www.batterystuff.com/batteries/pv-solar/flooded/l16re-2v.html>. Accessed at March 19 ,2015.
- [56] R. P. Saini and M. P. Sharma, “Sizing of integrated renewable energy system based on load profiles and reliability index for the state of Uttarakhand in India,” *Renewable Energy*, vol. 36, no. 11, pp. 2809–2821, 2011.