

DAFTAR PUSTAKA

- Adhani, G., Bouono, A. & Faqih, A., 2013. Support Vector Regression Modelling for Rainfall Prediction in Dry Season Based on Southern Oscillation Index and NINO3.4. *ICACSYS 2013*, pp. 315-320.
- Alen, C. D. et al., 2010. A Global View of Drought and Heat-Induced Tree Mortality Reveals Emerging Climate Change Risk for Forest. *Elsevier Forest Ecology and Management* 259, pp. 660-684.
- Alen, R. G., Pereira, L. S., Raes, D. & Smith, M., 1998. Crop Evapotranspiration (Guidelines for Computing Crop Water Requirements). In: *Irrigation and Drain Paper 56*. Rome: FAO.
- Andrianto, A., 2012. *Mengatasi Kekeringan di Dieng*. [Online] Available at: <http://www.tempo.com> [Accessed 30 Mei 2014].
- Badan Pusat Statistik, 2013. *Jumlah Rumah Tangga Usaha Hortikultura dan Jumlah/Luas Tanam Hortikultura Strategis Menurut Wilayah, Jawa Tengah*. [Online] Available at: <http://st2013.bps.go.id/>
- Badan Pusat Statistik, 2013. *Luas Panen Produksi dan Produktivitas Kentang, 2019-2013*. [Online] Available at: <http://www.bps.go.id> [Accessed 30 Mei 2014].
- Bamutaze, Y. et al., 2010. Infiltration characteristics of volcanic sloping soils on Mt. Elgon, Eastern Uganda. *Catena* 80, pp. 122-130.
- Banjarnegara, B., 2013. *Banjarnegara dalam Angka 2013*. [Online] Available at: <http://banjarnegarakab.bps.go.id/>
- Barry, L., 2002. *Farm Dams Planning Construction and Maintenance*,. Australia: Landlinks Press.
- Bates, B. C., Kundzewicz, Z. W. & Palukitof, J. P., 2008. *Climate Change and Water. Technical paper of the Intergovernmental Panel on Climate Change*, Geneva: IPCC Secretariat.
- Belayneh, A., Adamowski, J., Khalil, B. & Ozga-Zielinski, B., 2014. Long-term SPI Drought Forecasting in Awash River Basin in Ethiopia using Wavelet Neural Network and Wavelet Support Vector Regression Models. *Journal of Hydrology* 508, pp. 418-429.
- Boling, A., Toung, T. P., Jatmiko, S. Y. & Burac, M. A., 2004. Yield Constraints of Rainfed Rice in Central Java, Indonesia. *Elsevier Field Crops Research* 90, pp. 351-360.
- BOM (Bureau of Meteorology) Australia, n.d. *S.O.I. (Southern Oscillation Index) Archives 1876 to present*. [Online]

- Available at: <http://www.bom.gov.au/climate/current/soihtm1.shtml>
[Accessed 28 Mei 2015].
- Bryant, E., 2005. *Natural Hazard*. Australia: BPA Print Group.
- Caraway, N., McCreight, J. & Rajagopalan, B., 2014. Multisite stochastic weather generation using cluster analysis and k-nearest neighbor time series resampling. *Journal of Hydrology* 508, pp. 197-213.
- Chen, J., Brissette, F. & Leconte, R., 2012. a Matlab-based daily scale weather generator for generating precipitation and temperature. *Procedia Environmental Sciences* 13, pp. 2222-2235.
- Cooley, H., 2006. Flood and Drought. In: P. Gleick, ed. *The World's Water 2006-2007*. London: Islandpress, pp. 91-116.
- Craft, K. E. et al., 2013. Drought and Corn in Kentucky. *Applied Geography* 45, pp. 353-362.
- Dathe, A. et al., 2014. 2014. *Agricultural and Forest Meteorology* 194, pp. 37-49.
- Dogan, S., Berktaç, A. & Singh, V. P., 2013. Comparison of Multiply-monthly Rainfall based Drought Severity Indices, with Application to Semi-arid Koya Closed Basin. *Journal of Hydrology* 440-471, pp. 255-268.
- Elagib, N. A., 2014. Development and Application of Drought Risk Index for Food Crop Yield in Eastern Sahel. *Ecological Indicators* 43, pp. 114-125.
- Ezzine, H., Bouziane, A. & Ouazar, D., 2014. Seasonal Comparisons of Meteorological and Agricultural Drought Indices in Morocco using Open Short Time-series Data. *International Journal of Applied Earth Observation and Geoinformation* 26, pp. 36-48.
- Ghosh, S. & Desai, V., 2006. *Environmental Hydrology and Hydraulics (Eco-technological Practices for Sustainable Development)*. United States of America: Science Publishers.
- Glecer, E., Fraisse, G., Dzotsi, K. & Ha, Z., 2013. Effects of El Nino Southern Oscillation on the Space-time Variability of Agricultural Reference Index for Drought in Midlatitudes. *Agricultural and Forest Meteorology* 174-175, pp. 110-128.
- Gocic, M. & Trajkovic, S., 2014. Spatiotemporal Characteristics of Drought in Serbia. *Journal of Hydrology* 510, pp. 340-350.
- Ha, K. D., Chulsang, Y. & Tae-Woong, K., 2011. Application of spatial EOF and Multivariate Time Series Model for Evaluating Agricultural Drought Vulnerability in Korea. *Advances in Water Resources* 34, pp. 340-350.
- Handoko, 1994. *Dasar Penyusunan dan Aplikasi Model Simulasi Komputer untuk Pertanian*. Bogor: Institut Pertanian Bogor.
- Hardoko, 2013. *Buah Simalakama Dieng Bernama Kentang*. [Online]
Available at: <http://www.regional.kompas.com>
[Accessed 28 Mei 2014].

- Hayes, M. J., 1999. *Drought Indices*. [Online] Available at: <http://www.civil.utah.edu/~cv5450/swsi/indices.htm> [Accessed 27 Mei 2015].
- Hwang, T., Song, C., Bolstad, P. & Band, L., 2011. Downscaling real-time vegetation dynamics by fusing multi-temporal MODIS and Landsat NDVI in topographically complex terrain. *Remote Sensing of Environment* 115, p. 2499–2512.
- Iswinarto, C., 2013. *Cegah Kekeringan, Enam Telaga Disedot untuk Mengairi Sawah*. [Online] Available at: <http://www.m.merdeka.com> [Accessed 11 Juli 2014].
- Jesen, C. R. et al., 2010. Deficit Irrigation Based on Drought Tolerance and Root Signalling in Potatoes and Tomatoes. *Agricultural Water Management* 98, pp. 403–413.
- Kappachery, S., Yu, J., Baniekal-Hiremath, G. & Park, S., 2013. Rapid Identification of Potential Drought Tolerance Genes from Solanum Tuberosum by using a Yeast Functional Screening Method. *Comptes Rendus Biologies* 336, pp. 530–545.
- Kim, J. & Ivanov, V., 2015. A Holistic, Multi Scale Dynamic Downscaling Framework for Climate Impact assessments and Challenges of Addressing Finer-Scale Watershed Dynamic. *Journal of Hydrology* 522, pp. 645–660.
- Kuenzer, C. et al., 2009. El Niño Southern Oscillation Influences Represented in ERS Scatterometer-derived Soil moisture Data. *Elsevier Applied Geography* 29, pp. 463–477.
- Lee, T., Ouarda, T. & Jeong, C., 2012. Nonparametric Multivariate Weather generator and an Extreme Value Theory for Bandwidth Selection. *Journal of Hydrology* 452–453, pp. 161–171.
- Lewis, S., Fitts, G., Kelly, M. & Dale, L., 2014. A Fuzzy Logic-based Spatial Suitability Model for Drought-tolerant Switchgrass in the United States. *Computer and Electronic in Agriculture* 103, pp. 39–47.
- Liang, S., 2004. *Quantitative Remote Sensing of Land Surface*. New Jersey: A John Wiley & Sons, inc .
- Liao, S., Chen, C. & Hsu, S., 2010. Estimating the value of El Niño Southern Oscillation Information in Regional Water Market With Implication for Water Management. *Elsevier Journal of Hydrology* 394, pp. 347–356.
- Maxwell, S. & Silverster, K., 2012. Identification of “ever-cropped” land (1984–2010) using Landsat annual maximum NDVI image composites: Southwestern Kansas case study. *Remote Sensing of Environment* 121, pp. 186–195.

- Medelsohn, R., 2014. The Impact of Climate Change on Agriculture in Asia. *Journal of Integrative Agriculture* 13(4), pp. 660-665.
- Mezghani, A. & Hingray, B., 2009. A combined Downscaling-Disaggregation Weather Generator for Stochastic Generation of Multisite Hourly Weather Variables over Complex Terrain: Development and Multi-Scale Validation for the Upper Rhone River Basin. *Journal of Hydrology* 377, pp. 245-260.
- Mishra, A. & Singh, V., 2010. A Review of Drought Concept. *Elsevier Journal of Hydrology* 391, pp. 202-216.
- Monneveux, P., Ramirez, D. & Pino, M., 2013. Drought Tolerance in Potato (S.tuberosum L.) Can we Learn from Drought Tolerance Research in Cereals?. *Plant Science* 205-206, pp. 76-86.
- Nagarajan, R., 2009. *Drought Assessment*. New York: Springer.
- NASA, 2002. *Standardized Precipitation Index (SPI)*. [Online] Available at: <http://gmao.gsfc.nasa.gov/research/subseasonal/atlas/SPI-html/SPI-description.html#Lloyd2002> [Accessed 18 Februari 2015].
- NOAA, 2015. *Cold and Warm Episodes by Season Change to the Oceanic Nino Index (ONI)*. [Online] Available at: http://www.cpc.ncep.noaa.gov/products/analysis_monitoring/ensostuff/onso_years.shtml [Accessed 28 Mei 2015].
- Olden, J. D. & Jackson, D. A., 2002. Illuminating the "black box": a randomization approach for understanding variable contributions in artificial neural network. *Ecological Modeling*, Volume 154, pp. 135-150.
- Patuwan, G. et al., 2002. Yield Response of Rice (Oryza sativa L.) Genotypes to Drought Under Rainfed Lowlands 2, Selection of Drought Resistant Genotypes. *Elsevier Field Crops Research* 73, pp. 169-180.
- Permadi, D. & Oanh, N., 2013. Assessment of Biomass Open Burning Emissions in Indonesia and Potential Climate Forcing Impact. *Atmospheric Environmental* 78, pp. 250-258.
- Pikiran rakyat Online, 2011. *Untuk Mengairi Tanaman Kentang, Petani Dieng Ambil Air Telaga Sejauh 3 Km*. [Online] Available at: <http://www.pikiran-rakyat.com> [Accessed 9 Juli 2014].
- Schafleitner, R. et al., 2007. Capturing Candidate Drought Tolerance Traits in Two Native Andean Potato Clones by Transcription Profiling of Field Grown Plants under Water Stress. *Plant Physiology and Biochemistry* 45, pp. 673-690.

- Schlabing, D. et al., 2014. Use of a Weather Generator for Simulating Climate Change Effects on Ecosystems : A case Study on Lake Constance. *Environmental Modeling & Software* 61, pp. 326-338.
- Schoof, J., A., A., Brolley, J. & O'Brien, J., 2005. A new weather generator based on spectral properties of surface air temperatures. *Agricultural and Forest Meteorology* 135, pp. 241-251.
- Stigter, K., Dawei, Z., Shili, W. & Yuping., 2010. Introduction to Part II (CMA/CAU/APMP Examples. In: *Applied Agrometeorology*. Berlin: Springer, pp. 75-99.
- Tallaksen, L., Hisdal, H. & Van Lanen, H., 2009. Space-time Modelling of Catchment Scale Drought Characteristics. *Journal of Hydrology* 375, pp. 363-372.
- Tatli, H. & Turkes, M., 2011. Empirical Orthogonal Function Analysis of Palmer Drought Indices. *Agricultural and Forest Meteorology* 151, pp. 981-991.
- Taulis, M. & Milke, M., 2005. Estimation of WGEN Weather Generation Parameters in Arid Climates. *Ecological Modeling* 184, pp. 177-191.
- Verstappen, H. T., 2014. *Garis besar Geomorfologi Indonesia*. Yogyakarta (Daerah Istimewa Yogyakarta): Gadjah Mada University Press.
- Vos, J. & Haverkort, A., 2007. Water Availability and Potato Crop Performance. In: *Potato Biology and Biotechnology Advance and Perspectives*. Italy: Elsevier, pp. 333-351.
- Widiyanto, E., 2013. *Petani Kentang Dieng Sedot Air telaga*. [Online] Available at: <http://www.republika.co.id> [Accessed 30 Mei 2014].
- Wilhite, D., 2005. Drought. In: *Encyclopedia of World Climatology*. New York: Springer.
- Wilks, D., 2008. High-resolution Spatial Interpolation of Weather Generator parameter Using Local Weighted Regressions. *Agricultural and Forest Meteorology* 148, pp. 111-120.
- Woli, P., Jones, J. & Ingram, K., 2013. Assessing the Agricultural Reference Index for Drought (ARID) using Uncertainty and Sensitivity Analyses. *Agronomy Journal* 105, pp. 150-161.
- Woli, P., Jones, J., Ingram, K. & Fraisse, C., 2012. Agricultural Reference Index for Drought (ARID). *Agronomy Journal* 104, pp. 287-300.

Wonosobo, B., n.d. *Wonosobo dalam Angka 2013*. [Online]
Available at: <http://wonosobokab.bps.go.id/>

World Meteorological Organization, 2012. *Standardized Precipitation Index User Guide*. [Online]
Available at: http://www.wamis.org/agm/pubs/SPI/WMO_1090_EN.pdf
[Accessed 18 Februari 2015].

Zheng, B., Myint, S., Thenkabail, P. & Aggarwal, R., 2015. A support vector machine to identify irrigated crop types using time-series Landsat NDVI data. *International Journal of Applied Earth Observation and Geoinformation* 34, pp. 103-112.