

DAFTAR PUSTAKA

- Aliawati, G. 2003. *Teknik Analisis Kadar Amilosa dalam Beras. Buletin Teknik Pertanian* 8(2): 82-84.
- Amr, A., dan Al Tamimi, E. 2007. Stability of The Crude Extracts of *Ranunculus Asiaticus* Anthocyanins and Their Use as Food Colourants. *International Journal of Food Science And Technology*, 42 (8): 985-991.
- Anonim. 2006. *Beras. download from Wikipedia.com.*
- Anonim. 2011. *Daftar komposisi beras (100 gr).*
<http://www.answer.com/foodcomposition>.
- AOAC. 1990. Official Methods Of Analysis Association of Official Analytical Chemists Food Composition; Additives; Natural Contaminants Volume Two. Edisi 15.
- Armina, A.C. 2011. Kopigmentasi dan Stabilitas Warna Ekstrak Antosianin Beras Hitam (*Oryza sativa* L. indica) dalam Model Minuman. *Skripsi*. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Astadi, Radix, Mary Astuti, dan Umar Santoso. 2009. In vitro antioxidant activity of anthocyanins of black soybean seed coat in human low density lipoprotein (LDL). *Food Chemistry*. 112: 659-663.
- Bridgers EN., Chin MS., dan Truong VD. 2010. Extraction of Anthocyanins from Industrial Purple-fleshed Sweetpotatoes and Enzymatic Hydrolysis of Residues for Fermentable Sugars. *Journal Industrial Crops and Products*, 32 : 613-620.
- Cevallos-Casals BA dan Cisneros-Zevallos LA. 2003. Stoichiometric and kinetic studies of phenolic antioxidants from Andean purple corn and red-fleshed sweetpotato. *Journal of Agricultural and Food Chemistry*. 51: 3313-3319.
- Chen Xiao Qiong, Norio Nagao, Tomio Itani, dan Kohei Irifune. 2012. Antioxidative analysis, and Identification and Quantification of Anthocyanin Pigments in Different Coloured Rice. *Journal Food Chemistry*, 135 : 2783-2788.
- Dungir SG, Dewa GK, dan Vanda SK. 2012. Aktivitas antioksidan ekstrak fenolik dari kulit buah manggis (*Garcinia mangostana* L.). *Jurnal MIPA UNSRAT online* 1(1):11-15.

- Ekawatiningsih, P., dan Nani R. 2010. Potensi Beras Hitam Sebagai Sumber Antosianin dan Aplikasinya pada Makanan Tradisional Yogyakarta: *Laporan Penelitian*. Yogyakarta: Universitas Negeri Yogyakarta.
- Fellows, P. 2000. *Food Processing Technology Second Edition*. Cambridge England. CRC Press.
- Ginting, E., J.S. Utomo, R. Yulifianti, M. Jusuf. 2011. Potensi Ubi Jalar Ungu sebagai Pangan Fungsional. *Iptek Tanaman Pangan* 6 (1): 116-138.
- Giusti M.M. dan Wrostrlad R.E., 2001. *Characterization and Measurement of Anthocyanins by UV-Visible Spectroscopy*. Download from [http://www.wiley.com/legacy/cp/cpfac/facsample.htmh\(200-208\).pdf](http://www.wiley.com/legacy/cp/cpfac/facsample.htmh(200-208).pdf)
- Halliwell, B. dan Gutteridge, J.M.C. 1990. Role of free radical and catalytica metal ions in human disease. *American of Journal Medicine* 91:3C-4S.
- Han, K. -H., M. Sekikawa, K. -I. Shimada, M. Hashimoto, N. Hashimoto. T. Noda, H. Tanaka, dan M. Fukushima. (2006). Anthocyanin-rich purple potato flake extract has antioxidant capacity and improves antioxidant potential in rats. *British Journal of Nutrition*. 96: 1125-1133.
- Han, S.J., S.N. Ryu, dan S.S. Kang. (2004). A new 2-arylbenzofuran with antioxidant activity from the black colored rice (*Oryza sativa* L.) Bran. *Chem. Pharm. Bull.* 52: 1365-1366.
- Harborne, J.B. 1987. *Metode Fitokimia. Penuntun Cara Modern Menganalisis Tumbuhan*. Penerbit ITB: Bandung.
- Hou, Z., Peiyu Q., Yan Z., Songhuan C., dan Guixing R. 2013. Identification of Anthocyanins Isolated From Black Rice (*Oryza sativa* L.) and their Degradation Kinetics. *Journal Food Research International*, 50 : 691-697.
- Koswara, S. 2009. *Teknologi Pengolahan Beras (Teori dan Praktek)*. Ebookpangan.com
- Krasaetep, J., Muntana N., dan Darunee P. 2011. Antioxidant Activity and Total Phenolic Content In Leaf of Some Thai Rice Cultivars. *International Journal of Applied Chemistry*, 7 (3): 285-296.
- Lapornik, B., Prosek, M., dan Wondra, A.G. 2005. Composition of Extracts Prepared from Plant by-products Using Different Solvent and Extraction Time. *Journal of Food Engineering* (71) : 214-222.

- Le, M.T. and Y. Yang. 2005. *Morphological Characterization and Phytochemical Analysis of Pigmented Rice Cultivars from Diverse Region*. AAES Research Series 540.
- Ling, W.H., Cheng, Q, X., Ma, J. dan Wang, T. 2001. Red and Black Rice Decrease Atherosclerotic Plaque Formation and Increase Antioxidant Status in Rabbits. *Journal Nutrition*. 131 : 1421-1426.
- MacDougall, D.B. 2002. *Colour in Food*. Woodhead Publishing Limited. England. 378
- Markakis, P. 1982. *Anthocyanins as Food Colors*. New York : Academic Press.
- Mazza, G dan R. Brouillard. 1987. Recent Developments in the Stabilization of Anthocyanins in Food Product. *Journal of Food Chemistry*. 25:207-222.
- Meloan, C.E. 1999. *Chemical Separation*. New York: John Willey.
- Mietha. 2012. Beras Hitam Solusi Makanan Pengganti Beras Putih untuk Diabetes. <http://mietha.wordpress.com>
- Monika, P., William S., Christian L., Paini S.W., Anita M.S., dan Thomas I.P.S. 2013. Aktivitas Antioksidan Beras Organik Varietas Lokal (Putih Varietas Cianjur, Merah Varietas Saodah, Hitam Varietas Jawa). *Seminar Nasional: Menggagas Kebangkitan Komoditas Unggulan Lokal Pertanian Dan Kelautan*. Fakultas Pertanian Universitas Trunojoyo Madura.
- Muchtadi, T.R. dan Sugiyono. 1992. *Ilmu Pengetahuan Bahan Pangan*. Bogor: Institut Pertanian Bogor.
- Narwidina, P. 2009. Pengembangan Minuman Isotonik Antosianin Beras Hitam (*Oryza sativa* L. indica) dan Efeknya terhadap Kebugaran dan Aktivitas Antioksidan Pada Manusia Pasca Stres Fisik : A Case Control Study. *Tesis Fakultas Teknologi Pertanian, UGM Yogyakarta*.
- Nastiti, P.W. 2007. Ekstraksi Antosianin Beras Hitam (*Oryza sativa* L. indica) Menggunakan Pelarut Air : Pengaruh Lama Maserasi, Rasio Bahan / Pelarut, Jumlah Ekstraksi Berulang dan Suhu Terhadap Jumlah Antosianin yang Terekstrak. *Skripsi*. Program Studi Teknologi Pangan dan Hasil pertanian. Fakultas Teknologi Pertanian. Universitas Gadjah Mada.
- Ono, K., Sugihara, N., Hirose, Y. dan Katagiri, K. 2003. *An Examination of Optimal Solvents for Anthocyanin Pigments from Black Rice Produced in Gifu*.

- Ovando, Araceli Castaneda., Ma. de Lourdes Pacheco-Hernandez., Ma. Elena Paez-Hernandez, Jose A. Rodriguez, dan Carlos Andres Galan-Vidal. 2009. *Chemical Studies of Anthocyanins: A review*. Journal of Food Chemistry 113:859-871.
- Paes, J., Raquel D., Gerardo F., Barbero, dan Julian M. 2014. Extraction of phenolic compounds and anthocyanins from blueberry (*Vaccinium mytillus* L.) residues using supercritical CO and pressurized liquids. *Journal of Supercritical Fluids*. 1-35.
- Park, Young Sam, Sun-Joong Kim, dan Hyo-Ihl Chang. 2008. Isolation of Anthocyanin from Black Rice (Heugjinjubyeo) and Screening of Its Antioxidant Activities. *Journal of Microbiology Biotechnology*, 36 (1): 55-60.
- Patil, B.S., Pike, L. M., dan Yoo, K.S. 1995. Variation in the quercetin content in different colored onions (*Allium cepa* L.) *J. Amer. Soc. Hort. Sci.* 120: 909-913.
- Patras, A., Brunton, N.P., O'Donnel, C. dan Tiwari, B.K. 2010. Effect of Thermal Processing on Anthocyanin Stability in Foods; Mechanism and Kinetics of Degradation. *Trends in Food Science & Technology* 21:3-11.
- Purwandari, F.A. 2014. Stabilitas Antosianin Beras Hitam (*Oryza sativa*, L. *indica*) dengan Kopigmentasi dan Enkapsulasi. *Tesis*. Fakultas Teknologi Pertanian. UGM. Yogyakarta.
- Radix-Astadi., Mary-Astuti., dan Umar-Santoso. 2008. Aktivitas Antioksidan Antosianin Kulit Kedelai Hitam dalam LDL Plasma Darah Manusia In vitro. *Tesis* Fakultas Teknologi Pertanian, UGM Yogyakarta.
- Rice-Evans, C.A., Miller, N.J. dan Paganga, G. 1997. Antioxidant properties of phenolic compounds. *Trends in Plants Science* 2(4):152-159.
- Rodriguez-Saona, L.E., dan Wrostand, R.E. 2001. Extraction, Isolation, and purification of anthocyanins. *In handbook of food analytical chemistry. Pigments, colorants, flavors, texture and bioactive food component*. Edited by Wrostand, R.E., Acree, T.E., Decker, E.A., Penner, M.H., Reid, D.S., Schwartz, S.J., Shoemaker, C.F., Smith, D.S. and Sporns, P. New York: John Willey & Sons, Inc.
- Saati, E.A. 2002. *Potensi Bunga Pacar Air (Impatiens Balsamina Linn.) Sebagai Pewarna Alami Pada produk Minuman*. Majalah Tropika Vol. 10 (2).

- Shao Yafang, Feifei Xu, Xiao Sun, Jinsong Bao, dan Trust Beta. 2014. Identification and Quantification of Phenolic Acids and Anthocyanins as Antioxidant in Bran, Embryo and Endosperm of White, Red and Black Rice Kernels (*Oryza sativa* L.). *Journal of Cereal Science*, 59: 211-218.
- Sompong, R., S.Siebenhandl-Ehn, G. Linsberger-Martin, dan E. Berghofer. 2011. Physicochemical and Antioxidative Properties of Red and Black Rice Varieties from Thailand, China and Sri Lanka. *Journal of Food Chemistry*. 124:132-140.
- Sui, X., Xin D., dan Weibiao Z. 2014. Combined Effect of pH and High Temperature on the Stability and Antioxidant Capacity of Two Anthocyanins in Aqueous Solution. *Journal of Food Chemistry*. 163-170.
- Sukma, I.W.D. 2007. *Ekstraksi Cair-cair*. Lampung: Jurusan Teknik Kimia Universitas Negeri Lampung.
- Swasti. 2007. Aktivitas Antioksidan Antosianin Beras Hitam Dalam Low-Density Lipoprotein (LDL) Plasma Darah Manusia Secara In Vitro. *Tesis*. Universitas Gadjah Mada Yogyakarta.
- Syahroni dan Cecep R. 2014. *Beras Hitam Kaya Akan Manfaat*. <http://www.alamtani.com/beras-hitam.html>.
- Tananuwong K. dan Wanida Tawaruth. 2010. Extraction and Application of Antioxidants From Black Glutinous Rice. *Journal of Food Science and Technology*, 43 : 476-481.
- Vichapong, J., Sookserm, M., Srijesdaruk, V., Swatsitang, P. dan Srijaranai, S. 2010. High Performance Liquid Chromatographic Analysis of Phenolic Compounds and Their Antioxidant Activities in Rice Varieties. *LWT-Food Science Technology* 43: 1325-1330.
- Widarta, I.W.R., K. A. Nociantri, dan L.P.I.P. Sari. 2013. Ekstraksi Komponen Bioaktif Bekatul Beras Lokal dengan Beberapa Jenis Pelarut. *Jurnal Aplikasi Teknologi Pangan*, 2 (2): 75-79.
- Widyawati, P.S., Wijaya, C.H., Hardjosworo, P.S. dan Sajuthi, D. 2012. Aktivitas antioksidan berbagai fraksi dan ekstrak metanolik daun beluntas (*Pluchea indica* Less). *Agritech*. 32(3): 249-257.
- Winarti, S. Ulya S., dan Dhini A., 2008. Ekstraksi dan Stabilitas Warna Ubi Jalar Ungu (*Ipomoea batatas* L.) Sebagai Pewarna Alami. *Jurnal Teknik Kimia*, 3 (1): 207-214.

- Wu, X.L., Beecher, G., Holden, J., Haytowitz, D., Gebhardt, S., dan Prior, R.L. 2006. Concentrations of Anthocyanins in Common Foods in the United States and Estimation of Normal Consumption. *J. Agric. Food Chem* 54: 4069-4075.
- Yawadio, R., S. Tanimori, dan N. Morita. 2007. Identification of Phenolic Compounds Isolated from Pigmented Rices and Their Reductase Inhibitory Activities. *Journal of Food Chemistry*. 101(4):1616-1625.
- Yodmanee, S., Karrila, T.T. dan Pakdeechanuan, P. 2011. Physical, Chemical, and Antioxidant Properties of Pigmented Rice Grown in Southern Thailand. *International Food Research Journal*, 18 (3): 901-906.
- Yuwono, S.S. dan T. Susanto. 1998. *Pengujian Fisik Pangan*. Fakultas Teknologi Pertanian. Universitas Brawijaya.
- Zhang, M.W., Zhang, R.F., Zhang, F.X., dan Liu, R.H., 2010. Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties. *J. Agric. Food Chem*. 58: 7580-7587.