

## DAFTAR PUSTAKA

- Abbas AK, Lichtman AH, Pillai S, 2010. *Cellular and Molecular Immunology*. Ed.6th.W.B.Saunders.Philadelphia. p.19-46; 267-301..
- Amstrong L, Jordan N, Millar A, 2007. Interleukin 10 (IL-10) regulation of tumour necrosis faktor  $\alpha$  (TNF- $\alpha$ ) from human alveolar macrophages and peripheral blood monocytes. *Thorax* 51: 143-149.
- Arican O, Aral M, Sasmaz S, Ciragil P, 2005. Serum Levels of TNF- $\alpha$ , IFN- $\gamma$ , IL-6, IL-8, IL-12, IL-17, and IL-18 in Patients With Active Psoriasis and Correlation With Disease Severity. *Mediators of Inflammation* 273-279
- Asplin IR, Carl DJ, Way SS, Jones AL, 2008. Role of Toll-like receptor 2 in innate resistance to group B Streptococcus. *Microb Pathog.* 44(1):43-51.
- Atmawikarta A, 2010. *Kebijakan Kesehatan Dalam Pencapaian Target MDGs Kesehatan*. Direktorat kesehatan dan Gizi masyarakat Kementrian PPN/Bappenas.
- Baker CJ, Edwards MS, Kasper DL, 1981. Role of Antibody to Native Type III Polysaccharide of Group B Streptococcus in Infant Infection. *Official Journal of The American Academy of Pediatrics*:68:544-549.
- Beitune P, Duarte G, Maffei C, ML, 2005. Colonization by Streptococcus agalactiae During Pregnancy:Maternal and Perinatal Prognosis. *The Brazilian Journal of Infectious Diseases* 9(3):276-282.
- Bergeron M, Danbing, Menmard, C, Picard F, Gagnon M, Bernier M, Ouellette M, Rov P, Marcoux S, Fraser W, 2000. Rapid Detection of Group B Streptococci in Pregnant Women at Delivery. *N Engl J Med* 343:175-9.

- Berner R, Welter P, Brandis M, 2001. Cytokine Expression of Cord and Adult Blood Mononuclear Cells in Response to Streptococcus agalactiae. *Pediatric Research* 51:3:304-309.
- Bhushan R, Anthony BF, Frasc CE, 1998. Estimation of Group B Streptococcus Type III Polysaccharide-Specific Antibody Concentrations in Human Sera Is Antigen Dependent. *Infection and Immunity* p.5848-5853.
- Boyer KM, Kendall LS, Cynthia K, Papierniak, Klegerman EE, Gotoff SP, 1984. Protective Levels of human Immunoglobulin G Antibody to Group B Streptococcus Type Ib. *Infection and Immunity* 618-624.
- Calzas C, Desjardins GG, Lemire P, Gagnon F, Lachance C, Calsteren MRV, Segura M, 2013. Group B Streptococcus and Streptococcus suis Capsular Polysaccharides Induce Chemokine Production by Dendritic Cells via Toll-Like Receptor 2 and MyD88-Dependent and -Independent Pathways. *Journal ASMorg* 81:9:3106-3118.
- Carlin AF, Chang Y, Areschoug T, Lindahl G, Ziola, NH, King CC, Varki A, Nizet V, 2009. Group B Streptococcus suppression of phagocyte of hyman siglec-5. *J.Exp.Med* 206:8:1691-1699.
- Carlin AF, Chang YC, Areschoug T, Lindahl G, Ziola NH, King CC, Varki A, Nizet V, 2009. Group B Streptococcus suppression of phagocyte functions by protein-mediated engagement of human siglec-5. *J.Exp.Med* 206:8:1691-1699.
- Carlin AF, Chang YC, Areschoung T, Lindhl G, Hurtado-Ziola N, King CC, Varki A, Nizet V, 2009. Group B *Streptococcus* suppression of phagocytelfunctions by protein-mediated engagement of human Siglec-5. *The Journal of Experimental Medicine* 206:8:1691-1699.
- Castor ML, Whitney CG, Sabeti KC, Facklam RR, Ferrieri P, Bartkus JM, Juni BA, Cieslak PR, Farley MM, Dumas NB,

- Schrag SJ, Lynfield, 2008. Antibiotic Resistance Patterns in Invasive Group B Streptococcal Isolates. *Infectious Disease in Obstetrics Gynecology* 2008: 1-5.
- CDC (Centers for Disease Control and Prevention). *Morbidity and Mortality Weekly Report*, 2010. Prevention of Perinatal Group B Strptococcal Disease: Revised Guidelines from CDC,2010. U.S. Departement of Health and human services. *Public Health Service*. November 19:2010:59:N0.RR-10.
- CDC (Centers for Disease Control and Prevention). *Morbidity and Mortality Weekly Report*, 1996. Prevention of Perinatal Group B Strptococcal Disease: A Public Health Perspective. Recommendations and Reports.. U.S. Departement of Health and human services. *Public Health Service* May 31:1996:45:N0.RR-7.
- Chang YC, Olson Joshua, Beasley FC, Tung C, Zhang J, Crocker PR, Varki A, Nizet V, 2014. Group B Streptococcus Engages an Inhibitory Siglec through Sialic Acid Mimicry to blunt Innate Immune and Inflammatory Responses In Vivo. *PLOS Pathogen* 10:1-11.
- Cheng Q, Carlson B, Pillai S, Eby R, Edwards L, Olmsted S, Cleary, P, 2001. Antibody against Surface-Bound C5a Peptidase Is Opsonic and Initiates Macrophage Killing of Group B Streptococci. *Infection and Immunity* Apr 2302-2308.
- Chessbrough M, 1994. *Medical Laboratory Amanual for Tropical Countries*. 1st ed. Vol 2.Educational Low-Princed Books Scheme. Britain, p.30-31, 146-159,196-205.
- Cleat PH, Ross J, Hedham JR, 1980. Antibody Levels in Mothers Colonised with Group B Streptococci During Pregnancy and in Their Newborn Infants, as Measured by an Enzyme Linked Immunosorbent Assay. *Med.Microbiol Immunol*. 168:49-53

- Cohen J, 1997. The Significance of a Product Moment  $r$ . In: *Statistical Power Analysis for the Behavioral Sciences*. Academic Press. New York. p.76-107.
- Cook DN, Pisetsky DS, Schwartz, 2004. Toll-like receptors in the pathogenesis of human disease. *Nature Immunology*:5:10:975-979.
- Cusumano V, Genovese F, Mancuso G, Carbone M, Fera MT, Teti G, 1996. *Infection and Immunity*. 1850-2852.
- Cuzzola M, Mancuso G, Beninati C, Biondo C, Genovese F, Tomasello F, Flo TH, Espevik T, Teti G, 2011.  $\beta$ 2 Integrins Are Involved in Cytokine Responses to Whole Gram-Positive Bacteria. *The Journal of Immunology* 164:5871-5876.
- Davies HD, Adair C, McGeer A, Ma D, Robertson S, Mucenski M, Kowalsky L, Tyrell G, Baker CJ, 2001. Antibodies to Capsular Polysaccharides of group B *Streptococcus* in Pregnant Canadian Women: Relationship to Colonization Status and Infection in the Neonate. *The Journal of Infectious Diseases* p.285-295.
- Desjardins M, Delgaty KL, Ramotar K, Seetaram C, Toye B, 2004. Prevalence and Mechanisms of Erythromycin Resistance in Group A and Group B *Streptococcus*: Implications for Reporting Susceptibility Results. *Journal of Clinical Microbiology*. Dec 2004: 5620-5623.
- Deyke MK, Phares CR, Lynfield R, Thomas A, Rarnold KE, Craig AS, 2009. Evaluation of Universal Antenatal Screening for *Group B Streptococcus*. *N Engl Med* 360:25:2626-2636.
- Dulay AT, Buhimschi CS, Zhao G, Oliver EA, Mbele A, Jing S, Buhimschi IA, 2009. Soluble TLR-2 Is Present in Human Amniotic Fluid and Modulates the Intraamniotic Inflammatory Response to Infection. *The Journal of Immunology* 182:7244-7253.

- Efstratiou A, Sriskandan S, Lamagni T, Whatmore A, 2005.  $\beta$ -Haemolytic Streptococci. In: *Principles and Practice of Clinical Bacteriology*, 2nd. Gillespie,S,H.,Hawkey,PM.Eds. John Wiley & Sons.Ltd. p.3-20.
- Feldman RG, Ferrante A, 1990. Prevalence of Anti-Group B Streptococcal Type III Capsular IgG Antibodies in the United Kingdom and an Analysis of Their Specific IgG Subclasses. *The Journal of Infectious Diseases* 1990;162:883-887.
- Flo TH, Halaas Q, Lien E, Ryan Liv, Teti G, GolenbockT, Sundan A, Espevik T, 2000. Human Toll-Like Receptor 2 Mediates Monocyte Activation by *Listeria monocytogenes*, But Not by Group B Streptococci or Lipopolysaccharide. *J Immunol* 164: 264-2069.
- Gardner A, 1998. Group B Strep Screening Guidelines Sparing Newborns.*Childbirth.org*.
- Garland SM, Cottrill E, Markowski L, Pearce C, Clifford V, Ndisang D, Kelly N, Daley AJ, 2011. Antimicrobial resistance in group B streptococcus: the Australian experience. *Journal of Medical Microbiology* 60: 230-235.
- Gregory LL, Gronowski AM, 2006. Assesing the Pregnant Patient: A Review of New Potential Screening Test. *Labmedicine* 37:6:371-374.
- Handojo I, 2003. Karakteristik Immunoasai. Dalam:*Immunoasai dasar*. Airlangga University Press, Surabaya, halaman 16-22.
- Handojo I, 2004. Karakteristik Immunoasai. Dalam:*Immunoasai pada penyakit infeksi*. Airlangga University Press, Surabaya, halaman.
- Heneke P, Morath S, Uematsu S, Weichert S, Pfitzenmaier M, Takeuchi O, Muller A, Poyart C, Akira S, Berner R, Teti G, Geyer A, Hartung T, Trieu-Cuot P, Kasper DL, Golenbock DT, 2005. Role of Lipoteichoic Avid in the Phagocyte

- Response to Group B *Streptococcus*. *J Immunol* 174: 6449-6455.
- Henneke P, Berner R, 2006. Interaction of Neonatal Phagocytes with Group B Streptococcus: Recognition and Response. *Infection and Immunity* 3085-3095
- Henneke P, Dramsi S, Mancuso G, Chraibi K, Pellegrini E, Theilacker C, Hubner J Sierra SS, Teti G, Golenbock DT, Poyart C, Cuot PY, 2008. Lipoproteins are Critical TLR-2 Activating Toxins in Group B Streptococcal Sepsis. *The Journal of Immunology*:180:6149-6158.
- Henneke P, Takeuchi O, Malley R, Lien E, Ingalls, Freeman MW, Mayadas T, Nizet V, Kasper DL, Golenbock DT, 2002. Cellular Activation, Phagocytosis, and Bactericidal Activity Against Group B Streptococcus Involve Parallel Myeloid Differentiation Factor 88-Dependent and Independent Signaling Pathways. *The Journal of Immunology*:169:3970-3977.
- Honulstein C, Totolian A, Mancuso G, Cusumano V, Teti G, Orefici, 1997. Soluble Antigen from Group B Streptococci Induce Cytokine Production in Human Blood Cultures. *Infection and Immunity*.p.4017-4021.
- Hulley SB, Cummings SR, Browner WS, Grady DG, Newman TB 2007, *Designing Clinical Research*. 3<sup>rd</sup>ed. Lippincott Williams & Wilkins. Philadelphia, p.65-91.
- Human IL-10 Immunoassay. Quantikine*, 2011. R&D Systems, Inc. 614 McKinley Place NE Minneapolis, MN 55413 United States America.
- Human TNF- $\alpha$  Immunoassay. Quantikine*, 2011. R&D Systems, Inc. 614 McKinley Place NE Minneapolis, MN 55413 United States America.
- Immunoassay. Quantikine*, 2011. R&D Systems, Inc. 614 McKinley Place NE Minneapolis, MN 55413 United States America.

- Islam, 2007. Rasio TNF- $\alpha$ /IL-10 Serum Awal sebagai prediktor luaran pada operasi epidural hematoma. *Majalah kedokteran Indonesia* 57:12:453-457.
- Jahromi BN, Poorarian S, Poorbarfehee S, 2008. The Prevalence and Adverse Effects of Group B Streptococcal Colonization during Pregnancy. *Arch Iran Med* 11(6):654-657.
- Joachim A, Matte MI, Massawe FA, Lyamuya EF, 2009. Maternal and neonatal colonisation of group B streptococcus at Muhimbili National Hospital in Dar es Salaam, Tanzania: prevalence, risk factors and antimicrobial resistance. *BMC Public Health* 9:437:1-7.
- Jones AL, Needham RHV, Clancy A, Knoll KM, Rubens CE, 2003. Penicillin-binding proteins in *Streptococcus agalactiae*: a novel mechanism for evasion of immune clearance. *Molecular Microbiology* 47(1):247-256.
- Judarwanto W, 2009. Imunologi Mukosa. *Indonesian Children*. Children Allergy Center.
- Kawai I, Akira S, 2006. TLR signaling. *Cell Death and Differentiation* 13:816-825.
- Kim EJ, Oh KY, Kim MY, Seo YS, Shin JH, Song YR, Yang JH, Foxman B, Ki M, 2011. Risk Factors for Group B Streptococcus Colonization Among Pregnant Women in Korea. *Epidemiology and Health* 33:1-7.
- Kjersti M, Tillery A, Silver R, Dalton J, 2006. Immunology of Normal Pregnancy. *Seminars in Fetal & Neonatal Medicine* 11:279-295.
- Kresno SB, 2013. *Imunologi: Diagnosis dan Prosedur Laboratorium*. 5<sup>th</sup> ed. Badan Penerbit FKUI. Jakarta.
- Kretschemer RR, Gotoff SP, 1978. Immunological Aspects of Group B Streptococcal Infections. *Infection* 6:4:146-148.

- Krohn MA, Hillier SL, Baker CJ, 1999. Maternal Peripartum Complications Associated with Vaginal Group B Streptococci Colonization. *The Journal of Infectious Diseases* 179:6:1410-1415.
- Lacatus M, 2013. Innate Immunity in Surgical Patients. *Chirurgia* 108:18-25.
- Laird MHW, Rhee SH, Perkins DJ, Medvedev AE, Piao W, Fenton MJ, Vogel SN, 2009. TLR4/MyD88/PI3K interactions regulate TLR4 signaling. *Journal of Leukocyte Biology* 85:966-977.
- Landwehr-Kenzel S, Henneke P, 2014. Interaction of Streptococcus agalactiae and cellular innate immunity in colonization and disease. *Frontiers in Immunology* 5:1-11.
- Larsson C, Lindroth M, Nord In P, Carlemalm MS, Lindahl G, Krantz I, 2006. Association between low concentrations of antibodies to protein  $\alpha$  and Rib and invasive neonatal group B streptococcal infection. *Arch Dis Child Fetal Neonatal Ed*, 91:F403-F408.
- Le Bouder E, Rey-Nores JE, Rushmere Nk, Grigorov M, Lawn SD, Affolter M, Griffin GE, Ferrara P, Schiffrin EJ, Morgan BP, Labeta MO, 2003. Soluble form of Toll-like receptor (TLR2) capable of Modulating TLR2 signaling are present in human plasma and breast milk. *J Immunol* 171 (12).p.6680 -6689.
- Lemire P, Roy D, Fittipaldi N, Okura M, Takamatsu D, Bergman E, Segura M, 2014. Implication of TLR- but Not of NOD2- Signaling Pathways in Dendritic Cell Activation by Group B Streptococcus Serotypes III and IV. *PLoS ONE* 9(12): 1-20.
- Lewis DB, Gern JE, Hill HR, Friedlander SL, Pine TRL, Lemanske RF, Stiehm R, 2006. Newborn Immunology:Relevance to the Clinician. *Curr Probl Pediatr Adolesc Health Care* 36:189-204.

- Lin FC, Weisman LE, Azimi, PH, Philips JB, Clark P, Regan J, Rhoads GG, Frasci CE, Gray BM, Troendle J, Brenner RA, Moyer P, Clemens JD, 2004. Level of Maternal IgG Anti Group B Streptococcus Type II Antibody Correlated with Protection of Neonates against Early-Onset Disease Caused by This Pathogen. *The Journal of Infectious Diseases* 190:5:928-934.
- Liu GY, Nizet V, 2004. Extracellular Virulence Factors of Group B Streptococci. *Frontiers in Bioscience* 9:1794-1802
- Louisiana Office of Public Health, Infectious Disease Epidemiology Section. 2009. *Group B Streptococcal Infections* p.1-5.
- Ma'at S, 2009. *Toll-Like Receptor*. Airlangga University Press. Surabaya, halaman 1-25.
- Maisey HC, Quach D, Hensler ME, Liu GY, Gallo RL, Nizet V, Doran KS, 2008. A Group B streptococcal pilus protein promotes phagocyte resistance and systemic virulence. *The FASEB Journal* 22:1715-1724.
- Mancuso G, Midiri A, Beninati C, Biondo C, Galbo R, Akira S, Henneke P, Golenbock D, Teti G, 2004. Dual Role of TLR-2 and Myeloid Differentiation Factor 88 in Mouse Model of Invasive Group B Streptococcal Disease. *The American Association of Immunologist* 172:6324-6329.
- Mancuso G, Midiri A, Beninati C, Piraino G, Valenti A, Nicocia G, Teti D, Cook J, Teti G, 2002. Mitogen-Activated Protein Kinases and NF-kB Are Involved in TNF- $\alpha$  Responses to Group B Streptococci. *J Immunol* 169:1401-1409. m
- Marchaim D, Hallak M, Uzan LG, Peled N, Riesenberg, Schlaeffer F, 2003. Risk Factors for carriage of Group B Streptococcus In Southern Israel. *IMAJ*, 5: 646-648.
- Marijane A, Krohn, Sharon I. Hillier, Carol J Baker, 1999 Maternal Peripartum Complications Associated with Vaginal Group B

- Streptococci Colonization. *The Journal of Infectious Diseases* 179:1410-5.
- Marques MB, Kasper DL, Pangburn MK, Wessels MR, 1992. Prevention of C3 deposition by capsular polysaccharide is virulence mechanism of type II group B streptococci. *Infect.Immun* 60(10):3986-3993.
- Mikamo GH, Johri A, Paoletti CL, Madoff LC, Onderdonk AB, 2004. Adherence to, Invasion by, and Cytokine Production in Response to Serotype VIII Group B Streptococci. *Infection and Immunity* p.4716-4722.
- Mogensen TH, 2009. *Clinical Microbiology reviews* p. 240-273
- Murphy K, Travers P, Walport, 2008. *Janeway's Immunobiology*. 7th. Garland Science, Taylor and Francis Group, LCC. p.39-110.
- Novelli C, 2003. Treating group B strep: are antibiotics necessary? - Pregnancy, Birth & Midwifery - group B streptococcus. *Mothering* Nov-Dec.
- Okazaki K, Kondo M, Kato M, Nishida A, Takahashi H, Noda M, Kimura H, 2008. Temporal Alterations in Concentrations of Sera Cytokines/Chemokines in Sepsis Due to Group B Streptococcus Infection in Neonate. *Jpn.J.Infect.Dis*:61:382-385.
- Pincus SH, Smith MJ, Jennings HJ, Burritt JB, GleeP M, 1998. Peptides That Mimic the Group B Streptococcal Type III Capsular Polysaccharide Antigen. *The Journal of Immunology*. 160:293-298.
- Pudjiati SR, 2010. Mechanism Of Host Defense in Genital Area. PKB " New Perspective of Sexually Transmitted Infection Problems", Surabaya.
- Pujowaty D, 2002. Insidensi Streptokokus group B pada Ibu hamil sehat dan Ibu hamil dengan komplikasi. Fakultas

Kedokteran Hewan Institut pertanian Bogor. *IPB Scientific repository*.

Puliti M, Hunolstein CV, Verwaerde C, Bistoni F, Orefici G, Tissi L, 2002. Regulatory Role of Interleukin-10 in Experimental Group B Streptococcal Arthritis. *Infection and Immunity* p. 2862-2868.

Raby AC, Boudier EL, Colmont C, Davies J, Richards P, Coles B, George CH, Jones SA, Brennan P, Topley N, Labeta MO, 2009. Soluble TLR-2 Reduces Inflammation without Compromising bacterial Clearance by Disrupting TLR-2 Triggering. *The Journal Of Immunology* 183:506-517.

Raby AC, Holst B, Ke Boudier E, Diaz C, Ferran E, Conraux L, Guillemot JC, Coles B, Kift-Morgan A, Colmont CS, Szakmany T, Ferrara P, Hall JE, Topley N, Labeta MO, 2013. Targeting the TLR co-receptor CD14 with TLR2-derived peptides modulates immune responses to pathogens, *Sci Transl Med* 15(185):185.

Rosati E, Fettucciari K, Scaringi L, Cornacchione P, Sabatini R, Mezzasoma L, Rossi R, Marconi P, 1998. Cytokine Response to Group B Streptococcus Infection in Mice. *Scand.J.Immunol* 47:314-323.

Scanziani R, Dozio B, Baragetti I, Grillo P, Colombo L, Liso S, Surian M, 1999. Vaginal colonization with group B Streptococcus (*Streptococcus agalactiae*) and peritonitis in woman on CAPD. *Nephrol Dial Transplant* 14:2222-2224.

Schjenken JW, Clifton VL, Smith R, 2012. Mechanisms of Maternal Immune Tolerance During Pregnancy. [www.intechopen.com](http://www.intechopen.com).

Schuchat A, 1998. Epidemiology of Group B Streptococcal Disease in the United States: Shifting Paradigms. *Clinical Microbiology Reviews* July p. 497-513.

- Shet A, Ferrieri P, 2004. Neonatal & maternal Group B Streptococcal infections: A comprehensive review. *Indian J Med Res* 120 pp. 141-150.
- Smith JM, Respass RH, Chaffin DG, Larsen B, Jackman SH, 2001. Differences in innate immunologic response to group B streptococcus between colonized and noncolonized women. *Infect Dis Obstet Gynecol* 2001;9:125-132.
- Szarka A, Rigo J, Lazar L, Beko G, Molvarec A, 2010. Circulating cytokines, chemokines and adhesion molecules in normal pregnancy and preeclampsia determined by multiplex suspension array. *BMC Immunology* 11:59.
- Takeda K, Akira S, 2004. TLR signaling pathways. *Elsevier* 16:3-9.
- Tehrani M, Varasteh A, Khakzad MR, Mirsadraee CM, Sankian M 2012, Decreased levels of soluble Toll-like Receptor 2 in patient with asthma. *Reports of Biochemistry & Molecular Biology* 1:1 Oktober 2012.
- Ten Oever J, Kox M, De Veerdank FL, Mothapo KM, Stavcovic, Jansen T, Tweehuysen L, Bourboulis EJG, Schneeberger PM, Wever PC, Stoffels M, Simon A, Van der Meer JWM, Johnson MD, Kullberg BJ, Pickkers P, Pachot A, Joosten LAB, Netea MG, 2014. The discriminative capacity of soluble Toll-like receptor (sTLR) and sTLR4 in inflammatory diseases. *BMC Immunology* 15:55
- Vallejo JG, Baker CJ, Edwards MS, 1996. Interleukin-6 Production by Human Neonatal Monocytes Stimulated by Type III Group B Streptococci. *The Journal of Infectious Diseases* 174:332-7.
- Vallejo JG, Kneuferrmann P, Mann DL, Sivasubramanian N, 2000. Group B Streptococcus Group B Induces TNF- $\alpha$  Gene Expression and Activation of the Transcription Factors NF- $\kappa$ B and Activator Protein-1 in Human Cord Blood Monocytes. *J Immunol* 165:419-425.

- Woods CJ, Levy CS, 2009. *Streptococcus Group B Infections. eMedicine Infectious Diseases*. Nov 11 Infectious Disease Epidemiology Section Office of Public Health, Louisiana Dept of Health & Hospitals. 2009. [www.Infectiousdisease.dhh.louisiana.gov](http://www.Infectiousdisease.dhh.louisiana.gov).
- Xiao N, Eidenschenk C, Krebs P, Brandl K, Blasius AL, Xia Y, Khovananth K, Smart NG, Beutler B, 2009. The Tpl2 Mutation Sluggish Impairs Type I IFN Production and Increases Susceptibility to Group B Streptococcal Disease. *The Journal of Immunology* 183:7975-7983.
- Ying F, Weisman LE, Azimi H, Joseph, Philips, Clark P, Regan J, Rhoads G, Frasch C E, Gray BM, Treendle J, Brenner RA, Moyer P, Ciemens JD, 2004. Level of maternal IgG Anti-Group B Streptococcus Type III Antibody Correlated with Protection of Neonates against Early-Onset Disease Caused by This Pathogen. *Journal of Infectious Diseases* 190(5) Sept: 928-934.
- Zaga V, Gutierrez GE, Montoya JB, Claros RM, Vancell RL, Ortega FV, 2004. Secretions of Interleukin-1 $\beta$  and Tumor Necrosis Factor  $\alpha$  by Whole Fetal Membranes Depend on Initial Interactions of Amnion or Chorion with Lipopolysaccharides or Group B Streptococci. *Biology of Reproduction* 71:1296-1302. P, Roy
- Zhao A, Blackburn C, Chin J, Srinivasan M, 2014. Soluble toll like receptor 2 (TLR-2) is increased in saliva of children with dental caries. *BMC Oral Health* 14:108.