

DAFTAR PUSTAKA

- Alfarisi, S., Basuki, W., & Susantiningsih, T. (2012). Perbedaan Kadar Kreatinin Serum Pasien Diabetes Melitus Tipe 2 Yang Terkontrol Dengan Yang Tidak Terkontrol Di RSUD Dr . H . Abdul Moeloek Differences in Serum Creatinine Levels of Type 2 Diabetes Mellitus Patient That Controlled With Not Controlled in Dr, 129–136.
- Ann.M et al. (2007). Age Affects Outcomes in Chronic Kidney Disease. *Jurnal Article, Oktober, 20*, 18.A.13.
- Askandar Tjokroprawiro. (1996). *Diabetes melitus: Klasifikasi, Diagnosis dan Terapi* (Ke Tiga., pp. 17–75). Jakarta: PT.Gramedia Pustaka Utama.
- Baber, U., Kovacic, J., Moreno, P., Roy, S., Sayeneni, S., Dangas, G., Kini, A. (2013). Differential Impact of Female Gender on Mortality By Presence or Absence of Chronic Kidney Disease Following Pci: Results From a Single–Center Registry With 15,990 Patients. *Journal of the American College of Cardiology, 61*(10), E1739.
- Bahar, B., Kadrianti, E., & Nani. (2014, April). Hubungan Hipertensi dengan Kejadian Gagal Ginjal di RS Ibnu Sina Makassar Periode Januari 2011-Desember 2012. *Majalah Kedokteran Indonesia, 4*, 163–168.
- Brien, R. M. O. (2007). A Caution Regarding Rules of Thumb for Variance Inflation Factors, 673–690.
- CDC. (2012). Chronic Kidney Disease Initiative Protecting Kidney Health, (October).
- CDC. (2014). National Chronic Kidney Disease Fact Sheet , 2014. Atlanta.
- Chiang, EC, et al. (2010). 2010 guidelines of the Taiwan Society of Cardiology for the management of hypertension. *Journal of the Formosan Medical Association = Taiwan yi zhi, 109*(10), 740–73.
- Dunbar, S. B., Butts, B., Reilly, C. M., Gary, R. A., Higgins, M. K., Ferranti, E. P., Butler, J. (2014). A pilot test of an integrated self-care intervention for persons with heart failure and concomitant diabetes. *Nursing Outlook, 62*(2), 97–111.

- Evans, P. D., & Taal, M. W. (2011). Epidemiology and causes of chronic kidney disease. *Medicine, No 39(7)*, 402–406. doi:10.1016/j.mpmed.2011.04.007
- Fakhrudin.A. (2013). Kronik Di RSUP DR Kariadi Semarang Periode 2008-2012 Jurnal Media Medika Muda Faktor-Faktor Penyebab Penyakit Ginjal Kronik Di RSUP DR Kariadi Semarang. *Jurnal Article*.
- Framingham, et al. (2005). Glycemic Status and Development of, 28(10), 2436–2440.
- Gengyan Xiong, Xiopng Chen, Xuesong Li, Dong Fang, Luxia Zhang, Li Yang, Lei Zhang, Lin Yao, Zhisong He, L. Z. (2013). Prevalence and factors associated with baseline chronic kidney disease in China : A 10-year study of 785 upper urinary tract urothelial carcinoma patients. *Journal of the Formosan Medical Association*, 6–11.
- Indra.K. (2010). Diabetes Melitus Tipe 2 pada Usia Lanjut. *Majalah Kedokteran Indonesia*, 60, 12.
- Iraj Heydari, Vida Radi, Sara Razmjou, A. A. (2010). International Journal of Diabetes Mellitus Chronic complications of diabetes mellitus in newly diagnosed patients. *International Journal of Diabetes Mellitus*, 2(1), 61–63.
- Kemenkes RI. (2013). Riset Kesehatan Dasar. Jakarta Pusat: Kemenkes RI.
- Kemenkes.RI. (2014). Pusdatin Hipertensi. Jakarta Pusat: Pusat Data dan Informasi Kemenkes RI.
- Lemshow, et al. (1997). Besar Sampel Dalam Penelitian Kesehatan, Terjemahan Cetakan Pertama. Gadjah Mada University Press Yogyakarta.
- Levey, A. S., & Coresh, J. (2012a). Chronic kidney disease. *Lancet*, 379(9811), 165–80.
- Levey, A. S., & Coresh, J. (2012b). Chronic kidney disease. *Lancet*, 379(9811), 165–80.
- Levey, A. S., Coresh, J., Balk, E., Kausz, A. T., Levin, A., Steffes, M. W., Eknoyan, G. (2003). National Kidney Foundation Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification, and Stratification. *Ann Intern Med*.
- Maarten.W, et al. (2013). Socioeconomic Factors and Chronic Kidney Disease. *Brenner and Rector's The Kidney*.

- Mitchell.H.Katz. (2011). *Multivariat Analysis*. (C. University Press, Ed.) (Third Edit., pp. 74–86). New York City: United States A Americanby Cambridge University Press, New York.
- Olugbenga Edward Ayodele, Oluyomi Oluseun Okunola, Muhammed Olanrewaju Afolabi, Rotimi Oluyombo, Babajide Aderoju Gbadegesin, A. E. O. (2011). Prevalence of hypertension, diabetes and chronic kidney disease in participants of the 2009 World Kidney Day screening exercise in Southwest Nigeria. *Hong Kong Journal of Nephrology*, 13(2), 55–63.
- Orth S.R. (2000). Smoking – A Renal Risk Factor. *Jurnal Article*, 86 No.1. doi:10.1159/000045708
- PERKENI. (2011). *Konsensus Pengendalian dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia 2011* (pp. 1–78). Jakarta.
- Pernefri. (2013). Laporan Penyakit Ginjal dan Hipertensi di Indonesia Tahun 2011. Jakarta Pusat: Indonesian Renal Registry.
- Pinhas-hamiel, O., & Zeitler, P. (2007). Acute and chronic complications of type 2 diabetes mellitus in children and adolescents, 369, 1823–1831.
- Qholfi Anggi Uraini Sahid. (2012). *Hubungan Lama Diabetes mellitus dengan Terjadinya Gagal Ginjal Terminal DI Rumah Sakit DR. MOEWARDI SURAKARTA*.
- Remuzzi. (1998). Pathophysiology of Progressive Nephropathies. *Review*, 339, 1448–1456. doi:10.1056/NEJM199811123392007
- Rohman, M. S., Hersunarti, N., & Soenarta, A. A. (2011). Pemahaman Dokter Indonesia Mengenai Hipertensi dan Permasalahan yang Dihadapi pada Praktik Sehari-Hari. *Majalah Kedokteran Indonesia*, 61, 51–57.
- Ronald Pyrama, Kansaraa, A., Banerjia, M. A., & Loney-Hutchinsona, L. (2012). Chronic kidney disease and diabetes. *Maturitas*, 71, 94–103.
- RSUD Tidar Kota Magelang. (2013). Profil RSUD Kota Magelang Tahun 2012. Kota Magelang: RSUD Tidar Kota Magelang.
- Schoolwerth et al. (2006). Preventing Chronic Disease. *Aricle information*, 3(2), A57.

- Shaw, et al. (2014). ScienceDirect Chronic kidney disease and the aging population
Nephrologie and Theurapetique, 10, 74–77. doi:10.1016/j.nephro.2013.12.001
- Shuchi Anand, Masuma Akter Khanam, Julian Saquib, Tahmeed Ahmed, Dewan S
Alam, Mark R Cullen, M. B. and G. M. C. (2014). High prevalence of chronic
kidney disease in a community survey of urban Bangladeshis: a cross-sectional
study. *Globalization and health*, 10(1), 9.
- Singh, et al. (2013). Epidemiology and risk factors of chronic kidney disease in India
- results from the SEEK (Screening and Early Evaluation of Kidney Disease)
study. *BMC nephrology*, 14(1), 114.
- Singh, S. (2012). Etiology and management of hypertension in chronic kidney
disease. *Clinical Queries: Nephrology*, 1(4), 259–267.
- Sja'bani. (2013). *Naskah Lengkap, Simposium Nasional Peningkatan Pelaporan
Penyakit Ginjal Kronik Masa Kini dan Indonesia, Renal Registry Joglo Semarang
2010, Pernefri Wilayah Jogjakarta 2012*. Jogjakarta: Pernefri Wilayah
Jogjakarta. ISBN No.979-26-6000-54
- Soekitjo Notoatmodjo. (2010). *Ilmu Perilaku Kesehatan*. (Pustaka Gramedia
Indonesia, Ed.). Jakarta Pusat: EGC Jakarta.
- Sudigdo. (2011). *Dasar-dasar Metodologi Penelitian Klinis*. (sudigdo Sastroasmoro,
Ed.) (Ke-4th ed., pp. 146–164). Jakarta: SAGUNG SETO.
- Sudoyo. (2010). *Ilmu Ajar Penyakit Dalam*. (Aru.W.Sudoyo, Ed.) (V., pp. 1035–
1050). Jakarta: InternaPublishing.
- Suk Jeong Lee, C. W. C. (2014). Health Behaviors and Risk Factors Associated with
Chronic Kidney Disease in Korean Patients with Diabetes: The Fourth Korean
National Health and Nutritional Examination Survey. *Asian Nursing Research*,
8(1), 8–14.
- Thomas, R., Kanso, A., & Sedor, J. R. (2008). Chronic kidney disease and its
complications. *Primary care*, 35(2), 329–44, vii.
- Tomson, C., & Bailey, P. (2011). Management of chronic kidney disease. *Medicine*,
39(7), 407–413.
- Tooke, J. E. (n.d.). Microvascular Function in Human Diabetes, (Iddm), 721–726.

- U.S. Department of Health and Human Services. (2004). *The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure*.
- WHO. (2009). *Global health risks* (pp. 9–28). Amerika. doi:ISBN 978 92 4 156387 1
- Wild S, Roglic G, Green A, Sicree R, K. H. (2004). Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care*, 27 (5), 1047–53. doi:PMID: 15111519 [PubMed - indexed for MEDLINE]
- Xiong, G., Chen, X., Li, X., Fang, D., Zhang, L., Yang, L., Zhou, L. (2013). Prevalence and factors associated with baseline chronic kidney disease in China : A 10-year study of 785 upper urinary tract urothelial carcinoma patients. *Journal of the Formosan Medical Association*, 6–11.
- Zhang, Q.-L., & Rothenbacher, D. (2008). Prevalence of chronic kidney disease in population-based studies: systematic review. *BMC public health*, 8, 117.
- Zoppini, G., Negri, C., Stoico, V., Casati, S., Pichiri, I., & Bonora, E. (2012). Triglyceride-high-density lipoprotein cholesterol is associated with microvascular complications in type 2 diabetes mellitus. *Metabolism: clinical and experimental*, 61(1), 22–9.