

DAFTAR PUSTAKA

- Ae Wha H., Gwi J.H., and Woo K.K. 2012. Effect of Retrogradated Rice on Weigh Control, Gut Function, and Lipid Concentration in Rats. *Nutrition Research and Practice*.6(1):16-20.
- Aliawati, Gusnimar. 2003. Teknik Analisis Kadar Amilosa dalam Beras. *Buletin Teknik Pertanian*. 8:2.
- Almatsier, S. 2004. *Prinsip Dasar Ilmu Gizi*. Jakarta: PT Gramedia Pustaka Utama
- American Diabetes Association, 2012. Diagnosis and classification of diabetes mellitus. *Diabetes Care* 35 (Suppl. 1): S64-S71
- Anonymous. 1995. *Official of Analysis of The Association of Official Analytical Chemistry*. AOAC Inc, Airlington.
- Anonymous. 2013. Riset Kesehatan Dasar (Riskesdas) 2013. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia.
- Anonymous. 2014. Gelatinization and retrogradation. <http://wikis.lib.ncsu.edu/images/5/53/>. Diakses tanggal 26 Mei 2015.
- Anonymous. 2015. Country and regional data on diabetes, prevalence of diabetes worldwide. http://www.who.int/diabetes/facts/world_figures/en/. Diakses tanggal 25 Juni 2015.
- AOAC, 1995. *Official of Analysis of The Association of Official Analytical Chemistry*. AOAC Inc, Airlington.
- Asp, N.G., Johansson, C.G., Hallmer, H., and Siljestrom, M. 1983. Rapid enzymatic assay of insoluble and soluble dietary fiber. *Journal Agric. Food Chemistry*. 31:476-482.
- Bagchi, K., dan Puri, S. 1998. Free radicals and antioxidants in health and disease. *Eastern Mediterranean Health Journal* 4(2): 350-360
- Biswas A., 2009. Prevention of Type 2 Diabetes - Life style modification with diet and physical activity Vs physical activity alone, Karolinka Institutet. Available From: <http://ki.se/content/1/c6/04/90/19/AnimeshBiswas.pdf>.
- Burtis, G., David, J., Martin, S. 1988. *Applied Nutrition and Diet Therapy*. Philadelphia : W.B. Saunders Co.
- Chakuton K, Puangpropintag D, and Nakornriab M. 2012. Phytochemical content and antioxidant activity of colored and non-colored Thai rice cultivars. *Journal Asian Journal of Plant Sciences* 11:285-293.

- Choi, B. H. (1993) Oxygen, Antioxidants and Brain Dysfunction. *Yonsei Medical Journal* 3:, 1-10
- Chunk H.S, Shin J.C. 2007. Characterization of antioxidant alkaloids and phenolic acids from anthocyanin-pigmented rice (*Oryza sativa* cv). *Heuginjubyeo. Food Chem* 104:1670-1677.
- Coultate, T.P. 2002. *Food, The Chemistry of Its Component Fourth Edition*. South Bank University: London.
- Csont, T., Bereczki, E., Bencsik, P., Fodor, G., Görbe, A., Zvara, A., Csonka, C., Puskás, L.G., Sántha, M., and Ferdinandy, P. 2007. Hypercholesterolemia increases myocardial oxidative and nitrosative stress thereby leading to cardiac dysfunction in apoB-100 transgenic mice. *Cardiovasc Res*. 76:100–109.
- Denardin, C. C., Walter, M., Silva, L. P. D., Souto, G. D., and Fagundes, C. A.A. 2007. Effect of amylose content of rice varieties on glycemic metabolism and biological responses in rats. *J Food Chemistry*, 105: 1474–1479
- Edem DO.2009.Hypoglycemic Effects of Ethanolic Extracts of Alligator Pear Seed (*Persea Americana* Mill) in Rats. *European Journal of Scientific Research*,33(4).669-678.
- Elessandra da R.Z., Shinise L. Mello E.H., Diego G.D.L.S., Elizabete H., Juliane M.P., Alvaro R., and Guerra D. 2012. Resistant Starch and Thermal, Morphological and Textural Properties of Heat Moisture Treated Rice Starches with High, Medium, and Low Amylose Content. *Starch/Starke* 64,45-54.
- Emily A.H., An Pan, Vasanti M., and Qi Sun. 2012. White rice consumption and risk type 2 Diabetes : meta-analysis and systematic Review. *BMJ* 344:e1454; 10.1136/bmj.e1454.
- Fauci A.S., Kasper D.L., Braunvald E., Hauser S.L., Longo D.L., and Jameson J.L.. 2003. *Principles of Internal Medicine*, 17th Edition. <http://www.accessmedecine.com>. Diakses tanggal 27 Mei 2015.
- Frei, M., Siddhuraju, P., and Becker, K. 2003. Studies on in vitro starch digestibility and the glycemic index of six different indigenous rice cultivars from the Philippines. *J Food Chemistry*, 83: 395–402.
- Ganong, Wiliam F.2005. *Review of Medical Physiology*. University of California, San Francisco. Medical Publishing Division.
- Gate L., Paul J., Ba G.N., Tew K.D. and Tapiero H. 1999. Oxidative stress induced in pathologies: The role of antioxidants. *Biomed & Pharmacother*. 53: 169-180

- Gibney, M., Ian A., Helen M. 2003. Nutrition and Metabolism. Blackwell Publishing, United Kingdom.
- Goldberg I.J. 2001. Diabetic Dyslipidemia: Causes and Consequences. *J Clin Endocrinol Metab*;86(3):965-71.
- Goni, I., Garcia-Diz, L., Manas, E., & Saura-Calixto, F. 1996. Analysis of resistant starch: a method for foods and food products. *J Food Chemistry*, 56: 445449.
- Guillausseau, P. J., Measa T., Virallya M., Laloi-Michelina M., Médeaua V., and Kevorkian J.P. 2008. Abnormalities in insulin secretion in type 2 diabetes mellitus. *Diabetes & Metabolism*, 34, S43-S48.
- Gustaviani R. 2007. Diagnosis dan Klasifikasi Diabetes Mellitus. Dalam : Sudoyo AW., Setiyohadi B., Alwi I., Simadibrata MI. (eds) Buku Ajar Ilmu Penyakit Dalam. Jilid 3. Edisi 4. Jakarta : Pusat Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, pp : 1867, 1857-9.
- Halliwell B, Chirico S. 1993. Lipid peroxidation: its mechanism, measurement and significance. *AM J Clin Nutr* 57:715S-25S.
- Haralampu, S. G. 2000. Resistant starch: A review of the physical properties and biological impact of RS3. *Carbohydrate Polymers*, 41, 285–292.
- Hardjasasmita. 2009. Biokimia Dasar B. Fakultas Kedokteran Universitas Indonesia. Jakarta
- Hassan, B.A.R. 2013. Overview on Hyperlipidemia. *J Chromat Separation Techniq* 4:2
- Hernández, O., Emaldi U., and Tovar J. 2008. In vitro digestibility of edible films from various starch sources. *Carbohydrate Polymers*, 71, 648–655.
- Hu, P., Zhao H., Duan Z., Linlin Z., Wu D. 2004. Starch digestibility and the estimated glycemic score of different types of rice differing in amylose contents. *J. of Cereal Science*, 40: 231–237
- Hwang Y.P., Choi J.H., Han E.H., Kim H.G., Wee J.H., Jung K.O., Jung K.H., Kwon K.I., Jeong T.C., Chung Y.C., dan Jeong H.G. 2011. *Nutrition Research* 31 : 896–906
- Irawan, M. 2007. Glukosa dan Metabolisme Energi. *Sports Science Brief* 1 (6)
- Jafarnejad, A.S.Z., Bathaie M., Nakhjavani M.Z., and Hassan. 2008. Effect of spermine on lipid profile and HDL functionality in the streptozotocin-induced diabetic rat model. *Life Sciences* 82:301–307.

- Jaiswal, M., Ashley S., Rodica P.B. 2014. Lipids and lipid management in diabetes. *Best Practice & Research Clinical Endocrinology & Metabolism* 28:325–338.
- Jang, H.H., Park M.Y., Kim H.W., Lee Y.M., Hwang K.A., Park J.H., Park D.S., dan Kwon O. 2012. Black rice (*Oryza sativa* L.) extract attenuates hepatic steatosis in C57BL/6 J mice fed a high-fat diet via fatty acid oxidation. *Nutrition & Metabolism* 9(27):1-11
- Johansen, Jeanette S., Alex K.H., David J.R., and Advie E. 2005. Review Oxidative stress and the use of antioxidants in diabetes: Linking basic science to clinical practice. <http://www.cardiab.com/content/4/1/5>. Diakses tanggal 25 Juli 2014.
- Josiemer, M., Frank B.H., Hannia C. 2011. A higher ratio of beans to white rice is associated with lower cardiometabolic risk factors in Costa Rican adults. *Journal Clinical Nutrition* 94:869-76
- Juliano, B.O. 1972. The rice caryopsis and its composition. Di dalam D.F. Houston (ed). *Rice Chemistry and Technology*. American Association of Chemists, Inc..St. Paul. Minnesota, pp.
- Kano M., Takayanagi T., Harada K., Makino K., Ishikawa F. 2005. Antioxidative activity of anthocyanins from purple sweet potato, *Ipomoea batatas* cultivar Ayamurasaki. *J Bioscience Biotechnol Biochem* 69: 979-988.
- Karel, Pandelaki. 2006. Diabetic Dyslipidemia Management, The First East Indonesia Endo-Metabolic Update, Perkeni Cabang Makassar; 24–31.
- Karlsson, H. K.R. 2005. Insulin signaling and glucose transport in insulin resistant human skeletal muscle. Sweden : Universitetsservice US AB.
- Kevin, C., Kregel, Hannah J., Zhang. 2006. An integrated view of oxidative stress in aging: basic mechanisms, functional effects, and pathological considerations. *Am J Physiol Regul Integr Comp Physiol*. 292:R18-R36
- Kim, W. K., Chung M. K., Kang N. E., Kim M. H., and Park O. J. 2003. Effect of resistant starch from corn or rice on glucose control, colonic events, and blood lipid concentrations in streptozotocin-induced diabetic rats. *J of Nutritional Biochemistry*, 14: 166–172.
- Kolovou, G., Anagnostopoulou K., and Cokkinos D. 2005. Pathophysiology of dislipidemia in the Metabolic Syndrome. *Postgrad Med J* 81: 358-366
- Kwak, J.H., Paik J.K., Kim H.I., Kim O.Y., Shin D.Y., Kim H., Lee J.H., and Lee J.H. 2012. Dietary treatment with rice scontaining resistant starch improves markers of endothelial function with reduction of postprandial

blood glucose and oxidative stress in patients with prediabetes or newly diagnosed type 2 diabetes. *J Atherosclerosis*, 224: 457-464

- Larasati, A.S. 2013. Analisis Kandungan Zat Gizi Makro Dan Indeks Glikemik Snack Bar Beras Warna Sebagai Makanan Selingan Penderita Nefropati Diabetik. Artikel Penelitian, Program Studi Ilmu Gizi Fakultas Kedokteran, Universitas Diponegoro, Semarang.
- Lee, J., Durst R.W. dan Wrolstad R.E. 2005. Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: collaborative study. *Journal of Association of Official Analytical Chemists International* 88 (5) : 1269-1278.
- Mahamuni, S.P., Khose R.D., Mena F., Badole S.L. 2012. Therapeutic approaches to drug targets in hyperlipidemia. *Biomedicine* 2:137-146.
- Moeliandari, F. and Wijaya, A. 2002. Metabolism and anti-atherosclerotic mechanisms of HDL, a new perspective. Prodia. Jakarta
- Monika, P., Wiliam S., Christian L., Pains S.W., Anita M.S., Thomas I. P.S. 2013. Aktivitas Antioksidan Beras Organik Varietas Lokal (Putih Varietas Cianjur, Merah Varietas Saodah, Hitam Varietas Jawa). *Kimia Pangan*.23.1-10.
- Muntana, N. dan Prasong, S. 2010. Study on total phenolic contents and their antioxidant activities of thai white, red, and black rice bean extracts. *Pakistan Journal of Biological Sciences* 13(4): 170-174.
- Murray, R.K., Daryl K., Granner P.A., Mayes, Victor W., Rodwell. 2009. *Harper's Illustrated Biochemistry*. 6th ed. Medical Publishing Division. New York
- Nanri A., Mizoue T., Noda M., Takahashi Y., Kato M., Inoue M. 2010. Rice intake and type 2 diabetes in Japanese men and women: the Japan Public Health Center-Based Prospective Study. *Am J Clin Nutr*. 92:1468-77.
- Nelson, D.L., Cox M.M., 2008. *Lehninger principles of biochemistry*. 5th ed. W.H. Feeman and Company, New York..
- Niedowicz, D. M. and Daleke, D. L. 2005. The role of oxidative stress in diabetic complications. *Cell Biochemistry and Biophysics*, 43, 289-330.
- Niki, Etsuo. 2014. Review : Biomarkers of lipid peroxidation in clinical material. *Biochimica et Biophysica Acta* 1840:809–817.
- Norhaizan, M.E., Khairul K.A.K., Zulkhairi A., Azrina A. 2013. Antioxidant activity of white rice, brown rice and germinated brown rice (in vivo and

in vitro) and the effects on lipid peroxidation and liver enzymes in hyperlipidaemic rabbits. *Food Chemistry* 141:1306–1312.

Nurhidajah., Mary A., Sardjono, dan Agnes M. 2004. Evaluasi Sifat fisik, sensori, dan kimia beras merah yang diperkaya kappa-karagenan dan ekstrak antosianin. *Prosiding seminar nasional, konsumsi pangan sehat dengan gizi seimbang menuju tubuh sehat bebas penyakit*: 219-225.

Pathak S., Dorfmüller H.C., Borodkin V.S., and Aalten M.F. 2008 . Chemical Dissection of the Link between Streptozotocin, O-GlcNAc, and Pancreatic Cell Death. *Pubmed Central J.* August 25; 15(8): 799–807.

Pérez, S., Baldwin, P. M., and Gallant, D.J. 2009. Structural Features of Starch Granules I. *Journal Starch: Chemistry and Technology*, 3: 149-192.

Pietta P.G. 2000. Reviews: Flavonoids as antioxidants. *J Nat Prod* 63:1035-1042.

Purnyami, 2011. Hubungan Antara Faktor Karakteristik, Profil Lipid Dan Hipertensi Dengan Penyakit Jantung Koroner Pada Penderita Diabetes Mellitus Di Rumah Sakit Tentara Semarang. <http://digilib.unimus.ac.id/files/disk1/106/>. Tanggal Akses 1 April 2014.

Purwaningsih, H dan Kristantini. 2009. Potensi pengembangan beras merah sebagai plasma nutfah yogyakarta. *J Lit Pert* 28(3):88-95.

Purwaningsih, H., Kristantini, dan Widyanti S. 2008. Mutu Fisik, Kimia dan Organoleptik Padi Beras Merah Varietas Lokal (cempo merah, Mandel dan Segreng) sebagai Plasma Nutfah Padi Provinsi DIY. Dalam: *Makalah Seminar Pekan Padi Nasional (PPN) III. Sukamandi*.

Rachmaningtyas, A. 2013. Jumlah Penderita Diabetes di Indonesia Masuk 7 Dunia. Diakses dari <http://nasional.sindonews.com/read/2013/09/03/15/778889/jumlah-pen>. Diakses tanggal 23 Januari 2014.

Radix, I.A.P.J., Donatus N., and Hans K.B. 2013. Nutrients and antioxidant properties of Indonesian underutilized colored rice. *Journal Nutrition and Food Science*. 44(3):193-203.

Rajguru, N.R., Burgos. D.R., Gealy, C.H., Sneller, and J.McD. Stewar. 2002. Genetic Diversity of red rice in Arkansas. In *Rice research studies.. Arkansas Agricultural Experiment Station , Fayetteville, Arkansas 72701*. p. 99–104.

Ratanamechaiskul, C., Somchahart S., Somkiat P. 2014. Glycemix response to brown rice treated by different drying media. *Journal of Food Engineering*. 122:48-55.

- Reeves, P.G., F.H. Nielsen, and G.C. Fahey, Jr., 1993. AIN-93 purified diets for laboratory rodents: Final report of the American Institute of Nutrition and ad hoc writing committee on the reformulation of the AIN-76A diet. *J. Nutr.* 123:1939-1951.
- Rimbawan, S. A, 2004. Indeks Glikemik Pangan. Indeks Glisemik dan Diabetes Mellitus. Indeks Glisemik dan Obesitas. Penebar Swadaya. Jakarta.
- Rolo, A. P. and Palmiera, C. M. 2006. Diabetes and mitochondrial function: Role of hyperglycemia and oxidative stress. *Toxicology and Applied Pharmacology*.212: 167-178.
- Rui Li Y., Yong H.S., Gang H., Wu L., dan Guo-Wei L. 2008. Increasing Oxidative Stress with Progressive Hyperlipidemia in Human: Relation between Malondialdehyde and Atherogenic Index. *Journal Clinical Biochemistry Nutrition*. 43: 154
- Sakuraia, M., Nakamura K., Miura K., Takamura T., Yoshitad K., Morikawaa, Y., Ishizakie M., Kidof, T., Naruseg, Y., Suwazonoh, Y., Kanekoc, S., Sasakii, S., & Nakagawaa, H. 2012. Dietary glycemic index and risk of type 2 diabetes mellitus in middle-aged Japanese men. Diakses dari <http://www.sciencedirect.com.ezproxy.ugm.ac.id/science/article/pii/S0>. Diakses tanggal 20 Maret 2014.
- Sander, C.S., Chang,H., Hamm, F., Elsner, P., dan Thiele, J. J.2004. Role of oxidative stress and the antioxidant network in cutaneous carcinogenesis. *International J. Dermatology* 43: 326-335
- Sari, D. K. 2013. Pati Tahan Cerna untuk Pencegahan Diabetes Tipe-2. Diakses dari <http://pustaka.unpad.ac.id/wp-content/uploads/2013/11/pustaka-unpad-Pati-Tahan-Cerna.pdf>. Diakses tanggal 19 Januari 2014.
- Savitha, Y.S , Vasudeva Singh. 2011. Status of dietary fiber contents in pigmented and non-pigmented rice varieties before and after parboiling. *Food Science and Technology* 44:2180-2184.
- Shanik, M. H., Xu, Y., Skrha, J., Danker, R., Zick, Y., Roth, J. 2008. Insulin resistance and hyperinsulinemia. *Diabetes Care*, 31 (2), S262-S268.
- Shi, M., Chen, Y., Yu, S., Gao Q. 2013. Preparation and properties of RS III from waxy maize starch with pullulanase. *J Food Hydrocolloids* 33: 19-25.
- Shih, C., Chen, S., Hou W., and Cheng H. 2007. A high-resistance-starch rice diet reduces glycosylated haemoglobin levels and improves the antioxidant status in diabetic rats. *J Food Research International*, 40: 842–847.
- Shou, Y., Xu, F., Sun, X., Bao, J. & Beta, T. 2014. Identification and quantification of phenolic acids and anthocyanins as antioxidants in bran,

embryo, and endosperm of white, red, and black rice kernels (*Oryza sativa* L.). *J of Cereal Science*, 56 (2): 211-218.

Smolin, L., and Grosvenor. 2007. *Nutrition : Science and Applications*. John Wiley dan Sons, Inc. USA.

Sompong, R., Siebenhandl-Ehn, S., Linsberger-Martin, G., & Berghofer, E. 2011. Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka. *J Food Chemistry*, 124: 132–140.

Sudarmadji, S., Bambang Haryono dan Suhardi. 1996. *Analisa Bahan Makan dan Pertanian*. Liberty. Yogyakarta.

Suhartatik, N., Merkuria K., Akhmad M., Muhammad N.C., Sri R., Endang S.R. 2013. Stabilitas ekstrak antosianin beras ketan (*oryza sativa* var. *Glutinosa*) Hitam selama proses pemanasan dan penyimpanan. *Jurnal Agritech*. 33:4.

Sustrani, S.F., Soegondo, S. 2005. Jumlah Diabetes Indonesia Rangking ke-4 di Dunia. www.depkes.go.id. Tanggal Akses 1 April 2014.

Sutharut, J. dan Sudarat, J. 2012. Total anthocyanin content and antioxidant activity of germinated colored rice. *International Food Research Journal* 10(1):215-221.

Szkuldeski T. 2001. The Mechanism of Alloxan and Streptozotocin Action In β Cells of The Rat Pancreas. *Physiol Res* ;50:536-56

Tian, Y, Jinling Z., Jianwei Z., Zhengjun X., Xueing X., Zhengyu J. 2013. Preparation of product rich in slowly digestible starch (SDS) from rice starch by a dual-retrogradation treatment. *Food Hydrocolloid*.31.1-4

Tirtawinata, T.C. 2006. *Makanan dalam Perspektif Al-Quran dan Ilmu Gizi Pencernaan Makanan dalam Tubuh*. Balai Penerbit Fakultas Kedokteran Universitas Indonesia. Jakarta.

Umar, M.I., Aminu I., Der J.O, Nur D.M.Z., Nadarajan S., Maznah I., Norhaizan M.E. 2014. Germinated brown rice regulates hepatic cholesterol metabolism and cardiovascular disease risk in hypercholesterolaemic rats. *Journal of Functional Foods*. 8:193–203

Verges, B. 2009. Review : lipid disorders in type 1 diabetes. *Diabetes & metabolism* 35:353-360.

Vichapong J., Sookdserm M., Srijesdaruk V., Swatsitang P., Srijaranai S. 2010. High performance liquid chromatographic analysis of phenolic

compounds and their antioxidant activities in rice varieties. *LWT-Food Science Technology* 43:1325-1330.

- Villegas R., Liu S., Gao Y.T., Yang G., Li H., Zheng W. 2007. Prospective study of dietary carbohydrates, glycemic index, glycemic load, and incidence of type 2 diabetes mellitus in middle-aged Chinese women. *Arch Intern Med*;26(167):2310-6.
- Widowati, S., M. Astawan, D. Muchtadi, dan T. Wresdiyati. 2007. Pemanfaatan ekstrak teh hijau (*Camellia sinensis* O. Kuntze) dalam pengembangan beras pratanak fungsional. *Prosiding Seminar Nasional PATPI 2007, Bandung 17 18 Juli 2007*.
- Widowati, S., B.A. Santosa, S., Astawan, M., dan Akhyar. 2009. Penurunan Indeks Glikemik Berbagai Varietas Beras melalui Proses Pratanak. *J Pascapanen*, 6, 1: 1-9.
- Widyawati, Pains S., Anita M.S., Thomas I.P.S., Pricillia M., William S., Christian L. 2014. Pengaruh perbedaan warna pigmen beras organik terhadap aktivitas antioksidan. *Agritech Vol 34, No. 4*.
- Wilcox, G. 2005. Insulin and Insulin Resistance. Review. *Clinical Biochemistry*, 26,19-39.
- William F. Ganong, MD. 1995. *Fisiologi Kedokteran*. Edisi 1. Alih bahasa : dr. Petrus Andrianto. EGC Jakarta.: 280 – 9.
- Winarsi, H. 2007. *Antioksidan Alami dan Radikal Bebas: Potensi dan Aplikasinya dalam Kesehatan*. Yogyakarta: Kanisius. p. 49-60.
- Won, H.C., So Y.G., Jiyun A., Chang H.J., Tae Y.H. 2013. Cooked rice prevents hyperlipidemia in hamsters fed a high-fat/cholesterol diet by the regulation of the expression of hepatic genes involved in lipid metabolism. *Nutrition Research*.33:572-579.
- Yawadio R., S Tanimori, N Morita. 2007. Identification of phenolic compounds isolated from pigmented rices and their aldose reductase inhibitory activities. *Food Chemistry* 101, 1616-1625.
- Yodmanee S, Karrila T.T., Pakdeechanuan P. 2011. Physical, chemical and antioxidant properties of pigmented rice grown in Southern Thailand. *International Food esearch Journal* 18:901-906.
- Zhang G., VS Malik, A Pan, S Kumar, MD Holmes, D Spiegelman, X Lin, F B Hu. 2010. Substituting Brown Rice for White Rice to Lower Diabetes Risk: A Focus-Group Study in Chinese Adults. *J Am Diet Assoc*. 110:1216-1221.

Zhou, Z., Fang W., Xiao C.R., Yuyang W., Chris B. 2015. Resistant starch manipulated hyperglycemia/hyperlipidemia and related genes expression in diabetic rats. *International Journal of Biological Macromolecules* 75:316–321.