

Pustaka

- Acharya, A., Ranganathan, M., & Saltz, J. (1997). Sumatra: A Language for Resource-aware Mobile Programs. In *Mobile object systems: Towards the programmable internet* (Vol. 1222, pp. 111–130). Retrieved from <http://www.cs.umd.edu/~acha/papers/lncs97-1.html>
- Adobe, S. (1985). *Postscript Language Reference*. adobe1985: Addison-Wesley.
- Ali, M. S., Ali Babar, M., Chen, L., & Stol, K.-J. (2010). A systematic review of comparative evidence of aspect-oriented programming. *Information and Software Technology*, 52, 871–887. doi: 10.1016/j.infsof.2010.05.003
- Amandi, A., & Price, A. (1998). Building Object-Agents from a Software Meta-Architecture. In *Lecture notes in artificial intelligence* (Vol. LNAI 1515, pp. 21–30).
- Aversa, R., Di Martino, B., Rak, M., & Venticinque, S. (2010). Cloud Agency: A Mobile Agent Based Cloud System. In *2010 international conference on complex, intelligent and software intensive systems* (pp. 132–137). Retrieved from <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=5447417> doi: 10.1109/CISIS.2010.143
- Badjonski, M., Ivanovic, M., & Budimac, Z. (2005). *Adaptable Java Agents (AJA)* (Vol. 40). Retrieved from <http://dl.acm.org/citation.cfm?id=1052663> doi: 10.1145/1052659.1052663
- Baldoni, M., Baroglio, C., Martelli, A., & Patti, V. (2005). Personalization, Verification and Conformance for Logic-based Communicating Agents. *WOA*, 177–183. Retrieved from <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.60.9548&rep=rep1&type=pdf>
- Batory, D., Cardone, R., & Smaragdakis, Y. (2000). Object-Oriented Frameworks and Product Lines. In *Software product lines: Experience and research directions. proceedings of the first software product line conference* (pp. 227–247). doi: 10.1007/978-1-4615-4339-8_13
- Bauer, B., Müller, J., & Odell, J. (2001). Agent UML: A formalism for specifying multiagent software systems. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 11(3). Retrieved from <http://www.worldscientific.com/doi/abs/10.1142/S0218194001000517>
- Bellifemine, F., Caire, G., & Greenwood, D. (2007). *Developing Multi-Agent Systems with JADE*. doi: 10.1002/9780470058411

- Bettini, L., De Nicola, R., & Loret, M. (2002). Software update via mobile agent based programming. In *Proceedings of the acm symposium on applied computing* (pp. 32–36). Retrieved from <https://www.scopus.com/inward/record.url?eid=2-s2.0-0036041533&partnerID=40&md5=605a8ea8239714582cd455a19a4c72cf> doi: 10.1145/508791.508800
- Binkley, D., Ceccato, M., Harman, M., Ricca, F., & Tonella, F. (2005). Automated refactoring of object-oriented code into aspects. In *Proc. icsm 05* (pp. 27–36). IEEE Computer Society.
- Boggs, J. K. (1973). IBM remote job entry facility : Generalized subsystem remote job entry facility. *Technical Report IBM Technical Disclosure Bulletin 752*.
- Booch, G., Rumbaugh, J., & Jacobson, I. (1998). *The Unified Modeling Language User Guide* (Vol. 3). Retrieved from <http://portal.acm.org/citation.cfm?id=1088874>
- Bruntink, M. (2004). Aspect Mining using Clone Class Metrics. *Proceedings of the 2004 Workshop on Aspect Reverse Engineering*, 1–6.
- Caglayan, A., & Horrison, C. (1997). *Agent Sourcebook: A Complete Guide to Desktop, Internet, and Intranet Agents*. John Wiley & Sons Inc.
- Ceccato, M., Marin, M., Mens, K., Moonen, L., Tonella, P., & Tourwe, T. (2005). A qualitative comparison of three aspect mining techniques. *13th International Workshop on Program Comprehension (IWPC'05)*. doi: 10.1109/WPC.2005.2
- Constantinides, C. A., Bader, A., & Elrad, T. (2007). An Aspect-Oriented Modeling Framework for Multi-Agent Systems Design. In *Agentoriented software engineering vii* (Vol. 4405, pp. 35–50). Retrieved from http://dx.doi.org/10.1007/978-3-540-70945-9_3
- Damasceno, K., Garcia, A., Romanovsky, A., & Lucena, C. (2006). Context-Aware Exception Handling in Mobile Agent Systems : The MoCA Case. , 0–6.
- da Silva, B. C., Figueiredo, E., Garcia, A., & Nunes, D. (2009, March). Refactoring of Crosscutting Concerns with Metaphor-Based Heuristics. *Electronic Notes in Theoretical Computer Science*, 233, 105–125. Retrieved from <http://linkinghub.elsevier.com/retrieve/pii/S1571066109000693> doi: 10.1016/j.entcs.2009.02.064
- da Silva, V. T., Choren, R., & de Lucena, C. J. P. (2004). A UML based approach for modeling and implementing multi-agent systems. *Agents and Multiagent Systems*. Retrieved from <http://dl.acm.org/citation.cfm?id=1018844>
- Dijkstra, E. W. (1976). *A Discipline of Programming*. Englewood Cliffs, NJ:

Prentice Hall.

- Fillus, E. K., & Vergilio, S. R. (2012). A Clustering Based Approach for Aspect Mining and Pointcut Identification. *6th Latin American Workshop on Aspect Oriented*. Retrieved from <http://www2.dc.ufscar.br/~lawasp/2012/artigos/03.pdf>
- Filman, R. E., & Friedman, D. P. (2000). *Aspect-oriented programming is quantification and obliviousness* (Tech. Rep.). Retrieved from http://12.176.28.111/research/technical_reports/TR_pdf/TR_01.12.pdf doi: 10.11.28.287
- FIPA. (1999). *Agent Communication Technical Committee. Agent Communication Language FIPA '99 Draft Specification*. Retrieved from www.fipa.org
- Fowler, M., Beck, K., Brant, J., Opdyke, W., & Roberts, D. (1999). *Refactoring: Improving the Design of Existing Code*. doi: 10.1007/s10071-009-0219-y
- Fuggetta, A., Picco, G., & Vigna, G. (1998). Understanding code mobility. *IEEE Transactions on Software Engineering*, 24(5), 342–361. Retrieved from http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=685258
- Gamma, E., Helm, R., Johnson, R. E., & Vlissides, J. (1995). *Design patterns: elements of reusable object-oriented software* (Vol. 206). Retrieved from <http://www.cs.up.ac.za/cs/aboake/sws780/references/patternstoarchitecture/Gamma-DesignPatternsIntro.pdf> doi: 10.1093/carcin/bgs084
- Garcia, A., Chavez, C., & Choren, R. (2007). An Aspect-Oriented Modeling Framework for Multi-Agent Systems Design. In *Agent-oriented software engineering vii* (Vol. 4405, pp. 35–50). Retrieved from http://dx.doi.org/10.1007/978-3-540-70945-9_3
- Garcia, A., Kulesza, U., & Lucena, C. (2005). Aspectizing multi-agent systems: From architecture to implementation. *Engineering for Multi-Agent Systems III*. Retrieved from http://link.springer.com/chapter/10.1007/978-3-540-31846-0_8
- Garcia, A., Kulesza, U., & Sant'Anna, C. (2006). Aspects in agent-oriented software engineering: Lessons learned. *Agent-Oriented Software Engineering VI*. Retrieved from http://link.springer.com/chapter/10.1007/11752660_18
- George, M. P., & Rao, A. S. (1995). BDI Agents : From Theory to Practice. In *Proceedings of the first international conference on multiagent systems icmas95* (Vol. 1). San Fransisco.

- Gray, R. S. (1996). Agent Tcl: A flexible and secure mobile agent system. In *Proc. of the 4th annual tcl/tk workshop* (pp. 9–23). Retrieved from <http://www.cs.dartmouth.edu/~agent/papers/tcl96.ps.Z>
- Guralnik, D. (1983). *Webster's New World Dictionary*. Prentice Hall School Group.
- Haarh, M. (2003). *Supporting Mobile Computing in Object-Oriented Middleware Architecture* (PhD Thesis). University of Dublin.
- Hachani, O., & Bardou, D. (2002). Using aspect-oriented programming for design patterns implementation. In *Proc. workshop reuse in object-oriented information systems design*. Retrieved from <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.102.3632&rep=rep1&type=pdf>
- Hannemann, J. (2006). Aspect-oriented refactoring: Classification and challenges. *Workshop on Linking Aspect Technology and Evolution*. Retrieved from <http://aosd.net/workshops/late/2006/late/submissions/hannemann.pdf>
- He, L., & Bai, H. (2006). Aspect Mining Using Clustering and Association Rule Method. *Journal of Computer Science*, 6(2), 247–251. Retrieved from http://paper.ijcsns.org/07_book/200602/200602A34.pdf
- Henderson-Sellers, B. (2005). From Object-Oriented to Agent-Oriented Software Engineering Methodologies. In *Selmas 2004* (pp. 1–18). Retrieved from <http://springerlink.metapress.com/content/pxnbc72yqabmr8p3/fulltext.pdf> doi: 10.1007/978-3-540-31846-0_1
- Hofmeister, C., Nord, R., & Soni, D. (1999). Describing software architecture with UML. *Software Architecture Proceedings of the First Working IFIP Conference on Software Architecture*, 12, 145–159. Retrieved from http://link.springer.com/chapter/10.1007/978-0-387-35563-4_9 doi: 10.1007/978-0-387-35563-4_9
- Hunt, J. W., & Mcilroy, M. D. (1976). An Algorithm for Differential File Comparison. *Time*, 41, 1–9. Retrieved from <http://www1.cs.dartmouth.edu/~doug/diff.ps>
- IEEE. (2000). *IEEE Recommended practice for architectural description of software-intensive systems* (IEEE Std 1 ed.).
- Jacobson, I., Booch, G., & Rumbaugh, J. (1999). The Unified Software Development Process. *IEEE Software*, 16, 96–102.
- Jennings, N. R. (2000). On agent-based software engineering. *Artificial Intelligence*, 117, 277–296. doi: 10.1016/S0004-3702(99)00107-1

- Johansen, D., Sudmann, N. P., & van Renesse, R. (1997). Performance Issues in TACOMA. In *Proceedings of the 3rd workshop on mobile object systems, 11th european conference on object-oriented programming*. Retrieved from <http://www.tacoma.cs.uit.no/papers/EC00P.tacoma.ps>
- Kellens, A., Mens, K., & Tonella, P. (2007). *A Survey of Automated Code-Level Aspect Mining Techniques* (Vol. 4640). Retrieved from http://dx.doi.org/10.1007/978-3-540-77042-8_6 doi: 10.1007/978-3-540-77042-8_6
- Kendall, E. (1999). A Framework for Agent Systems . Implementing Application Frameworks OO Frameworks at Work. (ed). John Wiley & Sons.
- Kiczales, G., Lamping, J., Mendhekar, A., Maeda, C., Lopes, C. V., Loingtier, J.-m., ... Lopes, C. (1997). Aspect-Oriented Programming Aspect-Oriented Programming. In Springer-Verlag (Ed.), *Proceeding of the european conference in object-oriented programming (ecoop)* (Vol. 1241, pp. 220–242). Jyväskylä, Finland.
- Kiniry, J., & Zimmerman, D. (1997). A Hands-On Look at Java Mobile Agents. *IEEE Internet Computing, 1*.
- Kiselev, I. (2002). *Aspect-Oriented Programming with AspectJ*. Indianapolis: SAMS Publishing.
- Kristiansen, E., Stolz, V., Oslo, U., & Bergen, H. g. (2014). Search-based composed refactorings The Extract and Move-Method Pattern. In *the nik-2014 conference* (Vol. 610582).
- Kulesza, U., Alves, V., Garcia, A., De Lucena, C. J. P., & Borba, P. (2006). Improving extensibility of object-oriented frameworks with aspect-oriented programming. In *Lecture notes in computer science (including subseries lecture notes in artificial intelligence and lecture notes in bioinformatics)* (Vol. 4039 LNCS, pp. 231–245). doi: 10.1007/11763864_17
- Laddad, R. (2003). *AspectJ in Action: Practical Aspect Oriented Programming*. Greenwich: Manning Publication Co.
- Lange, D., & Oshima, M. (1998). Mobile agents with Java: the Aglet API. *World Wide Web*, 1–18. Retrieved from <http://link.springer.com/article/10.1023/A:1019267832048>
- Lauvset, K., Johansen, D., & Marzullo, K. (2002). Factoring mobile agents. *Proceedings Ninth Annual IEEE International Conference and Workshop on the Engineering of Computer-Based Systems*, 253–257. Retrieved from <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=999847> doi: 10.1109/ECBS.2002.999847

- Lun, M. P., Fong, A., & Hau, G. K. W. (2003). *Object-oriented processor requirements with instruction analysis of Java programs* (Vol. 31). doi: 10.1145/966809.966812
- Marche, M., & Quemener, Y. M. (2003). A model for conformance testing of mobile agents in a MASIF framework. *Formal Approaches to Agent-Based Systems*, 2699, 173–192. Retrieved from <GotoISI>://000185883800015
- Marin, M., Deursen, A., & Moonen, L. (2004). Identifying aspects using fan-in analysis. In *Proc. of the 11th ieee working conference on reverse engineering (wcre 2004)*. Delft, The Netherlands: IEEE Computer Society.
- Massonet, P., Deville, Y., & Nève, C. (2002). From AOSE methodology to agent implementation. In *Aamas 02 proceedings of the first international joint conference on autonomous agents and multiagent systems part 1* (pp. 27–34). Retrieved from <http://portal.acm.org/citation.cfm?id=544741.544747&coll=ACM&dl=ACM&CFID=106433944&CFTOKEN=38804826> doi: 10.1145/544743.544747
- Matsuoka, S., & Yonezawa, A. (1997). Analysis of Inheritance Anomaly in Object-Oriented Concurrent Programming Languages. *Research Directions in Concurrent Object-Oriented Programming*, MIT Press.
- Mattsson, M., & Bosch, J. (1997). Framework composition: problems, causes and solutions. *Proceedings of TOOLS USA 97. International Conference on Technology of Object Oriented Systems and Languages*. doi: 10.1109/TOOLS.1997.654724
- Nugroho, L. E., Sajeev, A., & Prastowo, B. (1999). Towards A Programming Environment for Mobile Application Development. In *Proceedings of the third workshop on electro-communication indonesia (weci-iii)*. Bandung.
- Nugroho, L. E., & Srinivasan, B. (2000). Separation of Concerns in Mobile Object Programs: The Case of Supporting Mobility and Concurrency. In *Proceedings of the international symposium on mobile agents and applications (maa2000)*. Baden-baden, Germany. Retrieved from <http://arrow.monash.edu.au/vital/access//manager/Repository/monash:31050>
- Orzechowski, T. (2001). VoyagerTM as a powerful tool for distributed programming. *IEEE-Siberian Workshop of Students and Young Researchers. Modern Communication Technologies SIBCOM-2001. Proceedings (Cat. No.01EX452)*. doi: 10.1109/SIBCOM.2001.977505
- Riehle, D., & Gross, T. R. (1998). Role Model Based Framework Design and Integration. In *Proceedings of the 3rd acm conference on object-oriented*

- programming systems, languages and applications (oopsla '88)* (pp. 117–133). doi: 10.1145/286936.286951
- Roman, G.-c., Julien, C., Huang, Q., & Louis, S. (2002). Formal Specification and Design of Mobile Systems F 6E S IHP # Q S \$! # RT # VU WXWXW ”! # when c R X ! a # d c R @ ! a \$ % R e 2 ! ! a # Q ! inhibit R X @ ! a Bg 6E and R 2 ! a Bg 6E .
- Rowyda Mohammed Abd El-Aziz Amal Elsayed Aboutabl, M.-S. M. (2012). Clone Detection Using DIFF Algorithm For Aspect Mining. *International Journal of Advanced Computer Science and Applications(IJACSA)*, 3(8), 137–140. Retrieved from <http://ijacsa.thesai.org/>
- Roy, C. K., Cordy, J. R., & Koschke, R. (2009). Comparison and evaluation of code clone detection techniques and tools: A qualitative approach. *Science Computer Program.*, 74, 470–495. doi: 10.1016/j.scico.2009.02.007
- SantAnna, C. N., Garcia, A. F., Chavez, C. v. F. G., Pereira de Lucena, C. J., & Staa, A. V. (2003). On the Reuse and Maintenance of Aspect-Oriented Software: An Assessment Framework. In *Proceedings of brazilian symposium on software engineering* (pp. 19–34).
- Seiter, L. M., Palmer, D. W., & Kirschenbaum, M. (2006). An aspect-oriented approach for modeling self-organizing emergent structures. In *Proceedings of the 2006 international workshop on software engineering for large-scale multi-agent systems - selmas '06* (p. 59). Retrieved from <http://dl.acm.org/citation.cfm?id=1138063.1138075> doi: 10.1145/1138063.1138075
- Self, A., & DeLoach, S. (2003). *Designing and specifying mobility within the multiagent systems engineering methodology*. Retrieved from <http://dl.acm.org/citation.cfm?id=952545>
- Shoham, Y. (1994). Agent oriented programming. *Artificial Intelligence*, 60, 51–92.
- Silva, D., Terra, R., & Valente, M. T. (2014). Recommending Automated Extract Method Refactorings. In *22nd ieee international conference on program comprehension (icpc)* (pp. 1–12). doi: 10.1145/2597008.2597141
- Somantri, M., Nugroho, L., & Soesianto, F. (2008). MOBILE AGENT IN FACTS. *icts.if.its.ac.id*. Retrieved from http://icts.if.its.ac.id/openaccess/2008/files/icts_2008_053.pdf
- Stein, D., Hanenberg, S., & Unland, R. (2002). Designing Aspect-Oriented Crosscutting in {UML}. *Workshop on Aspect-Oriented Modeling with {UML} (AOSD-2002)*. Retrieved from <http://lglwww.epfl.ch/workshops/aosd>

-uml/Allsubs/Dominik.pdf

- Sutandiyo, W., Chhetri, M., Krishnaswamy, S., & Loke, S. (2004). Experiences with software engineering of mobile agent applications. *2004 Australian Software Engineering Conference. Proceedings.*, 339–348. Retrieved from <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=1290487> doi: 10.1109/ASWEC.2004.1290487
- Sutton Jr., S. M., & Rouvellou, I. (2002). Modeling of Software Concerns in Cosmos. In *1st international conference on aspect-oriented software development* (pp. 127–133). Retrieved from <http://dx.doi.org/10.1145/508386.508402> doi: <http://doi.acm.org/10.1145/508386.508402>
- Tardo, J., & Valente, L. (1996). Mobile agent security and Telescript. *COMPCON '96. Technologies for the Information Superhighway Digest of Papers.* doi: 10.1109/CMPCON.1996.501749
- Thorn, T., & Thorn, T. (1997). Programming languages for mobile code. *ACM Computing Surveys*, 29, 213–239. Retrieved from <http://portal.acm.org/citation.cfm?doid=262009.262010> doi: 10.1145/262009.262010
- Tonella, P., & Ceccato, M. (2004). Aspect mining through the formal concept analysis of execution traces. In *Proc. of the 11th ieee working conference on reverse engineering (wcre 2004)*. Delfth, The Netherlands: IEEE Computer Society.
- Tourwe, T., & Mens, K. (2004). Mining aspectual views using formal concept analysis. In *Proc. of the fourth ieee international workshop on source code analysis and manipulation (scam 2004)*. Chicago, Illinois, USA: IEEE Computer Society.
- Tripathi, A. R., Karnik, N. M., Ahmed, T., Singh, R. D., Prakash, A., Kakani, V., ... Pathak, M. (2002). Design of the Ajanta system for mobile agent programming. *Journal of Systems and Software*, 62, 123–140. doi: 10.1016/S0164-1212(01)00129-7
- Ubayashi, N., & Tamai, T. (2001). Separation of Concerns in Mobile Agent Application. In *Proceeding of 3rd conference reflection, lncs 2129* (pp. 89–109). Kyoto.
- van Splunter, S., Wijngaards, N. J. E., Brazier, F. M. T., & Richards, D. (2004). Automated Component-Based Configuration: Promises and Fallacies. In *Proceedings of the adaptive agents and multi-agent systems workshop at the aisb 2004 symposium* (pp. 130–145).



- Wang, P., & Zhao, X. (2012). *The Research of Automated Select Test Cases for Aspect-oriented Software* (Vol. 1). doi: 10.1016/j.ieri.2012.06.002
- Wong, D., Paciorek, N., Walsh, T., & DiCelie, J. (1997). Concordia: An infrastructure for collaborating mobile agents. *Mobile Agents*, 1–12. Retrieved from http://link.springer.com/chapter/10.1007/3-540-62803-7_26
- Wooldridge, M., Jennings, N., & Kinny, D. (2000). The Gaia methodology for agent-oriented analysis and design. *Autonomous Agents and Multi-Agent Systems*, 285–312. Retrieved from <http://link.springer.com/article/10.1023/A:1010071910869>
- Xu, D., & Deng, Y. (2000). Modeling Mobile Agent Systems with High Level Petri Nets. *Smc 2000 conference proceedings. 2000 ieee international conference on systems, man and cybernetics. 'cybernetics evolving to systems, humans, organizations, and their complex interactions'*, 3177–3182.
- Yokomori, R., Siy, H., Yoshida, N., Noro, M., & Inoue, K. (2011). Measuring the effects of aspect-oriented refactoring on component relationships. *Proceedings of the tenth international conference on Aspect-oriented software development - AOSD '11*, 215. Retrieved from <http://portal.acm.org/citation.cfm?doid=1960275.1960301> doi: 10.1145/1960275.1960301
- Yu, P., Cao, J., Wen, W., & Lu, J. (2006). Mobile agent enabled application mobility for pervasive computing. *Proceedings of Ubiquitous Intelligence and Computing 2006UIC06*, 4159, 648–657. Retrieved from <http://www.springerlink.com/index/k42369x7815n7p2u.pdf> doi: 10.1007/11833529_66