

References

- Sutton, D. (2003). *Textbook of Radiology and Imaging*. 7th ed. Amsterdam: Elsevier, pp.885-887.
- Daffner, R.H. (2007). *Clinical Radiology The Essentials*. 3rd ed. Philadelphia: Lippincott Williams & Wilkins.
- Adam, A., Dixon, A. K., Grainger, R. G., & Allison, D. J. (2008). *Grainger & Allison's diagnostic radiology a textbook of medical imaging*. Philadelphia, PA, Churchill Livingstone/Elsevier.
- Shin, H., Chung, B., Lee, S., Kim, W., Ha, H. and Yang, C. (2009). Measurement of Kidney Volume with Multi-Detector Computed Tomography Scanning in Young Korean. *Yonsei Medical Journal*, 50(2), p.262.
- Kang, K., Lee, Y., Park, S., Yang, C., Kim, Y., Moon, I., Koh, Y., Bang, B. and Choi, B. (2007). A comparative study of methods of estimating kidney length in kidney transplantation donors. *Nephrology Dialysis Transplantation*, 22(8), pp.2322-2327.
- Harmse, W. (2011). Normal variance in renal size in relation to body habitus. *South African Journal of Radiology*, 15(4).

- Tortora, G. and Derrickson, B. (2009). *Principles of anatomy and physiology*. Hoboken, N.J.:John Wiley.
- Sherwood, L. (2007). *Human physiology*. Australia: Thomson/Brooks/Cole.
- Moore, K. and Persaud, T. (2008). *The Developing Human*. 8th ed. Philadelphia: Saunders Elsevier.
- Chen, M., Pope, T. and Ott, D. (2011). *Basic radiology*. New York: McGraw Hill Medical.
- Batson, P. and Keats, T. (1972). The Roentgenographic Determination of Normal Adult Kidney Size as Related to Vertebral Height. *American Journal of Roentgenology*, 116(4), pp.737-739.
- Hofer, M. (2007). *CT teaching manual*. Stuttgart: Thieme.
- Ninan, V., Koshi, K., Niyamthullah, M., Jacob, C., Gopalakrishnan, G., Pandey, A. and Shastry, J. (1990). A Comparative Study of Methods of Estimating Renal Size in Normal Adults. *Nephrology Dialysis Transplantation*, 5(10), pp.851-854.
- Rockall, A. and Armstrong, P. (2009). *Diagnostic imaging*. Chichester, West Sussex: Wiley-Blackwell.

Glodny, B., Unterholzner, V., Taferner, B., Hofmann, K., Rehder, P., Strasak, A. and Petersen, J. (2009). Normal kidney size and its influencing factors - a 64-slice MDCT study of 1.040 asymptomatic patients. *BMC Urol*, 9(1), p.19.

Elgyoum, A.M.A. et al., 2013. Ultrasonographic Renal Size in Individuals with Known Diabetes Mellitus. , 1(6), pp.690-692.

Gunderman, R. (2006). *Essential radiology*. New York: Thieme.

Kadioglu, A. (2010). Renal Measurements, Including Length, Parenchymal Thickness, and Medullary Pyramid Thickness, in Healthy Children: What Are the Normative Ultrasound Values?. *American Journal of Roentgenology*, 194(2), pp.509-515.

Breau, R., Clark, E., Bruner, B., Cervini, P., Atwell, T., Knoll, G. and Leibovich, B. (2013). A simple method to estimate renal volume from computed tomography. *Canadian Urological Association Journal*, 7(5-6).