

DAFTAR PUSTAKA

- Afriana N, Hestiantoro A, Sungkar A. IL-10 Serum Concentration was Observed Higher in Threatened Preterm Labor. *Obstet Gyneco* 2010;34(4)
- Aguillon JC, Cruzat A, Aravena O, Salazar L, Llanos C, Cuchacovich M: Could single-nucleotide polymorphisms (SNPs) affecting the tumour necrosis factor promoter be considered as part of rheumatoid arthritis evolution? *Immunobiology* 2006;211:75-84.
- Aidoo M, McElroy PD, Kolczak MS, Terlouw DJ, et al. Tumor necrosis factoralpha promoter variant 2 (TNF2) is associated with pre-term delivery, infant mortality, and malaria morbidity in western Kenya: Asembo Bay Cohort Project IX. *Genet Epidemiol* 2001;21:201-11
- Albertsen K, Andersen AM, Olsen J. Alcohol consumption during pregnancy and the risk of preterm delivery. *Am J Epidemiol* 2004; 159: 155-61.
- Allsworth JE, Peipert JF. Prevalence of bacterial vaginosis: 2001-2004 National Health and Nutrition Examination Survey. *Obstetric Gynecol* 2007;109: 114-20
- Amsel R, Totten PA, Spiegel CA, Chen KC, Eschenbach D, Holmes KK. Nonspecific vaginitis. Diagnostic criteria and microbial and epidemiologic associations. *Am J Med* 1983; 74:14-22.
- Anath CV, Getahun D, Peltier MR. Recurrence of spontaneous versus medically indicated preterm birth. *AJOG* 2006; 195: 643-50.
- Andrews WW, Hauth JC, Goldenberg RL. Infection and preterm birth. *Am J Perinatol* 2000;17:357-65.
- Andrews WW. Cervicovaginal cytokines, vaginal infection, and preterm birth. *Am J Obstet Gynecol* 2004;190:1179.
- Astolfi P, De Pasquale A, Zonta LA. Paternal age and preterm birth in Italy, 1990 to 1998. *Epidemiology* 2006; 17: 218-21.
- Atkinson SH, Rockett KA, Morgan G, Bejon PA, Sirugo G, O'Connell MA. Tumor necrosis factor SNP haplotypes are associated with iron deficiency anemia in West African children. *Blood* 2008;112:4276-83

- Bada HS, Das A, Bauer CR. Low birth weight and preterm births: etiologic fraction attributable to prenatal drug exposure. *J Perinatol* 2005; 25: 631–37.
- Baker AN, Hellerstedt WL. Residential racial concentration and birth outcomes by nativity: do neighbours matter? *J Natl Med Assoc* 2006; 98: 172–80.
- Beck S, Wojdyla D, Say L, Betran AP, Merialdi M, Requejo JH. The worldwide incidence of preterm birth: a systematic review of maternal mortality and morbidity. *Bulletin of the World Health Organization*. 2010; 88 (1): 31-38. <http://www.who.int/entity/bulletin/volumes/88/1/en/>. Diakses Mei 2010.
- Bellamy R, Ruwende C, Corrah T, McAdam KP, Whittle HC, Hill AV. Assessment of the interleukin 1 gene cluster and other candidate gene polymorphisms in host susceptibility to tuberculosis. *Tuberi Lung Dis* 1998; 79: 83–9
- Bitner A, Kalinka J. IL-1 β , IL-6 promoter, TNF- α promoter and IL-1RA gene polymorphisms and the risk of preterm delivery due to preterm premature rupture of membranes in a population of Polish women. *Arch Med Sci* 2010;6:552-7.
- Blencowe H, Cousens S, Oestergaard MZ, Chou D, Moller AB, et al. National, regional, and worldwide estimates of preterm birth rates in the year 2010 with time trends since 1990 for selected countries: a systematic analysis and implications. *The Lancet* 2012;2162-72
- Blondel B, Kogan MD, Alexander GR. The impact of the increasing number of multiple births on the rates of preterm birth and low birthweight: an international study. *Am J Public Health* 2002; 92: 1323–30.
- Boulland ML, Meignin V, Leroyviard K, et al. Human interleukin-10 expression in T natural killer-cell lymphomas—association with anaplastic large cell lymphomas and nasal natural killer-cell lymphomas. *Am J Pathol* 1998;153:1229-37
- Buchmayer SM, Sparen P, Cnattingius S. Previous pregnancy loss: risks related to severity of preterm delivery. *AJOG* 2004; 191: 1225–31.
- Carey JC & Klebanoff MA. Is a change in the vaginal flora associated with an increased risk of preterm birth? *AJOG* 2005; 192: 1341–46.
- Cassatella MA. The neutrophil: one of the cellular targets of interleukin-10. *Int J Clin Lab Res* 1998;28:148–61
- Cassell GH, Waites KB, Watson HL, Crouse DT, Harasawa R. Ureaplasma urealyticum intrauterine infection: role in prematurity and disease in newborns. *Clin Microbiol Rev* 1993;6:69-87.
- Castro-Santos P, Suarez A, Lo´pez-Rivas L, Mozo L, Gutierrez C. TNFAlpha and IL-10 gene polymorphisms in inflammatory bowel disease: association of _1082 AA low producer IL-10 genotype with steroid dependency. *Am J Gastroenterol* 2006;101:1039–47.

- Chin HJ, Na KY, Kim SJ, Oh KH, Kim YS, Lim CS. Interleukin-10 Promoter polymorphism is associated with the predisposition to the development of IgA nephropathy and focal segmental glomerulosclerosis in Korea. *J Korean Med Sci* 2005; 20: 989-93.
- Chong WP, Ip WK, Tso GH, Ng MW, Wong WH, Law HK. The interferon gamma gene polymorphism +874 A/T is associated with severe acute respiratory syndrome. *BMC Infect Dis* 2006, 6:82-5.
- Cordeiro CA, Moreira PR, Andrade MS, Dutra WO, Campos WR, Ore´fice F, dan Teixeira LA. Interleukin-10 gene polymorphism (-1082G/A) is associated with toxoplasmic retinochoroiditis. *Invest Ophthalmol Vis Sci* 2008;49:1979–82
- Covington DL, Hage M, Hall T. Preterm delivery and the severity of violence during pregnancy. *J Reprod Med* 2001; 46: 1031–39.
- Crider KS, Whitehead N, Buus RM. Genetic variation associated with preterm birth: A HuGE review. *Genet Med* 2005;7(9):593–604.
- Cuenca J.M. Cuchacovich, C. Pe´rez, L. Ferreira, A. Aguirre, I. Schiattino. The 2308 polymorphism in the tumour necrosis factor (TNF) gene promoter region and ex vivo lipopolysaccharide-induced TNF expression and cytotoxic activity in Chilean patients with rheumatoid arthritis. *Rheumatology* 2003;42:308–13
- Da Silva AA, Simoes VM, Barbieri MA. Young maternal age and preterm birth. *Paediatr Perinat Epidemiol* 2003; 17: 340–46.
- Da Silva JA, Spector TD. The role of pregnancy in the course and aetiology of rheumatoid arthritis. *Clin Rheumatol* 1992;11:189–194.
- Dayan J, Creveuil C, Herlicoviez M. Role of anxiety and depression in the onset of spontaneous preterm labor. *Am J Epidemiol* 2002; 155: 293–301.
- Delgado JC, Baena A, Thim S, Goldfeld AE. Ethnic-specific genetic associations with pulmonary tuberculosis. *J Infect Dis* 2002; 186: 1463–68
- Dharmawati T, et al.. Angka Kematian Bayi, Angka Kelahiran, dan Angka Kematian BBLR di Bagian Perinatologi RSUD dr. Fauziah Bireuen, Aceh. *Medika* 2012;12:912-17
- Diaz-Cueto L, Dominguez-Lopez P, Cantillo-Cabarcas J, Perez-Figueroa G, Arechavaleta-Velasco M, Arechavaleta-Velasco F. Progesterone receptor gene polymorphisms are not associated with preterm birth in a Hispanic population. *Int J Gynaecol Obstet* 2008;103:153-7.
- El Shazly S. Increased expression of pro inflammatory cytokines in placentas of women undergoing spontaneous preterm delivery or premature rupture of membrane. *Am J Rep Immunol* 2004; 22(1): 45-52

- Elenkov II, Chrousos GP. Stress hormones, proinflammatory and antiinflammatory cytokines, and autoimmunity. *Ann N Y Acad Sci* 2002;966:290–303.
- Fairley K & Leyland AH. Social class inequalities in perinatal outcomes: Scotland 1980–2000. *J Epidemiol Community Health* 2006; 60: 31–6.
- Fitness J, Floyd S, Warndorff DK, Sichali L, Malema S, Crampin AC. Large-scale candidate gene study of tuberculosis susceptibility in the Karonga district of northern Malawi. *Am J Trop Med Hyg* 2004, 71:341–49.
- Fouqueray B, Boutard V, C Philippe, et al. Mesangial cell–derived interleukin-10 modulates mesangial cell response to lipopolysaccharide. *Am J Pathol* 1995;147:176–82
- Gastl GA, Abrams JS, Nanus DM, et al. Interleukin-10 production by human carcinoma cell lines and its relationship to interleukin-6 expression. *Int J Cancer* 1993;55;96–101
- Genc MR, Schantz-Dunn J. The role of gene–environment interaction in predicting adverse pregnancy outcome. *Clinical Obstetric Gynaecol* 2007;21 (3):491–504
- Gibson CS, MacLennan AH, Dekker GA. Genetic polymorphisms and spontaneous preterm birth. *Obstet Gynecol* 2007;109:384–91.
- Goldenberg RL, Hauth JC, Andrew WW. Intrauterine infection and preterm delivery. *NEJM* 2000; 342 (20):1500–7
- Goldenberg RL. The management of preterm labor. *Obstet Gynecol* 2002;100:1020–37.
- Goldman M, Marchant A, Schandene L. Endogenous interleukin-10 in inflammatory disorders: regulatory roles and pharmacological modulation. *Ann NY Acad Sci* 1996: 796:282–93
- Gomez-Lopez N, StLouis D, Lehr MA, Sanchez-Rodriguez EN, Arenas-Hernandez M. Immune cells in term and preterm labor. *Cell Mol Immunol* 2014;11(6):571–81.
- Grjibovski AM, Bygren LO, Yngve A. Large social disparities in spontaneous preterm birth rates in transitional Russia. *Public Health* 2005; 119: 77–86.
- Groux H, Bigler M, de Vries JE, Roncarolo MG. Inhibitory and stimulatory effects of IL-10 on human CD8₊ T cells. *J Immunol* 1998;160:3188–93
- Guoyang L, Morgan T, Bahtiyar MO, et al. Single nucleotide polymorphisms in the human progesterone receptor gene and spontaneous preterm birth. *Reprod Sci* 2008;15:147–55
- Gupta V, Sarin BC, Changotra H, Sehajpal PK: Association of G-308A *TNFA* polymorphism with bronchial asthma in a North Indian population. *J Asthma* 2005;42:839–41.

- Haertel Ch, Finas D, Ahrens P, Kattner P, Schaible Th, Muller D. Polymorphisms of genes involved in innate immunity: association with preterm delivery. *Mol Hum Reprod* 2004; 10: 911–15.
- Haas JS, Fuentes-Afflick E, Stewart AL. Prepregnancy health status and the risk of preterm delivery. *Arch Pediatr Adolesc Med* 2005; 159: 58–63.
- Hanna N, Hanna I, Hleb M, Wagner E, Dougherty J, Balkundi D, Padbury J, Sharma S. Gestational age-dependent expression of IL-10 and its receptor in human placental tissue and isolated cytotrophoblast. *J Immunol* 2000; 164:5721-8
- Harper M, Zheng SL, Thom E. Cytokine gene polymorphisms and length of gestation. *Obstet Gynecol* 2011;117:125-30.
- Hatch M, Berkowitz G, Janevic T. Race, cardiovascular reactivity, and preterm delivery among active-duty military women. *Epidemiology* 2006; 17: 178–82
- Heaman MI, Blanchard JF, Gupton AL. Risk factors for spontaneous preterm birth among Aboriginal and non-Aboriginal women in Manitoba. *Paediatr Perinat Epidemiol* 2005; 19: 181–93.
- Holst D. dan Y. Garnier. Preterm birth and inflammation—The role of genetic polymorphisms. *Eur J Obstet Gynecol Reprod Biol* 2008; 141: 3–9.
- Hsieh TT, Chen SJ, Shau WY. The impact of interpregnancy interval and previous preterm birth on the subsequent risk of preterm birth. *J Soc Gynecol Investig* 2005; 12: 202–7.
- Huang S-L, Su C-H, Chang S-C. Tumor necrosis factor gene polymorphism in chronic bronchitis. *Am J Respir Crit Care Med* 1997;156:1436–39
- HW Tso, WK Ip, WP Chong, CM Tam, AKS Chiang dan YL Lau. Association of interferon gamma and interleukin 10 genes with tuberculosis in Hong Kong Chinese. *Genes and Immunity* 2005; 6: 358–63.
- Hwang S, Beaty T, Liang K, Coresh J, Khoury M. Minimum sample size estimation to detect gene environment interactions in case-control designs. *Am J Epidemiol* 1994;140:1029-37.
- Ide A, Kawasaki E, Abiru N. Genetic association between interleukin-10 gene promoter region polymorphisms and type 1 diabetes age-at-onset. *Hum Immunol* 2002; 63: 690–95.
- Jensen F, Muzzio D, Soldati R, Fest Stefan and Zenclussen AC. Regulatory B10 Cells Restore Pregnancy Tolerance in a Mouse Model, *Biology of Reproduction* (2013) 89(4):90,1-7
- Johnson WG, Scholl TO, Spychala JR. Common dihydrofolate reductase 19-base pair deletion allele: a novel factor for preterm delivery. *Am J Clin Nutr* 2005; 81: 664–8.

- Kalis RB, Vardhana S, Gupta M. Interleukin-4 and -10 gene polymorphisms and spontaneous preterm birth in multifetal gestations. *AJOG* 2004;190:702–6.
- Kawasaki A, Tsuchiya N, Hagiwara K, Takazoe M, Tokunaga K. Independent contribution of HLA-DRB1 and TNF alpha promoter polymorphisms to the susceptibility to Crohn's disease. *Genes Immun* 2000;1:351–7.
- Kim YJ, Lee HS, Yoon JH, Kim CY, Park MH, Kim LH. Association of TNF- α promoter polymorphisms with the clearance of hepatitis B virus infection. *Human Molecular Genetics*, 2003;12 (19): 2541–46
- Kyrklund-Blomberg MB, Granath F, Cnattingus S. Maternal smoking and causes of very preterm Birth. *Acta Obstet Gynecol Scand* 2005; 84: 558–65.
- Langhoff-Roos J, Kesmodel U, Jacobsson B. Spontaneous preterm delivery in primiparous women at low risk in Denmark: population based study. *BMJ* 2006; 332: 937–39.
- Lee YH, Harley JB, Nath SK: Meta-analysis of TNF- α promoter -308 A/G polymorphism and SLE susceptibility. *Eur J Hum Genet* 2006;14:364–71.
- Liang M, Wang X, Li J. Association of combined maternal-fetal TNF- α gene G308A genotypes with preterm delivery: a gene-gene interaction study. *J Biomed Biotechnol* 2010:3961–84.
- Lindsay MK & Graves WL. Risk of adverse pregnancy outcomes in young adolescent parturients in an inner-city hospital. *AJOG* 2002; 186: 918–20.
- Lio D, Marino V, Serauto A. Genotype frequencies of the +874T-A single nucleotide polymorphism in the first intron of the interferon- γ gene in a sample of Sicilian patients affected by tuberculosis. *Eur J Immunogenet* 2002; 29: 371–74.
- Lopez-Maderuelo D, Arnalich F, Serantes R. Interferon- γ and interleukin-10 gene polymorphisms in pulmonary tuberculosis. *Am J Respir Crit Care Med* 2003; 167: 970–75.
- Lorenz E, Hallmann M, Marttila R. Association between the Asp299Gly polymorphisms in the toll-like receptor 4 and premature births in the Finnish population. *Pediatr Res* 2002;52:373–6.
- Luppi P, Haluszczak C, Betters D, Richard CA, et al. Monocytes are progressively activated in the circulation of pregnant women. *J Leukoc Biol* 2002;72:874–84.
- Luppi P. How immune mechanisms are affected by pregnancy. *Vaccine* 2003;21:3352–57.
- Majetschak M, Obertacke U, Schade FU, Bardenheuer M, Voggenreiter G, Bloemeke B, Heesen M: Tumor necrosis factor gene polymorphisms, leukocyte function, and sepsis susceptibility in blunt trauma patients. *Clin Diag Lab Immun* 2002, 1205–11.

- Marozienne K, Grazuleviciene R. Maternal exposure to low-level air pollution and pregnancy outcomes: a population-based study. *Environ Health* 2002; 1: 6.
- Martin JA, Hamilton BE, Sutton PD, Ventura SJ, Menacker F, Munson ML. Births: final data for 2002. *Natl Vital Stat Rep* 2003;52:1-113.
- Martín-Loeches I, Violan JS, J Blanquer, J Aspa, C Rodríguez Gallego, F Rodríguez de Castro. Effect of the IL-6 promoter polymorphism -174 G/C on risk and outcome of pneumonia. *Critical Care* 2008, 12(Suppl 2):P465
- Matos GI, Covas CJF, Bittar RC, Gomes-Silva A, Marques F, Maniero VC. IFNG +874T/A polymorphism is not associated with American tegumentary leishmaniasis susceptibility but can influence Leishmania induced IFN- γ production. *BMC Infect Dis* 2007, 7:33:1-6.
- Medda E, Donati S, Spinelli A. EUROPOP Group. Genetic amniocentesis: a risk factor for preterm delivery? *Eur J Obstet Gynecol Reprod Biol* 2003; 110: 153–8.
- Mehrotra PT, Donnelly RP, Wong S, et al. Production of Il-10 by human natural killer cells stimulated with Il-2 and/or Il-12. *J Immunol* 1998;160:2637–2644
- Meyer O. Making pregnancy safer for patients with lupus. *Joint Bone Spine* 2004;71:178–82
- Misra DP, Strobino DM, Stashinko EE. Effects of physical activity on preterm birth. *Am J Epidemiol* 1998; 147: 628–35.
- Mitchell M, Simpson K. Paradoxical proinflammatory actions of interleukin-10 in human amnion: potential roles in term and preterm labor. *J Clin Endoc Metab* 2004; 89(8):4149-52
- Moore KW, de Waal Malefyt R, Coffman RL, O’Garra A. Interleukin-10 and the interleukin-10 receptor. *Annu Rev Immunol* 2001; 19: 683-765.
- Moore KW, O’Garra A, Malefyt RDW, Vieira P, Mosmann TR. Interleukin-10. *Ann Rev Immunol* 1993;11:165–90
- Morken NH, Kallen K, Hagberg H. Preterm birth in Sweden 1973–2001: rate, subgroups, and effect of changing patterns in multiple births, maternal age, and smoking. *Acta Obstet Gynecol Scand* 2005; 84: 572–7.
- Moura E, Mattar R, de Souza E. Inflammatory cytokine gene polymorphisms and spontaneous preterm birth. *J Repro Immunol* 2009; 80: 115–21.
- Moutquin JM. Classification and heterogeneity of preterm birth. *BJOG* 2003; 110(supplement 20): 30–3.
- Muglia LJ, Katz M. Current Concepts The Enigma of Spontaneous Preterm Birth. *N Engl J Med* 2010;362:529-35.
- Murphy DJ. Epidemiology and environmental factors in preterm labour. *Clinical Obstetric Gynaecol* 2007; 21(5): 773–89.

- Nabet C, Ancel PY, Burguet A. Smoking during pregnancy and preterm birth according to obstetric history; French perinatal surveys. *Paediatr Perinat Epidemiol* 2005; 19: 88–96.
- Nugent RP, Krohn MA, Hillier SL. Reliability of diagnosing bacterial vaginosis is improved by a standardized method of Gram stain interpretation. *J Clin Microbiol* 1991;29:297–301.
- O’Garra A, Howard M. IL-10 production by CD5 B cells. *Ann NY Acad Sci* 1992;651:182–99
- O’Garra, Chang R, Go N, et al. Ly-1 B (B-1) cells are the main source of B cell–derived interleukin 10. *Eur J Immunol* 1992;22:711–17
- Offenbacher S, Boggess KA, Mutha AP. Progressive periodontal disease and risk of very preterm delivery. *Obstet Gynecol* 2006; 107: 29–36
- Ohashi J, Naka I, Patarapotikul J, Hananantachai H, Looareesuwan S, Tokunaga K. Lack of association between interleukin-10 gene promoter polymorphism, -1082G/A, and severe malaria in Thailand. *Southeast Asian J Trop Med Public Health* 2002, 5-7.
- Olsen SF dan Secher NJ. Low consumption of seafood in early pregnancy as a risk factor for preterm delivery: prospective cohort study. *BMJ* 2002; 324: 447.
- Onderdonk AB, Hecht JL, McElrath TF, Delaney ML, Allred EN, Leviton A. Colonization of second-trimester placenta parenchyma. *Am J Obstet Gynecol* 2008;199(1):52.e10.
- Orsi N M, Gopichandran N dan Nigel A.B. S. Genetics of preterm labour. *Best Practice Research Clinical Obst Gynaecol* 2007; 21 (5): 757–72.
- Ostensen M, Villiger PM. Immunology of pregnancy-pregnancy as a remission inducing agent in rheumatoid arthritis. *Transpl Immunol* 2002;9:155–60.
- Papazoglou D, Galazios G, Koukourakis MI. Association of -634G/C and 936C/T polymorphisms of the vascular endothelial growth factor with spontaneous preterm delivery. *Acta Obstet Gynecol Scand* 2004; 83: 461–5.
- Parazzini G, Benzi G. Moderate alcohol drinking and risk of preterm birth. *Eur J Clin Nutr* 2003; 57: 1345–49.
- Peltier MR. Immunology of term and preterm labor. *Reprod Biol Endocrinol* 2003 2;1:122.
- Pennell CE, Jacobsson B, Williams SM. PREBIC Genetics Working Group, Relton C. Genetic epidemiologic studies of preterm birth: guidelines for research. *AJOG* 2007;196:107-18.
- PeriStats [online database]. White Plains, NY: March of Dimes; 2006. Available from: <http://www.marchofdimes.com/peristats/>.

- Petrou S, Mehta Z, Hockley C, Cook-Mozaffari P, Henderson J, Goldacre M. The impact of preterm birth on hospital inpatient admissions and costs during the first 5 years of life. *Pediatrics* 2003; 112: 1290-7.
- Plunkett J, Muglia LJ. Genetic contributions to preterm birth: implications from epidemiological and genetic association studies. *Ann Med* 2008;40:167-95.
- Pravica V, Perrey C, Stevens A, Lee JH, Hutchinson IV: A single nucleotide polymorphism in the first intron of the human IFN- γ gene: absolute correlation with a polymorphic CA microsatellite marker of high IFN- γ production. *Hum Immunol* 2000, 61:863-66.
- Pyo CW, Hur SS, Kim YK. Polymorphisms of IL-1B, IL-1RN, IL-2, IL-4, IL-6, IL-10, and IFN-gamma genes in the Korean population. *Hum Immunol* 2003; 64: 979-89.
- Raynes-Greenow CH, Roberts CL, Bell JC, Peat B, Gilbert GL. Antibiotics for ureaplasma in the vagina in pregnancy. *Cochrane Database Syst Rev* 2004;1: CD003767.
- Reagan PB, Salsberry PJ. Race and ethnic differences in determinants of preterm birth in the US; broadening the social context. *Soc Sci Med* 2005; 60: 2217-28.
- Rey G, Skowronek F, Alciaturi J, Alonso J, B. Bertoni, R. Sapiro. Toll receptor 4 Asp299Gly polymorphism and its association with preterm birth and premature rupture of membranes in a South American population. *Mol Hum Reproduct* 2008; 14: 555-9
- Romero R, Chaiworapongsa T, Kuivaniemi, H. Tromp G. Bacterial vaginosis, the inflammatory response and the risk of preterm birth: A role for genetic epidemiology in the prevention of preterm birth. *AJOG* 2004; 190, 1509-19.
- Romero R, Sirtori M, Oyarzun E, et al. Infection and labor. V. Prevalence, microbiology, and clinical significance of intraamniotic infection in women with preterm labor and intact membranes. *Am J Obstet Gynecol* 1989;161:817-24.
- Rood MJ, van Krugten MV, Zanelli E. *TNFA* 308 and HLA-DR3 alleles contribute independently to susceptibility to systemic lupus erythematosus. *Arthritis Rheum* 2000;43:129-34.
- Rossouw M, Nel HJ, Cooke GS, van Helden PD, Hoal EG. Association between tuberculosis and a polymorphic NFkappaB binding site in the interferon gamma gene. *Lancet* 2003; 361: 1871-82.
- Rudwaleit M, Siegert S, Yin Z. Low T cell production of *TNF*Alpha and IFNgamma in ankylosing spondylitis: its relation to HLA-B27 and influence of the *TNF*-308 gene polymorphism. *Ann Rheum Dis* 2001;60:36-42.

- Sagiv SK, Mendola P, Loomis D. A time-series analysis of air pollution and preterm birth in Pennsylvania 1997–2001. *Environ Health Perspect* 2005; 113: 602–6.
- Sainz J, Hassan L, Perez E, Romero A. Interleukin-10 promoter polymorphism as risk factor to develop invasive pulmonary aspergillosis. *Immunol Lett*. 2007;109:76–82.
- Sakao S, Tatsumi K, Igari H, Watanabe R, Shino Y, Shirasawa H dan Kuriyama T. Association of tumor necrosis factor- α gene promoter polymorphism with low attenuation areas on high-resolution CT in patients with COPD. *Chest* 2002;122:416-20
- Sallakci N, Akcurin G, Koksoy S, Kardelen F, Uguz A, Coskun M, Ertug H, Yegin O: TNF- α G308A polymorphism is associated with rheumatic fever and correlates with increased TNF- α production. *J Autoimmun* 2005;25:150-4.
- Seo KW, Kim DH, Sohn SK. Protective role of interleukin-10 promoter gene polymorphism in the pathogenesis of invasive pulmonary aspergillosis after allogeneic stem cell transplantation. *Bone Marrow Transplant*. 2005;36:1089–95.
- Shahgeibi S, Shohadaie SA, Shohadaie AS, Ghaderi E. Complitions of bacterial vaginosis in pregnancy. *Pak J Med Sci* 2009;25(6):953-56.
- Simhan HN & Bodnar LM. Prepregnancy body mass index, vaginal inflammation, and the racial disparity in preterm birth. *Am J Epidemiol* 2006; 163: 459–66
- Sipahi T, Pocan H, Akar N: Effect of various genetic polymorphisms on the incidence and outcome of severe sepsis. *Clin Appl Thromb Hemost* 2006;12:47 54.
- Smith R. Parturition. *N Engl J Med* 2007;356:271-83
- Sobel JD. Bacterial vaginosis. *Annu Rev Med* 2000;51:349-56.
- Sookoian SC, Gonzalez C, Pirola CJ: Meta-analysis on the G-308A tumor necrosis factor alpha gene variant and phenotypes associated with the metabolic syndrome. *Obes Res* 2005;13:2122-31.
- Stanulla M, Schrauder A, Welte K, Schrappe M. Tumor necrosis factor and lymphotoxin- α genetic polymorphisms and risk of relapse in childhood B-cell precursor acute lymphoblastic leukemia: a case-control study of patients treated with BFM therapy. *BMC Blood Disorders* (2001)1:2.
- Stordeur P, Goldman M. Interleukin-10 as a regulatory cytokine induced by cellular stress: molecular aspects. *Int Rev Immunol* 1998: 16:501–22

- Stordeur P, Schandene L, Durez P, Gerard C, Goldman M, Velu T. Spontaneous and cycloheximide-induced interleukin-10 mRNA expression in human mononuclear cells. *Mol Immunol* 1995;32:233–9
- Sugita N, Kobayashi T, Kikuchi A. Immunoregulatory gene polymorphisms in Japanese women with preterm births and periodontitis. *J Reprod Immunol* 2012;93:94-101.
- Suh YJ, Kim YJ, Park H. Oxidative stress-related gene interactions with preterm delivery in Korean women. *AJOG* 2008;198:541.e1-541.e7.
- Vahratian A, Siega-Riz AM, Savitz DA. Multivitamin use and the risk of preterm birth. *Am J Epidemiol* 2004; 160: 886–92.
- Valdez LL, Quintero A, Garcia E. Thrombophilic polymorphisms in preterm delivery. *Blood Cells Mol Dis* 2004; 33: 51–6.
- Valdez V LL, Quintero-Ramos A, Perez SA. Genetic polymorphisms of the rennin–angiotensin system in preterm delivery and premature rupture of membranes. *J Renin Angiotensin Aldosterone Syst* 2007;8:160–8.
- Vassiliadis S, Ranella A, Papadimitriou L, Makrygiannakis A, Athanassakis I. Serum levels of pro and anti-inflammatory cytokines in non-pregnant women, during pregnancy, labour and abortion. *Med Inflamm* 1998;7: 69-72
- Verstraelen H, Goetgelud S, Derom C. Preterm birth in twins after subfertility treatment: population based cohort study. *BMJ* 2005; 331: 1173.
- Wadhwa PD, Culhane JF, Rauh V. Stress, infection and preterm birth: a biobehavioural perspective. *Paediatr Perinat Epidemiol* 2001; 15(supplement 2): 17–29.
- Wallace GR, Kondeatis E, Vaughan RW. IL-10 genotype analysis in patients with Behcet’s disease. *Hum Immunol* 2007; 68:122–7.
- Wang H, Parry S, Macones G. A functional SNP in the promoter of the SERPINH1 gene increases risk of preterm premature rupture of membranes in African Americans. *Proc Natl Acad Sci USA* 2006;103:13463–7.
- Wang H, Parry S, Macones GH. Functionally significant SNP MMP8 promoter haplotypes and preterm premature rupture of membranes (PPROM). *Hum Mol Genet* 2004; 13: 2659–69.
- Warlé MC1, Farhan A, Metselaar HJ, Hop WC, Perrey C, Zondervan PE, Kap M, Kwekkeboom J, Ijzermans JN, Tilanus HW, Pravica V, Hutchinson IV, Bouma GJ. Are cytokine gene polymorphisms related to in vitro cytokine production profiles? *Liver Transpl.* 2003 Feb;9(2):170-81.
- Watanabe E, Hirasawa H, Oda S, Shiga H, Matsuda K, Nakamura M, Abe R, Nakada T: Cytokine-related genotypic differences in peak interleukin-6

blood levels of patients with SIRS and septic complications. *J Trauma* 2005;59:1181-89.

Watts DH, Krohn MA, Hillier SL, Eschenbach DA. The association of occult amniotic fluid infection with gestational age and neonatal outcome among women in preterm labor. *Obstet Gynecol* 1992;79:351-7.

Weiss JL, Malone FD, Vidaver J. FASTER Consortium. Threatened abortion: A risk factor for poor pregnancy outcome, a population-based screening study. *AJOG* 2004; 190: 745–50.

Wennberg P, P Nordstro, R Lorentzon, U H Lerner, M Lorentzon. TNF- α gene polymorphism and plasma TNF- α levels are related to lumbar spine bone area in healthy female Caucasian adolescents. *Euro J Endocrinol* 2002. 146 629–34

Wilczyński J, Tchórzewski H, Gowacka E, Banasik M, Szpakowski M, Wiecek A, Wilczyński J. 'In vitro' Cytokine Secretion by Peripheral Blood and Decidual Lymphocytes during the Third Trimester of Normal Pregnancy. *Gynecol Obstet Invest* 2003; 55: 68-72

Yan Z, Lei-Butters D, Engelhardt JF, Leno GH. Indexing TNF- α gene expression using a gene-targeted reporter cell line. *BMC Biology* 2009, 7;8:1-10

Yılmaz Y, Verdi H, Taneri A. Maternal-fetal proinflammatory cytokine gene polymorphism and preterm birth. *DNA Cell Biol* 2012;31:92-7.

Zeitlin J, Bucourt M, Rivera L. Preterm birth and maternal country of birth in a French district with a multiethnic population. *BJOG* 2004; 111: 849–55.

Zhu JL, Madsen KM, Vestergaard M. Paternal age and preterm birth. *Epidemiology* 2005; 16: 259–62.