

DAFTAR PUSTAKA

- Adamson, A.W. and Gast, A.P., 1997, *Physical Chemistry of Surfaces*, edisi 6, Wiley-Interscience, 25, 879-886.
- Ahmaruzzaman, M. dan Gupta V.K., 2011, Rice Husk and Its Ash as Low-Cost Adsorbents in Water and Wastewater Treatment, *Ind. Eng. Chem. Res.*, 50, 13589-13613.
- Amarasinghe, B.M.W.P.K. and Williams, R.A., 2007, Tea Waste as a Low Cost Adsorbent for the Removal of Cu and Pb from Wastewater, *Chem. Eng. J.*, 132,299-309.
- Amuda, O.S., Giwa, A.A. and Bello, I.A., 2007, Removal of Heavy Metal from Industrial Wastewater Using Modified Activated Coconut Shell Carbon", *Biochem. Eng. J.*, 36(2), 174-181.
- Anggraini, M., 2013, Sintesis Adsorben Hibrida Kaliksarena-Kitosan dan Aplikasinya untuk Adsorpsi Kation Logam Pb(II), *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Anonim, 2010, *Peraturan Menteri Negara Lingkungan Hidup, Nomor 03 Tahun 2010, Baku Mutu Air Limbah Bagi Kawasan Industri*.
- Anonim, 2014, *Potensi Perkebunan Vanilin di Indonesia*, Direktorat Pengembangan Potensi Daerah BKPM.
- Athar M., Farooq, U. dan Hussain, B., 2007, *Azadirachata indicum* (Neem): An Effective Biosorbent for the Removal of Lead (II) from Aqueous Solutions, *Bull. Environ. Contam. Toxicol.*, 79, 288-292.
- Baker, L.G., Specht, C.A., Donlin, M.J. and Lodge, J.K., 2007, Chitosan, the Deacetylated Form of Chitin, Is Necessary for Cell Wall Integrity in *Cryptococcus neoformans*, *Eukaryotic Cell*, 6(5), 855-867.
- Budiana, I.G.M.N., 2004, Sintesis Senyawa 4,10,16,22-Tetra O-Asetat Kaliks[4]arena dan *p*-tert-Butil Kaliks[6]arena sebagai Penjebak Ion Pb²⁺, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Budiana, I.G.M.N., 2015, Sintesis Seri Benzoat-Sinamatkaliks[4]resorcinarene dan bezoil-sinamoil kaliks[4]resorsinarene serta Uji Aktivitasnya sebagai Tabir Surya dan adsorben Cr³⁺, Pb²⁺ dan Cd²⁺, *Disertasi*, Departemen Kimia FMIPA UGM, Yogyakarta.

- Budiana, I.G.M.N., Jumina, Anwar, C. and Mustofa, 2014, Synthesis and Characterization of Octaethoxycalix[4]arene for Heavy Metal Cations Adsorbent, *Adv. Mater. Res*, 1043, 81-84.
- Chen, Y.C., 1999, Synthesis of Octa-tailed Calix[4]resorcinarenes and Characterization of Langmuir-Blodgett Films of These Compounds, *Disertasi*, Faculty of Graduate Studies and Research Through Department of Chemistry and Biochemistry, University of Windsor, Ontario.
- Das, N. and Jana, R.K., 2006, Adsorption of some Bivalent Heavy Metal Ions from Aqueous Solutions by Manganese Nodule Leached Residues, *J. Colloid Interface Sci.*, 293, 253-262.
- David, G.C., 1989, *Calixarenes*, RSC Publishing, Cambridge.
- Davis, F. and Stirling, C.J.M., 1996, Calix-4-resorcinarene Monolayers and Multilayers: Formation, Structure, and Differential Adsorption, *Langmuir*, 12(22), 5365-5374.
- Drakalska, E., Momekova, D., Manolova, Y., Budurova, D., Momekova, G., Genova, M., Antonov, L., Lambov, N. and Rangelov, S., 2014, Hybrid Liposomal PEGylated Calix[4]arene Systems as Drug Delivery Platforms for Curcumin, *Int. J. Pharm.*, 472, 165-174.
- Falana, O.M., Al-Farhan, E., Keehn, P.M. and Stevenson, R., 1994, High Yield Synthesis of the Parent C-Unsubstituted Calix[4]resorcinarene Octamethyl Ether, *Tetrahedron Lett.*, 35(1), 65-68.
- Fessenden, R.J. dan Fessenden, J.S., 1986, *Kimia Organik*, Jilid 1 dan 2, Edisi 3, (diterjemahan oleh: Pudjaatmaka, A.H.), Erlangga, Jakarta.
- Firdaus, M., Jumina and Anwar, C., 2008, Green Synthesis of C-4-Hydroxy-3-methoxyphenylcalix[4]resorcinarene, and C-4-Methoxyphenylcalix[4]resorcinarene, *Proceeding of The International Seminar on Chemistry*, 30-31 October 2008, Jatinangor.
- FRIDGE, 2004, *Study into the Establishment of an Aroma and Fragrance Fine Chemicals Value Chain in South Africa, Part Three: Aroma Chemicals Derived from Petrochemical Feedstocks*. National Economic Development and Labor Council.
- Gregg, S.J. and Sing, K.S.W., 1982, *Adsorption, Surface Area and Porosity*, edisi 2, Academic Press, London.

- Gobley, N.T., 1858. Recherches sur le Principe Odorant de la Vanille, *Jour. de Pharm.*, 34, 401–405.
- Gubbuk, I.H., 2011, Isotherms and Thermodynamics for The Sorption of Heavy Metal Ions onto Functionalized Sporopollenin, *J. Haz. Mat.*, 186, 416-422.
- Hancock, I.C., 1996, Bioremediation of Heavy Metal Pollution-Possibilities and Practicalitie, *The Curen Position Symposium and Workshop on Heavy Metal Bio Acumulation*, IUC Biotechnology UGM, Yogyakarta.
- Harada, M., 1995, Minamata Disease: Methylmercury Poising in Japan Caused by Environmental Pollution, *Critical Reviews in Toxicology*, 25(1), 1-24.
- Ho, Y.S., 2004, Citation Review of Lagergren Kinetic Rate Equation on Adsorption Reaction, *Scientometrics*, 59(1), 171-177.
- Hocking, M.B, 1997, Vanilin: Synthetic Flavoring from Spent Sulfite Liquor, *J. Chem. Edu.*, 74 (9), 1055–1059.
- Jain, V.K., Pillai, S.G., Pandya, R.A., Agrawal, Y.K. and Shrivastav, P.S., 2005, Molecular Octopus: Octa Functionalized Calix[4]resorcinarene-Hydroxamic Acid [C4RAHA] for Selective Extraction, Separation and Preconcentration of U(VI), *Anal. Sci.*, 21, 129.
- Jain, V.K., Kanaiya, P.H. and Bhojak, N., 2008, Synthesis, Spectral Characterization of Azo Dyes Derived from Calix[4]resorcinarene and Their Application in Dyeing of Fibers, *Fib. Pol.*, 9(6), 720, 728.
- Jumina, Sarjono, R.E., Siswanta, D., Santosa, S.J. and Ohto, K., 2011, Adsorption Characteristics of Pb(II) and Cr(III) onto C-Methylcalix[4]resorcinarene, *J. Korean Chem. Soc.*, 55(3), 454-462.
- Kayaci, F. and Uyar, T., 2011, Solid Inclusion Complexes of Vanilin with Cyclodextrins: Their Formation, Characterization, and High-Temperature Stability, *J. Agric. Food Chem.*, 59, 11772–11778.
- Kumirska, J., Czerwicka, M., Kaczyński, Z., Bychowska, A., Brzozowski, K., Thöming, J. and Stepnowski, P., 2010, Application of Spectroscopic Methods for Structural Analysis of Chitin and Chitosan, *Mar. Drugs*, 8, 1567-1636.
- Libardi, S.H., Borges, J.C., Skibsted, L.H. and Cardoso, D.R., 2011, Deactivation of Ferrylmyoglobin by Vanillin as Affected by Vanillin Binding to β -Lactoglobulin, *J. Agr. and Food Chem.*, 59(11): 6202-6208.

- Lu, J., Zhang, W., Zhang, Y., Zhao, W., Hu, K., Yu, A., Liu, P., Wu, Y. and Zhang, S., 2014, A New Stationary Phase for High Performance Liquid Chromatography: Calix[4]arene Derivatized Chitosan Bonded Silica Gel, *J. Chromatogr.*, 1350, 61–67.
- Lynam, M.M., Kliduff, J.E. dan Weber, W.J., 1995, Adsorption of *p*-Nitrophenol from Dilute Aqueous Solution, *J. Chem. Educ.*, 72, 1, 80-84.
- Matos, M.G.N., Vivian G.D., Cesar A.M.A., Augusto K. dan Valdinete L.S., 2009, Bioadsorption and Ion Exchange of Cr³⁺ And Pb²⁺ Solutions with Algae, *Adsorption*, 15, 75-80.
- Mcmurry, J.E., 2012, *Organic Chemistry, 8th Edition*, BROOKS/COLE Cengage Learning, United States.
- Mondal, M.K., 2010, Removal of Pb(II) from Aqueous Solution by Adsorption Using Activated Tea Waste, *Korean J. Chem. Eng.*, 27, 1, 144-151.
- Naeem, A., Woertz, J.R. dan Fein, J.B., 2006, Experimental Measurement of Proton, Cd, Pb, Sr, and Zn Adsorption Onto the Fungal Species *Saccharomyces Cerevisiae*, *Environ. Sci. Technol.*, 40, 5724-5729.
- Nikolelis, D.P., Petropoulou, S.S.E. and Theoris G., 2003, Biosensors for the Rapid Repetitive Detection of Adrenaline Using Stabilized Bilayer Lipid Membranes (BLMs) with Incorporated Calix[4]resorcinarene Receptor, *Electroanalysis*, 15(20), 1616-1624.
- Oliveira, C.B.S., Meurer, Y.S.R., Oliveira, M.G., Medeiros, W.M.T.Q., Silva, F.O.N., Brito, A.C.F., Pontes, D.L. and Neto, V.F.A., 2014, Comparative Study on the Antioxidant and Anti-*Toxoplasma* Activities of Vanillin and Its Resorcinarene Derivative, *Molecules*, 19, 5898-5912.
- Oscik, J., 1982, *Adsorption*, John Wiley & Sons, Chichester.
- Pearson, R.G., 1963, Hard and Soft Acids and Bases, *J. Am. Chem. Soc.*, 85, 3533-3539.
- Peña, B., Menorval, L.C., Garcia-Valls, R. and Gumi, T., 2011, Characterization of Polysulfone and Polysulfone/Vanillin Microcapsules by ¹H NMR Spectroscopy, Solid-State ¹³C CP/MAS-NMR Spectroscopy, and N₂ Adsorption-Desorption Analyses, *ACS Appl. Mater. Interfaces*, 3, 4420–4430.

- Pietraszkiewicz, O. And Pietraszkiewicz, M., 1999, "Separation of Pyrimidine Bases on a HPLC Stationary RP-18 Phase Coated with Calix[4]resorcinarene", *J. Inc. Phen. Mac. Chem.*, 35(1-2), 261-270.
- Qureshi, I., Qazi, M.A. and Memon, S., 2009, A versatile Calixarene Derivative for Transportation Systems and Sensor Technology, *Sen. Act.*, 141, 45-49.
- Reimer, K., 1876, Ueber eine neue Bildungsweise aromatischer Aldehyde, *Berichte der deutschen chemischen Gesellschaft*, 9(1), 423-424.
- Riyadina, W., 1997, Pengaruh Pencemaran Pb (Plumbum) terhadap Kesehatan, *Media Litbangkes*, Vol. VII, No. 03 dan 04.
- Sal'nikov, Y.I., Boos, G.A., Ryzhkina, I.S., Vagapova, L.I. and Vishnev, M.I., 2008, Aminoacetal Derivative of Calix[4]resorcinarene. Acid-Base Properties and Reactions with Copper(II) and Lanthanum(III) in Various Media, *Russian J. Gen. Chem.*, 78(8), 1318-1323.
- Sanford, P.A. and G.P. Hutchings, 1987. *Industrial polysaccharides di dalam: Genetic Engineering, Structure/Property Relation and Application*, Amsterdam: Elsevier.
- Sardjono, R.E., 2006, Sintesis dan Penggunaan Tetramer Siklis Seri Kaliksresorsinarena, Alkoksikaliksarena dan Alkenikaliksarena untuk Adsorpsi Kation Logam Berat, *Disertasi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Sardjono, R.E., Jumina, Nurwahidin, A.W., Taufik, Sastrohamidjojo, H. and Santosa, S.J., 2008, Adsorption Characteristics of Pb(II) onto C-4-Hydroxy-3-methoxyphenylcalix[4]resorcinarene in Batch and Fixed Bed Column Systems, *Proceeding of The International Seminar on Chemistry*, 30-31 October 2008, Jatinangor.
- Sardjono, R.E., Kadarohman, A. and Mardhiyah, A., 2012, Green Synthesis of Some Calix[4]resorcinarene under Microwave Irradiation, *Procedia Chemistry* 4, 224-231.
- Setyawan, T., 2013, Synthesis of Sunscreen Compound of Calix[4]resorcinarene Benzophenone Derivatives from Vanilin, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Solangi, I.B., Memon, S. and Bhangar, M., 2009, Synthesis and Application of a Highly Efficient Tetraester Calix[4]arene Based Resin for The Removal of Pb²⁺ from Aqueous Environment, *An. Chim. Act.*, 638, 146-153.

- Suardana, I.N., 2008, Optimalisasi Daya Adsorpsi Zeolit terhadap Ion Kromium (III), *JPPSH.*, 2(1), 17-33.
- Sudarmaji, Mukono, J. dan Corie I.P., 2006, Toksikologi Logam Berat B3 dan Dampaknya Terhadap Kesehatan, *Jurnal Kesehatan Lingkungan*, 2(2), 129-142.
- Timmerman, P., Verboom, W. and Reinhoudt, D.N., 1996, Resorcinarenes, *Tetrahedron*, 52(8), 2663-2704.
- Umaningrum, D., Santoso, U.T., Nurmasari, R. and Yunus, R., 2010, Adsorption Kinetics of Pb(II), Cd(II) and Cr(III) on Adsorbent Produced by Protected-Crosslinking of Humic Acid-Chitosan, *Indo. J. Chem.*, 10(1), 80-87.
- Utomo, S.B., Jumina, Siwanta, D., Mustofa and Kumar, N., 2011, Synthesis of Thiomethylated Calix[4]resorcinarene Based on Fennel Oil Via Chloromethylation, *Indo. J. Chem.*, 11(1), 1-8.
- Utomo, S.B., Jumina, Siwanta, D. and Mustofa, 2012, Kinetics and Equilibrium Model of Pb(II) and Cd(II) Adsorption ontoTetrakis-thiomethyl-C-4-methoxyphenylcalix[4]resorcinarene, *Indo. J. Chem.*, 12(1), 49-56.
- Utomo, S.B., Jumina, Siwanta, D. and Mustofa, 2013, Synthesis of Tetrakis-N,N,N-trimethylammoniummethyl-C-3,4-dimethoxyphenylcalix[4]resorcinarene Iodide Based Vanilin and Its Antidote Activity for Chromium(VI) Intoxication, *Indo. J. Chem.*, 13(2), 158-165.
- Veravong, S., Ruangpornvisuti, V., Piposananakaton, B., Sukwattanasinitt, M. and Tuntulani, T., 2000, Synthesis of Tetraalkylated Calix[4]arenesand Studies of Their Conformational Behaviors, *Science Asia*, 26, 163-170.