



## DAFTAR PUSTAKA

- Aftab, U. and M. Ashraf, 2009. Methionine+cystine requirement of broiler chickens fed low-density diets under tropical conditions. *Trop. Anim. Health Prod.* 41: 363-369.
- Ajinomoto. 2012. Estimating amino acid requirements through dose-response experiments in pigs and poultry –protocol and results interpretation-. Ajinomoto Eurolysine S.A.S., Paris.
- Ajinomoto. 2014. Feedstuff amino acid database. Tersedia pada: <http://ajinomoto-eurolysine.com/feedstuffs-amino-acid-database.html>. Diakses pada 20 Februari, 2015.
- Al-Mayah, A.A.S. 2006. Immune response of broiler chicks to DL-Methionine supplementation at different ages. *Int. J. Poult. Sci.* 5: 169-172.
- Aviagen. 2014. Broiler Management Handbook. Ross an. Aviagen, US. 40-41.
- Baker, D.H., A.B. Batal, T.M. Parr, N.R. Augspurger, and C.M. Parsons. 2002. Ideal ratio (relative to lysine) of tryptophan, threonine, isoleucine, and valine for chicks during the second and third weeks posthatch. *Poult. Sci.* 81:485-494.
- Bahreiny, E., P. Dadvar, M. Morovat, and M. Bujarpoor, 2013. Effect of different level of energy to protein ratio and breeding system on performance and carcass characteristics of male and female broilers. *Int. J. Agri.* 3: 597-607.
- Bauchart-Thevret, B. Stoll, and D.G. Burrin, 2009. Intestinal metabolism of sulfur amino acids. *Nutr. Res. Rev.* 22: 175-187.
- Bender, D.A., R.K. Murray, K.M. Botham, P.J. Kennelly, V.W. Rodwell., and P.A. Weil. 2009. *Harper's Illustrated Biochemistry*. A Lange Medical Book. London.
- Bonner, S., P.A. Geraert, M. Lessire, B. Carre, and S. Guillaumin, 1997. Effect of high ambient temperature on feed digestibility in broilers. *Poult. Sci.* 76: 857-863.
- Boguslawska-Tryk, M., R. Szymeczko, A. Piotrowska, K. Burlikowska, and K. Slizewska. 2015. Ileal and cecal microbial population and short-chain fatty acid profile in broiler chicken fed diets supplemented with lignocellulose. *Pakistan Vet. J.* 35: 212-216.
- Bunchasak, C. 2009. Role of dietary methionine in poultry production. *J. Poult. Sci.* 46: 169-179.



- Chamruspollert, M., G.M. Pesti, and R.I. Bakalli. 2002. Dietary interrelationship among arginine, methionine, and lysine in young broiler chicks. *Brit. J. Nutr.* 88: 655-660.
- Chowdhury, V.S., S. Tomonaga, T. Ikegami, E. Erwan, K. Ito, J.F. Cockrem, and M. Furuse. 2014. Oxidative damage and brain concentrations of free amino acid in chicks exposed to high ambient temperature. *Comp. Biochem. Physiol. A. Mol. Integr. Physiol.* 169: 70-76.
- Cola, M. and F. Cola. 2014. Effect of feeding on the consumption of fodder and the structure of broilers carcasses. *Anale. Agro. Craiova.* 44: 67-71.
- D'Mello, J.P.F. 2003. Amino acids as multifunctional molecules. In: *Amino Acids in Animal Nutrition 1-14*. CABI Publishing. Wallingford.
- Dahiya, J.P., D. Hoehler, A.G. Van Kessel, and M.D. Drew. 2007. Effect of dietary methionine source on intestinal microbial populations in broiler chickens. *Poult. Sci.* 86: 2358-2366.
- Deaner, E and W. Bessei. 2003. Influence of supplementation with liquid DL-methionine hidroxy analogue free acid (alimet) or DL-methionine on performance of broiler. *J. Appl. Poult. Res.* 12: 101-105.
- Del Vesco, A.P., E. Gasparino, A.R. Oliveira Neto, S.E.F. Gumaraes, S.M.M. Marcato, dan D.M. Voltolini. 2013. Dietary methionine effects on IGF-I and GHR mRNA expression in broilers. *Genet. Mol. Res.* 12: 6414-6423.
- Du, M. and D.U. Ahn. 2003. Dietary CLA affect lipid metabolism in broiler. *Lipids.* 38: 505-511.
- Dubin, G. 2005. Proteinaceous cystein protease inhibitors. *Cell. Mol. Life Sci.* 62: 653-669.
- EL-Sheshtawy, S.M., H.M. Lamada, and F.M. Saleh. 2014. Identification of meat of some animal species by using HPLC to estimate the difference in amino acid ratio. *Glo. J. Agr. Food Saf. Sci.* 1: 357-368.
- Fatufe, A.A. and M. Rodehutscond. 2005. Growth, body composition, and marginal efficiency of methionine utilization are affected by nonessential amino acid nitrogen supplementation in male broiler chicken. *Poult. Sci.* 84: 1584-1592.
- Franko, K.L., A.J. Forhead, and A.L. Fowden. 2009. Effect of maternal dietary manipulation during different periods of pregnancy on hepatic glucogenic capacity in fetal and pregnant rats near term. *Nutr. Metab. Cardiovasc. Dis.* 19: 555-562.
- Goldspink, G dan S.Y. Yang. 1999. *Muscle structure, development and growth*. CABI Publishing. New York.



- Guo-qing, L., Z. Kai, Z. Li-li, and C. Shu-qing. 2010. Dietary methionine affect meat quality and myostatin gene exon 1 region methylation in skeletal muscle tissues of broilers. *Agri Sci. China*. 9: 1338-1346.
- Hadinia, S., M. Shivazad, H. Moravej, M. Alahyari-Shahrasb, and M.M. Nabi. 2014. Bio-efficacy comparison of herbal-methionine and DL-Methionine based on performance and blood parameters of broiler chickens. *Vet. Res. Forum*. 5: 81-87.
- Halder, G. and B. Roy. 2007. Effect of herbal or synthetic methionine on performance, cost benefit ratio, meat and feather quality of broiler chicken. *Int. J. Agric. Res*. 12: 987-996.
- Heidari, M.D., M. Omid, and A. Akram. 2011. Energy efficiency and econometric analysis of broiler production farm. *Energy*. 36: 6536-6541.
- Hernandez-Llamas, A. 2009. Conventional and alternative dose-response model to estimate nutrient requirements of aquaculture species. *Aquaculture*. 292: 207-213.
- Hoehler, D., A. Lemme, S.K. Jensen, and S.L. Vieira. 2005. Relative effectiveness of methionine in diet for broiler chicken. *J. Appl. Poult. Res*. 14: 679-693.
- Huang, M.B., H. Xu, S.J. Xie, H. Zhou, and L.H. Qu. 2011. Insulin-like growth factor-1 receptor is regulated by microRNA-133 during skeletal myogenesis. *PLoS ONE*. 6: e29173.
- Iyayi, E.A., F.A. Aderemi, O.O. Ladele, and A.S. Popoola. 2014. Effects of low protein diets supplemented with high amino acids (methionine or lysine) on performance of broilers. *Am. J. Exp. Agr*. 4: 525-531.
- Jankowski, J., M. Kubińska, and Z. Zduńczyk. 2014. Nutritional and immunomodulatory function of methionine in poultry diet-a review. *Ann. Anim. Sci*. 14: 17-31.
- Kaps, M. and W. Lamberson. 2004. *Biostatistics for animal science*. CABI Publishing. Oxfordshire.
- Khetani, T.L., T.T. Nkukwana, M.Chimonyo, and V.Muchenje. 2009. Effect of quantitative feed restriction on broiler performance. *Trop. Anim. Health Prod*. 41: 379-384.
- Kidd, M.T., J.W. Taylor, C.M. Page, B.D. Lott, and T.N. Chamblee. 2007. Hatchery feeding of starter diets to broiler chicks. *J. Appl. Poult. Res*. 16: 234-239.
- Kingori, A.M., J.K. Tuitoek, H.K. Muiruri, and A.M. Wachira. 2003. Protein requirements of growing indigenous chickens during the 14-21 weeks growing period. *S. Afric. J. Anim. Sci*. 33: 78-82.



- Korver, D.R. 2006. Overview of the immune dynamics of the digestive system. *J. Appl. Poult. Res.* 15: 123-135.
- Lewis, A. J. 2003. Methionine-cystine relationships in pig nutrition. In: *Amino acids in animal nutrition* (Ed.J.P.F.D'Mello). CABI Publishing, Wallingford, Oxon, UK. pp. 143- 155.
- Leeson, S., J.D. Summers. 2002. *Commercial Poultry Nutrition*. University Book. Ontario.
- Lemme, A., P.J.A. Wijtten, J. van Wichen, A. Petri, and D.J. Langhoutt. 2006. Response of male growing broilers to increasing level of balanced protein offered as coarse, mash or pellets of varying quality. *Poult. Sci.* 85 : 721-730.
- Liang, C.M., N. Lee, D. Cattell, and S.H. Liang. 1989. Glutathione regulates interleukin-2 activity on cytotoxic T-cells. *J. Biol. Chem.* 264: 13519-13523.
- Lilburn, M.S. 1998. Practical aspect of early nutrition for poultry. *J. Appl. Poult. Res.* 7: 420-424.
- Lim, W., W. Jeong, J. Kim, Y. Yoshimura, F.W. Bazer, J.Y. Han, G. Song. 2013. Expression and regulation of beta-defensin 11 in the oviduct in respon to estrogen and in ovarian tumors of chickens. *Mol. Cell. Endocrinol.* 366:1-8.
- Longo, F.A., J.F.M. Menten, A.A. Pedroso, A.N. Figueiredo, A.M.C. Racanicci, and J.O.B. Sorbara. 2007. Performance and carcass composition of broilers fed different carbohydrate and protein sources in the prestarter phase. *J. Appl. Poult. Res.* 16: 171-177.
- Ma, W.F., X.F. Zeng, X.T. Liu, C.Y. Xie, G.J. Zhang, S.H. Zhang, and S.Y. Qiao. 2015. Estimation of standardized ileal digestible lysine requirement and the ideal ratio of threonine to lysine for late finishing gilts fed low crude protein diets supplemented with crystalline amino acids. *Anim. Feed Sci. Tech.* 201: 46-56.
- Maenz, D.D. 2001. Enzymatic characteristics of phytases as they relate to their use in animal feed. In: *Enzymes in Farm Animal Nutrition*. Bedford M. R. and G. G. Partridge. CABI Publisher. Wallingford.
- Moritz, J.S., A.S. Parsons, N.P. Buchanan, N.J. Baker, J. Jaczynski, O.J. Gekara, and W.B. Bryan. 2005. Synthetic methionine and feed restriction effects on performance and meat quality of organically reared broiler chickens. *J. Appl. Poult. Res.* 14: 521-535.



- Mysie, S.M., R.F. Bertolo, S. Moehn, and R.O. Ball. 2014. Barley does not change threonine requirement in growing pigs fed a barley-casein-based diet compared to a casein-based diet, as determined by the indicator amino acid oxidation method. *Livest. Sci.* 170: 108-115.
- Nacka-Aleksic, M., J. Djikic, I. Pilipovic, Z. Stojic-Vukanik, D. Kosec, B. Bufan, N. Arsenovic-Ranin, M. Dimitrijevic, and G. Leposavic. 2015. Male rats develop more severe experimental autoimmune encephalomyelitis than female rat: sexual dimorphism and diergism at the spinal cord level. *Brain. Behav. Immun.* 2015: 1-18.
- Nieto, R., C. Prieto, I. Fernandez-Figarez, and J.F. Aguilera. 1995. Effect of dietary protein quality on energy metabolism in growing chickens. *Brit. J. Nutr.* 74: 163-172.
- NRC. 1994. Nutrient requirements of poultry: ninth revised edition. National Academy Press, Washington, D.C.
- Odetallah, N.H., J.J. Wang, J.D. Garlich, and J.C.H. Shih. 2003. Keratinase in starter diets improves growth of broiler chicks. *Poult. Sci.* 82: 664-670.
- Olanrewaju, H.A., J.P. Thaxton, W.A. Dozier III, J. Purswell, W.B. Roush, and S.L. Branton. 2006. A review of lighting programs for broiler production. *Int. J. Poult. Sci.* 5: 301-308.
- Oosterbaan, A.M., E.A.P. Steegers, N.T.C. Ursem. 2012. The effect of homocysteine and folic acid on angiogenesis and VEGF expression during chicken vascular development. *Microvasc. Res.* 83: 98-104.
- Pesti, G.M., D. Vedenov, J.A. Cason, and L. Billard. 2009. A comparison of methods to estimate nutritional requirements from experimental data. *Brit. Poult. Sci.* 50: 16-32.
- Rahimi, Sh, L. Esmaeilzadeh, and M. A. K. Torshizi. 2006. Comparison of growth performance of six commercial broiler hybrids in Iran. *Iranian J. Vet. Res.* 7: 38-44.
- Rashid, H.O.S, E.E.M. Huwaida, and A.Y. Ibrahim. 2012. Effect of dietary protein level and strain on growth performance of heat stressed broiler chicks. *Int. J. Poult. Sci.* 11: 649-653.
- Salehifar, E., M. Shivazad, F. Foroudi, M. Chamani, and R.B. Kashani. 2012. Reevaluation of digestible amino acid requirements of male and female broilers based on different ideal amino acids ratios in starter period. *Livest. Sci.* 147: 154-158.
- Soeparno. 2009. Ilmu dan Teknologi Daging. Gadjah Mada University Press, Yogyakarta. 11-12.
- Sonjaya, H. 2012. Dasar Fisiologi Ternak. Institut Pertanian Bogor Press. Bogor.



- Stipanuk, M.H. 2004. Sulfur Amino Acid Metabolism: Pathways for production and removal of homocysteine and cysteine. *Ann. Rev. Nutr.* 24: 539-577.
- Suda, M., H. Teramoto, T. Imamiya, M. Inui, and H. Yukawa. 2008. Transcriptional regulation on *Corynebacterium glutamicum* methionine biosynthesis genes in response to methionine. *Appl. Microbiol. Biotechnol.* 81: 505-513.
- Sugiharto, S. 2014. Role of nutraceuticals in gut health and growth performance of poultry. Tersedia pada <http://dx.doi.org/10.1016/j.jssas.2014.06.001>. Diakses pada 20 Mei, 2015.
- Swain, B.K. and T.S. Johri. 2000. Effect of supplemental methionine, choline, and their combinations on performance and immune response of broilers. *Brit. Poult. Sci.* 41: 83-88.
- Tangendjaja, B. 2007. Inovasi teknologi pakan menuju kemandirian usaha ternak unggas. *Wartazoa.* 17: 12-20.
- Tesseraud, S., R.A.E. Pym, E. Le Bihan-Duval, and M.J. Duclos. 2003. Response of broiler selected in carcass quality of dietary protein supply: live performance, muscle development, and circulating insulin-like growth factors (IGF-I and IGF-II). *J. Poult. Sci.* 82: 1011-1016.
- Trisyulianti, E., H. Hardjomidjojo, Y. Arkeman, and A. Saefuddin. 2005. *Desain Sistem Pakar untuk Kontrol Kualitas Pakan*. Institut Pertanian Bogor. Bogor.
- Underwood, J.C.E. 1999. *Patologi umum dan sistematik edisi bahasa Indonesia*, Sarjadi. Penerbit Buku Kedokteran, Jakarta. Vol. 1 pp 191.
- Veeranki, S and S.C. Tyagi. 2013. Defective homocysteine metabolism: potential implication for skeletal muscle. *Int. J. Mol. Sci.* 14: 15074-15091.
- Waldroup, P.W., Q. Jiang, and C.A. Fritts. 2005. Effect of supplementing broiler diets low in crude protein with essential and nonessential amino acids. *International. J. Poult. Sci.* 4: 425-431.
- Wang, Y.Z., Z.R. Xu, and J. Feng. 2004. The effect of betaine and dl-methionine on growth performance and carcass characteristics in meat ducks. *Anim. Feed Sci. Tech.* 116: 151-159.
- Wijten, P.J.A., A. Lemme, and D.J. Langhout. 2004. Effect of dietary ideal protein levels on male and female broiler performance during different phases of life, single phases effects, carryover effects, and interactions between phases. *Poult. Sci.* 83: 2005-2015.



- Wu, B., C. Heng-min, P. Xi, F. Jing, C. Wei, and L. Xiao-dong. 2013. Pathology of bursae of fabricius in methionine-deficient broiler chicken. *Nutrients*. 5: 877-886.
- Wu, B., C. Heng-min, P. Xi, F. Jing, C. Wei, and L. Xiao-dong. 2012. Effect of methionine deficiency on the thymus and the subsets and proliferation of peripheral blood T-cell, and serum IL-2 contents in broilers. *J. Int. Agri.* 11: 1009-1019.
- Xu, L., M. Kanasaki, J. He, M. Kitada, K. Nagao, H. Jinzu, Y. Noguchi, H. Maegawa, K. Kanasaki, and D. Koya. 2013. Ketogenic essential amino acids replacement diet ameliorated hepatosteatosis with altering autophagy-associated molecules. *Biochem. Biophys. Acta.* 1832: 1605-1612.
- Yuan, J., A.J. Karimi, S.D. Goodgame, C. Lu, F.J. Mussini, and P.W. Waldroup. 2012. Evaluation of herbal methionine source in broiler diets. *Int. J. Poult. Sci.* 11:247-250.
- Yong, Z., H Chun-xiao, Z. Yu-jing, J. Wen-yan, and S. Cai-mei. 2012. Effect of coated on growth performance, blood biochemical indices and nutrient apparent ileal digestibility in broilers. *Anim. Husb. Feed Sci.* 4: 182-186.
- Zuprizal. 2006. *Nutrisi Unggas*. Universitas Gadjah Mada. Yogyakarta.