

## DAFTAR PUSTAKA

- [1] World Health Organization, "Cancer facts sheet, 2012." [Online]. Available: <http://www.who.int/mediacentre/factsheets/fs297/en/>. [Accessed: 25-May-2015].
- [2] M. J. Cochrane and S. I. Lee, "Evaluating Pulmonary Nodules," *A Newsletter for Referring Physicians*, vol. 4, no. 8, Aug-2006.
- [3] L. Fan, S. Y. Liu, Q. C. Li, H. Yu, and X. S. Xiao, "Multidetector CT features of pulmonary focal ground-glass opacity: Differences between benign and malignant," *Br. J. Radiol.*, vol. 85, no. July, pp. 897–904, 2012.
- [4] T. Eguchi, A. Yoshizawa, S. Kawakami, H. Kumeda, T. Umesaki, H. Agatsuma, T. Sakaizawa, Y. Tominaga, M. Toishi, M. Hashizume, T. Shiina, K. Yoshida, S. Asaka, M. Matsushita, and T. Koizumi, "Tumor Size and Computed Tomography Attenuation of Pulmonary Pure Ground-Glass Nodules Are Useful for Predicting Pathological Invasiveness," *PLoS One*, vol. 9, no. 5, p. e97867, 2014.
- [5] F. Li, S. Sone, H. Abe, H. Macmahon, and K. Doi, "Malignant versus benign nodules at CT screening for lung cancer: comparison of thin-section CT findings.," *Radiology*, vol. 233, no. 1, pp. 793–798, 2004.
- [6] S. Sivakumar, C. Chandrasekar, and A. L. Cancer, "Lung Nodule Detection Using Fuzzy Clustering and Support Vector Machines," *Int. J. Engineering Technol.*, vol. 5, no. 1, pp. 179–185, 2013.
- [7] S. Magalhães Barros Netto, A. Corrêa Silva, R. Acatauassú Nunes, and M. Gattass, "Automatic segmentation of lung nodules with growing neural gas and support vector machine," *Comput. Biol. Med.*, vol. 42, pp. 1110–1121, 2012.
- [8] M. Gomathi and P. Thangaraj, "A Computer Aided Diagnosis System for Lung Cancer Detection Using Support Vector Machine," *Am. J. Appl. Sci.*, vol. 7, no. 12, pp. 1532–1538, 2010.
- [9] H. R. . Al-absi, B. B. Samir, K. B. Shaban, and S. Sulaiman, "Computer Aided Diagnosis System based on Machine Learning Techniques for Lung Cancer," *Int. Conf. Comput. Inf. Sci.*, pp. 295–300, 2012.
- [10] D. S. Elizabeth, H. K. Nehemiah, C. S. Retmin Raj, and a. Kannan, "Computer-aided diagnosis of lung cancer based on analysis of the

significant slice of chest computed tomography image,” *IET Image Process.*, vol. 6, no. December 2011, p. 697, 2012.

- [11] Y. Katsumata, Y. Itai, H. Kim, J. K. Tan, and S. Ishikawa, “Automatic detection of GGO candidate regions by using artificial neural networks from thoracic MDCT images,” *3rd Int. Conf. Innov. Comput. Inf. Control. ICICIC’08*, pp. 0–4, 2008.
- [12] H. A. Bastawrous, T. Fukumoto, N. Nitta, and M. Tsudagawa, “Detection of Ground Glass Opacities in Lung CT Images Using Gabor Filters and Neural Networks,” in *2005 IEEE Instrumentation and Measurement Technology Conference Proceedings*, 2005, vol. 1, no. May, pp. 17–19.
- [13] K. Yokota, S. Maeda, H. Kim, and J. K. Tan, “Automatic Detection of GGO Regions on CT Images in LIDC Dataset Based on Statistical Features,” in *SCIS&ISIS*, 2014, pp. 1374–1377.
- [14] N. J. Fesharaki and H. Pourghassem, “Medical X-ray Images Classification Based on Shape Features and Bayesian Rule,” in *2012 Fourth International Conference on Computational Intelligence and Communication Networks*, 2012, pp. 369–373.
- [15] M. R. Asadi, A. Vahedi, and H. Amindavar, “Leukemia cell recognition with Zernike moments of holographic images,” in *Proceedings of the 7th Nordic Signal Processing Symposium, NORSIG 2006*, 2007, no. 1, pp. 214–217.
- [16] S. Sharma and P. Khanna, “Computer-Aided Diagnosis of Malignant Mammograms using Zernike Moments and SVM,” *J. Digit. Imaging*, vol. 28, pp. 77–90, 2014.
- [17] A. Tahmasbi, F. Saki, and S. B. Shokouhi, “Classification of benign and malignant masses based on Zernike moments,” *Comput. Biol. Med.*, vol. 41, no. 8, pp. 726–735, 2011.
- [18] K. V Kale, P. D. D. (Patil), S. V Chavan, M. M. Kazi, and Y. S. Rode, “Zernike Moment Feature Extraction for Handwritten Devanagari Compound Character Recognition,” in *Science and Information Conference*, 2013, pp. 459–466.
- [19] L.-W. Chen and C.-R. Li, “Invariant Moment Features for Fingerprint Recognition,” vol. 2, pp. 91–94, 2013.
- [20] A. Šerifovi, A. Trbali, D. Demirovi, N. Prlja, and P. C. Cattin, “Classification of benign and malignant masses in breast mammograms,” pp. 241–246, 2014.

- [21] A. Susanto and A. Kadir, “Ekstraksi Fitur Bentuk dan Kontur,” in *Pengolahan Citra*, 2012, pp. 575–640.
- [22] Z. Weiqiang, X. Xiangmin, and H. Wei, “Shape and Boundary Analysis for Classification of Breast Masses \*,” in *International Symposium on Computational Intelligence and Design*, 2008, pp. 42–46.
- [23] Z. Fu and Y. Han, “A Circle Detection Algorithm Based on Mathematical Morphology and Chain Code,” in *2012 International Conference on Computing, Measurement, Control and Sensor Network*, 2012, pp. 253–256.
- [24] I. D. E. K. Ratri, H. A. Nugroho, and T. B. Adji, “Pengenalan Keaslian Tanda Tangan dengan menggunakan Kombinasi Dynamic Time Warping (DTW) dan Polar Fourier Transform,” Universitas Gadjah Mada, 2015.
- [25] Mathworks, “Labelling and Measuring Objects in a Binary Image.” [Online]. Available: <http://www.mathworks.com/help/images/labeling-and-measuring-objects-in-a-binary-image.html>. [Accessed: 04-Jul-2015].
- [26] L. Noriega, “Multilayer Perceptron Tutorial.” 2005.
- [27] A. Nugroho, “Klasifikasi nodul tiroid berbasis ciri tekstur pada citra ultrasonografi,” Universitas Gadjah Mada, 2015.
- [28] H. Ghaderi and P. Kabiri, “Fourier transform and correlation-based feature selection for fault detection of automobile engines,” in *AISP 2012 - 16th CSI International Symposium on Artificial Intelligence and Signal Processing*, 2012, no. Aisp, pp. 514–519.
- [29] R. Wald, T. M. Khoshgoftaar, and A. Napolitano, “Using Correlation-Based Feature Selection for a Diverse Collection of Bioinformatics Datasets,” in *2014 IEEE International Conference on Bioinformatics and Bioengineering*, 2014, pp. 156–162.
- [30] M. Hall-Beyer, “The GLCM Tutorial Home Page,” 2007. [Online]. Available: [http://www.fp.ucalgary.ca/mhallbey/the\\_glcm.htm](http://www.fp.ucalgary.ca/mhallbey/the_glcm.htm). [Accessed: 28-Jul-2015].