

DAFTAR PUSTAKA

- Adham, M., Kurniawan, A. N., Muhatadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan, B., Middledorp, J. M. 2012. Nasopharyngeal carcinoma in indonesia: epidemiology, incidenci, signs, and symptoms at presentation. *Chinese journal of cancer*; 31(4): 185-196. Doi 10.5732/cjc.011.10328
- Angela, K. F. L., To, K. F., Lo, K. W., Lung, R. W. M., Hui, J. W. Y., Liao, G., Hayward, S. D. 2007. Modulation of LMP 1 Protein expression by EBV-encoded microRNAs. Anne, W.M., Lee, F.R.C.R., Lin, J.C., Wai, T. 2012. Current Management of Nasofaringeal carcinoma. 1053-4296/12/\$-see front matter © Elsevier Inc. All rights reserved. *Proc Natl Acad Sci U S A*. 2007 Oct 9; 104(41): 16164–16169. doi: [10.1073/pnas.0702896104](https://doi.org/10.1073/pnas.0702896104)
- Balcells, I., Cirera, S., Busk, P. K. 2011. Specific and sensitive *Quantitative RT-PCR* or miRNAs with DNA Primers. *BMC Biotechnology*. <http://www.biomedcentral.com/1472-6750/11/70>.
- Ballantyne, K. N., Van oorschot, R. A. H., Mitchell, R. J. 2007. Locked Nucleic acids in PCR primers increase sensitivity and performance. Doi:10.1016/j.ygeno.2007.10.1016.
- Chan, A. T., Teo, P. M., Johnson, P, J. 2002 Review nasopharyngeal carcinoma. *Annals of oncology* 13: 1007-1005. Doi: 10.1093/annonc/mdf179.
- Cortez, M, A., Carlos, B. R., Ferdin, J., Gabriel, L. B., Anil, K., Calin, S. G. 2011. MicroRNAs in body fluids-the mix of hormones and biomarkers. Doi: 10.1038/nrclinono.76.
- Daniel, J, H., Lee, M., Ellis. 2005. Role of vascular endothelial growth factor pathway in tumor growth and angiogenesis. *American clinical society of clinical oncology*. Doi: 10.1200/JCO.2005.06.081.
- Departement kesehatan. 2013. Data penderita kanker di Indonesia.
- Dwaine, A., Braasch., David, R., Corey. 2001. Locked nucleic acid (LNA): fine tuning the recognition of DNA and RNA. *Chemistry & Biology*. 1074-5521/01/\$.
- Eliopoulos, A. G., and L. S. Young. 2001. LMP1 structure and signal transduction. *Semin. Cancer Biol* 11 (6):435-44.

- Esteller, M. 2008. Review article : Molecular origins of cancer Epigenetics in cancer. *N Eng J Med*; 358:1148-59.
- Fernandez, A. F., C. Rosales, P. Lopez-Nieva, O., Grana, E., Ballestar, S., Ropero, J., Espada, S, A., Melo, A., Lujambio, M, F., Fraga, I., Pino, B., Javierre, F, J., Carmona, F., Acquadro, R, D., Steenberg, P, J., Snijders, C, J., Meijer, P., Pineau, A., Dejean, B., Lloveras, G., Capella, J., Quer, M., Buti, J, I., Esteban, H., Allende, F., Rodriguez-Frias, X., Castellsague, J., Minarovits, J., Ponce, D., Capello, G., Gaidano, J. C., Cigudosa, G., Gomez-Lopez, D. G. Pisano, A., Valencia, M, A., Piris, F, X., Bosch, E. ,Cahir- McFarland, E. Kieff., M. Esteller. 2009. The dynamic DNA methylomes of double-stranded DNA viruses associated with human cancer. *Genome Res* 19 (3):438-51.
- Ferracin, M., Pedriali, M., Veronese, A., Zagatti, B., Gafa, R., Magri, E., Lunardi, M., Munerato, G., Querzoli, G., Maestri, I., Ulazzi, L., Nenci, I., Croce, C, M., Lanza, G., Querzoli, P., Negrini, M. 2011. MicroRNA profiling for identification of cancer with unknown primary tissue-of-origin. *The journal of Pathology*.
- Ferrara, N. 2004. Vascular endothelial growth factor basic science and clinical progres. *Endocr Rv*; 25:581-611.
- Folkman, J. 2002. Role of angiogenesis in tumor growth and metastasis, *Seminars in Oncology*, vol. 29, no. 6, supplement 16, pp. 15–18.
- Garzon, R., Heaphy, C.E., Havelange, V., Fabbri, M., Volinia, S., Tsao, T., Zanesi, N., Kornblau, S.M., Marcucci, G., Calin, G.A., Andreeff, M., Croce, C.M., 2009. MicroRNA 29b functions in acute myeloid leukemia. *Blood* 114, 5331–5341.
- Globogan-IARC. 2012.International Agency for Research on cancer (Akses 18 Februari 2015)
- Guire, D. V., Robitaille, R., Tetreault, N., Guerin, R., Menard, C., Bambace, N., Sapienza, P. 2013. Circulating miRNAs as sensitive and specific biomarkers for the diagnosis and monitoring of human diseases: promises and challenges. *Clinbiochem*. 2013. 03. 015.
- Harbour, J. W., Luo, R. X., Dei, S. A., Postigo, A. A., Dean, D. C., 1999. Cdk phosphorylation triggers sequential intramolecular interactions that progressively block Rb functions as cells move through G1. *Cell* 98, 859–869.

- Heneghan, H. M., Miller, N., Lowery, A. J, Sweeney, K. J, Newell, J., Kerin, M. J . 2010. Circulating microRNAs as novel minimally invasive biomarkers for breast cancer. *Ann Surg* 251: 499–505.
- Hoeben, A., Landyut, B., Highly, M, S., Wildres, H., Van., Oosteroom, A, T., Brujj, D. 2004. Vascular endothelial growth factor and angiogenesis. *Pharmacol Rev*; 56:549-80.
- Huang, Z., Huang, D, Ni, S., Peng, Z., Sheng, W., Du, X. 2010. Plasma microRNAs are promising novel biomarkers for early detection of colorectal cancer. *Int J Cancer* 127: 118–126.
- Hua, Z., Lv, Q., Ye, W. B. 2006. miRNA-directed regulation of VEGF and other angiogenic factor under hypoxia. *Plos One*, 1:e116.
- Jia-Xing, Z., Qian, D., Feng-Wei, W., Ding-zhung, L., Jin-huang, W., Zhu-Ting, T., Jia, F., Xiao-Xia, H., Yi-Ji, L., Hai-Xia, D., Yi-xin, Z. Dan, X., Shi-Juan, M. 2012. MicroRna-29c enhances the sensitivities of human nasopharyngeal carcinoma to cisplatin-based chemotherapy and radiotherapy. Doi: 10.1016/ j. *Canlet*.2012.10.033.
- Kapinas, K., Kessler, C.B., Delany, A.M., 2009. miR-29 suppression of osteonectin in osteoblasts: regulation during differentiation and by canonical Wnt signaling. *J. Cell Biochem*. 108, 216–224.
- Kondo, S., Seo, Y. S., Yoshizaki, T., Wakisaka, N., Furukawa, M., Joab, I., Jang, K. L., Pagano, J. S. 2006. EBV Latent Membrane Protein 1 Uo-Regulates Hypoxia-inducible Factor 1 α through Siah1-Mediated Down-regulation of Proly Hydroxylases 1 and 3 in Nasopharyngeal Epithelial cells. *Aacrjournals. Cancer Res*; 66: (20).
- Kondo, T., Kawai, T., and Akira, S. 2012. Dissecting negative regulation of Toll-like receptor signaling. *Trends Immunol*. 33, 449–458.
- Krishna, S, M., James, S, Balaram, P. 2006. Expression of VEGF as prognosticator in primary nasopharyngeal cancer and its relation to EBV status. *Virus Res*. 2006 Jan;115(1):85-90. Epub 2005 Sep 1.
- Kroh, E. M., Parkin, R. K., Mitchell, P. S., Tewari, M. 2010. Analysis of circulating micrnas bomarker in plasma and serum using quantitative reverse transcriptase-PCR (qRT-PCR). *Methods*;10:298-301.
- Kulapaditharom, B., Boonkittichararoen, V., Sritara, C. 2012. Plasma vascular endothelial growth factor dysregulation in definiting

aggressiveness of head and neck squamous cell carcinoma.doc:10.1155/2012/687934.2012

Kwong, J., Kwok-Wai, L., Ka-fa, T., Peter, M., Teo., Philip, J., Johnson, Huang, D, P. 2002. Promoter Hypermethylation of multiple genes in nasopharyngeal carcinoma. *Clinical cancer research* ; vol. 8, 131-137.

Leivonen, S. K., Rokka, A., Ostling, P., Kohonen, P., Corthals, G. L., Kallionime, O., Perala, M. 2011. Identification of mir-193b targets in breast cancer cells and system biological analysis of their functional impact. *Mol cell proteomic* Doi:1074/mcp.M110.005322.

Li, G., Wu, Z. R., Peng, Y. 2010. MicroRNA-10b induced by Epstein Barr virus encoded latent membrane protein-1 promotes the metastasis of human nasopharyngeal carcinoma cells. *Cancer lett*, 2010,299:29-36

Lie, Y., Wang, F., Xu, J., Ye, F., Shen, Y., Zhou, J., Lu, W., Wan, X., Ma, D., Xie, X., 2011. Progressive miRNA expression profiles in cervical carcinogenesis and identification of HPV-related target genes for miR-29. *J. Pathol.* 224, 484-495.

Liu, N., Tang, L., Sun, Y., Cui, R., Wang, H., Huang, B., He, Q., Jiang, W., Ma, J. 2007. MiR-29c suppresses invasion and metastasis by targeting TIAM1 in nasopharyngeal carcinoma. *Cancer Letters* 329 ;181-188.

Lo, A. K., Lo, K. W., Tsao, S. W., Wong, H. L., Hui, J. W., To, K. F., Hayward, D. S., Chui, Y. L., Lau, Y. L., Takada, K., Huang, D. P. 2006. Epstein-Barr Virus infections alters cellular signaling cascades in human nasopharyngeal epithelial cells. *Neoplasia*. 8:173-180.

Lou, P. J., W. P. Chen, C. T. Lin, R. M. DePhilip, and J. C. Wu. 1999. E-, P-, and N-cadherin are co-expressed in the nasopharyngeal carcinoma cell line TW-039. *J Cell Biochem* 76 (1):161-72.

Maarten, A.W., Fles, R., Herdini, C., Indrasari, R.S., Vincent., Tjoronagoro, M., Stoker, S., Kurnianda, J., Karakullukcu, B., Taroenahadi, K.W., Vrieza, H.O., Middeldorp, J.M., Hariwiyanto, B., Haryana, M.S., Tan, B.I. 2013. Primary Treatment Result of Nasopharyngeal carcinoma (NASOFARING) in Yogyakarta, Indonesia. *Plos One* 8(5): e63706. Doi:10.1371/Journal.pone.0063706.

Maria, E. C., Teague, O., Cristin, G., Print., Louise, M, H. 2010. The role of microRNAs in endometriosis and associated reproductive conditions. Doi: 10.1093/hurmpd/dmp.034.

- Marie-louise, L., Mouritzen, P., Faber, K., Jacobsen, N. 2008. Exiqon microRNA quantitation from single cell by PCR using SYBR Green detection and LNA-based Primers. *Nature: Methods application notes*. Methods 5, pages iii-iv february 2008.
- Mirtarbase. Akses Agustus 2014. Kode dan Sekuen miR-29c-3p pada manusia.
- Mitchell, P. S., Parkin, R. K., Kroh, E. M., Fritz, B. R., Wyman, S. K., Pogossova-agadjayan, E. L., Peterson, A., Noteboom, J., O'briant, K. C., Allen, A, Lin, D. W., Urban, N., Drescher, C. W., Knudsen, B. S., Stierwalt, D. L., Gentleman, R., Vesella, R, L., Nelson, P, S., Martin, D, B., Tewari, M. 2008. Circulating microRNAs as stable blood-based markers for cancer detection. *Proc Natl Acad Sci USA* ; 105(30):103513-8. Doi:10.1073/pnas.0804549105.
- Mott, J. L., Kabayashi, S., Bronk, S. F., Gores, G. J. 2007. miR-29 regulates Mcl-1 protein ekxpression and apopptosis oncogenes 26, 6133-6140.
- Park, S. Y., Lee, J. H., Ha, M., Nam, J. W., Kim, V. N. 2009. miR-29 miRNA activates p53 by targetting p85 alpha and CDC42. *Nat. Struct. Mol. Biol.* 16, 23-29.
- Pekarsky, Y., Santanam, U., Cimmino, A., Palamurchuk, A., Efanov, A., Maximov, V., Volinia, S., Alder, H., Liu, C. G., Rassenti, L., Calin, G. A., Hagan, J. P., Kipps, T., Croce, C. M. 2006. Tcl1 expression in chronic lymphotic leukimia is regulated by mir-29 and mir-181. *Cancer. Res.* 66, 11590-11593.
- Resnick, K. E., Alder, H., Hagan, J. P., Richardson, D. L, Croce, C. M., Cohn, D. E. 2009. The detection of differentially expressed microRNAs from the serum ovarian cancer patients using a novel real-time PCR platform. *Gynecol Oncol* 112: 55–59.
- Roskoski, R, Jr. 2007. Vascular endhotelial growth factor (VEGF) signaling in tumor progression. *Clinical Rev in oncology.* 62: 179-213.
- Schwarzenberg, H., Nishida, N., George, A. C., Pantel, K. 2014. Clinical relevance of circulating cell-free microRNAs in Cancer. *Nat. Reiv.* Doi:10.1038/nrclinoc.
- Saguer, M., Rodicio, M. C. 2011. Analytical Aspect of microRNA in Diagnostics : A review. *Analytica Chimica Acta* 699 : 134– 152.
- Sengupta, S., den, boon., J. A., Chen, L. H., Newton, M. A., Stanhope, S. A. B., Ahlquist, P. 2008. MicroRNAs 29c is down-regulated in

nasopharyngeal carcinomas, up-regulating mRNAs encoding extracellular matrix proteins. *Proc. Natl. Acad. Sci. U. S. A.* 106, 5874-5878.

Sengupta, S., den-Boon, J. A., Chen, I. H., Newton, M. A., Dahl, D. B., Chen, M., Cheng, Y. J., Westra, W. H., Chen, C. J., Hildheishem, A., Sugden, B., Ahlquist, P. Genome-wide expression profiling reveals EBV-associated inhibition of MHC class I expression in nasopharyngeal carcinoma. *Cancer Res* 2006, 66: 7999-8006.

Sun, D., Zhang, Z., Van, D. N., Huang, G., Ernberg, I., Hu, L. 2006. Abberant methylation of CDH13 gene in nasopharyngeal carcinoma could serve as a potential diagnostic biomarker. *Oral Oncol.* <http://dx.doi.org/doi:10.1016/j.oraloncology.2006.01.007>

Tao, Q., and A. T. Chan. 2007. Nasopharyngeal carcinoma: molecular pathogenesis and therapeutic developments. *Expert Rev Mol Med* 9 (12):1-24.

Tsujiura, M., Ichikawa, D., Komatsu, S., Shiozaki, A., Takeshita, H., Kosuga, T., Konishi, H., Morimura, R., Deguchi, K., Fujiwara, H., Okamoto, K., Otsuji. 2010. Circulating microRNAs in plasma of patients with gastric cancers. *Br J Cancer* 102: 1174–1179.

Ugalde, A.P., Ramsay, A.J., de la Rosa, J., Varela, I., Marino, G., Cadinanos, J., Lu, J., Freije, J.M., Lopez-Otin, C., 2011. Aging and chronic DNA damage response activate a regulatory pathway involving miR-29 and p53. *EMBO J.* 30, 2219–2232.

Wang, Y., Zhang, X., Li, H., Yu, J., Ren, X. 2013. The role of miRNA-29c family in cancer. *European journal of cell biology* 92 :123-128.

Wang, H., Zhu, Y., Zhao, M., Wu, C., Zhang, P., Tang, L., Zhang, H., Chen, X., Yang, Y., Liu, G. miRNA-29c suppresses lung cancer cell adhesion to extracellular matrix and metastasis by targeting integrin $\beta 1$ and matrix metalloproteinase2 (MMP2). *Plos One* 8(8) 2013. e70192. Doi:10.1371/journal.pone.0070192.

Wei, K.R., Xu, Y., Liu, J., Zhang, W.Z., Liang, Z.H. 2012. Histopathological Classification of Nasopharyngeal Carcinoma. *Asian Pacific J Cancer Prev*, 12, 1141-1147.

William., Chi-shing, C. 2007. Nasopharyngeal carcinoma: molecular biomarker discovery and progress. *Rev. Molecular cancer*, <http://www.molecular-cancer.com/content/6/1/doi:10.1186/1476-4598-6-1>.

- Xiong, Y., Fang, J. H., Yun, J. P., Yang, J., Zhang, Y., Jia, W. H., Zhuang, S. M., 2010. Effect of microRNA-29 on apoptosis, tumorigenicity, and prognosis of hepatocellular carcinoma. *Hepatology* 51, 836-845.
- Yoshizaki, T., Ito, M., Muroto, S., Wakisaka, N., Kondo, S., Endo, K. 2011. Current Understanding and management of Nasopharyngeal carcinoma. *Auris Nasus Larynx* 39 ; 137–144
- Yu-Hong, L., Chun-Fang, H., Shao, Q., Ma-Yan, H., Jing-Hui, H., et al., Yi-Xin, Z., Jan-Yong, S. 2008. Elevated expressions of survivin and VEGF protein are strong independent predictors of survival in advanced nasopharyngeal carcinoma. *Biomed central*. Doi: [10.1186/1479-5876-6-1](https://doi.org/10.1186/1479-5876-6-1)
- Zeng, X., Xiang, J., Wu, M., Xiong, W., Tang, H., Deng, M., Li, X., Liao, Q., Su, B., Luo, Z., Zhou, Y., Zhou, M., Zeng, Z., Li, X., Shen, S., Shui, C., Li, G., Fang, J., Peng, S. 2012. Circulating miR-17, miR-20a, miR-29c, and miR-223 combined as non-invasive biomarkers in nasopharyngeal carcinoma. *Plos One*: 7(10):e46367.doi:10.1371/journal.pone.0046367.
- Zhang, X. J., Qian, D., Wang, F. W., Liao, D. Z., Wei, J. H., Tong, Z. T., Fu, J., Huang, X. X., Liao, Y. J., Deng, H. Q., Zeng, Y. X., Xie, D., Mai, S. J. 2012. MicroRNA-29c enhances the sensitivities of human nasopharyngeal carcinoma to cisplatin-based chemotherapy and radiotherapy. 329. 91-98.
- Zhao, J. J., Lin, J., Lwin, T., Yang, H., Guo, J., Kong, W., Dessureault, S., Moscinski, L. C., Rezania, D., Dalton, W. S., Sotomayor, E., Tao, J., Cheng, J. Q., 2010. microRNA expression profile and identification of miR-29 as a prognostic marker and pathogenetic factor by targeting CDK6 in mantle cell lymphoma. *Blood* 115, 2630–2639.
- Zheng, H., Liu, J. Y., Song, F. J., Chen, K. X. 2013. Advance in circulating microRNAs as Diagnostic and prognostic marker for ovarium cancer. *Cancer Biol Med* 10:123.doi:10.7497.
- Zhu, W., He, J., Chen, D., Zhang, B., Xu, L., Ma, H., Liu, X., Zhang, Y., Le, H. 2012. Expression of miR-29c, miR-93, and miR-429 as potential Biomarkers for detection of early stage non-small Lung cancer. *Plos One* 9(2) e87780. Doi:10.3701/Journal.pone.0087780.