UNIVERSITAS
GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adam M. R., Golden D.L., Framke A.A., Potter S.M., Smith H.S., and Anthony M.S., 2004, Dietary Soy β–Conglycinin (7S Globulin) Inhibits Atherosclerosis in Mice, Journal Nutrition. 134: 511-516.

Adebowale K.O., and Lawal O.S., 2004, Comparative Study of Functional properties of Bambara Groundnut (*Voandzria subterrenean*), jack bean (*Canavalia ensiformis*) and mucuna bean (*Mucuna pruriens*) Flours, Food Research International 37 :355-365

Adeleke R.O dan Odedeji J.O, 2010, Functional Properties of Wheat and Sweet Potato Flou Blends, Pakistan Journal of Nutrition 9(6) : 535-538

Adeyemo, S.M. and Onilude, A.A., 2014, Reduction Oligosachharide content of Soybeaans by the action of Lactobacillus plantarum isolated from fermented cereals, African Journal of Biotechnology 13(37) : 3790-3796

Adeyi AO., Idowa B.A., Mafiana C.F., Oluwalana S.A., Ajayi O.L., and Akinloye O.A, 2012, Rat-model of Food-Induced Non-Obese-Type2 Diabetes Melitus: Comparative Pathophysiology and Histopathology. International Journal of Physiology, Pathophysiology and Pharmacology 4: 51-58

Ahmed S.H and Ashraf B. and Naim A., 1999. Effects of Guar Gum and Soybean Dietary Fiber on the Control of Glucose and Lipid Metabolism in Normal and Diabetic Rats: A Comparative Study. Arab Journal. Biotech, 2(2) : 219 – 226

Ahmed MF, Kazim S.M, Ghori S.S, Mehjabeen S.S., Ahmed S.R., Ali S.M., and Ibrahim M, 2010, Antidiabetic Activity of Vica rosea Extracts in Allokxan_Inducted Diabetic Rats, International Journal of Endocrinology, Article ID 841090 :1-7 doi: 10.1155/2010/841090

Ali M.A, Tinay A.H, Elkhalifa A.E.O, Mallasy L.O. and Babiker E.E, 2012, Effect of Different Suplementation Levels of Soybean Flour on Pearl Millet Functional Properties, Food and Nutrition Sciences, 3:1-6 (http://dx.doi.org/10.4236/fns.2012.31001) diakses 13 November 1014

Anderson, JW and Siesel, A.E. 1990. Hypocholesterolemic Effect of Oat product. In: New Developments in Dietary Fiber., pp.17-36. Plenum Press. New York, NY.

UNIVERSITAS
GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Anderson, J.W., Jones A.E, and Susan R.M, 1994. Ten Different Dietary Fiber have Significantly Different Effect on Serum and Liver Lipids of Chaloesterol-Fed Rats. Journal Nutrition. 124:78-83

Anderson J.W. John-Stone MB., Margaret E., and Newell C., 1995, Meta-Analysis of The Effect of Soy Protein Intake on Serum Lipids, The New England Journal of Medicine.333: 276-282

Anderson J.W., Allgood L.D., Turner J., Oelgen P.R., and Daggy B.P, 1999, Effect of Psyllium on glucose and serum lipid responses in men with type 2 diabetes and hypercholesterolemia, American Journal Clinic Nutrition 70:466-473

Anderson,J,W., Braid P., Davis RH., Ferreri S., Knudtson M., Koraym A., Waters V., and Williams C.L., 2009. Health Benefits of Dietary Fiber. Nutritions Reviews. 67(4): 188-205

Andersson M., Ellegard L., and Andresson H., 2002, Oat Bran Stimulates Bile Acid Synthesis within 8 h as measured by 7alpha-hydroxy-4-cholesten-3-one., American Journal. Clinical. Nutrition, 76(5) : 1111-1116

Annison G. Trimble R.P., and Topping D.L, 1995. Feeding Australia Acacia Gums and Gum Arabic Leat ti Non Strach Polysaccharide Accumulation The Cecum on Rats. Journal Nutrition 125: 283-292

Anonim, 1990, Complex Carbohydrates in Food, British Nutrition Foundation,Chapman and Hall

Anonim, 1995, Official Methods of Analysis , Washington DC,. Assotiation of Official Analytical Chemists

Anonim, 2001, AACC report, The Definition of Dietary Fiber, Cereal Food Word 46(3) : 112-126

Anonim,. 2007. Guide to Nutrition Labeling and Education Act (NLEA) Requirements available at Food and Drug Administration : http://www.fda.gov/ora/inspect_ref/igs/nleatxt.html.Accessed January 8, diakses 14 Desember 2014

Anonim, 2010, Diagnosis and Classification of Diabetes Melitus, ADA (American Diabetes Association), Diabetes Care, 33(1): S62-S69

Aparicio IM., Redondo C., and Zapata R, 2008, Soybean, A Promosing Health Source. Nutrition. Hospital.23:305-312

UNIVERSITAS
GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Aslam M. S., Nawaz H., Noor M., Ahmad H.B., Husain M., and Choudhry MA, 2013, Functional Properties of Maize Flour and Its Blends with Wheat Flour : Optimization of Preparation Condotions by Response Surface Methodology, Pakistan J. Botani, 45(6):2027-2035

Asp N.G., Johansson, Halmer and Siljestrom, 1983. Rapid Enximatic Assay of insoluble Fiber and Soluble Dietary Fiber. Journal Agriculture Food Chemistry 31: 467-482

Ardiansyah. Shirakawa H.K., Kousaku O.H.K., and Komai M. 2006. Rice Bran fraction improves Blood Preesure, Lipid profile, nad Glucose metabolism in Stroke-Pone Spantaneously Hypertensive Rats. Journal Agriculture Food Chemistry. 54: 1914-1920

Barbara. O.S., 1999. Fibre, Inulin, and Oligofructose: Similarities and Differences. Journal Nutrition 129: 1424S-1430S

Barham D, and Trinder P., An Improve Color Reagent for The Determination of Blood Glucose by the Oxidase System. Analyst 1972;97: 142-145

Baek S.H, Park S., and Lee H.G, 2005, Hypocholesterolemic Action of Fermented Brown Rice Supplement in Cholesterol-fed rat: Choleserol-Lowering Action of Fermented Brown Rice. Journal of Food Science .70(8): S527-S531

Bartosikova L., Nieces J., Succhy V., Kubinov R., Vesala D., and Benes L., 2003, Monitoring of Antioksidant Effect of *Morine* in *Alloxan* induced Diabetes Mellitus in the Laboratory Rat. Acta Veterinaria Brno 72:191-200

Bender DA and Mayes PA., 2006, Tinjauan Umum Metabolisme dan Penyediaan Bahan Bakar Metabolik Dalam Murray RK, Granner DK and Rodwell VW., Biokimia Harper Edisi 27.Jakarta: Penerbit Buku Kedokteran EGC

Benziger V. and Shanmugasindaran, S, 1995, Taiwan's Frozen Vegetable Soybean Industry, Technical Buletin Asian Vegetable Research and Development Center 2:95-437

Bennekum A.M, Nguyen D.V., Schulthess G., Hauser H., and Phillips M.C., 2005, Mechanisms of Cholesterol-Lowering Effect of Dietary Fiber : Relationships with Intestinal and Hepatic Cholesterol Parameters, British Journal Nutrition, 94:331-337

Berrios, J.D.J., Morales P., Camara M., and Sanchez-Mata M.C., 2010, Carbohydrate composition of raw and extruded pulse flours, Food Research International 43, 531-536

UNIVERSITAS
GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Beynen AC., West CE., Spaaij CJ., Huismen J., Leeuwen V., Schutte JB., and Hackeng WH, 1990, Cholesterol Metabolism, Digestion Rates and Post Postprandial chang in serum of Swine Fed Purified Diets Containing ether Casein or Soybean Protein, The Journal Nutrition 120(5): 422-430

Black E.G and Bagley E.B., 1978, Determination of Oligosaccharides in Soybean by High Pressure Liquid Chromatography using in Internal Standard. Jounal.American. Oil Chemitry. Soc.55:228

Blackwood A.D., Salter J., Dettmar P/W., and Chaplin M.F, 2000, Dietary Fiber, Physicochemical Properties and their Relationship to Health, Journal of the Royal Sosiety for the Promotion of Health, 120(4) : 242-247

Bourquin L.D., Titgemeyer E.C., Garleb and Fahey G.C., 1993, Short Chain Fatty Acids Production and Fiber Degradation by Human Colonic Bacteria : Effect of Substrate and Cell Wall Fractionation Prosedures. Journal Nutrition 122: 1508-1520

Brouns F., Kettlitz B., and Arrigoni E. 2002. Resistant Starch and The Butyrate Revolution. Trends in Food Science and Technology 13: 130-136

Brown L., Rosner B., Willett., and Sacks FM., 1999., Cholesterol-Lowering Effect of Dietary Fiber : Meta-Analysis, American Journal Clinical Nutrition 69:30-42

Bruzzese E., Volpicelli M., Squaglia M., Taraglione A., and Guarino A., 2006, Impact of Prebiotics on Human Health, Digestive and Liver Disease 38 Suppl. 2 S283-S287.

Bryant L.A, Montecalvo J., Morey J.R., and Loy K.S.,1988, Processing, Functional and Nutritional Properties of Okra Seed Products, Journal of Food Science, 53,(3) : 810-816 doi:10.1111/j.1365-2621.1988.tb08960.x diakses 28 Juli 2013

Burkit, DP and Trowell, T.C, 1975. Refind Carbohydrate Foods and Disease Some Implications af Dietary Fiber, Academic Press London : 233-41

Campbell J.M., Fahey, G.C.Jr., and Wolf, B.W., 1997, Selected Indigestible Oligosaccharides Effect Large Bowel Mass, Cecal and Fecal Short Chain Fatty Acids, pH and microflora in Rats. Journal Nutition 127: 130-136

Canudas M.R. Anquita M., Nofrarias M., Majo, N., and Rozas A.M.P.,2007. Effect of Different Types of Dietary Fiber Non-Digestible Carbohydrates on The Physico-chemical Properties and Microbiota of Proximal Colon Digesta of Growing Pigs. Livesstock Science 109:85-88

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Caprez A., Arrigoni E., Amado R., and Neukom H., 1986, Influence of Different Types of Thermal Treatment on The Chemical Composition and Physical Properties of Wheat Bran. Journal of Cereal Science, 4, 233-239

Caprita, A and Caprita R, 2010, Modification of the Soluble Protein Content of Heat-Processed Soybean Flour, NotulaeBotani :38(2), 98-101

Carneiro M.S.C., Lordelo M.M., Cunha L.F., and Freire L.P.B., 2008. Effect of Dietary Fiber Source and Enzyme Suplementation on Faecal Apparent Digestibility, Short Chain Fatty Acid production and Activity of Bacterial Enzymes in The Gut of Piglests, Animal Feed Science and Technology, 146: 124-136

Chandalia M., Abimanyu G. and Von-Gerbemann K., 2000. Benefit effect on High fiber Intake in Patient trype II Diabets Mellitus. New England Journal Medical 42: 1392-1398

Chang J.H., Kim M.S., Kim T.W., and LeeS.S., 2008. Effects of soybean supplementation on blood glucose, plasma lipid levels, and erythrocutes antioxidant enzyme activity in type 2 diabetes mellitus patients. Nutrition Research and Practice. 152-157

Charalampopoulos D, Wang R, Pandiella, and Webb C., 2002. Application of Cereals and Components in Functional Foods : a Review. International Journal of Food Microbiology 79 : 131-141.

Chel-Guerro L, Perez-Florres V., Bentacur-Ancano D., and Davila-Ortiz G., 2002, Funtional Properties of Flour and Protein Isolates from Phaseolus lunatus anda Canavalia ensiformis seeds. Journal of Agricultural and Food Chemistry. 50:584-59

Chi Yujie, 2011, Optimization of The Technology for Preparing Soluble Dietary Fiber from Extruded Soybean Residue, Soybean-Applications and Technology, 55-66, www.intechopen.com diakses 25 Desember 2013

Cho S.S., Qi Lu, Fahey Jr.G.C, and Klurfeld, DM, 2013, Consumption of Cereal Fiber, Mixtures of Whole Grains and Bran, and Whole Grains and Risk Reduction in Type 2 Diabetes, Obesity and Cardiovascular Disease, American Journal Clinical Nutrition, 98:594-619

Cuenca R.A., Suarez V.M.J., Sevila R., and Aparico M.I., 2006, Chemical Compotition and Dietary Fiber of Yellow and Green Commercial Soybean (*Glycine max*), Food Chemistry 101:1216-1222

Cummings, JH., 1981, Short Chain Fatty Acid in Human Colon, Gut, 22: 783

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Cummings J.H., 1989, Metabolism of Dietary Fiber in the Large Intestine in Cummings J.H. The Role of Dietary Fibre in Eteral Nutrition. Abbott International. LTD-USA

Cumming J.H. 1991. Production and Metabolism of Short Chain Fatty Acids in Human : Report of The thenth Ross Conference on medical Research, short Chain Fatty Acid : Metabolism and Clinical Importance, Columbus, Ohio, Roos Laboratories

Czaikoski, K., Leite R.S., Mandarini JMG., Carcao-Panizzi MC., Silva JB., and Ida EI., 2013, Canning of Vegetable-Type Soybean in acidified brine : Effect of the addition of Sucrose and Pasteurisation Time on Color and other Characteristics, Industrial Crops and Products 45 :472-476

Dauglas L.C, and Sanders M.E, 2008, Probiotics and Prebiotics in Dietetics Practice, Journal of the American Dietetic Association, 510-521

Damondaram S, and Paraf A, 1997, Food Protein and Their Aplications, Marcel Dekker, New York, pp 12-14

Delzenne,N. M., and Roberfroid M. R., 1994. Physiological effect of Nondigestible Oligosaccharides, Lebensmittel-Wissenschaft Und-Technologie, 27, 1-6

Densh J.E, 1982, Extraction of Nitrogenous Material from Winged Bean (*Psophocarpus tetragonolotus* (L) DC) Flour and Preparation and Properties of Protein Isolates, Journal of Science Food and Agricultures, Vol 33.No.2. pp173-183 doi:10.1002/jsfa/2740330209 diaksed 11 Juli 1014

Dobiasova, M., and Frohlich, J : 2001. The Plasma parameter log (TG/HDL-c) as Atherogenic Index, Clinical Biochemistry.,34:583-588

Dobiasova,M., 2004, Atherogenic Index of Plasma Log (Triglicrides/HDL-chalesterol) : Theoretical and Practical Implications, Clinical Chemistry 50. 7 :113

Dobiosa, M., 2006, Atherogenic Index of Plasma as a Significant Predictor of Cardiovascular Risk : from Research to Practice, Review Czech, PubMed PMID: 16526201, 52(1): 64-71

Duane W.C., 1997, Effect of Legume Consumtion on Serum Cholesterol, Biliary Lipids, and Sterol Metabolism in Human, Journal of Lipid Research 38 :1120-1128

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Egounlety, M and Aworh O.C. 2003. Effec of Soaking, Dehuling, Cooking, dan Fermentation with Rhizopus Oligosporus on The Oligosaccharides, Trypsin Inhibitor, Phytic Acid and Tanins Isoflavone Soybean (Glycine max Merr), Cow pea (Vigna unguiculata L. Walp) and Groundbean (Macrolyloma geocarpa Harms). Journal of Food Engineering 56 : 249-254

Elly K., Marsono Y, and Zuheid, 2003, Pengaruh Diet Tinggi Serat Bekatul Jagung dan Agar-agar Terhadap Profil Lipid Tikus Sprague Dawley, Tesis Ilmu dan Teknologi Pangan Pascasarjana UGM.

Eckel W., Stone P., and Colwell E, 1977, Cholesterol Determination in High Density Lipoprotein Separated by Three Different Methods, Clinic Chem, 23: 882-884

Ekvall J, Stegmark, and Nyman M. 2007, Optimazation of Extraction Methods for Determination of the Raffinose Family Oligosaccharides in Leguminous Vine Peas (Pisum sativum L.) and Effect of Blanching. Journal of Food Composition and Analysis 20 : 13-18

Fehner A., Fenske K., and Jahreis G., 2013, Effect of Legume Kernel and Citrus Fiber on Putative Risk Factor for Colorectal Cancer : A Randomized, Double Blind, Crossover Human and Intervention Trial, Nutrition Journal, 12:101-111

Fenema, OR, 1996, Food Chemistry, New York, Marcel Dekker Inc

Ganji V., and Kuo J. 2008. Serum Lipid Response to Psyllium Fiber: Differences between Pre- and Post-Menopausal, Hypercholesterolemic Women. Nutrition Journal. 7(22) : 1-5

Ganong W.F, 2001, review of Medical Physiology 11thed. New York. McGrwa-Hill

Galisteo M. Duarte J., and Zarzuelo A., 2008. Effect of Dietary Fiber on disturbances in the Methabolic Syndrome. Journal of Nutritional Biochemistry 19: 71-84.

Gibson G.R, and Roberfroid MB, 1995, Dietary Modulation of The Human Colonic Microbiota : Introduction The Concept of Prebiotic. Journal Nutrition 125(6): 1401-1412

Gibson G.R, Robert,H.M, Van Loo J., Rastall, R.A, and Roberfroid M.B., 2004, Dietary Modulation of The Human Colonic Microbiota : Updating the Concept of Prebiotics. Nutrition Research Reviews, 17, 259-275.

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Gonzales R., Klaassens E., Maleinen E., Vos W.M., and Vaughan E., 2008, Differential Trancriptional Responese of *Bifidocabterium longum* to Human Milk, Formula Milk, and Galactooligosaccharide, Applied and Enviromental Microbiology, 75 (15) : 4686-4694

Gotto, AM., 1998, Triglyceride, the for Gotten Risk Factor , Cirrculation,; 97: 1027-1028

Grover, S.A., Levington, C., and Panquest S., 1999, Indentifying Adults at Low Risk for Significant Hyperlipidemia : A Validated Clinical Index. Journal. Clinical. Epidemol; 52 : 49-55

Hara H, Haga S, Kassai T, and Kirimaya S, 1998. Fermentation Product of Sugar Beet Fiber by Cereal Bacteria Lower Plasma Cholesterol in Rats. Journal Nutrition 128: 688-693

Hayes K.C., 1992, Dietary Fatty Acid Threshold and Cholesterolemia. FASEB J.6:2600-2607

Hijova E, and Chmelarova A, 2007, Short Chain Fatty Acid and Cholonic Health, Bratisl Lek Listy. 108(8):354-358

Hu Qg., Min Z., Arun S M., and Xiao G-N., and Sun J-C. 2006. Drying of Edamame by Hot Air and Vacuum Microwave Combination, Journal of food Engineering 77: 977-982

Huebner J, Wehling R.L, and Hutkins R.W., 2007, Functional Activity of Comercial Prebiotics.. International Dairy Journal 17:770-775

Irawati M. dan Winuranto, 2008. Edamame Hasil Budidaya di Jember Digemari Konsumen di Jepang. Peluang Pasarnya Masih Terbuka Lebar. Majalah Trust, Januari 4

Jacobson TA, 2008, Role of n-3 Fatty Acids in the Treatment of Hypertrigliceridemia and Cardiovascular Disease. American Journal of Clinical Nutrition, 87: 1981S-90S.

Jenkins D.J.A., Wolever T.M.S., Taylor R.H. Barker Fielden H., Baldwin H., Boeling A.C. Newman H.C., Jenkins H.C., and Goff D.V., 1981. Glycemix Index of Food : A Physiological Basis for Carbohydrate Exchange. American Clinical nutrition 34: 362-366

Jenkins,D.A., Wolover, T.M.S., Keteshwer R.A., Hegele,R.A., Mitchell,S.J., Boctor RTP., Spadafora,P.J., Jenkins, A.L., Mehling,C., Relle, L.K., Connelly, P.W., Story,J.A., Corey, P., and Wursch, P., 1993. Effect on Blood Lipids of Very High Intakes of Fiber in Diets Low in Saturated Fat

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

and Cholesterol. Fiber in Diets Already Low in Fat and Cholesterol, 329(1): 21-26

Johansen, H.N., Glitso, V., and Knudsen, K.E.B., 1996, Influence of Extraction Solvent and Temperature on the Quantitative Determination of Oligosachharides from Plant Materials by High- Performance Liquid Chromatography, Journal of Agricultural and Food Chemistry, 44, 1470-1474

Kahlon T.S. Smith G.E.,and Shao Q., 2005. Invitro Binding of Bile Acids by Kidney bean (*Phaseolus vulgaris*) Black gram (*Vigna mungo*), Bengal Gram (*Cicer arienum*) and Bean (*Phaseolus aconitifolis*). Food Chemistry 90:241-246

Kamara MT., Huiming Z., Kexue Z., Amadou I and Tarawalie F, 2009, Comparative Study of Chemical Composition and Physicochemical Properties of Two Varieties of Defatted Foxtail Millet Flour Grown in China, American Journal of Food Technology 10(12) : 5224-5238

Kalidhas, P., Kanniyappan, D., Gandhi, K., and Aruna, R., 2011, Coronary artery disease risk factors in type 2 diabetes with metabolic syndrome in the urban south Indian population, Journal.Clinical. Diagnostic Research : 5(3):516-18

Kaplan, A and Szabo, LL. 1983. Clinical Chemistry Interpretation and Techniques, 2nd edition.Lea and Febiger.Philadelphia

Kirk EA, Sutherland P, Wang SA , Chait A, and LeBoeuf RC., 1998, Dietary Isoflavone Reduce Plasma Cholesterol andS Atherosclerosis in Mice. Journal. Nutr. 128(6): 954-959

Konovsky J., Lumpkin T.A., and McClary D., 1994, Edamame : The Vegetable Soybean, A.D. O'Rourke, Understanding the Japanase Food and Agrimarket: Haworth Press, Binghamton, 173-181

Kumar V.R.A, Goyal L. Dixit AK, Manjaya JG, Dev J, and Swamy M, 2010, Sucrose and Raffinose Family Oligosaccharides (RFOs) in Soybean Seeds as Influenced by Genotype and Growing Location, Journal Agri Food Chem Apr 28; 58(8) : 5081-5

Kunz C., and Rudloff, S, 2006, Health Promoting Aspeks of Milk Oligosaccharides, International Dairy Journal 16 1341-1346

Kutos T., Golob T., Kac M., and Plestenjak A., 2003. Dietary Fibre cobtent oF Dry and Processed Beans. Food Chemistry 80: 231-235

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Larkin T., Price WE., and Astheimer L., 2008, The Key Important od Soy Isoflavone Bioavability to Understanding Health Benefits. Critical reviews in Food Science and Nutrition. 48(6):538-552

Lin, M.J.Y., Humbrt E.S., and Sosulski F.W., 1974, Certain Functional Properties of Sunflower Meal Product. Journal Food Science., 39: 368-373

Linder, M.C., 1992, Biokimia Nutrisi dan Metabolisme. Diterjemahkan Aminuddin P. Universitas Indonesia Press

Liu K, 1997, Soybeans : Chemistry, Technology, and Utilization, Chapman & Hall, 532p

Lovati M.R., Manzoni C., Corsini A., Granata A., Frattini R., Fumagalli R., and Sirtori CR., 1992Low Density Lipoprotein Reseptor Activity is modulated by Soybean Globulins in Cell Culture, Journal.Nutrition, 122 (10) : 1971-1978

Masdar Z, 1983. Effects of Brown Rrice and Soybean Dietary Fiber on the Control of Glucose and Lipid Metabolism in Diabetic Rats [1-3]. The American Journal of Clinical Nutrition. 38: 388-393.

Maki K.C., and Rains T.M., 2011, Fiber and Insulin Sensitivity, Topics in The Prevention, Treatment and Complication of Type 2 Diabetes., Prof. Mark Zimering., Publisher In Tech : 177-191. Available http://www.intchopen.com doi:10.5772/21963 diakses 7 September 2013

Malolo Olu, 2013, Effect of Processing in Component Oligosaccharides of Cowpea (Vigna unguicustala), Research and Reviews: Journal of Food and dairy Technology, 1 : 33-36

Marsono, Y. 1996. "Dietary fiber"dalam Makanan dan Mininum Fungsional. Kursus Singkat makanan Fungsional, Fakultas Teknologi Pertanian UGM, Yogyakarta

Marsono, Y. 1998. Resistant Starch : Pembentukkan, Metabolisme, dan Aspek Gizinya. Agritech.18.4:29-35

May T., Mackie R.I., Fahey GC Jr., Cremin J.C., and Garleb K.A, 1994. Effect of Fiber Source on Short Chain Fatty Acid Production and on the Growth and Toxin Production by *Clostridium difficile* Scand Journal Gastroenterol,19:916-922.

Mc. Gowan M.W., Artiss J.D.,and Standberrgh R.Z, 1983, Aperoxidase Coupled Methods for The Calorimetric Determination of Serum Trigliserides. Clinical Chemistry, 29 : 538-542

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

McIntosch. 2001. A Diet Containing Food Rich in Soluble and Insoluble Fiber Improves Gylcemic Control and reduce Hyperlipidemia Among Patients with type 2 Diabetes Mellitus. Nutrition Review 59(2): 52-55

McRorie J.W., and Fahey G.C., 2013, A Review of Gastrointestinal Physiology and The Mechanism Underlying The Health Benefits of Dietary Fiber : Matching and Effective Fiber with Specific Patient Needs, Clinical Nursing Studies 1(4): 82-94

Mentreddy, S.R., Mohammed A.I,N, Joshee, and Yadav, 2002, Edamame: A Nutritious Vegetables Crop, Trend in New Crops and New Uses, ASHS Press, 432-438

Mimura M., Coyne C.J., Bambuck M.W., and Lumpkim T.A., 2007, SSR Diversity of Vegetable Soybean (*Glycine max* (L). Merr), Genetic Resources and Crop Evolution 54 :497-508

Millan J., Pinto X., Munoz A., Zuniga M., Rubies-Prat J., Pallardo L.F., Masana L., Mangas A., Hernandes M.A., Gonzales S.P., Ascaso J., and Pedro J., 2009, Lipoprotein Ratio : Physiological Significance and Clinical Usefulness in Cardiovascular Prevention, Vascular Health and Risk Management 5: 757-765

Montesi A., Albiach R.G., Pozuelo M.J, Pintado C., Goni I., and Rotger R. 2005. Moleculer and Microbiological Analysis of Caecal Microbiota in Rats Fet with Diets Supplemented either with Prebiotic or Probiotic. International Journal of Food Microbiology 98 :281-289

Montgomery L., and Macy J.M., 1982, Characterization of Rat Ceacum Cellulytic bacteria. Applied and Enviromental Microbiology 44(6): 1435-1443

Mozzoni,LA, Morawicky,RO., and Chen P., 2009, Canning of Vegetable-Type Soybean : Procedures andQuality Evaluation. International Journal Food Science Technology. 44 :1145-1130

Mullet M, 2007. Edamame's is Popularity is Growing. Available at : http://www.aicr.org/site/news2page=newsArticle&idz94158news, diakses 13 Mei 2011

Mussatto S.I., and Machilha I.M., 2007. Non-Digestible Oligosaccharides : A Review. Carbohydrate Polymer 68 : 587-597

Murray R.K., Granner D.K, Mayes P.A., and Rodwell V.W, 1993, Harper's Biochemistry. Larger Medical Publication. United State of America

UNIVERSITAS
GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Narayara K., and Narasinga R, 1982, Functional Properties of Raw and Processed winged bean (*Psophocarpus tetragonolobus*) flour. Journal of Food Science 47.1534-1538

Njoku, O.U., Agu V.C., and Ndowo-Okwesili.FC., 2013, Effect of Aqueous Seed Extract of Two Varietas of Phaseolus Vulgaries on Lipid Profile of Rats, Research Journal of Pharmaceutical, Biological and Chemical Sciences, 4(2):1469-1478

Oboh H.A., Muzquiz M., Burbano C., Cuadrado C., Pedoza M.M., Ayet G., and Osagie A.U., 2000, Efecct of Soaking and germination on the oligosaccharide content of selected Nigerian legume seeds. Plant Foods for Human Nutrition 55:97-110

Oboh H.A., and Omofoma C.O., 2008, Effect of Heat Treated Lima Beans on Plasma Lipids in Hypercholesterolemic Rats, Pakistan Journal of Nutrition 7(5):636-639

Oladele A.K., and Aina J.O, 2007, Chemical Compotition and Functional Properties of Flour Produced from Two Varieties of Tigernut (*Cyperus esculentus*), African Journal of Biotechnology 6 (21):2473-2476

Onwuli D.O., Brown H., and Azonami H.A, 2014, Antihypergliceamic Effect of Tetacarpidium Conophorum Nuts in Alloxan Induced Diabetec Female Albino Rats, Hindawi Publishing Corporation, ID 124974, http://dx.doi.0rg/10.1155/2014/124974, diakses 9 April 2015

Ou S., Kwok K.C., Yan L. and Liang F., 2001. In Vitro Studi of Possible Role of Dietary Fiber in Lowering Postprandial serum Glukosa. Journal Agriculture Food Chemistry, 49: 1026-1029

Philips O.G., Ogasawara T., and Ushida K.,2008, The Regulatory and Scientific approach to defining gum Arabic (Acacia Senegal and Acacia seyal) as a dietary fiber, Food Hydrocolloids 22: 24-25

Prinyawiwatkul W, Beuchat LR, Mc Watters KH, and Philips RD.1996. Change in Fatty Acid, Simple Sugar, and Oligosaccharide Content of Cowpea (Vigna unguiculata) flour as result of soaking, boiling, and fermentation with Rhizopus microsporus var oligosporus Food Chemistry 57: 405-413

Queenan M.K., Stewart M.L., Smith K.N., Thomas W., Fulcher R.G., and Slavin J., 2007, Concentrated Oat β-glucan, A Fermentable Fiber, Lower Serum Cholesterol in Hipercholesterolemic Adults in A Randomized Controlled Trial, Nutrition Journal, 6(6) : 1-8

UNIVERSITAS
GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Qureshi A.A., Sami S.A., Khan F.A., 2002, Effect of Stabilized Rice Bran , its Soluble and Fiber Fraction on Blood Glucose levels and Serum Lipid Parameters in Humans with Diabetes Mellitus Types I and II. J.Nutr. Biochem.13:175-187

Rajamohan T, Kurup PA., 1997, Lysine : Arginine Ratio of Protein Influences Cholesterol Metebolism. Part 1 : Studies on Sesame Protein Having Low Lysine:Arginine Ratio, Indian Journal Expd. Biolology 35(11):1218-1223

Reeves P.G., Forrest H. Nielsen and George C. Fahey Jr. 1993. AIN-93 Purified Diet for Laboratory Rodents : Final Report of American Institute of Nutrition An hoc Writing Committee on The Reformation of the AIN-76A Rodent Diet, Journal Nutrition. 123: 1939-1951

Rehinan Z.A. Rashid M., and Shah W.,2004, Insoluble Dietary Fibre of Foof Legumes as Affected by Soalking and Cooking Processes. Food Chemistry 85:245-249

Richmond W., 1973, Enzymatic Determination of Total Serum Cholesterol., Journal Clinical Chemistry. 19 : 1350-1354

Roberfroid M.B., 1993, Dietary Fiber, Inulin, and Oligofructose : A Review Coparing Their Physiological Effect. Critical Review Food Science.33:103-148

Roberfroid M.B., 2000, Prebiotics and Probiotics : Are They Functional Foods? American Journal Clinical Nutrition 71 (6Suppl): 1682S-1687S

Roberfroid M.B., 2002, Functional Foods : Concepts and Application to Inulin and Oligosafructose. British Journal of Nutrition 87, Suppl. 2:S139-143

Roberfroid M.B., 2005. Inulin-type Fructan : Functional Food Ingredients. CRC Press, Boca Raton,London,New York, Washington DC

Rose J Devin, DeMeo M.T, Keshavarzian A, and Hamaker B, 2007, Influence of Dietary Fiber on Inflammatory Bowel Disease and Colon Cancer : Improtance of Fermentation Pattern, Nutrition Reviews.65 (2) : 51-62

Ruiz-Teran F., Owens JD., 1999. Fate of Oligosaccharides during production of Soya Bean Tempe 79: 249-252

Ruperez Espinosa M. 2006. Soybean Oligoakarida. Potensial as New Ingrediants in Fungtional Food. Nutrition Hospital, 21:92-6

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Sako T., and Matsumoto, Tanaka R. 1999. Recent Progress on Research and Aplication of non-digestible Galacto-Oligosaccharides. International Dairy Journal 9 : 69-80

Sat I.G and Keles F. 2002. The Effect Soaking and Cooking on the Oligosakarida Content of Seker a Dry Bean Variety *(P. vulgaris, L)* Grown in Turkey. Pakistan journal of Nutrition 1(5): 206-208

Sangeetha PT. Ramesh M.N. and Prapulla S.G. 2005. Recent Trends in the Microbial Production, Analysis and Aplication of Fructooligosaccharides. Treans in Food Science & Technology 16:442-457

Schneeman B.O. 1986. Dietary Fiber, Physical and Chemistry Properties Methodes of Analysis and Physiologiscal Effect. Food Technology. February : 104-110

Schneeman B.O., 1999, Fiber, Inulin and Oligofructose : Similarities and Differences, Journal Nutrition.129: 1424S-1427S

Schweizer T.F., Bekhechi A.R., Koellreutter B., Reimann S., Pometta,D., and Bron, B.A., 1983. The American Journal of Clinical Nutrition. American Society for Clinical Nutrition. 38: 1-11.

Setiawan M, 2012, Peran Resistensi Insulin, Adinopektin, dan Inflamasi pada Kejadian Dislipidemia Aterogenik, ejournal.umm.ac.id/index.php/…/1115 : 167-173 diakses 3 Maret 2015

Shane J.M., and Walker P.M. 1995. Corn Bran Suplementation of Low-Fat Controlled Diet Lowers Serum Lipids in men With Hypercholesterolemia. Journal of Americam Dietetic Associatiton.95(1) : 40-45

Shiga T.M., and Lajolo F.M., 2006. Cell Wall Polysaccharides of Common Bean (*Phaseolus vulgaris* L).,- Compotition and Structure. Carbohydrates Polymers 63:1-12

Shurleff W. 2001. On the English Etymology of “Green Vegetable Soybean”, “Edamame”, Vegtable-Type Soybean” and Food Grade Soybean” available at : www.aurdc.org/pdf/soybean/etymology.pdf , diakses 14 Januari 2009

Silalahi J., 2000, Fats, Oils and Fat Substitutes in Human Nutrition. Indonesian Food and Nutrition Process. 7(2):56-66

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Silva J.B, Carrao-Panizzi M.C., and Pridencio S.H, 2009, Chemical and Physical of Grain-Type and Food-Type Soybean for Procesiing, Pesq. Agropec Brasilia 44 (7) : 777-784

Simonne A.H., Weaver P.B., and Wei C.I.,2002. Immature Soybean Seeds or Snacks Food, acceptability by American Consumers. Innovative Food Science & Engeenering Technologist 1: 289-296

Sirisomboon P., Pornchaloempong P., and Romphophak T. 2007. Physical Properties of Grees Soybean: Criteria for Sorting, Journal of Food Engineering 79: 18-22

Slavin J. 2013. Fiber and Prebiotics: Mechanism and Health Benefits. Nutrients. 1417-1435

Soeatmadji D.W., 2005. The Role of PPARs in the Homeostatis Balance of Energy. Fourth Basic Moleculer Biology Course in Patophysiology of Obesity Brawijaya University, Journal Lipid Res 46 : 11-16

Song J.Y, Gil-Hwan An, and Chul-Jai K., 20003. Color, Texture, Nutrients Contents and Sensory Value of Soy as Affected by Blanching. Food Chemistry 83: 69-74

Somenkovich, C.F, 2006. Insulin Resistance and Atherosclerosis, Journal Clinical. Investigation. 116:1813-1822

Spliler G.A. 2001. CRC Handbook of Dietary Fiber in Human Nutrition. CRC Press

Sri-Budi W., Marsono Y, and Zuheid N, 2005, Konsentrat Serat Kedelai : Preparasi dan Pengaruhnya terhadap Sifat Fisik dan Kimia Digesta pada Tikus, Agritech 2005, XXV (2)

Stevenson D.F., Jane J.L., and Inglett G.E., 2007. Structures and Physicochemical Properties of Starch from Immature Seeds of Soybean Varieties Exhibiting Normal, Low-linolenic, Low-saturateds Fatty Acid Oil Profiles at Maturaty. Carbohydrate Polymer 70 : 149-159.

Suzuki, T., Ohsugi Y., Yoshie Y, Shirai T., and Hirano T., 1996, Dietary Fiber Content, Water Holding Capacity and Binding Capacity of Seaweeds, Fisheries Science, 62, 454-461

Takahashi R., Ohmori R., Kiyose C., Momiyama Y., Ohsuzu F., and Kondo K., 2005, Antioxidant Activities of Black and Yellow Soybeans against Low density ipoprotein Oxidation. J.Agric Food Chem.53:4578-4582

UNIVERSITAS GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Teitelbaum, J.E and Walker W.A (2002) Nutritional Impact of Pre-Probiotics as Protective Gastrointestinal Organisms. Annual Review Nutrition, 22,107-138

Topping D.L., Ilman R.J., Clarke J.M., Trimble R.P., Jackson K.A., and Marsono Y., 1993, Dietary Fat and Fiber Alter Large Bowel and Portal Venous Volatile Fatty Acids and Plasma Cholesterol But Not Biliary Steroids in Pigs. Journal Nutrition 123 : 133-143

Topping D.L., and Clifton P.M.,2001, Short Chain Fatty Acid and Human Colonic Function : Roles of Resistant Starch and Nonstarch Polysaccharides, Physiological Reviews 81(3): 1031-1064

Tungland B.C., 2000, Inulin : A Comprehensive Scientific review. www.members.shaw.ca/duncancrow/inilinreview.html, diakses 14 Januari 2011

Tungland B.C., and Mayer, D., 2002. Nondgestable Oligo- and Polysaccharides(Dietary Fiber): Their Phisiology and Role in Human Health and Food. Comprehensive Reviews in Food Science and Food Safety. 3 : 90-107

Villaleuenga C.M., Cobas A.C., Corzo N., and Olano A, 2008, Studi of galaktooligosaccharide composition in comersial fermented milk, Journal of Food Composition and Analysis 21: 540-544

Wang N., Hatcher D.W., and Gawalco, E.J. 2008. Effect of Variety and Processing on Nutrients and Certain Anti-Nutrients in Field Pea (*Pisum sativum*). Food Chemistry 111:132-138

Wang Q., Legin K., Doeng M.Y., Bili B., Jiangmei J., and Tiejin Y., 2007. Change in oligosaccarides during proscescing of soybean sheet. Asia Pacific Journal Clinic Nutrition 16:89-94

Weickert M.O., and Pfeiffer, 2008, Metabolic Effect of Dietary Fiber Consumption and Prevention of Diabetes, American Society for Nutrition. Journal Nutrition. 138: 439-442

Wieland H. and Siedel D., 1983, Cholesterol Determination, Journal Lipid. 24:904-905

Wood J.P, Braaten, Scoot F.W., and Riedel. 1990, Comporison of viscous Properties of Oat and Guar Gum and Effect of These Oat Bran on Glicemix Index. Journal.Agriculture Food Chemistry 38 : 753-757

UNIVERSITAS
GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Wood J. P. 2007. Cereal – glucans in Diet and Health. Journal of Cereal Science 46: 230-238

Wolever T.M.S 1991. Effect of Short Chain Fatty Acid on Carbohydrates and Lipid Metabolism : Report of The Tenth Ross Conference on Medical Research, Short Chain Fatty Acid : Metabolism and Clinical Importance, Columbus, Ohio, Roos Laboratories

Wszelaki A.L. Delwiche J.F, Walker S.D, and Liggett R.E. 2005. Consumer Lingking and discriptive analysis of six varieties of organically grown edamame-type soybean. Food Quality and Preference 16: 651-658

Young G, Mehrahtu T., and Johnson J., 2000. Acceptability of Green Soybean as a Vegetable Entity. Plant Food for Human Nutririon 55: 323-333

Xiaoli X., Liyi Y., Shuang H., Li Wei, Yi S., Ma Hoa, Zhang J.,and Zeng X.. 2008. Determination of Oligosaccharide Contents in 19 Cultivar of Chickpea (*Cicer arietinum* L) Seed by High Performance Liquid Chromatography. Food Chemistry 215-219

Voragen A.G.J (1998) Technological Apect of Fungtional Food - Related Carbohydrates. Trends in Food Science & Technology, 9 : 328-335

Yokoyama W.H., and Hudson C.A, Knuckles B.E., Chiu M.C, Sayre R.N, Turnlund J.R., and Schneeman B.O., 1997. Effect of Barley –Glucan in Durum Wheat Pasta on Human Glycemic Respone. Cereal Chemistry 74:293-296

Zanhi N.K and Jideani, 2012, Physico-Chemical and Sensory Qualities of Soy and Milk Solid Fortified Low Fat Yoghurt, African Journal of Agriculture Research 7(38) : 5336-5343

Zaker A., Genitha T.R., and Hashmi S.I., 2012 Effect of Defatted Soy Flour Incorporation on Physical, Sensorial and Nutritional Properties of Biscuits, Journal Food Processing and Technology, 3 (4) : 1-4

Zaron, DL, Turner, ND., Taddeo, S.S., Chapkin R.S., and Lupton, J.R, 1997, Wheat Bran Diet Reduces Tumor Incidence in a Rat Model of ColonCancer Independent of Effect on Distal Luminal Butyrate Concentrations 1,2.The Journal of Nutritions 127: 2217-2225

Zhan S., and Ho S.C., 2005. Meta-Analysis of The Effect od Soy Protein Containing Isoflavones on Lipid Profile. American Journal Clinical Nutrition 81:397-408

UNIVERSITAS
GADJAH MADA
**TEPUNG EDAMAME (Glycine max (L) Merrill) SEBAGAI SUMBER SERAT PANGAN DAN OLIGOSAKARIDA :
KARAKTERISASI SIFAT KIMIA DAN FISIKOKIMIA SERTA EFEK FISIOLOGISNYA**
ELLY KURNIAWATI, Prof. Dr. Ir. Y. Marsono, MS; Prof. Dr. Ir. Eni Harmayani, M.Sc; Dr. Suparmo M.Sc
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, JX., Lundin E., Hallmans G, Adlercreutz H., Anderson H., Bosaeus I., Aman P., Stenling R., and Dahlgren S., 1994, Effect of Rye Bran on Exretion of Bile Acids, Cholesterol, Nitrogen, and Fat in Human-Subjects with Ileostomies, American Journal Clinical Nutrition 59:389-394

Zhong, F., Liu J., Ma J. and Shoemaker C.F., 2006, Preparation of Hypocholesterol Peptides from Soy Protein and their Hypocholesterolemic Effect in Mice. Food Research International 40: 61-667

Ziemer, C.J., and Gibson, G.R (1998). An Overview of Probiotic, Prebiotics and Synbiotic in Functional Food Concept: Perspectives and Future Strategies. International Dairy Journal, 8, 473-479