

DAFTAR PUSTAKA

- Abdel-hamid, A., and A. Gabr, 1991, Evaluation of Water Hyacinth as Feed for Ruminants. *Arch. Anim. Nutr. Archiv Fuer Tierernahrung*, 41(7): 745-756.
- Ahn, D. J., S. K., and H.S. Yun, 2012, Optimization of pretreatment and saccharification for the production of bioethanol from water hyacinth by *Saccharomyces cerevisiae*, *Bioprocess Biosyst Eng.* 35(1): 35-41, doi: 10.1007/s00449-011-0600-5.
- Akhtar, M., R.A. Blanchette, T.K. Kirk, 1997, Fungal Delignification and Biomechanical Pulping of wood. *Advances in Biochemical Engineering*, 57: 150-195.
- Anita, S. H., T. Fajriutami, Fitria, R. Ermawar, D. Yanto and E. Hemiati, 2011, *Pretreatment Trametes Versicolor and Pleurotus Ostreatus pada Bagas untuk Produksi Bioetanol*, Cibinong Bogor: Lipi Press.
- Artiningsih, T., 2006, Aktivitas Ligninolitik Jenis Ganoderma pada Berbagai Sumber Karbon. *Biodiversitas*, 7(4):307-311.
- Aruma. J-I. and , T. Koshijima, 1988, Lignin-carbohydrate complexes from various sources, *Methods Enzymology*, 161: 12-18.
- Asgher, M., M. Asad and R. Legge, 2006, Enhanced lignin peroxidase synthesis by *Phanerochaete Chrysosporium* in Solid State bio processing of a lignocellulosic substrate. *World Journal of Microbiology & Biotechnology*, 22(5): 449-453.
- Asther, M., C. Capdevila and G. Corrieu, 1988, Control of Lignin Peroxidase Production by *Phanerochaete chrysosporium* INA-12 by Temperature Shifting, *Appl Environ Microbiol*, 54(12): 3194–3196.
- Aziz, A., M. Husin, and A. Mokhtar, 2002, Preparation of cellulose from oil palm empty fruit bunches via ethanol digestion : Effect of acid and alkali catalyst, *Journal of Oil Palm Research*, 14(1): 9-14.
- Azuma. J-I., N. Takahashi., and Koshijima, 1981, Isolation and Characterization of lignin carbohydrate complexes from the milled-wood lignin fraction of *Pinus Densiflora* Sieb at Zucc, *Carbohydrate Residue*, 93: 91-104.
- Bergier, I., S. Salis, C. Miranda, E. Ortega, and C. Luengo, 2012, Biofuel Production from Water Hyacinth in the Pantanal Wetland, *Ecology and Hydrobiology*, 12(1): 77-84.
- Behrendt, C. and R. Blanchete, 1997, Biological Processing of Pine Logs for Pulp and Paper Production with *Phlebiopsis gigantea*. *Appl. Environ. Microbiol*, 63:1995–2000.

- Belinky, P. A., N. Flikshtein, G. Carlos, and G. Dosoretz, 2006, Induction of lignin peroxidase via reactive oxygen species in manganese-deficient cultures of *Phanerochaete chrysosporium*, *Appl. Environ. Microbiol*, 69(11): 6500-6506, doi: 10.1128/AEM.69.11.6500-6506.2003.
- Beyenal, H., and A. Tanyolac, 1997, A combined growth model of *Zoogloea ramigera* including multisubstrate, pH and agitation effects, *Enzyme and Microbial Technology*, 21, 74-78.
- Blance, H. W. And D.S. Clark, 1997, *Biochemical Engineering*. New York: Marcel Dekker Inc.
- Blanchette, R. And T. Burnes, 1988, Selection of white-rot fungi for biopulping, *Biomass*, 15: 93-101.
- Blanchette, R. A., 1995, Degradation of Lignocellulose Complex in Wood, *Canadian Journal of Botany*, 73(1): 999-1010.
- Bolenz, S., H. Omran, and K. Gierschner, 1990, Treatment of Water Hyacinth Tissue to Obtain useful Product. *Biol. Waste*, 33: 263-274.
- Bonnarme, P., and T.W. Jeffries, 1990, Mn(II) Regulation of Lignin peroxidases and manganese dependent Peroxidase from Lignin Degrading White-rot Fungi, *Applied and Environmental Microbiology*, 56(1): 210-217
- Boyle, C., B.R. Kropp and I.D. Reid, 1992, Solubilization and mineralization of lignin by white rot fungi, *Appl. Environ. Microbiol*, 58, 3217-3224.
- Buranov, A. U., and G. Mazza, 2008, Lignin in straw of herbaceous crops, *Industrial Crops and Products*, 28(3):237-259. doi : 10.1016/j.indcrop.2008.03.008.
- Cadoche, L. And G.D. Lopez, 1989, Assessment of Size Reduction as a preliminary step in the production of ethanol from lignocellulose wastes, *Biological Waste*, 30(2): 153-157.
- Couto, S., R.M. Barreiro, I Rivela, M.A. Longo and A. Sanroman, 2002, Performance of a solid state immersion bioreactor for ligninolytic enzyme production : Evaluation of different operational variables, *Process Biochemistry*, 38: 219-227.
- Chen, H., F. Xu and Z. Li, 2002, Solid State Production of biopulp by *Phanerochaete Chrysosporium* using steam exploded wheat straw as substrate, *Bioresource Technology*, 81(3): 261-263.
- Chandra, R. P., R. Bura, W.E. Mabey, A. Berlin, X. Pan, and J.N. Saddler, 2007, Substrate Pretreatment : The Key to Effective Enzymatic Hydrolysis of Lignocellulose, *Adv Biochem Eng Biotechnol*, 108:67-93.
- Chahal, P. And D. Chahal, 1998, *Lignocellulosic Waste: Biological Conversion*. In: Martin, A.M. [eds]. *Bioconversion of waste materials to Industrial Products*. Ed ke-2. London: Blackie Academic & Professional. pp. 376-422.

- Choi, S. H., M.B. Gu, and S.H. Moon, 2002, The Effect of the Dissolved Oxygen Concentration on the Production of Lignin Peroxidase and Manganese Peroxidase by *Phanerochaete chrysosporium*, *Biological Systems Engineering*, 7:79-90 DOI: 10.1021/bk-2002-0830.ch007.
- Crawford, D. L., 1983, Lignocellulose decomposition by selected streptomyces strains, *Appl Environ Microbiol*, 35(6): 1041–1045.
- Datta, A., A. Bettermann and T.K. Kirk, 1981, Identification of a specific manganese peroxidase among lignolytic enzymes secreted by *Phanerochaete Chrysosporium* during wood decay, *Appl. environ. Microb*, 57: 1453-1460.
- Eka-Sari, 2010a, Studi Penghilangan Lignin pada Enceng Gondok sebagai Bahan Baku Pembuatan Bioetanol menggunakan Basa kuat”, *Seminar Teknik Kimia UNPAR: Pemanfaatan Biomassa untuk Pangan, Energi, dan Bahan Kimia*. Bandung.
- Eka-Sari, 2010b, “Study Of Lignin Removal In Water Hyacinth (*Eichhornia Crassipes*) Using Low Concentration Of Ammonia And The Effect On Yield Glucose For Bioethanol Production”, Proceeding of 17th Regional Symposium Chemical Engineering, Bangkok, Thailand.
- Eka-Sari and Hemati. E., 2010, “Biodegradation Lignin in Water Hyacinth (*Eichhornia Crassipes*) Using Combination White Rot Fungi for Bioethanol Production”, *International Conference On Advances In Renewable Energy Technology*, Kuala Lumpur.
- Eaton, T., M. Chang, W. Joyce, W. Jeffries and T. Kirk, 1982, Method Obtain fungal reduction of The color of extractionstage kraft bleach effluent, *TAPPI Journal*, 65, 89-92.
- Elisashvili, V., E. Kachlishvili and M. Penninckx, 2008, Effect of growth substrate, method of fermentation and nitrogen source on lignocellulose-degrading enzymes production by white-rot basidiomycetes, *J Ind Microbiol Biotechnol*, 35(11):1531-8. doi: 10.1007/s10295-008-0454-2.
- Evans, C. S. And J.N. Hedger, 2001, Degradation of plant cell wall polymers. In G. Gadd, *Fungi in Bioremediation* (pp. 1-26). Cambridge University Press, <http://dx.doi.org/10.1017/CBO9780511541780.002>.
- Evstigneev, E. I., 2011, Factors affecting lignin solubility. *Russian Journal of Applied Chemistry*, 84(6): 1040-1045.
- Fadilah, S. Distantina, S. R. Dwiningsih, and D.S. Ma’rifah, ,2009, Pengaruh penambahan Glukosa dan Ekstrak Yeast terhadap Biodelignifikasi Ampas Batang Aren. <http://si.uns.ac.id/profil/uploadpublikasi/ekuilibrium/vol.1.No.1>.
- Fujian, X., C. Hongzhang and L. Zuohu, 2001, Solid-state production of lignin peroxidase (LiP) and manganese peroxidase (MnP) by *Phanerochaete chrysosporium* using steam-exploded straw as substrate, *Bioresour Technol*, 80(2):149-51.

- Georgieva, N., 2009, "Ligninolytic Enzyme produced By *Phanerochaete chrysosporium* 1038 and Biotransformation of Lignin", *Journal of Biotechnology*, 23: 276-285.
- Greer, D., 2005, Creating Cellulosic Ethanol: Spinning Straw into Fuel. *Biocycle Energy*, 61-65.
- Graminha, E., A. Goncalves, R. Pirota, M. Balsalobre, M., R.D. Silva, R.D. and E. Gomez, 2008, "Enzyme Production by Solid State Fermentation : Application to Animal Nutrition", *Animal Feed Science and Technology*, 144: 1-22.
- Gunnarsson, C., and C.M. Petersen, 2007, Water Hyacinth as a Resources Agriculture and Energy Production : A Literature Review, *Waste Management*, 27(1):117–129.
- Haddadin, M., R. Al-Natour, S. Al-Qsous and R. Robnson, 2002, Bio-degradation of Lignin in Olive Pomace by Fresly-isolated Species of Basidiomycete, *Bioresources Tecnology*, 82; 131-137.
- Hammel, K., 1997, *Fungal Degradation of Lignin*, Institute for Microbial and Biochemical Technology, US Depatiment of Agriculture, Madison USA.
- Hammel, K. and D. Cullen, 2008, Role of fungal peroxidases in biological ligninolysis, *Current Opinion in Plant Biology*, 11: 349-355.
- Hamisan, A., S. Abd-Aziz, K. Kamaruddin, U. Shah, N. Shahab, and M. Hassan, M, 2009, Delignification of Oil Palm Empty Fruit Bunc using Cemical and Microbial Pretreatment Metods, *International journal of Agricultural Research*, 4(8): 250-256.
- Hanum, C, 2009, *Ekologi Tanaman*, Medan: USU Press.
- Hattaka, A. and K.E. Hammel, 2010, Fungal Biodegradation of Lignocelluloses, *The Mycota : Industrial Aplications*, 2nd edition, 10: 319-340.
- Hattaka, A., 2001, *Biodegradation of lignin*. In: Steinbiichel A.[Ed} *Biopolimer Vol. 1: Lignin, Humic Substances and Coal*. Germany: Wiley VCH pp. 129-180.
- Hemiati, E., D. Mangunwidjaja, T.C. Sunarti, O. Suparno, dan B. Prasetya, 2010, Pemanfaatan Biomassa Lignoselulosa Ampas Tebu Untuk Memproduksi bioetanol, *Jurnal Litbang Pertanian*, 29(4):121-130.
- Hermiati, E., L. Risanto, dan S. H. Anita, 2014, Sakarifikasi Serat Tandan Kosong dan Pelepah Kelapa Sawit setelah Pretreatment menggunakan Kultur Campuran Jamur Pelapuk Putih *Phanerochaete chrysosporium* dan *Trametes versicolor*. *Jurnal Penelitian Hasil Hutan*, 32(2):111-122.
- Herliyana, E., Aisah, A. R., and Isroi., 2011, *Pretreatment* dengan *Phanerochaete chrysosporium* dalam Hidrolisis Asam Encer *Sludge* Kertas, *Jurnal Silvikultur Tropika*, 2(3):187-193.

- Higuchi, T. I., 1967, Chemical properties of milled wood lignin of grasses. *Phytochemistry*, 6: 1551–1556.
- Hofrichter, M., 2002, Review : Lignin conversion by manganese peroxidase (MnP), *Enzyme Microbiology of Technology*, 30: 454-466.
- Howard, R., E. Abotsi, E. Rensburg and S. Howard, 2003a Lignocellulose Biotechnology : Issues of Bioconversion Enzyme Production, *African Journal of Biotechnology*, 2(12): 602-619.
- Howard, R.L., P. Masoko and E. Abotsi, 2003b, Enzyme Activity of Phanerochaete Chrysosporium Cellobiohydrolase (CBHI.1) expressed as a heterologous Protein from Escherichia Coli, *African Journal of Biotechnology*, 2(9): 296-300.
- Hronich, J. E., L. Martin, H. Bungay and J. Plawsky, 2008, Potential of Eichhornia crassipes for biomass refining, *Journal of Industrial Microbiology and Biotechnology*, 35 (5): 35-40.
- Indahtri, F. and Sarto, 2011, *Optimasi Pretreatment Phanerochaete chrysosporium Pada Produksi Biogas Berbahan Baku Enceng Gondok (Eichhornia crassipes)*. Yogyakarta: Electronic Theses and Dissertation of Universitas Gadjah Mada, Yogyakarta.
- Irshad, M. And M. Asgher, 2011, Production and optimization of ligninolytic enzymes by white rot fungus Schizophyllum commune IBL-06 in solid state medium banana stalks. *African Journal of Biotechnology*, 10(79): 18234-18242, DOI: 10.5897/AJB11.2242)
- Iriani, P., 2006, Delignifikasi Sabut Kelapa (Cocos nucifera L) oleh Jamur Phanerochaete Chrysosporium, DGLHUB STIH-ITB.
- Isroi, 2013, *Peningkatan Digestibilitas Dan Perubahan Struktur tandan kosong kelapa sawit Oleh Pretreatment pleurotus Flordanus Dan Asam Fosfat*. Yogyakarta: Electronic Theses and Dissertation of Gadjah Mada University.
- Isroi, R. Milati, S. Syamsiah, C. Nicklasson, M.N. Cahyanto, and K. Lundquist, 2011, Biological Pretreatment of Lignocelluloses with White-Rot Fungi and its Applications : A Review, *BioResources*, 6(4):5224-5259.
- Istikowati dan Marsoem, 2010, *Pengaruh inokulasi jamur Phanerochaete chrysosporium Burds terhadap sifat serat dan pulp kayu randu (Ceiba pentandra Gaertn)*, Electronic Theses and Dissertation of Gadjah Mada University, Yogyakarta.
- Joedodibroto, R. 1983. Prospek pemanfaatan eceng gondok dalam industri pulp dan kertas, *Berita Selulosa*, 29 (1): 3-7.
- Karunananda, K. And G. Varga, 1996, Colonization of Rice Straw by White-rot Fungi (Cyanthus Stercoreus): Effect on ruminal fermentation pattern, nitrogen metabolism and fiber utilization during continuous culture. *Animal Feed Science and Technology*, 61(1–4): 1–16.

- Keller, F., J. Hamiltan, and Q Nguyen, 2003, Microbial Pretreatment of Biomass Potential for Reducing Severity of Thermo-chemical Biomass Pretreatment. *App Biochem Biotechnol*, 105: 27-41.
- Kersten, P., and D. Cullen, 2007, Extracellular oxidative systems of the lignin-degrading Basidiomycete Phanerochaete chrysosporium, *Fungal Genetics and Biology*, 44(2): 77-87.
- Kersten P.J., B. Kalyanaraman, K.E. Hammel, B. Reinhammar and T.K. Kirk, 1990, Comparison of lignin peroxidase, Horseadish peroxidase and Laccase in the oxidation of methoxybenzenes, *Journal of Biochem*, 268: 475-480.
- Khiyami, M. A., A.L. Pometto and W.J. Kennedy, 2006, Ligninolytic Enzyme Production by Phanerochaete chrysosporium in Plastic Composite Support Biofilm Stirred Tank Bioreactors, *Journal of Agriculture, Food Chem*, 54:1693-1699.
- Kirk, T., and R. Farrel, 1987, Enzymatic Combustion : The microbial degradation of Lignin. *Microbiol*, 41: 465-505.
- Koshijima, and T. Watanabe, 2003, In: Timell, T.E. (Ed.), *Association Between Lignin and Carbohydrates in Wood and Other Plant Tissues*. Berlin, Heidelberg: Springer-Verlag.
- Kumar, P., D. Barret, M.J. Delwiche and P. Stroeve, 2009, Methods for Pretreatment of lignocellulosic Biomass for Efficient Hydrolysis and Biofuel Production, *Ind. Eng. Chem. Res.* , 48 (8), pp 3713–3729, DOI: 10.1021/ie801542g.
- Kumar, G., G. Sekaran, and S. Krishnamoorthy, 2006, Solid State Fermentation of Achras Zapota Lignocellulose by Phanerochaete chrysosporium. *Bioresour Technol*, 97(13): 1521-1528.
- Laine, C, 2005, *Structure of Hemicellulose and Pectins in Wood and Pulp*. KCL, Espoo, Finland: Helsinki University of Technology, ISSN 1457-6252.
- Law, K., W.R.W. Daud and A. Ghazali, 2007, Morphological and chemical nature of fiber strands of oil palm empty-fruit-bunch (OPEFB), *BioResources*, 2: 351-362.
- Lawoko, M. H., 2005, Structural differences between the lignin–carbohydrate complexes present in wood and in chemical pulps, *Biomacromolecules*, 6: 3467–3473.
- Lymar, E., B. Li and V. Renganathan, 1995, Purification and characterization of a cellulose-binding Beta Glucosidase from cellulose-degrading culture of Phanerochaete Chrysosporium, *Appl. Environ. Microbiol.* , 61:2976-2980.
- Lynd, L., P. Weimer, W.H. Van Zyl, and I.S. Pretorius, 2002, Microbial Cellulose Utilization: Fundamentals and Biotechnology, *Microbiol. Mol. Biol. Rev.*, 66(3): 506-577.jkkkj

- Lee, D., V. N. Owens, A. Boe, and P. Jeranyama, 2007, *Composition of Herbaceous Biomass Feedstocks*, <http://agbiopubs.sdstate.edu/article/SGINCI-07.pdf>.
- Lukitawesa, R. M., 2012, Pengaruh Ukuran Potongan Terhadap pertumbuhan Jamur *Pleurotus Flordanus* LIPIMC 996 dan Hasil Delignifikasi selama Perlakuan Pendahuluan Tandan Kosong Kelapa Sawit, *AGRITECH*, 32(4): 346-350.
- Ma, F., N. Yang, C. Xu, H. Yu, J. Wu and X. Zhang, 2010, Combination of biological pretreatment with mild acid pretreatment for enzymatic hydrolysis and ethanol production from water hyacinth, *Bioresour Technol*, 101(24):9600-9604.
- Mani, S., L. Tabil and S. Sokhansanj, 2006, Effects of compressive force, particle size and moisture content on mechanical properties of biomass pellets from grasses, *Biomass and Bioenergy*, 30: 648–654.
- Marais, J.P., D. W. JL and G. Quicken, 1966, A critical examination of the Nelson-Somogyi method for the determination of reducing sugars. *Anal Biochem*, 15(3) : 373-81.
- Membrillo, I., C. Sánchez, M. Meneses, E. Favela and Q. Loera, 2011, Particle geometry affects differentially substrate composition and enzyme profiles by *Pleurotus ostreatus* growing on sugar cane bagasse, *Bioresource Technology*. 102 (2): 1581–1586.
- Messner, K., K. Koller, M.B. Wall and G.M. Scott, 1998, Fungal treatment of wood chip for chemical Pulp. In : Young, R.A., Akhtar, M. (Eds.), *Environmental friendly Technologies for the Pulp and Paper Industry*. John Wiley & Sons, Inc., New York, pp. 385-419
- Mitchell, D. A., N. Krieger and M. Berovic, 2005, *Solid State Fermentation Bioreactor : Fundamental of design and Operation*, Springer, Berlin: DOI 10.1007/3540312854).
- Mosier, N., H. Richard, N. Ho, M. Sedlak, and M.R. Ladisch, 2005, Optimization of pH controlled liquid hot water pretreatment of corn stover, *Bioresource Technology*, 96 (18):1986-1993.
- Mukherjee, R., and B Nandi, 2004, Improvement of in vitro digestibility through biological treatment of water hyacinth biomass by two *Pleurotus* species. *Journal International Biodeterioration & biodegradation*, 53(1)7-12.
- Muller, H. W. And W. Trosch, 1986, Screening of white-rot fungi for biological pretreatment of wheat straw for biogas production, *Applied Microbiology and Biotechnology*, 24(2): 180-185.
- Nigam, J., 1997, Bioconversion of water Hyacinth (*Eichhornia Crassipes*) hemicellulose acid Hydrolysate to Motor Fuel Ethanol by Xylose-fermenting Yeast. *J Biotechnol*, 97(2): 107-116.

- Ntwampe, S.K.O., M.S. Sheldon, M.S. and H. Volschenk, 2007, Oxygen mass transfer for an immobilised biofilm of *Phanerochaete Chrysosporium* in a membrane gradostat reactor, *Brazilian Journal of Chemical Engineering*, 25 (4): 649-664.
- Orth, A., D. Royse, and M. Tien, 1993, Ubiquity of Lignin degrading peroxidases among various wood-degrading fungi, *Applied Environmental Microbiol*, 59: 4017-4023.
- Patel, V and M. Madamwar, 1993, Thermochemical Pretreatment of Water Hyacinth for Improved Biomethanation, *Appl. Biochem. Biotechnol*, 42: 67-74.
- Perez, J., J. Munoz-Dorado, T. Rubia, and J. Martinez, 2002, Biodegradation and biological treatments of cellulose, hemicellulose and lignin: an overview. *Int Microbiol*, 5(2),53-63.
- Pirt, S. J., and R.C. Righelato, 1967, Effect of growth rate on the synthesis of penicillin by *Penicillium chrysogenum* in batch and chemostat culture, *Applied Microbiol Biotechnol*, 15: 1284-1290.
- Poddar, K., L. Mandal, and G. Banerjee, 1991, Studies on Water Hyacinth (*Eichhornia Crassipes*) Chemical Composition of the Plant and Water from different Habitat, *Indian Veterin J.*, 68; 833-837.
- Piontek, K., A. Smit and W. Bloding, 2001, Lignin Peroxidase structure and function, *Biocem. Soc. Trans*, 29(2): 111-116.
- Pujirahayu and Marsoem, 2010, *Sifat Serat Dan Efisiensi Pemasakan Bio-kraft Pulp Kayu Sengon Yang Diinokulasi Dengan Jamur phanerochaetechrysosporium* Electronic Theses and Dissertation of Gadjah Mada University, Yogyakarta.
- Puniya, A. K., F. Zadrazil and K. Singh, 1994, Influence of gaseous phases on lignocellulose degradation by *Phanerochaete chrysosporium*, *Bioresource Technology*, 47(2): 181-183.
- Rahardjo, Y., J. Tramper, and A. Rinzema, 2006, Modelling Conversion and Transport Phenomena in Solid State Fermentation : A review and Perspectives, *Biotechnology Advanced*, 24: 161-176.
- Rayner, A. and L. Boddy, 1988, Fungal Decomposition of Wood. Great Britain: John Wiley & Sons.
- Reid, I. D., 1989, Solid state fermentation for Biological Delignification. *Enzyme and Microbial Technology*, 11, 786-803.
- Retnowati, D. S., 2008, Pemutihan Enceng Gondok menggunakan Hidrogen Peroksida dan Natrium Karbonat, *Reaktor*, 12(1): 33-36.
- Rimbault. M., 1998, General and Microbiological aspects of Solid State Fermentation, *Electronic Journal of Biotechnology*, 1(3):174-188, ISSN 0717-3458.

- Rodrigues, M., P. Pinto, R.M.F. Bezerra, A.A. Dias, C.V.M. Guedes, V.M.G. Cardoso, J.W. Cone, L.M.M. Ferreira, J. Colaço and C.A. Sequeira, 2008, Effect of enzyme extracts isolated from white-rot fungi on chemical composition and in vitro digestibility of wheat straw. *Animal Feed Science and Technology*, 141: 326-338.
- Rothschild, N., A. Levkowitz, Y. Hadar, and C.G. Dosoretz, 1999, Manganese Deficiency Can Replace High Oxygen Levels Needed for Lignin Peroxidase Formation by *Phanerochaete chrysosporium*, *Appl Environ Microbiol*, 65 (2):483-488.
- Rowell, R, 2013, *Handbook of Wood Chemistry and Wood Composites*. New York: CRC Press Taylor and Francis.
- Sanchez, C, 2009, Lignocellulosic residues: Biodegradation and bioconversion by fungi, *Biotechnology Advances*, 27(2): 185-194.
- Samsuri, M., B. Prasetya and E. Hemati, 2004, Biodegradasi Bagasse menggunakan jamur pelapuk putih (White rot Fungi) dan potensi pemanfaatannya untuk Etanol. *Prosiding Seminar Nasional XIII "Kimia dalam Industri dan Lingkungan"* (pp. 405-410). Yogyakarta: Jaringan Kerjasama Kimia Indonesia.
- Saritha, M., A. Arora, L. Nain, 2012, Pretreatment of Paddy Straw with *Trametes Hirsuta* for Improved Enzymatic for Sacharification, *Bioresources Technology*, 104: 459-465.
- Sarkanen, K. L and C.H. Ludwig, 1971, *Lignins: Occurrence, Formation, Structure and Reactions*. New York: Wiley-Interscience.
- Saura, A. S, 2011, *Modelling and Analysis of Enzymatic Hydrolysis of Lignocellulosic Substrate*, Stockholm: KTH Chemical Science and Engineering.
- Scott, G. M., M.A. Lentz, T.K. Kirk and R. Swaney, 1998, New technology for papermaking: Commercializing biobulping, *TAPPI Journal*, 81(11): 220-225).
- Shi, J., M. Chin, and R.R. Sharma-Shivappa, 2008, Microbial pretreatment of cotton stalks by solid state cultivation of *Phanerochaete chrysosporium*. *BioResources Technology*, 99(14):6556-64.
- Singhania, R., A. Patel, C. Soccol and A. Pandey, 2009, Recent advances in solid state fermentation, *Biochemical Engineering Journal*, 44(1): 13-18.
- Sjostrom, E., 1993, *Wood Chemistry. Fundamentals and Applications*. Academic Press, San Diego, CA, USA.
- Song, L., H. Yu, F. Ma, X. Zhang, 2013, Biological Pretreatment under Non-Sterile Conditions for Enzymatic ydrolysis of Corn Stover, *BioResources*, 8(3): 3802-3816.

- Sornvoraweat, B., and J. Kongkiattikajorn, 2010, Separated Hydrolysis and Fermentation of Water Hyacinth Leaves for Bioethanol Production. *KKU Res J*, 15(9): 794-802.
- Souza, W., 2013, Microbial Degradation of Lignocellulosic Biomass. In A. K. Silva, *Sustainable Degradation of Lignocellulosic Biomass-Techniques, Applications and Commercialization* (pp. 207-247, DOI: 10.5772/54325, ISBN 978-953-51-1119-1). Institute of Biology, State University of Campinas (UNICAMP), Brasil.
- Steffen, K, 2003, *Degradation of recalcitrant Biopolymers and Polycyclic Aromatic Hydrocarbons by Litter Decomposing Basidiomycetous*. Finland: Disertation of Helsinki : Division of Microbiology Department of Applied Chemistry and Microbiology Viiki Biocentre, University of Helsinki.
- Subekti, N., 2012, Biodeteriorasi kayu pinus (*Pinus merkusii*) oleh rayap tanah *Macrotermes gilvus* Hagen (Blattodea: Termitidae). *Bioteknologi*, 9 (2): 57-65, ISSN: 0216-6887, EISSN: 2301-8658.
- Sun, F., J. Li, Y. Yuan, Z. Yan and X. Liu, 2011, Effect of biological pretreatment with *Trametes hirsuta* yj9 on enzymatic hydrolysis of corn stover, *J. Int Biodeterioration Biodegradation*, 65(7): 931-938.
- Taherzadeh, M. and Karimi, 2007, Enzyme-Based Hydrolysis Process for Ethanol from Lignocellulosic Materials : A Review, *BioResources*, 2(4): 707-738.
- Taherzadeh, M. J., and K. Karimi, 2008, Pretreatment of Lignocellulosic Waste to Improve Ethanol and Biogas Production : A Review, *Internasional Journal of Molecular Science*, 9: 1621-1651, ISSN 1422-0067.
- Talebnia, F., D. Karakashev and I. Angelidaki, 2010, Production of bioethanol from wheat straw: an overview on pretreatment, hydrolysis and Fermentation. *Bioresources Technology*, 101 (13): 4744–4753.
- Taniguchi, M., H. Suzuki, D. Watanabe, and K. Sakai, 2005, Evaluation of Pretreatment with *Pleurotus Ostreatus* for enzymatic Hydrolysis of Rice Straw, *Journal of Bioscience and Bioengineering*, 1 :637-643.
- Thruston, C.F., 1994, The Structure and Function of Fungal Laccase, *Microbiology*, 140: 19-26.
- Tien, M., and T. Kirk, 1983, Lignin-degrading Enzyme from the Hymenomycete *Phanerochaete Chrysosporium* Burds, *Science*, 221(4611):661-663.
- Timonen, and Tuuli, 2002, *Introduction to Microscopic Wood Identification*. University of Helsinki: Finnish Museum of Natural History, Helsinki.
- Urek, R. O. and N.K. Pazarlioglu, 2007, Enhanced Production of Manganese Peroxidase by *Phanerochaete chrysosporium*, *Brazilian Archives of Biology and Technology*, 50(6): 913-920, <http://dx.doi.org/10.1590/S1516-89132007000700001>.

- Wan, C, 2011, Microbial pretreatment of corn stover with *Ceriporiopsis subvermisporea* for enzymatic hydrolysis and ethanol production, Electronic Theses and Dissertation of The Ohio State University https://etd.ohiolink.edu/ap/10?0::NO:10:P10_ACCESSION_NUM:osu1299689015.
- Wibowo, N., 2010, *Delignifikasi Tandan Kosong Kelapa Sawit oleh Jamur *Phanerochaete Chrysosporium* untuk Hidrolisis Enzimatis*, Laporan Penelitian untuk Tesis, Program studi Bioteknologi Universitas Gadjah Mada, Yogyakarta.
- Wong, D, 2009, Structure and Action Mechanism of Ligninolytic Enzymes . *Applied Biochemistry and Biotechnology*, 157: 174-209.
- Xu, F., H. Chen and Li, Z., 2001, Solid State Production of Lignin Peroxidase (LiP) and Manganese Peroxidase (MnP) by *Phanerochaete Chrysosporium* using Steam exploded straw as substrate, *BioResources Technology*, 80: 149-151.
- Yu, H., and X. Zhang, 2009, Effect of biological pretreatment with *Trametes vesicolor* on the enzymatic hydrolysis of softwood and hardwood. *Chinese Journal of Biotechnology*, 25 (7): 993-998.
- Yu, H., G. Guo, X. Zhang, K. Yan and C. Xu, 2009, The Effect of biological pretreatment with the selective white-rot fungus *Echinodontium Taxodii* on enzymatic hydrolysis of softwoods and Hardwoods, *Bioresources Technology*, 100 (5170-5175).
- Zadrazil, F., and H. Brunnert, 1981, Investigation of physical parameters important for the solid state fermentation of straw by white rot fungi, *European journal of applied microbiology and biotechnology*, 11(3): 183-188.
- Zadrazil, F. And A. K. Puniya, 1995, Studies on The Effect of particle size on solid state fermentation of sugarcane bagasse into animal feed using white-rot fungi, *Bioresource Technology*, 54(1): 85–87.
- Zeng, J., D. Singh, and S. Chen, 2011, Biological pretreatment of wheat straw by *Phanerochaete chrysosporium* supplemented with inorganic salts, *Biosource Technol*, 102(3): 3206-14. doi: 10.1016/j.biortech.2010.11.008. Epub 2010 Nov 9.
- Zhang, X., H. Yu, H. Huang, and Y. Liu, 2007, Evaluation of biological pretreatment with white rot fungi for the enzymatic hydrolysis of bamboo culms. *International biodeterioration & biodegradation*, 60(3): 159-164, ISSN 0964-8305.
- Zhang, S., M. Jiang, Z. Zhou, M. Zhao, and Y. Li, 2012, Selective removal of lignin in steam-exploded rice straw by *Phanerochaete chrysosporium*, *International Biodeterioration & Biodegradation*, 75: 89-95.

Zhong, W., H.Yu, L. Song and X. Zhang, 2011, Combined Pretreatment with White Rot Fungus and Alkali at near Room Temperatur for Improving sacharification of Corn Stalk, *Bioresources.com*, 3440-3451.