

## DAFTAR PUSTAKA

- Crowe, J.C. and Lu Tan, (2010) An Investigation of Bed Armoring Process And The Formation of Microclusters. *Joint Federal Interagency Conference*, Las Vegas.
- Hassan, M.A. and Church, M. (2000) Experiments on surface structure and partial sediment transport on a gravel bed. *Water Resources Research*, 36(7)
- Henderson, F. M. (1966) Open channel flow. The MacMillan Company. 5th edition. Toronto, Canada. Collier-MacMillan Canada, Ltd. p.411-412
- Lisle, T.E., F. Iseya and H. Ikeda. (1993) Response of a Channel With Alternate Bars to a Decrease in Supply of Mixed-Size Bed Load. *Water Resources Research*, v. 29, no.11 : 3623-3629.
- Limerinos, J.T. (1970) Determination of Manning coefficient from measured bed roughness in natural channels. *Water Supply. US Geological Survey, Paper 1898-B.*
- Meyer-Peter, E., and R. Mueller. (1948) "Formulation for bed load transport." Paper presented at the 2nd Congress, *International Association of Hydraulic Research.*
- Proffitt, G. T. (1980) Selective transport and armouring of non-uniform alluvial sediments, Res. Rept. 80-22, Dept. Civil Eng., University of Canterbury, NZ, 203pp.
- Proffitt, G. T. and Sutherland, A. J. (1983) Transport of non-uniform sediments, *J. Hydraul. Res.*, 21(1), 33-43.
- Parker, G. (1990) Surface-based bedload transport relation for gravel rivers. *Journal of Hydraulic Research*, 28, 417-436.
- Parker, G., and Klingeman, P.C. (1982) On why gravel bed streams are paved, *Water Resources Research*, 18(5), 1409-1423.
- Parker, G., Klingeman, P.C., and McLean, D.L. (1982) Bedload and size distribution in paved gravel bed streams, *Journal of Hydraulics Division, ASCE*, v. 108, p.

544-571.

- Parker, G. (1990) Surface-based bedload transport relation for gravel rivers, *Journal of Hydraulic Research*, v. 28, p. 417-436.
- Pitlick, J. Mueller, E.R. Segura, C. Cress, R. Torizzo, M. (2008) Relation between flow, surface-layer armoring and sediment transport in gravel-bed rivers. *Earth Surface Processes and Landforms*. 33: doi: 10.1002/esp.1607.
- Sutherland, A.J. (1987) Static armour layers by selective erosion. *Sediment Transport in Gravel-Bed Rivers*, C.R. Thorne et al., Wiley, Chichester, 243-60.
- Shen, H. W. and LU, J.Y. (1983) Development and prediction of bed armouring, *Proc. Am. Soc. Civ. Engrs, J. Hydraul. Eng.*, 109(HY4), 611-629.
- Tait, S.J. and Willetts, B.B. (1991) Characterisation of armoured bed surfaces, *Proc. Int. Grain Sorting Seminar, Zurich*.
- US Army Corps of Engineering. (1995) Engineering and Design Sedimentation Investigation of River and Reservoirs. EM 1110-2-4000. Department of Army., Washington, D.C. 20314
- Vanoni, V., A., and N.H. Brooks. (1957) Laboratory studies of the roughness and suspended load of alluvial streams. Sedimentation Laboratory Report. E68. California Institute of Technology, Pasadena, California.
- Wilcock, P.R. (2001) Toward a practical method for estimating sediment-transport rates in gravel-bed rivers, *Earth Surface Processes and Landforms*, v. 26, p. 1395-1408.
- Wilcock, P.R. and J.C. Crowe. (2003) Surface-based transport model for mixed size sediment, *Journal of Hydraulic Engineering*, v. 129, p. 120-128.
- Wilcock, P.R. and J.C. Crowe. (2005) Effect of sand Supply on transport rates in a gravel bed channel. *Journal of Hydraulic Engineering*, v. 131, no.11 : 961-967.



Williams, G.P., and M.G. Wolman. (1984) Downstream effects of dam on alluvial rivers. US Geological Survey. Geologic Survey Professional Paper 1286. Washington, DC.

Wolman, M.G. (1954) A method of sampling coarse river-bed material. American Geophysical Union Transactions. 35: 951-956.