

DAFTAR PUSTAKA

- Anonim, 1988. *Budidaya Tanaman Kopi*. Kanisius. Yogyakarta.
- Ashokvardhan, T., A. B. Rajithasri, P. Pratyusha and K. Satyaprasad. 2014. Actinomycetes from *Capsicum annum* L. Rhizosphere Soil Against Pathogenic Fungi. *International Journal of Current Microbiology and Applied Sciences*. 3(4): 894-903.
- Barros, A. F., R. D. I. Oliveira, I. M. Lima, R. R. Coutinho, A. O. Ferreira and A. Costa. 2014. Root-Knot Nematodes, a Growing Problem for Conilon Coffee in Espírito Santo State, Brazil. *Crop Protection*. 55: 74-79.
- Bonants, P.J.M., P.F.L. Fitters, H. Thijs, E. den Belder, C. Waalwijk and W.D.M Henflings. A Basic Serine Protease from *Paecilomyces lilacinus* with Biological Activity against *Meloidogyne hapla* Eggs. *Microbiology*. 141: 775-784
- Brzezinska, M.S., U. Jankiewich and M. Walczak. 2013. Biodegradation of Chitinous Substances and Chitinase Production by the Soil Actinomycetes *Streptomyces rimosus*. *International Biodeterioration and Biodegradation*. 84: 104-110.
- Byrd, D.W., T. Kirkpatrick and K.R. Barker. 1983. An Improved Technique for Clearing and Staining Plant Tissues for Detection of Nematodes. *Journal of Nematology*. 15 (1): 142-143.
- Curtis, R. H. C., J. T. Jones, K. G. Davies, E. Sharon and Y. Spiegel. 2011. Plant Nematode Surfaces In *Biological Control of Plant-Parasitic Nematodes: Building Coherence Between Microbial Ecology and Molecular Mechanisms*. Eds. K. G. Davies and Y. Spiegel. Springer Science. New York.
- Diaz, L. H. and B. R. Kerry. 2008. Intergration of Biological Control with Other Methods of Nematode Management. In: *Integrated Management and Biological Control of Vegetable and Grain Crops Nematodes*. Eds: A. Ciancio and K. G. Mukherji. Springer. Netherland.
- Fei, Z.Q., Z. Jun and H.H. Qin. 2010. Studies on Screening of Actinomycetes against Root-knot Nematodes and the Active Compounds Produced by Strain DA09205. *Journal of Tropical Bioscience and Biotechnology*. Unpublished.

- Ghanem, N.B., S.A. Sabry, Z.M. El-Sherif and G.A.Abu El-Ela. 2000. Isolation and Enumeration of Marine Actinomycetes from Seawater and Sediments in Alexandria. *Journal of Genetics and Applied Microbiology* 46:105-111.
- Holt, J. G., N. R. Krieg, P. H. A. Sneath, J. T. Staley and S. T. Williams. 1994. *Bergey's Manual of Determinative Bacteriology* 9th Edition. Williams and Wilkins. USA.
- Huang, X., N. Zhao and K. Zhang. 2004. Extracellular Enzymes Serving as Virulence Factors in Nematophagous Fungi Involved in Infection of the Host. *Research in Microbiology*. 155: 811-816.
- Hulupi, R dan Mulyadi. 2007. Sebaran Populasi Nematoda *Radopholus similis* dan *Pratylenchus coffea* pada Lahan Perkebunan Kopi. *Pelita Perkebunan*. 23 (3): 176-182.
- ICO, 2014a. *Coffee Consumption in East and Southeast Asia: 1990-2012*. London, United Kingdom.
- ICO, 2014b. *World Coffee Trade (1963-2013): A Review of the Markets, Challenges and Opportunity Facing the Sector*. London, United Kingdom.
- Jain, R., S. C. Agrawal and P. C. Jain. 2009. Proteolytic Actinomycetes from Indian Habitats. *Journal of Culture Collections*. 6: 28-37.
- Jayakumar, J. 2009. Bio-efficacy of *Streptomyces avermitilis* Culture Filtrates against Root-knot Nematode, *Meloidogyne incognita* and Reniform Nematodes, *Rotilenchulus reniformis*. *Karnataka Journal of Agricultural Science*. 22 (3): 567-571.
- Karl, E.L. 1985. *Root parasitic Nematodes*. Translated from Paraziticheskie Kornevye Nematody. Oxorian Press. New Delhi.
- Khasabuli, O. Y. and A. K. Nyamache. 2014. Isolation, Characterization and Primary Screening of Soil Actinomycetes from Kenyatta University Arboretum Grounds for Antibacterial Activities. *Journal of Applied Biosciences*. 74: 6072-6079.
- Lamovsek, J., G. Urek and S. Trdan. 2013. Biological Control of Root-Knot Nematodes (*Meloidogyne* spp.): Microbes against the Pests. *Acta Agriculturae Slovenica*. 101(2): 263-275.
- Lertcanawanichakul, M and S. Sawangnop. 2008. A comparison of Two Methods Used for Measuring the Antagonistic Activity of *Bacillus* Species. *Walailak*

Journal Science and Technology. 5(2): 161-171.

- Lopez, R. H. M., K. Evans and J. Bridge. 2004. Plant Disease Caused by Nematodes In: *Nematology Advances and Perspective: Nematodes Management and Utilization*. Eds. Z. X. Chen, S. Y. Chen and D. W. Dicson. Tsing Hua University Press.
- Lucas, S. V. and M. Talavera. 2009. Integrated Management of Nematodes on Prunus spp.. In: *Integrated Management of Fruit Crops and Forrest Nematodes*. Eds: A. Ciancio and K. G. Mukherji. Springer. Netherland.
- Madigan, M.T., J.M. Martinko, D.A. Stahl and D.P. Clark. 2012. *Brock Biology of Microorganism* 3rd Edition. Benjamin Cummings. New York,
- Mane, U. V. and A. M. Desmukh. 2009. Chitin Degrading Potential of Three Aquatic Actinomycetes and Its Optimization. *African Journal of Biotechnology*. 8(23): 6617-6620.
- Michalet, S., J. Rohr, D. Warshan, C. Bardon, J. Roggy, A. Domenach, S. Czarnes, T. Pommier, B. Conborieu, N. Guillaumand, F. Belvert, G. Comte and F. Poly. 2013. Phytochemical Analysis of mature Tree Root Exudates in situ and Their Role in Shaping Microbial Communities in Relation to Tree N-Acquisition Strategy. *Plant Physiology and Biochemical*. 72: 169-177.
- Mitra, P. and P. K. Chakrabartty. 2005. An Extracellular Protease with Depilation Activity from *Streptomyces nogalator*. *Journal of Scientific and Industrial Research*. 64: 978-983.
- Mulyadi, 2009. *Nematologi Pertanian*. UGM Press. Yogyakarta.
- Mustika, I. 2005. Konsepsi dan Strategi Pengendalian Nematoda Parasit Tanaman Perkebunan di Indonesia. *Perspektif*. 4 (1): 20-32.
- Muthu, M. R., R. Subbaiya, M. Balasubramanian, P. Ponnuragan and M. Selvam. 2013. Isolation and Identification of Actinomycetes *Isophtericola variabilis* from Cauvery River Soil Sample. *International Journal of Current Microbiology and Applied Sciences*. 2(6): 236-245.
- Nugroho, A. 2014. The Impact of Food Safety Standard on Indonesia's Coffee Export. *Procedia Environmental Science*. 20: 425-433.
- Oliveira, D. F., V. C. Campos, D. R. Amaral, A. S. nunes, J. A. Pantaleao and D. A. Costa. 2007. Selection of Rhizobacteria Able to Produce Metabolites Active

Against *Meloidogyne exigua*. *European Journal of Plant Pathology*. 119; 477-479.

Oskay, M., U. Tamer and C. Azeri. 2004. Antibacterial Activity of Some Actinomycetes Isolated from Farming Soils of Turkey. *African Journal of Biotechnology*. 3 (9): 441-446.

Padgham, J.L. and R.A.Sikora. 2007. Biological Control Potential and Modes of Action of *Bacillus megatherium* against *Meloidogyne graminicola* on Rice. *Crop Protection*. 26: 971-977.

Pattanapitpaisan, P. and R. Kamlandarn. 2012. Screening of Chitinolytic Actinomycetes for Biological Control of *Sclerotium rolfsii* Stem Rot Disease of Chilli. *Songklanakarin Journal of Science and Technology*. 34 (4): 387-393.

Perry, R. N., M. Moens and J. L. Starr. 2010. *Meloidogyne* Species, A Diverse Group of Novel and Important Plant Parasites, In: *Root-Knot Nematodes*. CABI. London.

Prastowo, B., E. Karmawati, Siswanto, C. Indrawanto dan S. J. Munarso. 2010. *Budidaya dan Pasca Panen Kopi*. Pusat Penelitian dan Pengembangan Perkebunan. Bogor.

Rahayu, B., D. Widiyanto, S. Margino dan Mulyadi. 2009. Kemampuan Isolat Aktinomisetes Menghasilkan Enzim yang dapat Merusak Kulit Telur Nematoda Puru Akar *Meloidogyne* spp.. *Jurnal Perlindungan Tanaman Indonesia*. 15 (1): 22-28.

Rahayu, B. 2012. Pemanfaatan Aktinomisetes Khitino-proteolitik Sebagai Bioagenss Pengendalian Nematoda Puru-akar *Meloidogyne* sp. *Disertasi*. Universitas Gadjah Mada. Yogyakarta.

Rajeswari, M and S. Ramakrishnan. 2015. Influence of *Streptomyces fradiae* against Root-knot Nematode *Meloidogyne incognita* in Tomato. *Research Journal of Agriculture and Forestry Sciences*. 3 (1): 6-11.

Rasidou, C., E. S. Papadoupoulou, M. Kortsinodou, L. O. Giannakou, B. K. Singh, U. Menkissoglu-spiroudi and D. G. Kapouzas. 2013. Bio-pesticides: Harmful or Harmless to Ammonia Oxidizing Microorganisms? The Case of *Paecilomyces lilacinus* based nematicide. *Soil Biology and Biochemistry*. 67: 98-105.

- Reitz, M., P. Oger, A. Meyer, K. Niehaus, S.K. Farrand, J. Halimann and R. A. Sikora. 2002. Importance of the O-antigen, Core-Region and Lipid A of Rhizobial Lipopolysaccharides for the Induction of Systemic Resistance in Potato to *Globodera pallida*. *Nematology*. 4 (1): 73-79.
- Rifaat., H. M., O. H. El-Said, S. M. Hassanein and M. S. M. Selim. 2007. Protease Activity of Some Mesophilic Streptomyces Isolated from Egyptian Habitats. *Journal of Culture Collections*. 5: 16-24.
- Ruanpanum, P., N. Tangchitsomkid, K. D. Hyde and S. Lumyong. 2010. Actinomycetes and Fungi Isolated from Plant-parasitic Nematoda Infested Soil: Screening of the Effective Biocontrol Potential, Indol-3-acetic-acid and Siderophore Production. *World Journal of Microbiology and Biotechnology*. 26: 1569-1578.
- Ruanpanum, P., H. Laatsch, N. Tangchitsomkid and S. Lumyong. 2011. Nematicidal Activity of Fervenuin Isolated from a Nematicidal Actinomycete, *Streptomyces* sp. CMU-MH021, on *Meloidogyne incognita*. *World Journal of Microbiology and Biotechnology*. 27: 1373-1380.
- Ruanpanun, P., A. Yokota and S. Lumyong. 2012. Characterization of *Streptomyces* Strain CMU-MH021, A Nematicidal Actinomycetes Isolated from Plant-parasitic Nematode-infested Soil in Northern Thailand. *Annals of Microbiology*. 62: 1447-1452.
- Samac, D.A. and Kinkel L.L., 2001. Suppression of the Root Lesion Nematode (*Pratylenchus penetrans*) in Alfalfa (*Medicago sativa*) by *Streptomyces* spp. *Plant and Soil*, 235: 35-44.
- Sembiring, L., A. C. Ward and M. Goodfellow. Selective Isolation and Characterization of Members of the *Streptomyces violaceusniger* Clade Association with the Roots of *Paraserianthes falcataria*. *Antonie van Leeuwenhoek*. 78: 353-366.
- Shirling, E. B. and Gottlieb, D. 1966. Methods for Characterization of Streptomyces Species. *International Journal of Sistematic Bacteriology*. 16 (3): 313-340.
- Siddiqui, I. A. and S. S. Shaukat. 2004. Systemic Resistance in Tomato Induced by Biocontrol Bacteria Against the Root-Knot Nematode, *Meloidogyne javanica* is Independent of Salicylic Acid Production. *Journal of Phytopathology*. 152: 48-54.
- Siddiqui, I. A., D. Haas and S. Heeb. 2005. Extracellular Protease of *Pseudomonas*

florescens CHA0, a Biocontrol Factor with Activity against the Root-Knot Nematode *Meloidogyne incognita*. *Applied and Environmental Microbiology* 71: 5646-5649.

- Silva, A. R., J. V. Araujo, F. R. Braga, C. D. F. Alves and L. N. Frassy. 2010. In vitro Ovicidal Activity of the Nematophagous Fungi *Duddingtonia flagrans*, *Monacrosporium thaumasium* and *Pochonia chlamydosporium* on *Trichuris vulpis* Eggs. *Veterinary Parasitology*. 172: 76-79.
- Slette, J and I. E. Wiyono, 2012. *Indonesia Coffee Annual: Assesment of Commodity and Trade Issue*. Global Agricultural Information Network.
- Srividra, S., A. Thapa, D.V.Bhat, K. Golmei and N. Dey. 2012. *Streptomyces* sp. 9p as Effective Biocontrol against Chilli Soilborne Fungal Phytopatogens. *European Journal of Experimental Biology*. 2(1): 163-173.
- Stanton, J and G. Stirling, 1992. *Nematodes as Plant Parasites* In: *Plant Nematology for Practical Agriculturalists* 3rd Edition. The DPI, Queensland. Pp: 27-142.
- Stapleton, J. J. 2000. Soil Solarization in Various Agricultural Production System. *Crop protection*. 19: 837-841.
- Sun, M., L. Gao, Y. Shia, B. Li dan X. Liu. 2006. Fungi and Actinomycetes Associated with *Meloidogyne* spp. Eggs and Female in China and Their Biocontrol Potential. *Journal of Invertebrate Pathology*. 93: 22-28.
- Takizawa, M., R. R. Colwell and R. T. Hill. 1993. Isolation and Diversity of Actinomycetes in the Cheasepeake Bay. *Applied and Environmental Microbiology*. 59 (40): 997-1002.
- Van Gundy, S.D., Perez, B.J.G, Stolzy, L. H. A., Thomason, I.J. 1974. A pest management approach to the control of *Pratylenchus thornei* on wheat in Mexico. *Journal of Nematology*.6: 107-116.
- Vessey, J.L. and G.F. Pegg. 1973. Autolysis and Chitinase Production in Culture of *Verticillum albo-atrum*. *Transactions of the British Mycological Society*. 60: 133-143.
- Wilson, M. J. and T. A. Jackson. 2013. Progress in the Commrcialisation of Bionematicides. *BioControl*. 58: 715-722.
- Wiryadiptura, S and L. K. Tran. 2008. Worlds Reports Indonesia and Vietnam. In: *Plant-Parasitic Nematodas of Coffee*. Eds. R. M. Souza. Springer. Brazil.

- Xiao, T., Chen F., Gao C., Zhao Q., Shen Q. and Ran W. 2013. *Bacillus cereus* X5 Enhanced Bio-Organic Fertilizers Effectively Control Root-knot Nematodes (*Meloidogyne* Sp.). *Pedosphere*. 23 (2): 160-168.
- Zeng, Q., H. Huang, J. Zhu, Z. Fang. Q. Sun and S. Bao. 2013. A New Nematicidal Compound Produced by *Streptomyces albogriseolus* HA10002. *Antonie van Leeuwenhoek*. 103: 1107-1111.