

## Daftar Pustaka

- Agarwal, A., Shen, H., Agarwal, S., dan Rao, A., 2001. Lycopene content of tomato products: Its stability, bioavailability and in vivo antioxidant properties. *J. Med Food*, **4**: 9–15.
- Akowuah, G.A., Zhari, I., Norhayati, I., Sadikun, A., dan Khamsah, S.M., 2004. Sinsensetin, euphatorin, 3'-hydroxy-5,6,7,4'-tetramethoxyflavone and rosmarinic acid contents and antioxidative effect of orthosiphon stamineus from Malaysia. *J. Food Chem.*, **87**: 559–566.
- Anggrianti, P., 2008. 'Uji Sitotoksik Ekstrak Etanol 70% Buah Kemukus (*Piper cubeba* L.) Terhadap Sel HeLa'. URL: <http://eprints.ums.ac.id/1532/1/K100040212.pdf>.
- Anonim, 2008. 'Introduction to hydrogen peroxide.'. <http://www.h2o2.com/intro/overview.html>, .
- Apak, R., Guclu, K., Demirata, B., Ozyurek, M., Celik, S.E., dan Bektasoglu, B., 2007. Comparative Evaluation of Various Total Antioxidant Capacity Assays Applied to Phenolic Compounds with the CUPRAC Assay. *Molecules (Basel, Switzerland)* **12**: 1496–1547.
- Arivazhagan, P., T, T., dan C., P., 2000. Antioxidant lipoate and tissue antioxidants in aged rats. *J. Nutr. Biochem*, **11**: 122–127.
- Aughey, E. dan Fyre, F., 2001. *Comparative Veterinary Histology with Clinical Correlates*. Manson Publishing, London.
- Bauman, L. dan Saghari, S., 2009. *Photoaging. In Cosmetic Dermatology*, 2nd ed. McGraw-Hill, New York.
- Bohm, V. dan Bitsch, R., 1999. Intestinal absorption of lycopene from different matrices and interactions or other carotenoids, the lipid status, and the antioxidant capacity of human plasma. *Eur J Nutr*, **38**: 118–125.
- Bordowski, D.L. dan Geisman, J.R., 1980. Protein content and amino acid composition of protein of seeds from tomato at various stages of ripenes. *Journal Food. Sci*, **45**: 228–235.
- Burton dan Garaham, W., 1998. Antioxidant Action of Carotenoids. *The Journal of Nutrition*, .
- Butler, M., 2004. *Animal Cell Culture & Technology*, 2nd ed. Bios. Scientific Publisher, Taylor & Francis Group, London.
- Cahyono, B., 1998. *Tomat Budidaya Dan Analisis Usaha Tani*. Kanisius, Yogyakarta.
- Caillet, S., Salmieri, S., dan Lacroix, M., 2006. Evaluation of free radical-scavenging properties of commercial grape phenol extracts by a fast colorimetric method. *J. Food Chem.*, **95**: 1–6.

- Chunhabundit, R., Kongkachuichai, R., Norasing, J., dan Visetpanich, Y., 2012. Total Phenolic Content, Cellular Antioxidant Activity and Potential Hepatoprotective Effect of Fruit Extracts. *Thai J Toxicology*, **27**: 209–221.
- Cook, N.C. dan Samman, S., 1996. Review Flavonoids-Chemistry, Metabolism, Cardioprotective Effect, And Dietary Sources. *J. Nutr. Biochem*, **7**: 66–76.
- Cox, S.E., Stushnoff, C., dan Sampson, D.A., 2003. Relationship of fruit color and light exposure to lycopene content and antioxidant properties of tomato. *Canadian Journal of Plant Science*, **83**: 913–919.
- Cunningham, W.M., 1998. Aging and photoaging, dalam: Baran, R., Maibach, H.I. (Eds.), *Textbook of Cosmetic Dermatology*. Martin Dunitz Ltd, London, hal. 455–467.
- Cuppert, S., Schrepf, M., dan Hall III, C., 1954. Natural Antioxidant – Are They Reality., dalam: *Dalam Foreidoon Shahidi: Natural Antioxidants, Chemistry, Health Effect and Applications*,. AOCS Press, Champaign, Illinois, hal. 12–24.
- Damayanti, E., Kustiyah, L., Khalid, M., dan Farizal, H., 2010. Antioxidant Activity Rice Bran Higher than Tomato Juice and the Decreasing of Total Antioxidant Activity Serum After High Antioxidant Beverage Intervention. *Journal of Nutrition and Food*, **5**: 2015–210.
- Dewi, D.F., Iwo, M.I., dan Elfahmi, 2008. 'Ekstrak Buah Tomat (*Solanum Lycopersicum* L.) Sebagai Nutrasetika Berkhasiat Antioksidan.'. Institute Teknologi Bandung (ITB), Bandung.
- Djanis, R. dan Hanafi, 2009. Aktivitas antioksidan selama pematangan buah jambu biji (*Psidium guajava* L.). *Warta Akaba Akademi kimia analisis Bogor*, **22**: .
- Djuwita, Harlyastrini, Widyaputri, T., Efendi, A., dan Kaiin, E.M., 2010. Tingkat Pertumbuhan dan Analisa Protein Sel-Sel Fibroblas Fetal Tikus Hasil Kultur In Vitro. *Indonesia Journal of Veterinary Science & Medicine*, **1**: .
- Eurell, J. dan Sickle, D., 1998. Connective and Supportive Tissues, dalam: Dellmann, H., Eurell, J. (Eds.), *Textbook of Veterinary Histology*. Lippincott Williams & Wilkins, USA.
- Eveline, Siregar, T.M., dan Sanny, 2014. *Studi Aktivitas Antioksidan Pada Tomat (*Lycopersicon Esculentum*)*.
- Fowler, B., 2003. Functional and Biological Markers of Aging, dalam: Klatz, R. (Ed.), *Anti Aging Medical Therapeutic*. The A4M Publication, Chocago, hal. 43.
- Frei, B., Stocker, R., Eglund, L., dan Ames, B., 1990. Ascorbate: The most effective antioxidant in human blood plasma. *Adv Exp Med Biol*, **269**: 155–163.

- Giampieri, I.G., Alvarez-Suarez, J.M., Mazzoni, L., Forbes-Hernandez, T.Y., Gasparrini, M., dan González-Paramàs, A.M., 2014. Polyphenol-Rich Strawberry Extract Protects Human Dermal Fibroblasts Against Hydrogen Peroxide Oxidative Damage and Improves Mitochondrial Functionality. *Molecules (Basel, Switzerland)*, **19**: 7798–7816.
- Gilchrest, B.. dan Yaar, M., 2003. Aging of skin. In *Freedberg I.M., Eizen A.Z., Wolf K. Fitzpatrick TB., Austen KF., Goldsmiyah LK., Katz SI. Dermatology in general medicine*, .
- Gionvannucci, E., 1999. Tomato-based products, lycopene, and cancer. *Journal Natl. Cancer Inst.*, **91**: 317–331.
- Gobbo-Neto, L. dan Lopes, N.P., 2007. Medicinal Plants: Factors of Influence on the Content of Secondary Metabolites. *Química Nova*, **30**: 374–381.
- Goldman, R. dan Klatz, R., 2007. The New Anti-Aging Revolution. *Malaysia : Printmate Sdn. Bhd.*, 19–25.
- Gumusay, O.A., Borazan, A.A., Ercal, N., dan Demirkol, O., 2015. Drying effects on the antioxidant properties of tomatoes and ginger. *Journal Food Chemistry*, **173**: 156–162.
- Halliwell, B., Gutteridge, J., dan Cross, C., 1992. Free radicals, antioxidants, and human disease: Where are we now? *The Journal of Laboratory and Clinical Medicine*, 598.
- Halliwell, B., 1994. Free radicals and antioxidants: A personal view. *Journals Nutrition Reviews*, 253–265.
- Halliwell, B., Clement, M.V., dan Long, L.H., 2000. Hydrogen peroxide in the human body. *FEBS Lett*, **486**: 10–13.
- Halliwell, B. dan Gutteridge, J.M.C., 2000. *Free Radical in Biologi and Medicine*. Oxford University Press, New York.
- Handoko, E. dan Sumilat, W.A., 2002. 'Metabolisme hidrogen peroksida dan peranannya pada infeksi telinga'. Fakultas Kedokteran Universitas Brawijaya Malang, Indonesia.
- Horvath, P., 1992. Vitamins as therapeutic agent., dalam: *Ed, Texbook of Pharmacology*. WB Saunders Company, Philadelphia, hal. 1067–1078.
- Inal, M.E., Kahramant, A., dan Kokent, T., 2001. Beneficial effects of quercetin on oxidative stress induced by ultraviolet A. *Clin Exp Dermatol*, **26**: 536–539.
- Jain, M., Hilsop, G., Hower, G., dan Ghadirian, P., 1999. Plant foods, antioxidants, and prostate cancer risk: Findings from case-kontrol studies in Canada. *Nutr Cancer*, **34**: 173–184.
- Jia, N., Li, T., Diao, X., dan Kong, B., 2014. Protective effects of black currant (*Ribes nigrum* L.) extract on hydrogen peroxide-induced damage in lung

- fibroblast MRC-5 cells in relation to the antioxidant activity. *Journal Of Fincional*, **II**: 142–151.
- Jones, J.B., 2008. *Tomato Plant Culture in the Field, Green House, and Home Garden*. CRC Press: Taylor and Francis Group.
- Junqueira, L.C. dan Corneiro, J., 2005. *Basic Histology*, 11 th. ed. Mc Graw Hill, New York.
- Kahkonen, M., Hopia, A., Vuorela, H., Rauha, J., Pihlaja, K., Kuajala, T., dkk., 1999. Antioxidant activity of extracts containing phenolic compounds. *J Agric Food Chem*, **47**: 3954–3962.
- Kerkhofs, N.S., Lister, C.E., dan Savage, G., 2005. Change in colour and antioxidant content of tomato cultivars following forced-air drying. *Plant Foods for Human Nutitions*, **60**: 117–121.
- Khamsah, S.M., Akowah, G., dan Zhari, I., 2006. Antioxidant activity and phenolic content of orhosiphon stamineus Benth from different geographical origin. *J Sust Sci Management*, **1**: 14–20.
- Kong, K.-W., Rajab, F.N., Prasad, K., N., Ismail, A., Makom, M., dkk., 2010. Lycopene-rich fractions derived from pink guava by-product and their potential activity towards hydrogen peroxide-induced cellular and DNA damage. *Journal Elsevier Food Chemistri*, **123**: 1142–1148.
- Kurniawan, A. dan Widodo, Y.L.A., 2011. Pengaruh Pemberian Ekstrak Jambu Biji (*Psidium guajava* L) Terhadap Penurunan Kadar Glukosa Darah Tikus Wistar Yang Diberi Beban Glukosa. *Fakultas Kedokteran Universitas Diponegoro*, .
- Kusumaningrum, V., 2007. 'Perbedaan Toksisitas Ekstrak Daun Serai Wangi (*Andropogon nardus* (L.) Rendle) Dengan Ekstrak Daun Sirih (*Piper betle* L.) Terhadap Mortalitas Larva Nyamuk *Aedes aegypti* L.'. FKIP Universitas Jember.
- Lavoiser, A., 1998. Chemical and physiological properties of vitamins., dalam: *Ed, The Vitamins. Fundamental Aspects in Nutrition and Health*. Academic Press, London, hal. 191–263.
- Lee, K.W., Kim, Y.J., Lee, H.J., dan Lee, C.Y., 2001. Cocoa Has Phenolic Phytochemicals and a Higher Antioxidant Capacity than Teas and Red Wine. *J Agric Food Chem*, **51**: 7292–7295.
- Longqing, X., Christos, C., Zoubulis, dan Qiang, J., 2009. Culture of human sebocytes in vitro” *Dermato-Endocrinology. Landes Bioscience*, **1**: 92–95.
- Lunga, N., 2011. Variasi morfologis & genetis jambu biji (*Psidium guajava* L.) di daerah istimewa Yogyakarta. *Electronic theses & Disertation (ETD)*, *Gadjah Mada University*, .
- Madhavi, D.L., S. S., D., dan D. K., S., 1996. *Food Antioxidant Technological, Toxicological and Healt Perpectures*. Marcel Dekker Inc, New York.

- Mallon, B., Park, K., Chen, K., Hamilton, R., dan McKay, R., 2006. Toward Xeno-free culture of human embryonic stem cells. *Int j biochem Cell*, **38**: 1063–1075.
- Martin-Cabrejas, M.A., Aguilera, Y., Pedrosa, M.M., Cuadrado, C., Hernandez, T., dan Diaz, S., 2009. The flours impact of dehydration process on antinutrients and protein digestibility of some legume. *Food Chemistry*, **114**: 1063–1068.
- Maslarova dan Yanishlieva, N.V., 2001. Inhibiting oxidation, dalam: *Antioxidants in Food, Practical Applications*. Woodhead Publishing Limited, Cambridge, hal. 22–70.
- Mayes, P.A., 2002. Lipid of Physiologic Significance, dalam: Harper, H.A. (Ed.), *Harper's Biochemistry*. McGraw Hill Company International Edition, hal. 160–171.
- Miranda, M., Vega-Galves, A., Lopez, J., Parada, G., Sanders, M., dan Aranda, M., 2010. Impact of air-drying temperature on nutritional propertis, total phenolic content and antioxidan capacity of quinoa seeds (*Chenopodium quinoa* Wild). *Industrial crops and products*, **32**: 258–263.
- Molyneux, P., 2004. The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarinn J. Sci. Technol*, **26**: 211–219.
- Moreno, M.A., Zampini, I.C., Costamagna, M., Sayago, J.E., Ordonez, R.M., dan Isla, M.I., 2014. Phytochemical Composition and Antioxidant Capacity of *Psidium guajava* Fresh Fruit and Flour. *Food dan Nutrition Science*, **5**: 725–732.
- Mosmann, T., 1983. Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxicity Assays. *Journal of Immunological Methods*, **65**: .
- Murtijaya, J. dan Lim, Y.Y., 2007. Antioxidant Properties of Phylanthus amarus Extracts as Affected by Different Drying Methods. *LWT-Food Sci. Technol*, **40**: 1664–1669.
- Musaddad, D. dan Hartuti, N., 2003. *Produk Olahan Tomat*, Seri Agribisnis. ed. Penebar Swadaya.
- Musa, K.H., Abdullah, K., Jusoh, V., dan Subramaniam, 2011. Antioxidan Activity of Pink-Flesh Guava (*Psidium guajava* L.):Techniques and Solvents. *Journal Food and Analytic Methods*, **4**: 100–107.
- NindI, G., 2004. Hydrogen peroxide from oxidative stressor to redox regulator. *Cell Sci Rev*, **1**: 1–12.
- Okayama, N., Kevil, C., Korreia, L., Heuil, D., Itoh, M., dan Grisham, M., 1997. Nitric oxide enhance hydrogen peroxide-mediated endothelial permeability in vitro. *J. Physiol Cell*, **273**: 1581–1587.

- Othman dan Azizah, 2005. Antioxidant Capacity and Phenolic Content of Cocoa Beans. *Journal of Food Chemistry*, **100**: 1523–1530.
- Pokorny, J., Yanishlieva, N., dan Gordon, M., 2001. *Antioxidant in Food: Practical Application*. CRC Press Cambridge, New York.
- Pourmorad, F., Hosseinimehr, S., dan Shahabimajid, N., 2006. Antioxidant activity, phenol, and flavonoid contents of some selected Iranian medicinal plants. *Afr J Biotechnol*, **5**: 1142–1145.
- Prakash, A., 2001. *Antioxidant Activity*. Medallion Laboratories: Analytical Progress.
- Pratt, D.E. dan Hudson, B.J.F., 1990. Natural Antioxidants not Exploited Comercially, dalam: Hudson, B.J.F. (Ed.), *Food Antioxidants*. Elsevier Applied Science. London.
- Pribadi, I., Da'i, M., dan Utami, W., 2008. Uji Aktivitas Antiradikal Buah *Psidium guajava* L. Dengan Metode DPPH serta Penetapan Kadar Fenolik dan Flavonoid. *Pharmaceutical Journal of Indonesia*, **9**: 52–56.
- Proestos, C., Sereli, D., dan Komaitis, M., 2006. Determination of phenolic compounds in aromatic plant by RP-HPLC and GC-MS. *J. Food Sci.*, **95**: 44–52.
- Prowse, A., McQuade, L.R., Bryant, K.J., Marcal, H., dan Gray, P.P., 2007. Identification of Potential Pluripotency Determinants for Human Embryonic Stem Cells Following Proteomic Analysis of Human and Mouse Fibroblast Conditioned Media. *Journal of Proteome Research*, **6**: 3796–3807.
- Regina, A., Maimunah, dan Lisawati, Y., 2008. Penentuan Aktivitas Antioksidan, Kadar fenol Total dan Likopen Pada Buah Tomat (*Solanum lycopersicum* L.). *Jurnal Sains & Teknologi Farmasio*, **13**: .
- Rittie, L. dan Fisher, G.J., 2002. UV-Light Induced Signal Cascades and Skin Aging. *Aging Res Reviews*, **1**: 705–720.
- Rock, C., Jacob, R., dan Bowen, P., 1996. Update on biological characteristics of the antioxidant micronutrients: vitamin C, vitamin E and carotenoids. *J. Am Diet Assoc*, 693–702.
- Rohman, A., Riyanto, S., Dahlianti, R., dan Pratomo, D.B., 2009. Penangkapan Radikal DPPH oleh ekstrak buah *Psidium guajava* L. dan *Averrhoa carambola* L. *jurnal ilmu kefarmasian indonesia*, **7**: 1–5.
- Sari, R.M., 2010. 'Uji Aktivitas Antidiabeter Ekstrak Etanol Buah Tomat (*Solanum lycopersicum*) Pada Mencit Jantan Dengan Metode Induksi Aloksan'. Fakultas Farmasi UNEJ, Jember.
- Schluter, C., Duchrow, M., Wohlenberg, C., Becker, M., Key, G., dan Flad, H., 1993. The Cell proliferation-associated antigen of antibody Ki-67: a very large, ubiquitous nuclear protein with numerous repeated elements,

- representing a new kind of cell cycle-maintaining proteins. *J cell biol*, **123** (3): 513–522.
- Sesso, H., Liu, S., Gaziano, J., dan Buring, J., 2003. Dietary lycopene, tomato-based food products and cardiovascular disease in women. *J Nutr*, **133** (7): 2336.
- Sestili, P., Guidarelli, A., Dacha, M., dan Cantoni, O., 1998. Quercetin prevents DNA single strand breakage and cytotoxicity by tert-butylhydroperoxide: free radical scavenging versus iron chelating mechanisms. *Free Rad. Bio. Med*, **25**: 196–200.
- Shills, M.E., 2006. *Modern Nutrition in Health and Disease*, 10th ed. ©Lippincott William and Wilkins.
- Siswandono dan Soekardjo, B., 2000. *Kimia Medisinal*. Airlangga University Press, Surabaya.
- Slimestad, R., Fossen, T., dan Verheul, M.J., 2008. The Flavonoids of Tomatoes. *J. Agric. Food Chem*, **56**: 2436–2441.
- Spencer, J.P.E., 2010. Nutrition Society Silver Medal Lecture Beyond antioxidants: the cellular and molecular interactions of flavonoids and how these underpin their actions on the brain. *Proc Nutr Soc*, **69**: 244–260.
- Stahl, W. dan Sies, H., 1997. Antioxidant defense: vitamin C, E and carotenoid. *Diabetes* **46**: 14–18.
- Sudarsono dan Gunawan, D., 2002. *Tanaman Obat II: Hasil Penelitian, Sifat-Sifat Dan Penggunaannya*. Pusat Studi Obat Tradisional UGM, Yogyakarta.
- Syahfan, N.F., 2005. 'Uji Sitotoksitas Sediaan Jadi Daging Buah Mahkota Dewa (*Phaleria macrocarpa*(Scheff.) Boert) terhadap Sel MCF-7 (sel kanker payudara) secara in vitro'. Fakultas Farmasi Universitas Indonesia, Jakarta.
- Szeto, Y.T., 2007. Single-cell gel electrophoresis: A tool for investigation of DNA protection or damage mediated by dietary antioxidants. *Journal of the Science of Food and Agriculture*, **87**: 2359–2381.
- Trisnawati, Y. dan Setiawan, A.I., 2005. *Budidaya Secara Komersial*. Penebar Swadaya, Jakarta.
- Valverdu-Queralt, A., Medina-Rejon, A., Casals\_Ribes I., dan Lamuela-Raventos R, M., 2011. Is There Any Difference Between The Phenolic of Organic and Conventional Tomato Juices. *Journal of Food Chemistry*, **130**: 222–227.
- Vaya, J. dan Aviram, M., 2001. Nutritional Antioxidants Mechanisms of Action, Analyses of Activities and Medical Applications, dalam: *Current Medicinal Chemistry, Immunology, Endocrine & Metabolic Agents*. Bentham Science Publishers.

- Velioglu, Y.S., Mazza, G., Gao, L., dan Oomah, B.D., 1998. Antioxidant activity and total phenolics in selected fruits, vegetables, and grain products. *Journal of Agriculture and Food Chemistry*, **46**: 4113–4117.
- Vinson, J.A., Hao, Y., Su, X., dan Zubik, L., 1998. Phenol antioxidant quantity and quality in foods : vegetables. *J Agric Food Chem*, **46**: 3630–3634.
- Voight, R., 1994. *Buku Pelajaran Teknologi Farmasi*. Diterjemahkan oleh S. Noerono, Gajah Mada University Press; Yogyakarta.
- Wahyono, P., Soetjipto, Harjanto, dan Suhariningsih, 2011. Efek Jus Buah Tomat (*Lycopersicum pyriforme*) terhadap Pencegahan Fotoaging Kulit Akibat Iradiasi Sinar Ultraviolet-B. *Fakultas Sains dan Teknologi Universitas Airlangga JBP*, **13**: .
- Watson, R.R., 2003. *Functional Foods and Nutraceuticals in Cancer Prevention*. Wiley-Blackwell, Iowa.
- Widyawati, G., 2009. *Khasiat Jambu Biji*. Studi biosains, Program Pasca Sarjana, Universitas Sebelas Maret, Surakarta.
- Wilberg, V.C. dan Rodriguez-Amaya, D.B., 1995. HPLC quantitation of major carotenoids of fresh and processed guava, mango and papaya. *LWT – Food Science and Technology*, **28 (5)**: 474–480.
- Williams, D.G., 2003. 'The many benefits of hydrogen peroxide'. <http://www.rebprotocol.net/November2007/The%20Many%20Benefits%20of%20Hydrogen%20Peroxide.pdf>, .
- Williamson, G., Plimb, G.W., Uda, Y., Price'Keith, R., dan Michael, J.C., 1996. Dietary Quercetin Glycosides: Antioxidant Activity and Induction of the Anticarcinogenic Phase II Marker Enzyme Quinone Reductase in Hepalcl7 cells. *Carcinogenesis*. **17**: 1676 – 1683.
- Winarsi, H., 2007. *Antioksidan Alami Dan Radikal Bebas*. Kanisius, Yogyakarta.
- Wiralis, Purwaningsih, E., dan Dharmana, E., 2008. 'The Effect of Guava (*Psidium guajava* L.) Juice on Nitrite ion Concentration and the Histopathology Pannus Appearance in Joint Adjuvant Induced Arthritis in Wistar Rats.'. Program Pascasarja Universitas Diponegoro, Semarang.
- Wright, A., Hughes, D., Bailey, A., dan Southon, S., 1999. Beta-carotene and lycopene, but not lutein, supplementation changes the plasma fatty acid profile of healthy male non smokers. *J Lab Clin Med*, **134**: 592–598.
- Yaar, M. dan Gilcherest, B.A., 2007. Fotoaging: mechanism, prevention and Therapy. *British Journal of Dermatology*, **157**: 874–877.
- Yanagida, A., 1997. Antioxidant and other functions of apple polyphenols. *Fragrance journal*, **4**: 63–69.
- Yan, L.Y., Teng, L.T., dan JBI, T.J., 2006. Antioxidant Properties of Guava Fruit: Comparison With Some Local Fruits. *Journal of Sunway Academic*, **3**: 9–20.