

DAFTAR PUSTAKA

- Angayarkanni, S. A., dan Philip, J., 2014, Effect of nanoparticles aggregation on thermal and electrical conductivities of nanofluids, *Journal of Nanofluids*, 3(17), 17-25.
- Anoop, K. B., Kabelac, S., Sundararajan, T., dan Das, S. K., 2009, Rheological and flow characteristics of nanofluids: Influence of electroviscous effects and particle agglomeration, *Journal of Applied Physics*, 106, 34909.
- Aransiola, E. F., Ojumu, T. V., Oyekola, O. O., Madzimbamuto, T. F., dan Ikhu-Omoregbe, D. I. O., 2014, A review of current technology for biodiesel production: State of the art, *Biomass and Bioenergy*, 61, 276-297.
- ASHRAE, 2001, *Fundamental Handbook American Society of Heating, Refrigerating and Air-conditioning Engineers Inc.*, Atlanta, United States of America.
- Asirvatham, L. G., Vishal, N., Gangatharam, S. K., dan Lal, D. M., 2009, Experimental study on forced convective heat transfer with low volume fraction of CuO/water nanofluid, *Energies* 2, 97-119.
- Beck, M. P., Yuan, E. Y., Warriar, P., dan Teja, A. S., 2010, The thermal conductivity of alumina nanofluids in water, ethylene glycol, and ethylene glycol + water mixtures, *Journal Nanoparticle Research*, 12, 1469-1477.
- Bergman, T. L., Lavine, A. S., Incropera, F. P., dan Dewitt, D. P., 2011, *Fundamentals of Heat and Mass Transfer*, seventh ed., United States of America, John Wiley & Sons.
- Bird, R. B., Armstrong, R. C., dan Hassager, O., 1960, *Dynamics of Polymeric Liquids*, Vol. 1, New York, Wiley.
- Borugadda, V. B., dan Goud, V. V., 2012, Biodiesel production from renewable feedstocks: Status and opportunities, *Renewable and Sustainable Energy Reviews*, 16, 4763-4784.
- Braun, J. H., 1997, Titanium dioxide—a review, *Journal of Coatings Technology*, 69, 59-72.
- Buongiorno, J., 2006, Convective transport in nanofluids, *Journal of Heat Transfer*, 128, 240-250.
- Buongiorno, J., Venerus, D. C., Prabhat, N., McKrell, T., Townsend, J., Christianson, R., Tolmachev, Y. V., Keblinski, P., Hu, L.-w., Alvarado, J. L., Bang, I. C., Bishnoi, S. W., Bonetti, M., Botz, F., Cecere, A., Chang, Y., Chen, G., Chen, H., Chung, S. J., Chyu, M. K., Das, S. K., Paola, R. D., Ding, Y., Dubois, F., Dzido, G., Eapen, J., Escher, W., Funfschilling, D., Galand, Q., Gao, J., Gharagozloo, P. E., Goodson, K. E., Gutierrez, J. G., Hong, H., Horton, M., Hwang, K. S., Iorio, C. S., Jang, S. P., Jarzebski, A. B., Jiang, Y., Jin, L., Kabelac, S., Kamath, A., Kedzierski, M. A., Kieng, L. G., Kim, C., Kim, J.-H., Kim, S., Lee, S. H., Leong, K. C., Manna, I., Michel, B., Ni, R., Patel, H. E., Philip, J., Poulikakos, D., Reynaud, C., Savino, R., Singh, P. K., Song, P., Sundararajan, T., Timofeeva, E., Triticak, T., Turanov, A. N., Vaerenbergh, S. V., Wen, D., Witharana, S., Yang, C., Yeh, W.-H., Zhao, X.-Z., dan Zhou, S.-Q., 2009, A benchmark study on the thermal conductivity of nanofluids, *Journal of Applied Physics*, 106, 094312.

- Butt, H. J., dan Kappl, M., 2010, *Surface and Interfacial Forces*, Vol. first, Federal Republic of Germany, WILEY-VCH Verlag GmbH & Co. KgaA.
- Cabaleiro, D., Pastoriza-Gallego, M. J., Gracia-Fernández, C., Piñeiro, M. M., dan Lugo, L., 2013, Rheological and volumetric properties of TiO₂-ethylene glycol nanofluids, *Nanoscale Research Letters*, 8, 286-299.
- Çengel, Y. A., 2003, *Heat Transfer: A Practical Approach*, second ed., New York, McGraw-Hill.
- Chandrasekar, M., Sureshb, S., dan Senthilkumar, T., 2012, Mechanisms proposed through experimental investigations on thermophysical properties and forced convective heat transfer characteristics of various nanofluids – A review, *Renewable and Sustainable Energy Reviews*, 16, 3917–3938.
- Chang, H., Jwo, C. S., Lo, C. H., dan Tsung, T. T., 2005, Rheology of CuO nanoparticle suspension prepared by ASNSS, *Reviews on Advanced Material Science*, 10(2), 128–132.
- Chang, M. H., Liu, H. S., dan Tai, C. Y., 2011, Preparation of copper oxide nanoparticles and its application in nanofluid, *Powder Technology*, 207, 378–386.
- Chen, H., Ding, Y., He, Y., dan Tan, C., 2007a, Rheological behaviour of ethylene glycol based titania nanofluids, *Chemical Physics Letters*, 444, 333–337.
- Chen, H., Ding, Y., dan Tan, C., 2007b, Rheological behaviour of nanofluids, *New Journal of Physics*, 9, 367.
- Chhabra, R. P., 2010, Non-newtonian fluids: An introduction, *SERC School-cum-Symposium on Rheology of Complex Fluids*, Indian Institute of Technology Madras, Chennai, India.
- Chhabra, R. P., dan Richardson, J. F., 1999, *Non-Newtonian Flow in the Process Industries: Fundamentals and Engineering Applications*, 1st ed., Great Britain, Butterworth-Heinemann.
- Choi, S. U. S. (1995). Enhancing thermal conductivity of fluids with nanoparticles In *Developments and Applications of Non-Newtonian Flows* (D. A. Singer and H. P. Wang ed., Vol. FED–231/MD-66, pp. 99). New York: American Society of Mechanical Engineers.
- Choi, S. U. S., dan Eastman, J. A., 1995, Enhancing Thermal Conductivity of Fluids with Nanoparticles, *ASME International Mechanical Engineering Congress & Exposition*, San Francisco.
- Cipollone, R., Battista, D. D., dan Gualtieri, A., 2013, A novel engine cooling system with two circuits operating at different temperatures, *Energy Conversion and Management*, 75, 581–592.
- Cronin, K., Byrne, E., dan Leary, P. O., 2007, Prevention of thermo-hydraulic rupture of solvent transfer pipes in the pharmaceutical industry, *Journal of Loss Prevention in the Process Industries*, 20, 7–14.
- Das, S. K., Choi, S. U. S., Yu, W., dan Pradeep, T., 2008, *Nanofluids Science and Technology*, 1st ed., Vol. 1, United States of America, John Wiley & Sons, Inc.
- Diebold, U., 2003, The surface science of titanium dioxide, *Surface Science*, 48(5-8), 53–229.

- Ditchfield, C., Tadini, C. C., Singh, R. K., dan Toledo, R. T., 2007, Heat transfer during thermal processing of a temperature dependent non-Newtonian fluid in a tubular heat exchanger, *Chemical Engineering and Processing*, 46, 472–476.
- Dong, X., Liu, H., Zhang, Z., dan Wang, C., 2014, The flow and heat transfer characteristics of multi-thermal fluid in horizontal well bore coupled with flow in heavy oil reservoirs, *Journal of Petroleum Science and Engineering*, 122, 56–68.
- Duan, F., Kwek, D., dan Crivoi, A., 2011, Viscosity affected by nanoparticle aggregation in Al₂O₃-water nanofluids, *Nanoscale Research Letters*, 6, 248.
- Duangthongsuk, W., dan Wongwises, S., 2008, Effect of thermophysical properties models on the predicting of the convective heat transfer coefficient for low concentration nanofluid, *International Communications in Heat and Mass Transfer*, 35, 1320–1326.
- Duangthongsuk, W., dan Wongwises, S., 2009, Measurement of temperature-dependent thermal conductivity and viscosity of TiO₂-water nanofluids, *Experimental Thermal and Fluid Science*, 33, 706–714.
- Duangthongsuk, W., dan Wongwises, S., 2010, An experimental study on the heat transfer performance and pressure drop of TiO₂-water nanofluids flowing under a turbulent flow regime, *International Journal of Heat and Mass Transfer*, 53, 334–344.
- Eastman, J. A., Choi, S. U. S., Li, S., Yu, W., dan Thompson, L. J., 2001, Anomalously increased effective thermal conductivities of ethylene glycol-based nanofluids containing copper nanoparticles, *Applied Physics Letters*, 76(6), 718–720.
- Elias, M. M., Mahbulbul, M., Saidur, R., Sohel, M. R., Shahrul, I. M., Khaleduzzaman, S. S., dan Sadeghipour, S., 2014, Experimental investigation on the thermo-physical properties of Al₂O₃ nanoparticles suspended in car radiator coolant, *International Communications in Heat and Mass Transfer*, 54, 48–53.
- Fotukian, S. M., dan Esfahany, M. N., 2010, Experimental investigation of turbulent convective heat transfer of dilute g-Al₂O₃/water nanofluid inside a circular tube, *International Journal of Heat and Fluid Flow*, 31, 606–612.
- Gan, J. Y., Chang, Y. C., dan Wu, T. B., 1998, Dielectric property of (TiO₂)_x–(Ta₂O₅)_{1-x} thin films, *Applied Physics Letters*, 332.
- Garg, P., Alvarado, J. L., Marsh, C., Carlson, T. A., Kessler, D. A., dan Annamalai, K., 2009, An experimental study on the effect of ultrasonication on viscosity and heat transfer performance of multi-wall carbon nanotube-based aqueous nanofluids, *International Journal of Heat and Mass Transfer*, 52, 5090–5101.
- Golubovic, M. N., Hettiarachchi, H. D. M., Worek, W. M., dan Minkowycz, W. J., 2009, Nanofluids and critical heat flux, experimental and analytical study, *Applied Thermal Engineering*, 29(7), 1281–1288.
- Gonzalez-Reyes, L., Hernandez-Perez, I., dan Hernandez, F. C. R., 2011, Effect of coarsening of sonochemical synthesized anatase on BET surface characteristics, *Chemical Engineering Science*, 66, 721–728.

- Gorla, R. S. R., dan Kumari, M., 2012, Mixed convection flow of a non-Newtonian nanofluid over a non-linearly stretching sheet, *Journal of Nanofluids* 1(2), 186-195.
- Grassian, V. H., O'Shaughnessy, P. T., dan Adamcakova-Dodd, A., 2007, Inhalation exposure study of titanium dioxide nanoparticles with a primary particle size of 2 to 5 nm, *Environmental Health Perspectives*, 115, 397-402.
- Gupta, R., Babita, Setia, H., Sobti, A., dan R.K. Wanchoo, R. K., 2013, Experimental studies on pressure drop of TiO₂-water nanofluids through circular tubes, *Journal of Nanofluids*, 2(3), 201-207.
- Halelfadl, S., Maré, T., Estellé, P., dan Mohd-Ghazalic, N., 2013, Experimental investigation of Rheological behavior and pressure drop of aqueous suspensions of carbon nanotubes in a horizontal tube, *Procedia Engineering*, 56, 344 – 349.
- He, Y., Jin, Y., Chen, H., Ding, Y., Cang, D., dan Lu, H., 2007, Heat transfer and flow behaviour of aqueous suspensions of TiO₂ nanoparticles (nanofluids) flowing upward through a vertical pipe, *International Journal of Heat and Mass Transfer*, 50, 2272-2281.
- Heris, S. Z., Etemad, S. G., dan Esfahany, M. N., 2006, Experimental investigation of oxide nanofluids laminar flow convective heat transfer, *International Communication in Heat and Mass Transfer*, 33, 529-535.
- Hoffmann, M. R., Martin, S. T., Choi, W., dan Bahnemann, W. D., 1995, Environmental applications of semiconductor photocatalysis, *Chemical Reviews*, 95, 69-96.
- Hojjat, M., Etemad, S. G., Bagheri, R., dan Thibault, J., 2011a, Convective heat transfer of non-Newtonian nanofluids through a uniformly heated circular tube, *International Journal of Thermal Sciences*, 50, 525-531.
- Hojjat, M., Etemad, S. G., Bagheri, R., dan Thibault, J., 2011b, Rheological characteristics of non-newtonian nanofluids: Experimental investigation, *International Communication in Heat and Mass Transfer*, 38, 144-148.
- Hong, R. Y., Ren, Z. Q., Han, Y. P., Li, H. Z., Zheng, Y., dan Ding, J., 2007, Rheological properties of water-based Fe₃O₄ ferrofluids, *Chemical Engineering Science*, 62, 5912.
- Hosokawa, M., Nogi, K., Naito, M., dan Yokoyama, T., 2007, *Nanoparticle Technology Handbook*, Netherlands, Elsevier B.V.
- Hwang, K. S., Jang, S. P., dan Choi, S. U. S., 2009, Flow and convective heat transfer characteristics of water-based Al₂O₃ nanofluids in fully developed laminar flow regime, *International Journal of Heat and Mass Transfer*, 52, 193-199.
- Issariyakul, T., dan Dalai, A. K., 2014, Biodiesel from vegetable oils, *Renewable and Sustainable Energy Reviews*, 31, 446-471.
- Jain, S., Patel, H. E., dan Das, S. K., 2009, Brownian dynamic simulation for the prediction of effective thermal conductivity of nanofluid, *Journal Nanoparticle Research* 11, 767-773.
- Kahani, M., Heris, S. Z., dan Mousavi, S. M., 2014, Experimental investigation of TiO₂/water nanofluid laminar forced convective heat transfer through helical coiled tube, *Heat and Mass Transfer*, 50, 1563-1573.

- Kakaç, S., dan Pramuanjaroenkij, A., 2009, Review of convective heat transfer enhancement with nanofluids, *International Journal of Heat and Mass Transfer*, 52, 3187–3196.
- Kang, H. U., Kim, S. H., dan Oh, J. M., 2006, Estimation of thermal conductivity of nanofluid using experimental effective particle volume, *Experimental Heat Transfer*, 19(3), 181–191.
- Kebllinski, P., Eastman, J. A., dan Cahill, D. G., 2005, Nanofluids for thermal transport, *Materials Today*, 8(6), 36–44.
- Kim, H., Kim, J., dan Kim, M. H., 2006, Effect of nanoparticles on CHF enhancement in pool boiling of nano-fluids, *International Journal of Heat and Mass Transfer*, 49(25–26), 5070-5074.
- Kim, S., Kim, C., Lee, W. H., dan Park, S. R., 2011, Rheological properties of alumina nanofluids and their implication to the heat transfer enhancement mechanism, *Journal of Applied Physics*, 110, 034316.
- Kim, S., Yoo, H., dan Kim, C., 2012, Convective heat transfer of alumina nanofluids in laminar flows through a pipe at the thermal entrance regime, *Korean Journal Chemical Engineering*, 29(10), 1321-1328.
- Kole, M., dan Dey, T. K., 2010, Viscosity of alumina nanoparticles dispersed in car engine coolant, *Experimental Thermal and Fluid Science*, 34, 677–683.
- Kostic, M. M., 2013, Friction and heat transfer characteristics of silica and CNT nanofluids in a tube flow, *the 8th International Conference on Energy & Environment*, Rhodes Island, Greece.
- Kreith, F., Manglik, R. M., dan Bohn, M. S., 2011, *Principles of Heat Transfer*, Stamford, USA, Cengage Learning.
- Kulkarni, D. P., Das, D. K., dan Chukwu, G. A., 2006, Temperature dependent rheological property of copper oxide nanoparticles suspension (nanofluid), *Journal of Nanoscience and Nanotechnology*, 6(4), 1150-1154.
- Kulkarni, D. P., Das, D. K., dan Vajjha, R. S., 2009, Application of nanofluids in heating buildings and reducing pollution, *Applied Energy*, 86, 2566-2573.
- Kwak, K., dan Kim, C., 2005, Viscosity and thermal conductivity of copper oxide nanofluid dispersed in ethylene glycol, *Korea-Australia Rheology Journal*, 17, 35–40.
- Lee, J. H., Hwang, K. S., Jang, S. P., Lee, B. H., Kim, J. H., Choi, S. U. S., dan Choi, C. J., 2008, Effective viscosities and thermal conductivities of aqueous nanofluids containing low volume concentrations of Al₂O₃ nanoparticles, *International Journal of Heat and Mass Transfer*, 51, 2651–2656.
- Lee, J. H., Lee, S. H., Choi, C. J., Jang, S. P., dan Choi, S. U. S., 2010, A Review of Thermal Conductivity Data, Mechanisms and Models for Nanofluids, *International Journal of Micro-Nano Scale Transport*, 1(4), 269-322.
- Leong, K. C., Yang, C., dan Murshed, S. M. S., 2006, A model for the thermal conductivity of nanofluids – the effect of interfacial layer, *Journal of Nanoparticle Research*, 8, 245–254.
- Li, C. H., dan Peterson, G. P., 2006, Experimental investigation of temperature and volume fraction variations on the effective thermal conductivity of nanoparticle suspensions (nanofluids), *Journal of Applied Physics*, 99, 084314(084311-084318).

- Longo, G. A., dan Zillio, C., 2013, Experimental measurements of thermophysical properties of Al₂O₃- and TiO₂-ethylene glycol nanofluids, *International Journal of Thermophysics*, 34, 1288-1307.
- Lozano, A., Barreras, F., Fueyo, N., dan Santodomingo, S., 2008, The flow in an oil/water plate heat exchanger for the automotive industry, 28, 1109–1117.
- Maïga, S. E. B., Nguyen, C. T., Galanis, N., dan Roy, G., 2004, Heat transfer behaviours of nanofluids in a uniformly heated tube, *Superlattices and Microstructures* 35, 543–557.
- Mala, D., Sendhilnathan, S., dan Rajesh, A. V., 2015, Heat transfer analysis of Al₂O₃ nanofluid in circular tube with two different twist inserts, *Journal of Chemical and Pharmaceutical Sciences*, 5, 156-162.
- Malvern. (2001). Zeta Potential An Introduction in 30 minutes. In. United Kingdom: Technical Note, Malvern Instrument, Ltd.
- Manglik, R. M., dan Bergles, A. E., 2002, Swirl flow heat transfer and pressure drop with twisted-tape inserts, *Advances in Heat Transfer*, 36, 183–266.
- Mansour, R. B., Galanis, N., dan Nguyen, C. T., 2007, Effect of uncertainties in physical properties on forced convection heat transfer with nanofluids, *Applied Thermal Engineering*, 27, 240-249.
- Montes, M. J., Aba'nades, A., Martı́nez-Val, J. M., dan Valde's, M., 2009, Solar multiple optimization for a solar-only thermal power plant, using oil as heat transfer fluid in the parabolic trough collectors, *Solar Energy*, 83, 2165–2176.
- Murshed, S. M. S., Leong, K. C., dan Yang, C., 2005, Enhanced thermal conductivity of TiO₂—water based nanofluids, *International Journal of Thermal Sciences*, 44, 367–373.
- Murshed, S. M. S., Leong, K. C., dan Yang, C., 2008, Thermophysical and electrokinetic properties of nanofluids – A critical review, *Applied Thermal Engineering*, 28, 2109-2125.
- Naik, M. T., dan Sundar, L. S., 2011, Investigation into thermophysical properties of glycol based CuO nanofluid for heat transfer applications, *World Academy of Science, Engineering and Technology*, 59, 440-446.
- Naina, H. K., Gupta, R., Setia, H., dan Wanchoo, R. K., 2012, Viscosity and specific volume of TiO₂/water nanofluids, *Journal of Nanofluids*, 1(2), 161-165.
- Namburu, P. K., Kulkarni, D. P., Misra, D., dan Das, D. K., 2007, Viscosity of copper oxide nanoparticles dispersed in ethylene glycol and water mixture, *Experimental Thermal and Fluid Science*.
- Nguyen, C. T., Desgranges, F., Roy, G., Galanis, N., Maré, T., Boucher, S., dan Mintsa, H. A., 2007, Temperature and particle-size dependent viscosity data for water-based nanofluids — hysteresis phenomenon, *International Journal of Heat and Fluid Flow*, 28(6), 1492–1506.
- O'Hanley, H., Buongiorno, J., McKrell, T., dan Hu, L.-w., 2012, Measurement and model validation of nanofluid specific heat capacity with differential scanning calorimetry, *Advances in Mechanical Engineering*, 2012, 6 pages.
- Pak, B. C., dan Cho, Y. I., 1998, Hydrodynamic and heat transfer study of dispersed fluids with submicron metallic oxide particles, *Experimental Heat Transfer*, 11, 151–170.

- Pastoriza-Gallego, M. J., Lugo, L., Legido, J. L., dan Piñeiro, M. M., 2011, Rheological non-Newtonian behaviour of ethylene glycol-based Fe₂O₃ nanofluids, *Nanoscale Research Letters*, 6, 560.
- Penkavova, V., Tihon, J., dan Wein, O., 2011, Stability and rheology of dilute TiO₂-water nanofluids, *Nanoscale Research Letters*, 6, 273-280.
- Ptasinski, P. K., Nieuwstadt, F. T. M., Brule, B. H. A. A. V. D., dan Hulsen, M. A., 2001, Experiments in turbulent pipe flow with polymer additives at maximum drag reduction, *Flow, Turbulence and Combustion*, 66, 159-182.
- Putra, N., Roetzel, W., dan Das, S. K., 2003, Natural convection of nano-fluids, *Heat and Mass Transfer*, 49, 775-784.
- Qiu, Z., Zhao, L., dan Weatherley, L., 2010, Process intensification technologies in continuous biodiesel production, *Chemical Engineering and Processing*, 49, 323-330.
- Rajan, K. S., dan Silambarasan, M., 2012, Sub-micron dispersions of TiO₂ in ethylene glycol-water mixture: Rheology & thermal conductivity, *International Journal of ChemTech Research*, 4(3), 1137-1145.
- Rathnakumar, P., Mayilsamy, K., Suresh, S., dan Murugesan, P., 2013, Comparison of heat transfer and friction factor characteristics of carbon nanotubes based nanofluids in a circular tube fitted with helical screw inserts with spacers, *Journal of Nanofluids*, 2(4), 274-282.
- Rohsenow, W. M., Hartnett, J. R., dan Cho, Y. I., 1998, *Hand book of heat transfer*, 3rd ed., United States of America, McGraw-Hill.
- Sahin, A. Z., 2000, Entropy generation in turbulent liquid flow through a smooth duct subjected to constant wall temperature, *International Journal of Heat and Mass Transfer*, 43, 1469-1478.
- Sahooli, M., dan Sabbaghi, S., 2012, CuO nanofluids: The synthesis and investigation of stability and thermal conductivity, *Journal of Nanofluids*, 1(2), 156-160.
- Sharma, K. V., Sundar, L. S., dan Sarma, P. K., 2009, Estimation of heat transfer coefficient and friction factor in the transition flow with low volume concentration of Al₂O₃ nanofluid flowing in a circular tube and with twisted tape insert., *International Communications in Heat and Mass Transfer*, 36, 503-510.
- Shima, P. D., Philip, J., dan Raj, B., 2010, Synthesis of aqueous and nonaqueous iron oxide nanofluids and study of temperature dependence on thermal conductivity and viscosity, *Journal of Physical Chemistry C*, 114(44), 18825-18833.
- Slomkowski, S., Alemán, J. V., Gilbert, R. G., Hess, M., Horie, K., Jones, R. G., Kubisa, P., Meisel, I., Mormann, W., Penczek, S., dan Stepto, R. F. T., 2011, Terminology of polymers and polymerization processes in dispersed systems (IUPAC Recommendations 2011), *Pure and Applied Chemistry*, 83(12), 2229-2259.
- Sommers, A. D., dan Yerkes, K. L., 2009, Experimental investigation into the convective heat transfer and system-level effects of Al₂O₃-propanol nanofluid, *Journal of Nanoparticle Research*, 12, 1003-1014.

- Suganthi, K. S., Anusha, N., dan Rajan, K. S., 2013, Low viscous ZnO–propylene glycol nanofluid: a potential coolant candidate, *Journal of Nanoparticle Research*, 15, 1-16.
- Sundar, L. S., dan Sharma, K. V., 2010, Turbulent heat transfer and friction factor of Al₂O₃ nanofluid in circular tube with twisted tape inserts, *International Journal of Heat and Mass Transfer*, 53(7), 1409-1416.
- Suriyawong, A., Dalkilic, A. S., dan Wongwises, S., 2012, Nucleate pool boiling heat transfer correlation for TiO₂-water nanofluids, *Journal of ASTM International*, 9(5), 12 pages.
- Taylor, R. A., Phelan, P. E., Otanicar, T. P., Adrian, R., dan Prasher, R., 2011, Nanofluid optical property characterization: towards efficient direct absorption solar collectors, *Nanoscale Research Letters*, 6, 225
- Teng, T. P., Hung, Y. H., Jwo, C. S., Chen, C. C., dan Jeng, L. Y., 2011, Pressure drop of TiO₂ nanofluid in circular pipes, *Particuology*, 9, 486-491.
- Timofeeva, E. V., Yu, W., France, D. M., Singh, D., dan Routbort, J. L., 2011, Nanofluids for heat transfer: an engineering approach, *Nanoscale Research Letters*, 6(182), 1-7.
- Torii, S., 2010, Turbulent heat transfer behavior of nanofluid in a circular tube heated under constant heat flux, *Advances in Mechanical Engineering*, 20, 1-7.
- Tseng, W. J., dan Lin, K. C., 2003, Rheology and colloidal structure of aqueous TiO₂ nanoparticle suspensions, *Material Science and Engineering*, A355, 186-192.
- Vasheghani, M., Marzbanrad, E., Zamani, C., Aminy, M., Raissi, B., Ebadsadeh, T., dan Bafrooei, H. B., 2011, Effect of Al₂O₃ phases on the enhancement of thermal conductivity and viscosity of nanofluids in engine oil, *Heat and Mass Transfer*, 47, 1401-1405.
- Venerus, D. C., Buongiorno, J., Christianson, R., Townsend, J., Bang, I. C., Chen, G., Chung, S. J., Chyu, M., Chen, H., Ding, Y., Dubois, F., Dzido, G., Funfschilling, D., Galand, Q., Gao, J., Hong, H., Horton, M., Hu, L., Iorio, C. S., Jarzebski, A. B., Jiang, Y., Kabelac, S., Kedzierski, M. A., Kim, C., Kim, J.-H., Kim, S., McKrell, T., Ni, R., Philip, J., Prabhat, N., Song, P., Vaerenbergh, S. V., Wen, D., Witharana, S., Zhao, X.-Z., dan Zhou, S.-Q., 2010, Viscosity measurements on colloidal dispersions (nanofluids) for heat transfer applications, *Applied Rheology*, 20(4), 44582.
- Vignarooban, K., Xu, X., Arvay, A., Hsu, K., dan Kannan, A. M., 2015, Heat transfer fluids for concentrating solar power systems – A review, *Applied Energy*, 146, 383–396.
- Wagner, W., dan Kretzschmar, H. J., 2008, *Properties of Water and Steam Based on the Industrial Formulation IAPWS-IF97*, 2nd ed., Vol. 1, Germany, Springer-Verlag Berlin Heidelberg.
- Wang, B. X., Zhou, L. P., dan Peng, X. F., 2006, Surface and size effects on the specific heat capacity of nanoparticles, *International Journal of Thermophysics*, 27(1), 139-151.

- Wang, X., Xu, X. F., dan Choi, S. U. S., 1999, Thermal conductivity of nanoparticle–fluid mixture, *Journal of Thermophysics and Heat Transfer*, 13, 474–480.
- Wang, X. Q., dan Mujumdar, A. S., 2007, Heat transfer characteristics of nanofluids: a review, *International Journal of Thermal Sciences*, 46, 1–19.
- Wen, D., dan Ding, Y., 2004a, Experimental investigation into convective heat transfer of nanofluids at the entrance region under laminar flow conditions, *International Journal of Heat and Mass Transfer*, 47, 5181–5188.
- Wen, D., dan Ding, Y., 2006a, Natural convective heat transfer of suspensions of titanium dioxide nanoparticles (nanofluids), *IEEE Transactions on Nanotechnology*, 5(3), 220–227.
- Wen, D., dan Ding, Y., 2006b, Natural convective heat transfer of suspensions of titanium dioxide nanoparticles (nanofluids), *IEEE Transactions on Nanotechnology*, 5(3), 220–227.
- Wen, D. S., dan Ding, Y. L., 2004b, Effective thermal conductivity of aqueous suspensions of carbon nanotubes (nanofluids), *Journal of Thermophysics and Heat Transfer*, 18, 417–576.
- Williams, W., Buongiorno, J., dan Hu, L. W., 2008, Experimental investigation of turbulent convective heat transfer and pressure loss of alumina/water and zirconia/water nanoparticle colloids (nanofluids) in horizontal tube, *Journal of Heat Transfer*, 130, 1–7.
- Williams, W. C. (2006). *Experimental and theoretical investigation of transport phenomena in nano particle Colloids (Nano fluids)*. Massachusetts Institute of Technology, UK.
- Wong, A., Nash, D. G., dan Moss, O. R., 2008, Generation of Nanoparticle Agglomerates and their Dispersion in Lung Serum Simulant or Water, *Journal of Physics: Conference Series*, 151, 012036
- Wongcharee, K., dan Eiamsa-ard, S., 2011, Enhancement of heat transfer using CuO/water nanofluid and twisted tape with alternate axis, *International Communications in Heat and Mass Transfer*, 38, 742–748.
- Wright, C. I., Bembridge, T., Picot, E., dan Premel, J., 2015, Food processing: The use of non-fouling food grade heat transfer fluids, *Applied Thermal Engineering*, 84, 94–103.
- Wu, D., Zhu, H., Wang, L., dan Liu, L., 2009, Critical issues in nanofluids preparation, characterization and thermal conductivity, *Current Nanoscience* 5, 103–112.
- Xie, H., Chen, L., dan Wu, Q., 2008, Measurements of the viscosity of suspensions (nanofluids) containing nanosized Al₂O₃ particles, *High Pressure High Temperature*, 37, 127–135.
- Xuan, Y., dan Li, Q., 2003, Investigation on convective heat transfer and flow features of nanofluids, *Journal of Heat Transfer*, 125(1), 151–155.
- Xuan, Y., dan Roetzel, W., 2000, Conceptions for heat transfer correlation of nanofluids, *International Journal of Heat and Mass Transfer*, 43, 3701–3707.
- Xuan, Y. M., dan Li, Q., 2000, Heat transfer enhancement of nanofluids, *International Journal of Heat and Fluid Flow*, 21, 58–64.

- Xue, Q. Z., 2003, Model for effective thermal conductivity of nanofluids, *Physics Letters A* 307, 313–317.
- Yanuar, Gunawan, dan Baqi, M., 2012, Characteristics of drag reduction by guar gum in spiral pipes, *Jurnal Teknologi*, 58, 95–99.
- Yanuar, Putra, N., Gunawan, dan Baqi, M., 2010, Rheological properties of nanofluid in a circular pipe, *International Conference on Heat Transfer, Fluid Mechanics and Thermodynamics*, Antalya, Turkey.
- Yanuar, Putra, N., Gunawan, dan Baqi, M., 2011, Flow and convective heat transfer characteristics of spiral pipe for nanofluids, *International Journal of Research and Reviews in Applied Sciences*, 7(3), 236-248.
- Yu, L., Liu, D., dan Botz, F., 2012, Laminar convective heat transfer of alumina-polyalphaolefin nanofluids containing spherical and non-spherical nanoparticles, *Experimental Thermal and Fluid Science*, 37, 72–83.
- Yu, W., dan Choi, S. U. S., 2004, The role of interfacial layers in the enhanced thermal conductivity of nanofluids: A renovated Hamilton–Crosser model, *Journal of Nanoparticle Research*, 6, 355–361.
- Yu, W., France, D. M., Routbort, J. L., dan Choi, S. U. S., 2008, Review and comparison of nanofluids thermal conductivity and heat transfer enhancements, *Heat Transfer Engineering*, 29(5), 432-460.
- Yu, W., dan Xie, H., 2012, A Review on Nanofluids: Preparation, Stability Mechanisms, and Applications, *Journal of Nanomaterials* , Hindawi Publishing Corporation, Article ID 435873, 1-7.
- Yu, W., Xie, H. Q., Chen, L. F., dan Li, Y., 2009, Investigation of thermal conductivity and viscosity of ethylene glycol based ZnO nanofluid, *Thermochimica Acta*, 491(1-2), 92–96.
- Zhang, X., Gu, H., dan Fujii, M., 2007, Effective thermal conductivity and thermal diffusivity of nanofluids containing spherical and cylindrical nanoparticles, *Experimental Thermal and Fluid Science*, 31, 593–599.