

DAFTAR PUSTAKA

- Andrew, R.J., Subramaniam, K. A. & Tiple, A. D. 2008. *Common Odonates of Central India*. E-book for "The 18th International Symposium of Odonatology", Hislop College, Nagpur, India. 25-37p.
- Arulprakash, R. & K. Gunathilagaraj. 2010. Abundance and diversity of Odonata in temporary water bodies of Coimbatore and Salem districts in Tamil Nadu. *JoTT Note* 2(8): 1099-1102.
- Balzan, M.V. 2012. Associations of dragonflies (Odonata) to habitat variables. *Journal of Insect Science* 12:87.
- Battin, T.J. 1993. The odonate mating system, communication, and sexual selection: A review. *Bolletino di Zoologia* 60: 353-360.
- Boano, G. & A. Rolando. 2003. Aggressive interactions and demographic parameters in *Libellula fulva* (Odonata, Libellulidae). *Italian Journal of Zoology* 70: 159-166.
- Bot, A. & J. Benites. 2005. *The importance of soil organic matter - Key to drought-resistant soil and sustained food and production*. Food and Agriculture Organization Of The United Nations. Rome, 1-77p.
- Bright, E. 1999. Sampling protocol for odonata larvae. *MOS Technical Note* No.2 June, 1-5.
- Burchsted, A. 2013. *What dragonflies eat and what eats them*. <http://suite101.com/a/what-dragonflies-eat-and-what-eats-them-a138500> [diakses 20-10-2013]
- Bybee, S. 2005. *Dragonflies and Damselflies (Insecta: Odonata)*. IFAS Extension UFL Edu. Florida, 1-5p.
- Clausnitzer V., V.J. Kalkman, M. Ramc, B. Collen, J.E.M. Baillie, M. Bedjanic, W.R.T. Darwall, K-D. B. Dijkstra, R. Dowf, J. Hawking, H. Karube, E. Malikova, D. Paulson, K. Schutte, F. Suhling, R. J. Villanuevam, N. von Ellenrieder, K. Wilson. 2009. Odonata enter the biodiversity crisis debate: The first global assessment of an insect group. *Biological Conservation* 142: 1864-1869.
- Corbet, P.S. 1962. *A biology of dragonflies*. H.F. & G. Witherby Ltd. London, 1-89p., 120-146p.
- D'Amico, F., S. Darblade, S. Avignon, S Blanc-Manel & S.J.Ormerod. 2004. Odonates as indicators of shallow lake restoration by liming: comparing adult and larval responses. *Restoration Ecology* 12(3): 439-446.
- Das, S.Kr., R.A. Ahmed, S.K. Sajan, N. Dash, P. Sahoo, P. Mohanta, H.K. Sahu, S.D. Rout & S.K. Dutta. 2012. Diversity, distribution and species composition of odonates in Buffer Areas of Similipal Tiger Reserve, Eastern Ghat, India. *Academic Journal of Entomology* 5 (1): 54-61.
- Dodik¹. 2011. *Air Terjun Jumog*. <http://www.karanganyarkab.go.id/20110124/air-terjun-jumog/> [diakses 05-11-2014]

- Dodik². 2011. *Telaga Madirdo*.
<http://www.karanganyarkab.go.id/20110727/telaga-madirdo/> [diakses 14-04-2014]
- Dow, R.A. 2009. *Neurothemis ramburii*. The IUCN Red List of Threatened Species. Version 2015.2. <www.iucnredlist.org> [28-07-2015]
- Encyclopedia Britanica, Inc. 1999. *Life cycle of alkali bluet damselfly*.
<http://www.britannica.com/> [diakses 26-05-2014]
- Ferianita, M.F. 2007. *Metode sampling bioekologi*. Bumi Aksara. Jakarta, 64-68p.
- Fulan, J.A. & R. Henry. 2013. A comparative study of Odonata (Insecta) in aquatic ecosystems with distinct characteristics. *Ambiência Guarapuava* (PR) 9(3): 589-604.
- Fulan, J.A., R. Raimundo & D. Figueiredo. 2008. Habitat characteristics and dragonflies (Odonata) diversity and abundance in the Guadiana River, Eastern of the Alentejo, Portugal. *Boln. Asoc. esp. Ent.* 32 (3-4): 327-340.
- Fullan, J.A, R. Henry, & R.C.S. Davanso. 2011. Effects of daily changes in environmental factors on the abundance and richness of Odonata. *Acta Limnologica Brasiliensia*, 23(1): 23-29.
- Garrison, R.W, N. Elenrieder & J.A. Louton. 2006. *Dragonfly genera of the new world*. The John Hopkins University Press. USA. 1-2p.
- Goss, R., R. Letterman, M. Pickel, P.G. Snyder, B. Tarbuck, J. Miller, B. Atkins, E. Bissonette, J. Bender, R. Flournoy & J. Robichaud. 1999. *Guidance manual for compliance with the interim enhanced surface water treatment rule: Turbidity Provisions*. United State Environmental Protection Agency. USA. 1-11p.
- Hahn, J. 2013. *Collecting and Preserving Insects*.
<http://www1.extension.umn.edu/youth/mn4-H/projects/environment/entomology/collecting-and-preserving-insects/> [diakses 26-05-2014]
- Hanafiah, K.A., A. Napoleon & N. Ghoffar. 2007. *Biologi tanah: ekologi dan makrobiologi Tanah*. PT. Raja Grafindo Persada. Jakarta, 5-21p.
- Hasan, I. 2001. *Pokok-pokok materi statistik 2 (statistik inferensif) edisi 2*. Bumi Aksara. Jakarta, 58-60p.
- Heckman, C.W. 2006. *Encyclopedia of South American aquatic insect. Odonata – Anisoptera*. Spinger. USA, 11-45p.
- Heckman, C.W. 2008. *Encyclopedia of South American aquatic insect. Odonata – Zygoptera*. Springer. USA, 1-44 p.
- Indrawan, M., R.B. Primack & J. Spriyatna. 2012. *Biologi konservasi*. Yayasan Pustaka Obor Indonesia. Jakarta, 68 p.
- Jones, B. 2011. *Oxygen –The most important water quality parameter?*. Indiana Department of Environmental Management. Indiana, 1-6p.
- Kalkman, V.J., V. Clausnitzer, K-D. B. Dijkstra, A.G. Orr, D.R. Paulson & J. van Tol. 2008. Global diversity of dragonflies (Odonata) in freshwater. *Hydrobiologia* 595: 351–363.

- Kandibane, M., S. Raguraman & N. Ganapathy. 2005. Relative abundance and diversity of Odonata in and irrigated rice field of Madurai, Tamil Nadu. *Zoos Print Journal* 20(11): 2051-2052.
- Karthika, P & N. Krishnaveni. 2014. Impact assessment of dragonfly diversity in different wetland ecosystems in Coimbatore with special reference to abiotic factors. *International Journal of Advanced Research* 2(2): 639-648.
- Keller, T.S., M.S Anne & A. Kenneth. 2007. *Atlas of the dragonfly larvae*. National Center for Water Quality Research Heidelberg College. Ohio, 1-12 p.
- Krebs, C.J. 2014. *Ecological methodology (third edition)*. Pre-publish. www.zoology.ubc.ca [diakses 26-05-2014]
- Kutcher, T.E & J.T Bried. 2014. Adult Odonata conservatism as indicator of freshwater wetland condition. *Ecological Indicators* 38: 31-39.
- Lakitan, B. 2002. *Dasar-dasar klimatologi*. Rajawali Pers. Jakarta, 1-14p.
- Lamprey, D.A., R. Kyerematen and E. O. Owusu¹. 2013. Dragonflies (Odonata: Anisoptera) as tools for habitat quality assessment and monitoring. *Journal of Agriculture and Biodiversity Research*. 2(8): 178-182.
- Lamprey, D.A., R. Kyerematen and E. O. Owusu². 2013. Using Odonates as markers of the environmental health of water and its land related ecotone. *International Journal of Biodiversity and Conservation*. 5(11): 761-769.
- Mapiot, E.F., A.U. Taotao, O.M. Nuneza & R.J.T. Villanueva. 2013. Species diversity of adult Odonata in selected areas from Misamis Occidental Province, Philippines. *Bioflux* 6(4): 421-432.
- Michael, P. 1995. *Metode Ekologi untuk penyelidikan ladang dan laboratorium*. UI Press. Jakarta, 3-24p.
- Mokany, A., J.T. Wood and S.A. Cunningham. 2008. Effect of shade and shading history on species abundances and ecosystem processes in temporary ponds. *Freshwater Biology* 53(10): 1917-1928.
- Ndiaye, A.B. 2010. *Training of Trainers Module on The Monitoring of Odonata*. Wetlands International Afrique. Gambia, 16-23p.
- Nesemann, H., R.D.T. Shah & D.N Shah. 2011. Key to the larval stages of common Odonata of Hindu Kush Himalaya, with short notes on habitats and ecology. *JoTT Communication* 3(9): 2045-2060.
- Norma-Rashid, Y., A.M. Sofian & M.Z. Ismail. 2001. Diversity and distribution of Odonata (dragonflies and damselflies) in the fresh water swamp lake Tasek Bera, Malaysia. *Hydrobiologia* 459: 135-146.
- Pires, M.M., C.B. Kotzian, M.R. Spies & D.B. Neri. 2013. Diversity of Odonata (Insecta) larvae in streams and farm ponds of a montane region in Southern Brazil. *Biota Neotrop* 13(3): 259-267.
- Popola, K.O.K & A. Otalekor. 2011. Analysis of aquatic insects' communities of Awba Reservoir and its physico-chemical properties. *Research Journal of Environmental and Earth Sciences* 3(4): 422-428.
- Purwanti. 2003. Keanekaragaman Makrofauna Tanah pada berbagai jenis dan kombinasi tanaman sela di bawah tegakan sengon (*Paraserianthes*

- falcataria* (L.) Nielson) di Resort Polisi Hutan (RPH) Jatirejo Kediri Jawa Timur. *Skripsi*. Jurusan Biologi FMIPA UNS. Surakarta. 34-38p.
- Rahmawanto, A. 2008. Keanekaragaman Makrofauna Tanah pada Lahan Perkebunan Salak Pondoh di Kawasan Lereng Gunung Merapi. *Skripsi*. Jurusan Biologi FMIPA UNS. Surakarta, 23-34p.
- Rahmawaty. 2004. Studi Keanekaragaman Mesofauna tanah di Kawasan Hutan Wisata Alam Sibolangit (Desa Sibolangit, Kecamatan Sibolangit, Kabupaten Daerah Tingkat II Deli Serdang, Propinsi Sumatera Utara). *e-USU Repository* 1-17.
- Rehn, A.C. 2003. Phylogenetic analysis of higher-level relationship of Odonata. *Systematic Entomology* 28: 181-239.
- Remsburg, A.J., A.C. Olson & M.J. Samways. 2008. Shade Alone Reduces Adult Dragonfly (Odonata: Libellulidae) abundance. *J Insect Behav* 21: 460-46.
- Renner, S., E. Périco & G. Sahlén. 2013. Dragonflies (Odonata) in Subtropical Atlantic Forest fragments in Rio Grande do Sul, Brazil: seasonal diversity and composition. *Scientia Plena* 9(1): 1-8.
- Rowe, R.J. 1994. Predatory behaviour and predatory versatility in young larvae of the dragonfly *Xanthocnemis zealandica* (Odonata, Coenagrionidae). *New Zealand Journal of Zoology* 21(2): 151-166.
- Sato, M. & N. Riddiford. 2008. A preliminary study of the Odonata of S'Albufera Natural Park, Mallorca: status, conservation priorities and bio-indicator potential. *Journal Insect Conservation* 12: 539-548.
- Schacherer, J.O E., E. Mannigel, C. Kirkby, G.H.Jr. Shepard & D.W. Yu. 2008. Indigenous ecotourism in the Amazon: a case study of 'Casa Matsigenka' in Manu National Park, Peru. *Environmental Conservation* 35(1): 14-25.
- Sharma, G., R. Sundaraj & L.R. Karibasvaraj. 2007. Species diversity of Odonata in the selected povenances of Sandal in Souther India. *Zoos Print Journal* 22(7): 2765-2767.
- Sigit, W., B. Feriwibisono, M.P. Nugrahani, B. Putri & T. Makitan. 2013. *Naga Terbang Wendit – Keanekaragaman capung perairan Wendit, Malang, Jawa Timur*. Indonesia Dragonfly Society. Malang, 2-3 p.
- Silva, D., P. Marco & D.C. Resende. 2010. Adult odonate abundance and community assemblage measures as indicators of stream ecological integrity: A case study. *Ecological Indicators* 10: 744-752.
- Simaika, J.P. & M.J. Samways. 2012. Using dragonflies to monitor and prioritize lotic system: a South African perspective. *Organism Diversity & Evolution* 12: 251-259.
- Steytler, N. S. & M.J. Samways. 1995. Biotope selection by adult male dragonflies (Odonata) at an artificial lake created for Insect conservation in South Africa. *Biological Conservation* 72: 381-386.
- Sugiyarto, E.M., Mahajoeno, E., Sugito, Y., E.Handayanto & L. Agustina. 2007. Preferensi berbagai Jjenis makrofauna tanah terhadap sisa bahan organik tanaman pada intensitas cahaya berbeda. *Biodiversitas* 7(4): 96-100.
- Suin, N. M. 1997. *Ekologi hewan tanah*. Bumi Aksara. Jakarta, 5-13p.

- Sulandjari, P., S. Wisnubroto & D. Indradewa. 2005. Hubungan Mikroklimat dengan Pertumbuhan dan Hasil Pule Pandak (*Rauvolfia serpentina* Benth.). *Agrosains* 7(2): 71-76.
- Theischinger, G & J. Hawking. 2006. *The complete field guide to dragonflies of Australia*. CSIRO Publishing. Australia, 1-15 p.
- Theischinger, G. 2009. *Identification guide to the Australian Odonata*. Department of Environment, Climate Change and Water NSW. Sydney, 1-17 p.
- Triplehorn, C.A & N.F. Johnson. 2005. *Borror and DeLong's introduction to the study of insect (7th edition)*. Thomson Brooks/Cole. Australia, 5 p.
- Voshell, Jr. & J. Reese. 2002. *A Guide to common freshwater invertebrates of North America*. The McDonald & Woodward Publishing Company. Blacksburg, 442p.
- WAV. 2006. *Dissolved Oxygen: aquatic life depends on it*. University of Wisconsin. Wisconsin, 1-4p.
- Wijayanto, N., S.N. Azis. 2013. Pengaruh naungan sengon (*Falcataria moluccana* L.) dan pemupukan terhadap pertumbuhan ganyong putih (*Canna edulis* Ker.). *Jurnal Silvikultur Tropika* 4(2): 62-68.
- Wilde, F.D. & J. Gibs. 1998. *Turbidity*. U.S. Geological Survey TWRI Book 9. <http://water.usgs.gov/owq/FieldManual/Chapter6/Section6.7.pdf> [06-07-2015]