

DAFTAR PUSTAKA

- Abdullah,M.M., Riediger,N.N., Chen,Q., Zhao,Z., Azordegan,N., Xu,Z., Fischer,G., Othman,R.A., Pierce,G.N., Tappia,P.S., 2009. Effects of long term consumption of a high-fructose diet on conventional cardiovascular risk factors in Sprague Dawley rats. *Mol Cell Biochem* 327 (1-2): 247-256.
- Adiels,M., Taskinen,M.R., Packard,C., Caslake, M.J., Soro-Peavonen,A., Westerbacka,J., Vehkavaara,S., Hakkinen,A., Olofsson,S.O., Yki-Jarvinen,h., Boren,J., 2006. Overproduction of large VLDL particles in driven by increased liver fat content in man. *Diabetologia* 49: 755-765.
- Amemiya-Kudo,M., Shimano,H., Yoshikawa,T., Yahagi,N., Hasty,A.H., Matsuzaka T., Okazaki,H., Tamura,Y., Iizuka,Y., 2000. Promoter analysis of the mouse sterol regulatory element-binding protein -1c gene. *J Biol Chem* 275: 31078-31085.
- Amemiya-Kudo,M., Shimano,H., Hasty,A.H., Yahagi,N., Yoshikawa,T., Matsuzaka,T., Okazaki,H., Tamura,Y., Iizuka,Y., 2002. Transcriptional activities of nuclear SREBP-1a, -1c, and -2 to different target promoters of lipogenic and cholesterologenic genes. *J Lipid Res* 43: 1220-1235.
- Aro,A., 2003. Fatty acid composition of serum lipids: is this marker of fat intake still relevant for identifying metabolic and cardiovascular disorders? *Nut Metab Cardiovasc Dis* 13 (5): 253-255
- Asgary,S., Parkhideh,S., Solhpour, A., Madani, H., Mahzouni,P., Rahimi,P., 2008. Effect of ethanolic extract of *Juglans regia* L on blood sugar in diabetes-induced rats. *J Med Food* 11: 533-538
- Asgary,S., Moshtaghian S.J., Setorki,M., Kazemi,S., Rafieian,M., Adelnia, A., 2011. Hypoglycaemic and hypolipidemic effects of pumpkin (*Cucurbita pepo* L) on alloxan-induced diabetic rats. *AJPP* 5(23): 2620-2626.
- Astrup,A., Finer,N., 2000. Redefining type 2 diabetes: ‘diabesity’ or ‘obesity dependent diabetes mellitus’?. *Obes Rev* 1(2):57-59.
- Balkau,B., Charles,M.A., Drisvholm,T., Borch- Johnsen,K., Wareham,N., Yudkin,J.S., 2002. Frequency of the WHO metabolic syndrome in European cohort, and an alternative definition of an insulin resistance syndrome. *Diabetes Metab* 28(5): 364-376.
- Basciano,H., Federico, L., Adeli,K., 2005. Fructose, insulin resistance, and metabolic dyslipidemia. *Nutr Metab* 2 (1): 5.
- Becard,D., Hainault,I., Azzout-Marniche,D., Bertry-Coussot,I., Ferre,P., Foufelle,F., 2001. Adenovirus-mediated overexpression of sterol regulatory element binding protein 1c mimics insulin effects on hepatic gene expression and glucose homeostasis in diabetic mice. *Diabetes* 50: 2425-2430
- Ble-Castilo, J.L., Aparacio-Trapala, M.A., Juarez-Rojop,I.E., Torrez-Lopes,J.E., Mendez,J.D., Aguilar-Mariscal,H., Olvera-Hernandez,V., Palma-Cordova,L.C., Diaz-Zagoya,J.C., 2012. Differential effects of high carbohydrate and high-fat diet composition on metabolic control and insulin resistance in normal rats. *Int J Environ Res Public Health* 9:1663-1676.
- Boden,G., Salehi,S., Cheung,P., Homko,C., Song,W., Jones,CL., Jayarajan,S., 2013. Comparison of in vivo effects of insulin on SREBP-1c activation and insig ½

- in rat liver and human and rat adipose tissue. *Obes Bio Integrate Phys* 21: 1208-1214.
- Botham, K.M. dan Mayes, P.A., 2003. Lipid transport and storage. In: Murray, R.K., Granner, D.K., Mayes, P.A., Rodwell, V.W. (Ed): *Harper's Illustrated Biochemistry 26th edition*, pp: 205-218. Mc-Graw Hill Companies, Inc. USA
- Brown, M.S., Ye, J., Rawson, R.B., Goldstein, J.L. 2000. Regulated intramembrane proteolysis: a control mechanism conserved from bacteria to humans. *Cell* 100: 391-398.
- Brown, M.S., Goldstein, J.L., 2008. Selective versus total insulin resistance: a pathogenic paradox. *Cell Metab* 7: 95-96.
- Buettner, R., Scholmerich, J., Bootheimer, L.C., 2007. High-fat diets: modeling the metabolic disorders of human obesity in rodents. *Obesity* 15 (4): 798-808.
- Carvalho L.M.J., Gomes P.B., Godoy R.L.O., 2012. Total carotenoid content, α -carotene and β -carotene, of landrace pumpkins (*Cucurbita moschata* Duch): A preliminary study. *Food Res Int* 47: 337-340.
- Chen, G., Liang, G., Ou, J., Goldstein, J.L., Brown, M.S., 2004. Central role for liver X receptor in insulin-mediated activation of SREBP-1c transcription and stimulation of fatty acid synthesis in liver. *PNAS USA* 101: 11245-11250.
- Chen, L.Y., Zhu, W.H., Chen, Z.W., Dai, H.L., Ren, J.J., Chen, J.H., 2007. Relationship between hyperuricemia and metabolic syndrome. *J Zhejiang Univ -Sci B* 8(8): 593-598.
- Choi, H., Eo, H., Jin, M., Park, E.J., Kim, S.H., Park, J.E., Kim, S., 2007. A water-soluble extract from *Cucurbita moschata* shows anti-obesity effects by controlling lipid metabolism in high fat diet- induced obesity mouse model. *Biochem Biophys Res Commun* 359 (3): 419-425.
- Chong, M.F., Fielding, B.A., Frayn, K.N., 2007. Mechanism for the acute effect of fructose on postprandial lipemia. *Am J Clin Nutr* 85 (6): 1511-1520.
- DeBose-Boyd, R.A., Ou, J., Goldstein, J.L., Brown, M.S., 2001. Expression of sterol regulatory element binding protein 1c (SREBP-1c) mRNA in rat hepatoma cells requires endogenous LXR ligands. *PNAS USA* 98: 1477-1482.
- Desvergne, B., Michalik, L., Wahli, W., 2006. Transcriptional regulation of metabolism. *Physiol Rev* 86: 465-514.
- Dif, N., Euthine, V., Gonnet, E., Laville, M., Vidal, H., Lefai, E., 2006. Insulin activates human sterol-regulatory-element-binding-protein-1c (SREBP-1c) promoter through SRE motifs. *Biochem J* 400: 179-188.
- Doiron, B., Cuif, M., Kahn, A., Diaz-Guerra, M., 1994. Respective roles of glucose, fructose and insulin in the regulation of the liver-specific pyruvate kinase gene promoter. *J Biol Chem* 269: 10213-10216.
- Dresner, A., Laurent, D., Marcucci, M., Griffin, M.E., Dufuor, S., Cline, G.W., 1999. Effects of free fatty acids on glucose transport and IRS-1-associated phosphatidylinositol 3-kinase activity. *J Clin Invest* 103 (2): 253-259.
- Dutta, D., Chaudhuri, U.R., Chakraborty, R., 2005. Structure, health benefits, antioxidant property and processing and storage of carotenoids. *Afr. J. Biotechnol* 4 (13): 1510-1520
- Duvel, K., Yecies, J.L., Menon, S., Raman, P., Lipovsky, A.I., Souza, A.L., Triantafellow, E., Ma, Q., Gorski, R., Cleaver, S., 2010. Activation of a metabolic

- gene regulatory network downstream of mTOR complex 1. *Mol Cell* 39: 171-183.
- Eberle,D., Hegarty,B., Bossard,P., Ferre,P., Foufelle,F., 2004. SREBP transcription factors: master regulators of lipid homeostasis. *Biochimie* 86: 839-848.
- Edward,P.A., Tabor,D., Kast,H.R, Venkateswaran,A., 2000. Regulation of gene expression by SREBP and SCAP. *Biochim Biophys Acta* 1529: 103-113.
- Faeh,D., Minehira,K., Schwarz,J.M., Periasamy,R., Park,S., Tappy,L. 2005. Effect of fructose overfeeding and fish oil administration on hepatic de novo lipogenesis and insulin sensitivity in healthy men. *Diabetes* 54: 1907-1913.
- Ferre, P., Foufelle,F., 2007. SREBP-1c transcription factor and lipid homeostasis: clinical perspective. *Horm Res* 68:72-82.
- Fiedor,J., Burda,K., 2014. Potential role of carotenoids an antioxidant in human health and disease. *Nutrients* 6: 466-488.
- Fleischmann,M., Iynedjian P.B., 2000. Regulation of sterol regulatory-element binding protein 1 gene expression in liver: role of insulin and protein kinase B/cAkt. *Biochem J* 349: 13-17.
- Fritsche,L., Cora,W., Hans, Rainer,L., 2008. How insulin receptor susbtrate protein regulate the metabolic capacity of the liver-implications for health and disease. *Curr Med Chem* 15: 1316-1329.
- Girard,A., Madani,S., El Boustani, E.S., Belleville,J., Prost,J., 2005. Changes in lipid metabolism and antioxidant defense status in spontaneously hypertensive rats and Wistar rats fed a diet enriched with fructose and saturated fatty acids. *Nutrition* 21(2): 240-248
- Griffin,M.E., Marcucci, M.J., Cline, G.W., Bell,K., Barucci,N., Lee, D., 1999. Free fatty acid-induced insulin resistance is associated with activation of protein kinase-C and alterations in the insulin-signaling cascade. *Diabetes* 48 (6): 1270-1274
- Guacuc standard procedure retro-orbital sinus/plexus blood collection in mice and rats. 2006. *Available in PDF*
- Ha,AW., Kim,WK., 2013. The effect of fucoxanthin rich powder on the lipid metabolism in rats with a high fat diet. *Nutr Res Pract* 7(4): 287-293.
- Hariyadi,P., 2013. Freeze drying technology: for better quality and flavor of dried product. *Food Rev Ina* 8: 52-57.
- Harris,T.E., Huffman,T.A., Chi,A., Shabanowitz, J., Hunt,D.F., Kumar,A., Lawrence,J.C., 2007. Insulin controls subcelular localization and multisite phosphorylation of the phosphatidic acid phosphatase lipin 1, *J Biol Chem* 282: 277-286.
- Hegarty,B.D., Bobard,A., Hainault,I., Ferre,P., Bossard,P., Foufelle,F., 2005. Distinct role of insulin and liver X receptor in the induction and cleavage of sterol regulatory element binding protein-1c. *PNAS USA* 102: 791-796.
- Hendrasty H.K. 2007. *Teknologi Pengolahan Pangan : Tepung Labu Kuning*. Kanisius,Yogyakarta.
- Hii,C.S., Howell,S.L., 1984. Effects of epicatechin on rat islets of langerhans. *Diabetes* 33(3): 291-296.

- Horton, J.D., Basmakov, Y., Shimomura, I., Shimano, H., 1998. Regulation of sterol regulatory element binding proteins in livers of fasted and refed mice. *PNAS USA* 95: 5987-5992.
- Horton, J.D., Goldstein, J.L., Brown, M.S., 2002. SREBPs: activators of the complete program of cholesterol and fatty acid synthesis in the liver. *J Clin Invest* 109: 1125-1131.
- Igfar, Ahmad. 2012. *Pengaruh Penambahan Tepung Labu Kuning (*Cucurbita moschata*) dan tepung Terigu Terhadap Pembuatan Biscuit* [Skripsi]. Fakultas Pertanian Universitas Hasanuddin.
- Ito, M., Nagasawa, M., Omae, N., Tsunoda, M., Ishiyama, J., Ide, T., Akasaka, Y., Murakami, K., 2013. A novel JNK/ SREBP-1c pathway involved insulin-induced fatty acid synthesis in human adipocytes. *J Lipid Res* 54:1531-1540.
- Kammoun, H.L., Chabanon, H., Hainault, I., Luquet, S., Magnan, C., Koike, T., 2009. GRP78 expression inhibits insulin and ER stress-induced SREBP-1c activation and reduces hepatic steatosis in mice. *J Clin Invest* 119: 1201-1215.
- Kim, J.B., Sarraf, P., Wright, M., Yao, K.M., Mueller, E., Solanes, G., Lowell, B.B., Spiegelman, B., 1998. Nutritional and insulin regulation of fatty acid synthetase and leptin gene expression through ADD1/SREBP1. *J Clin Invest* 101: 1-9.
- Koo, H.Y., Miyashita, M., Cho, B.H., Nakamura, M.T., 2009. Replacing dietary glucose with fructose increases ChREBP activity and SREBP-1 protein in rat liver nucleus. *Biochem Biophys Res Commun* 390: 285-289.
- Kotzka, J., Muller-Wieland, D., Koponen, A., Njamen, D., Kremer, L., Roth, G., Munck, M., Knebel, B., Krone, W., 1998. ADD1/ SREBP-1c mediates insulin-induced gene expression linked to the MP kinase pathway. *Biochem Biophys Res Commun* 249: 375-379.
- Krycer, J.R., Sharpe, L.J., Luu, W., Brown, A.J., 2010. The Akt-SREBP nexus: cell signaling meets lipid metabolism. *Trends Endocrinol. Metab.* 21: 268-276.
- Latasa, M.J., Moon, Y.S., Kim, K.H., Sul, H.S., 2000. Nutritional regulation of the fatty acid synthase promoter *in vivo*: sterol regulatory element binding protein functions through an upstream region containing a sterol regulatory element. *PNAS USA* 97: 10619-10624.
- Lecumberi E., Goya L., Mateos R., Alia, M., Ramos, S., Izquierdo-Pulido M., 2007. A diet rich in dietary fiber from cocoa improves lipid profile and reduces malondialdehyde in hypercholesterolemic rats. *Nutrition* 23: 332-341.
- Lee, J., Kim, D., Choi, J., Choi, H., Ryu, J.H., Jeong, J., Park, E.J., Kim, S.H., Kim, S., 2012. Dehydrodeconiferyl alcohol isolated from *Cucurbita moschata* shows anti-adipogenic and anti-lipogenic effect in 3T3-L1 cells and primary mouse embryonic fibroblast. *J Biol Chem* 287 (12): 8839-8851
- Lee, Y.K., Chung, W.K., Ezura, H., 2003. Efficient plant regeneration via organogenesis in winter squash (*Cucurbita maxima* Durh.). *Plant Sci* 164: 413-418.
- Li, S., Brown, M.S., Goldstein, J.L., 2010. Bifurcation of insulin signaling pathway in rat liver: mTORC1 required for stimulation of lipogenesis, but not inhibition of gluconeogenesis. *PNAS USA* 107: 3441-3446.
- Liu, C., Li, Y., Zuo, G., Xu, W., Gao, H., Yang, Y., Yamahara, J., Wang, J., Li, Y., 2013. Oleanolic acids diminished liquid fructose-induced fatty liver in rats: role of modulation of hepatic sterol regulatory element –binding protein-1c-mediated

- expression genes responsible for de novo fatty acids synthesis. *Evid –Based Compl and Altern Med* 2013: 1-12.
- Lu,M., Shyy,J.Y., 2006. Sterol regulatory element-binding protein 1 is negatively modulated by PKA phosphorylation. *Am J Physiol Cell Physiol* 290: C1477-C1486.
- Ma, J., Folsom, A.R., Shahar,E., Eckfeldt,J.H., 1995. Plasma fatty acid composition as an indicator of habitual dietary fat intake in middle-aged adults. *Am J Clin Nutr* 62 (3): 564-571.
- Malik, V.S., Schulze, M.B., Hu,F.B., 2006. Intake of sugar-sweetened beverages and weight gain : a systemic review. *Am J Clin Nutr* 84 (2): 274-288.
- Matsumoto,M., Ogawa,W., Teshigawara,K., Inoue,H., Miyake,K., Sakaue,H., Kasuga,M., 2002. Role of insulin receptor substrate I and phosphatidylinositol 3-kinase signaling pathway in insulin-induced expression of sterol regulatory element binding protein 1c and glucokinase genes in rat hepatocytes. *Diabetes* 51: 1672-1680.
- Matsuzaka,T., Shimano,H., Yahagi,N., Amemiya-Kudo,M., Okazaki,H., Tamura,Y., 2004. Insulin-independent induction of sterol regulatory element- binding protein-1c expression in the livers of streptozotocin-treated mice. *Diabetes* 53(3): 560-569.
- Matsuzaka,T., Shimano,H., 2013. Insulin –dependent and –independent regulation of sterol regulatory element binding protein-1c. *J Diab Invest* 4(5): 411-412.
- Mittendorfer, B., Sidossis, L.S., 2001. Mechanism for the increase in plasma triacylglycerol concentrations after consumption of short-term, high-carbohydrate diets. *Am J Clin Nutr* 73 (5): 892-899.
- Miyazaki,M., Dobrzyn,A., Man, W.C., Chu,K., Sampath,H., Kim,H.J., 2004. Stearoyl-CoA desaturase 1 gene expression is necessary for fructose mediated induction of lipogenic gene expression by sterol regulatory element-binding protein-1c-dependent and –independent mechanism. *J Biol Chem* 279 (24): 25164-25171.
- Mourrieras,F., Foufelle,F., Foretz,M., Morin J., Bouche S., Ferre,P., 1997. Induction of fatty acid synthase and S14 gene expression by glucose, xylitol and dihydroxyacetone in cultured rat hepatocytes is closely correlated with glucose-6-phosphate concentrations. *Biochem J* 326:345-349.
- Nagai,Y., Nishio,Y., Nakamura,T., Maegawa,H., Kikkawa,R., Kashiwagi,A., 2002. Amelioration of high fructose-induced metabolic derangements by activation of PPAR α . *Am J Physiol Endocrinol Metab* 282: E1180-E1190.
- Ngatidjan., 2006. Metode laboratorium dalam toksikologi. Bagian Farmakologi dan Toksikologi Fakultas Kedokteran UGM, Yogyakarta.
- Noeman,S.A., Hamooda,H.E., Baalash,A.A., 2011. Biochemical studies of oxidative stress markers in liver, kidney, and heart of high fat diet induced obesity in rats. *Diabet Met Synd* 3(17): 1-8
- Osborne,T.F. 2002. Sterol regulatory element-binding proteins (SREBPs): key regulators of nutritional homeostasis and insulin action. *J Biol Chem* 275: 32379-32382.
- Parks, E.J., Skokan, L.E., Timlin,M.T., Dingfelder, C.S., 2008. Dietary sugars stimulate fatty acids synthesis in adults. *J. Nutr.* 138 (6): 1039-1046.

- Peterfy, M., Harris, T.E., Fujita, N., Reue, K., 2010. Insulin-stimulated interaction with 14-3-3 promotes cytoplasmic localization of lipin-1 adipocytes. *J Biol Chem.* 285: 3857-3864.
- Peterson, T.R., Sengupta, S.S., Harris, T.E., Carmack, A.E., Kang, S.A., Balderas, E., Guertin, D.A., Madden, K.L., Carpenter, A.E., Finck, B.N., Sabatini, D.M., 2011. mTOR complex 1 regulates lipin 1 localization to control the SREBP pathway. *Cell* 146: 408-420.
- Porstmann, T., Santos, C.R., Griffiths, B., Cully, M., Wu, M., Leever, S., Griffiths, J.R., Chung, Y.L., Schulze, A., 2008. SREBP activity is regulated by mTORC1 and contributes to Akt-dependent cell growth. *Cell Metab.* 8: 224-236
- Prip-Buus, C., Perdureau, D., Foufelle, F., Maury J, Ferre, P., Girard, J., 1995. Induction of fatty acid synthase gene expression by glucose in primary culture of rat hepatocyte dependency upon glucokinase activity. *Eur J Biochem* 230: 309-315.
- Reeves, P.G., Nielsen, F.H., Fahey, G.C. 1993. Purified Diets for Laboratory Rodents: Final reports of the American Institute of Nutrition Ad Hoc Writing Committee on the Formulation of the AIN-76A Rodent Diet. *J Nutr* 123: 1939-1951
- Repa, J.J., Liang, G., Ou, J., Bashmakov, Y., Lobaccaro, J.M., Shoimomura, I., Shan, B., Brown, M.S., Goldstein, J.L., Mangelsdorf, D.J., 2000. Regulation of mouse sterol regulatory element binding protein 1c gene (SREBP-1c) by oxysterol receptors, LXRalpha and LXRbeta. *Genes Dev* 14: 2819-2830.
- Riccardi, G., Giacco, R., Rivellese, A.A., 2004. Diet, fat, insulin sensitivity and the metabolic syndrome. *Clin Nutr* 23(4): 447-456
- Roberts, C.K. dan Kunal K.S., 2009. Oxidative stress and metabolic syndrome. *Life Sci* 84: 705-712.
- Romero, A.L., West, K.L., Zern T., Fernandes, M.L., 2002. The seeds from *plantago ovalata* lower plasma lipids by altering hepatic and bile acid metabolism in guinea pigs. *J.Nutr.* 132: 1194-1198.
- Rosen, E.D., Walkey, C.J., Puigserver, P., Spiegelman, B.M., 2000. Transcriptional regulation of adipogenesis. *Genes Dev* 14: 1293-1307.
- Sampath, H., Miyazaki, M., Dobrzyn, A., Ntambi, J.M., 2007. Stearoyl-CoA desaturase-1 mediates the pro-lipogenic effects of dietary saturated fat. *J Biol Chem.* 282(4): 2483-2493.
- Santos, C.X., Tanaka, L.Y., Wosniak, J., Laurindo, F.R., 2009. Mechanism and implications of reactive oxygen species generation during the unfolded protein response: roles of endoplasmic reticulum oxidoreductase, mitochondrial electron transport and NADPH oxidase. *Antioxid Redox Signal* 11: 2409-2427.
- Scultz, J.R., Tu, H., Luk, A., Repa, J.J., Medina, J.C., Li, L., Schwedner, S., Wang, S., Thoolen, M., Mangelsdorf, D.J., 2000. Role of LXRs in control of lipogenesis. *Genes Dev* 14: 2381-2388.
- Shimano, H. 2009. SREBP: physiology and pathophysiology of the SREBP family. *FEBS J* 276: 616-621.
- Sekiya, M., Yahagi, N., Matsuzaka, T., Takeuchi, Y., Nakagawa, Y., Takahashi, H., Okazaki, H., Iizuka, Y., Ohashi, K., Gotoda, T., Ishibashi, S., Nagai, R., Yamazaki, T., Kadowaki, T., Yamada, N., Osuga, J., Shimano, H.,

2007. SREBP-1- independent regulation of lipogenic gene expression in adipocytes. *J Lipid Res* 48: 1581-1591.
- Shimomura,I., Bashmakov,Y., Horton,J.D., 1999. Increased level of nuclear SREBP-1c associated with fatty livers in two mouse models of diabetes mellitus. *J Biol Chem.* 274 (42): 30028-30032.
- Shimomura,I., Bashmakov,Y., Ikemoto,S., Horton,J.D., Brown,M.S., Goldstein,J.L., 1999. Insulin selectively increases SREBP-1c mRNA in the livers of rats with streptozotocin-induced diabetes. *PNAS USA* 96: 13656-13661.
- Shimomura,I., Matsuda,M., Hammer,R.E., Bashmakov,Y., Brown,M.S., Goldstein, J.L., 2000. Decreased IRS-2 and increased SREBP-1c lead to mixed insulin resistance and sensitivity in livers of lipodystrophic and ob/ob mice. *Mol Cell* 6:77-86.
- Sinaga, Sondang. 2011. *Pengaruh Substitusi Tepung Terigu dan Jenis Penstabil dalam Pembuatan Cookies Labu Kuning*. [Skripsi]. Fakultas Pertanian Universitas Hasanuddin.
- Su,Q., Tsai,J., Xu,e., Qiu, W., Berezcki,E., Santha,M., 2009. Apolipoprotein B100 acts as a molecular link between lipid-induced endoplasmic reticulum stress and hepatic insulin resistance. *Hepatology* 50: 77-84.
- Sundqvist,A., Bengoechea-Alonso,M.T., Ye,X., Lukiyanchuk,V., Jin,J., Harper,J.W., Ericsson,J., 2005. Control of lipid metabolism by phosphorylation-dependent degradation of the SREBP family of transcription factors by SCF (Fbw7). *Cell Metab* 1: 379-391.
- Tangvarasittichai,S., 2015. Oxidative stress, insulin resistance, dyslipidemia and type 2 diabetes mellitus. *World J Diabetes* 6(3): 456-480.
- Tarling,E., Salter,A., Bennet,A., 2004. Transcriptional regulation of human SREBP-1c (sterol regulatory element binding protein-1c): a key regulator of lipogenesis. *Biochem Soc Trans* 32: 107-109.
- Thresher,J.S., Podolin, D.A., Wey,Y., Mazzeo,R.S., Pagliassotti,M.J., 2000. Comparison of the effects of sucrose and fructose on insulin action and glucose tolerance. *Am J Physiol Regul Integr Comp Physiol* 279 (4): R1334-R1340.
- Tobe,K., Suzuki,R., Aoyama,M., Yamauchi,T., Kamon,J., Kubota,N., Terauchi,Y., Matsui J., Akanuma,Y., Kimura,S., Tanaka,J., Abe,M., Ohsumi,J., Nagai,R., Kadowaki T. 2001. Increased expression of the sterol regulatory element binding protein-1 gene in insulin receptor substrate 2 (-/-) mouse liver. *J Biol Chem* 276: 38337-38340.
- Towle,H.C., Kaytor,E.N., Shih,H.M., 1997. Regulation of the expression of lipogenic enzyme genes by carbohydrate. *Annu Rev Nutr* 17: 405-433.
- Tranchida,F., Leopold,T., Zo,R., Valerie,D., Olivier,R., Abel,H., 2012. Long-term high fructose and saturated fat diet affects plasma fatty acids profile in rats. *J Zhejiang Univ –Sci B* 13(4): 307-317.
- Urakawa,H., Katsuki,A., Sumida, Y., Gabazza, EC., Murashima, S., Morioka,K., 2003. Oxidative stress is associated with adiposity and insulin resistance in men. *J Clin End Metabol* 88(10): 4673-4676.
- Usha R, Laksmi M, Ranjani M. 2010. Nutritional, sensory and physical analysis of pumpkin flour incorporated into weaning mix: analysis of pumpkin flour incorporated into weaning mix. *Mal J Nutr* 16(3): 379 – 387.

- Xu,G.H., 2000. A study of the possible antitumor effect and immunocompetence of pumpkin polysaccharide. *J Wuhan Prof Med Coll* 28:1-4.
- Yang,Z.H.,Miyahara,H., Takeo,J., Katayama,M., 2012. Diet high in fat and sucrose induces rapid onset of obesity-related metabolic syndrome partly through rapid response of genes involved in lipogenesis,insulin signalling and inflammation in mice. *Diabet Metabol Syn* 4:32.
- Yellaturu,C.R., Deng,X., Park,E.A., Raghov,R., Elam,M.B., 2009. Insulin enhances the biogenesis of nuclear sterol regulatory element binding protein (SREBP)-1c by post transcriptional down-regulation of Insig-2A and its dissociation from SREBP cleavage-activating protein (SCAP) SREBP-1c complex. *J Biol Chem* 284: 31726-31734.
- Yoshikawa,T., Shimano,H., Amemiya-Kudo,M., Yahagi,N., Hasti,A.H., Matsuzaka,T.,Okazaki,H., Tamura,Y., Iizuka,Y., 2001. Identification of liver X-receptor-retinoid X receptor as an activator of the sterol regulatory element-binding protein 1c gene promoter. *Mol Cell Biol* 21: 2991-3000.
- Yozokawa,T., Cho,E.J., Park,C.H., Kim,J.H., 2012. Protective effect of proanthocyanidin againts diabetic oxidative stress. *Hind Pub Corp Evid based Compl and Altern Med* I: 1-11.
- Zammit,V.A., Waterman,I.J., Topping,D., McKay, G., 2001. Insulin stimulation of hepatic triacylglycerol secretion and the etiology of insulin resistance. *J Nutr* 131(8): 2074-2077.
- Zha,B.S., Zhou,H., 2012. ER stress and lipid metabolism in adipocytes. *Hind Pub Corp Biochem Res Int* I: 1-10.