

## DAFTAR PUSTAKA

- Abdullah,M.M., Riediger,N.N., Chen,Q., Zhao,Z., Azordegan,N., Xu,Z., Fischer,G., Othman,R.A., Pierce,G.N., Tappia,P.S., 2009. Effects of long-term consumption of a high-fructose diet on conventional cardiovascular risk factors in Sprague-Dawley rats. *Mol Cell Biochem.* 327(1-2):247-256.
- Angka Kecukupan Gizi (AKG). 2013. *Tabel Angka Kecukupan Gizi 2013 bagi Orang Indonesia*. Tersedia dalam: <<http://gizi.depkes.go.id/>> [Diakses tanggal 7 Juli 2014].
- Applequist,W.L., Avula,B., Schaneberg,B.T., Wang,Y.H., Khan,I.A., 2006. Comparative fatty acid content of seeds of four Cucurbita species grown in a common (shared) garden. *J Food Comp Anal.* 19:606-611.
- Astrup,A., Finer,N., 2000. Redefining type 2 diabetes: ‘diabesity’ or ‘obesity dependent diabetes mellitus’. *Obes Rev.* 1(2):57-59.
- Aude,Y.W., Mego,P., Mehta,J.L., 2004. Metabolic syndrome: dietary interventions. *Curr Opin Cardiol.* 19:473-479.
- Basciano,H., Federico,L., Adeli,K., 2005. Fructose, insulin resistance, and metabolic dyslipidemia. *Nutr. Metab.* 2(1):5.
- Beck-Nielsen,H., Pedersen,O., Lindskov,H.O., 1980. Impaired cellular insulin binding and insulin sensitivity induced by high-fructose feeding in normal subject. *Am J Clin Nutr.* 33:273-278.
- Bezerra,R.M., Ueno,M., Silva,M.S., Tavares,D.Q., Carvalho,C.R.O., Saad,M.J.A., 2000. A high fructose diet affect the early steps of insulin action in muscle and liver of rats. *J Nutr.* 130:1531-1535.
- Biddinger,S.B., Kahn,C.R., 2006. From mice to men: insights into the insulin resistance syndromes. *Annu. Rev. Physiol.* 68:123-158.
- Birnbaum,M.J., 2001. Turning down insulin signaling. *J Clin Investig.* 108:655-659.
- Biewenga,G.P., Haenen,G.R., Bast,A., 1997. The pharmacology of the antioxidant lipoic acid. *Gen Pharmacol.* 29:315-331.
- Ble-Castillo,J.L., Aparicio-Trapala,M.A., Juarez-Rojop,I.E., Torres-Lopez,J.E., Mendez,J.D., Aguilar-Mariscal,H., Olvera-Hernandez,V., Palma-Cordova,L.C., Diaz-Zagoya,J.C., 2012. Differential effect of high-carbohydrate and high-fat diet composition on metabolic control and insulin resistance in normal rats. *Int J Environ Res.*, 9:1663-1676.
- Bombardelli,E., Morazzoni,P., 1997. Curcubita pepo L. *Fitoterapia.* 68(4): 291.
- Bonet, M.L., Canas, J.A., Ribot, J., Palou, A., 2015. Carotenoids and their conversion products in the control of adipocyte function, adiposity and obesity. *J. Biochem. Biophys.* 572: 112-125.
- Bray, G.A., 2004. Medical consequences of obesity. *J. Clin. Endocr. Metab.* 89:2583-2589.
- Breitman, T.R., Takahashi, N., 1996. Retynolation of proteins in mammalian cells. *Biochem. Soc. Trans.* 24: 723-727.

- Bremer, A.A., Mietus-Snyder, M., Lustig, R.H., 2012. Toward a Unifying Hypothesis of Metabolic Syndrome. *Pediatrics*. 129(3):557-570.
- Brownlee, M., 2001. Biochemistry and molecular cell biology of diabetic complications. *Nature*. 414:813–820.
- Buettner, R., Scholmerich, J., Bolheimer, L.C., 2007. High-fat diets: modeling the metabolic disorders of human obesity in rodents. *Obesity*, 15(4):798-808.
- Caili, F., Huan, S., Quanhong, L., 2006. A review on pharmacological activities and utilization technologies of pumpkin. *Plants Food Hum Nutr*. 61: 73-80.
- Carlsson, C., Borg, L.A., Welsh, N., 1999. Sodium palmitate induces partial mitochondrial uncoupling and reactive oxygen species in rat pancreatic islets *in vitro*. *Endocrinology*. 140:3422–3428.
- Carvalho, E., Jansson, P.-A., Axelsen, M., Eriksson, J. W., Huang, X., Groop, L., Rondinone, C., Sjöström, L., Smith, U., 1999. Low cellular IRS 1 gene and protein expression predict insulin resistance and NIDDM. *The FASEB Journal*, 13: 2173-2178.
- Chen, J., Capozza, F., Wu, A., 2008. Regulation of insulin receptor substrate-1 expression levels by caveolin-1. *J Cell Physiol*. 217:281–289.
- Chung, H.Y., Ferreira, A.L., Epstein, S., Paiva, S.A., 2009. Site-specific concentration of carotenoid in adipose tissue : relations with dietary and serum carotenoid concentrations in healthy adults. *Am. J. Clin. Nutr*. 90: 533-539.
- Cusi, K., Maezono, K., Osman, A., 2000. Insulin resistance differentially affects the PI 3-kinase and MAP kinase-mediated signaling in human muscle. *J Clin Invest*. 105:311–320.
- Coate, K.C., Scott, M., Farmer, B., Moore, M.C., Smith, M., Roop, J., Neal, D.W., Williams, P., Cherrington, A.D., 2010. Chronic consumption of a high-fat/high-fructose diet renders the liver incapable of net hepatic glucose uptake. *Am J Physiol Endocrinol Metab*. 299:887-898.
- Clemmons, D.R., 2006. Involvement of insulin-like growth factor-I in the control of glucose homeostasis. *Curr. Opin. Pharmacol*. 6:620-625.
- Dabaghian, F.H., Kamalinejad, M., Shojaei, A., and Fard, M.A., 2012. Presenting anti-diabetic plants in Iranian traditional medicine. *J Endocrinol Diabetes and*. 3: 70–76.
- DeFronzo, R.A., Tripathy, D., 2009. Skeletal muscle insulin resistance is the primary defect in type 2 diabetes. *Diabetes Care*. 32:157–163.
- Degerman, E., Landström, T.R., Holst, L.S., Göransson, O., Härndahl, L., Ahmad, F., Choi, Y.H., Masciarelli, S., Liu, H., Manganiello, V., 2003. Role for phosphodiesterase 3B in regulation of lipolysis and insulin secretion. *Endocr Rev*. 373–383.
- Dhe-Paganon, S., Ottinger, E.A., Nolte, R.T., Eck, M.J., Shoelson, S.E. 1999. Crystal structure of the pleckstrin homology-phosphotyrosine binding (PH-PTB) targeting region of insulin receptor substrate 1. *Proc. Natl. Acad. Sci. USA*. 96:8378-8383.
- Draznin, B., 2006. Molecular mechanisms of insulin resistance: serine phosphorylation of insulin receptor substrate-1 and increased expression of p85alpha: the two sides of a coin. *Diabetes*. 55:2392–7.

- Dresner,A., Laurent,D., Marcucci,M., Griffin,M.E., Dufour,S., Cline,G.W., Slezak,L.A., Andersen,D.K., Hundal,R.S., Rothman,D.L., 1999. Effects of free fatty acids on glucose transport and IRS-1-associated phosphatidylinositol 3-kinase activity. *J Clin Invest.* 103(2):253-259.
- Eck,M.J., Dhe-Paganon,S., Trub,T., Nolte,R.T., Shoelson,S.E., 1996. Structure of the IRS-1 PTB domain bound to the juxtamembrane region of the insulin receptor. *Cell.* 85:695-705.
- Elliott,S.S., Keim,N.L., Stern,J.S., Teff,K., Havel,P.J., 2002. Fructose, weight gain, and the insulin resistance syndrome. *Am J Clin Nutr.* 76:911-922.
- Eriksson,J.W., 2007. Metabolic stress in insulin's target cells leads to ROS accumulation-A hypothetical common pathway causing insulin resistance. *FEBS Open Bio.* 581:3734-3742.
- Evans,J.L., Goldfine,I.D., Maddux,B.A., Grodsky,G.M., 2002. Oxidative stress and stress-activated signaling pathway : a unifying hypothesis of type 2 diabetes. *Endocr Rev.* 23(5):599-622.
- Evans, J.L., Goldfine, I.D., Maddux, B.A., Grodsky, G.M., 2003. Are oxidative stress-activated signaling pathways mediators of insulin resistance and  $\beta$ -cell dysfunction. *Diabetes*, 52(1):1-8.
- Farese,R.V., 2002. Function and dysfunction of aPKC isoforms for glucose transport in insulin-sensitive and insulin-resistant states. *Am J Physiol Endocrinol Metab.* 283:E1-11.
- Festing,M.F.W., Baumans,V., Combes,R., Halder,M., Hendriksen,C., Howard,B., Lovell,D., Moore,G., Overend,P., Wilson,M., 1998. Reducing the use of laboratory animals in biomedical research: problems and possible solution. *ATLA.* 26(1): 283-301.
- Frayne,K.N., 1993. Insulin resistance and lipid metabolism. *Curr Opin Lipidol.* 4:197-204.
- Fu,C., Shi,H., and Li,Q., 2006. A review on pharmacological activities and utilization technologies of pumpkin. *Plant Foods Hum Nutr.* 61: 70-77.
- Furukawa,S., Fujita,T., Shimabukuro,M., Iwaki,M., Yamada,Y., Nakajima,Y., Nakayama,O., Makishima,M., Matsuda,M & Shimomura,I., 2004. Increased oxidative stress in obesity and its impact on metabolic syndrome. *J. Clin. Invest.* 114:1752-1761.
- Gaziano,J.M., Hatta,A., Flynn,M., EJohnson,E.J., Krinsky,N.I., Ridker,P.M., Hennekens,C.H., & Frei,B., 1995. Supplementation with beta-carotene in vivo and in vitro does not inhibit low density lipoprotein oxidation. *Atherosclerosis.*112:187-195.
- Gouranton, E., Yazidi, C.E., Cardinault, N., Arniot, M.J., 2008. Purified low-density lipoprotein and bovine serum albumin efficiency to internalise lycopene into adipocytes. *Food Chem. Toxicol.* 46: 3832-3836.
- Gual,P., Le Marchand-Brustel,Y., Tanti,J.F., 2005. Positive and negative regulation of insulin signaling through IRS-1 phosphorylation. *Biochimie.* 87:99-109
- Griffin,M.E., Marcucci,M.J., Cline,G.W., Bell,K., Barucci,N., Lee,D., Goodyear,L.J., Kraegen,E.W., White,M.F., Shulman,G.I., 1999. Free fatty acid-induced insulin resistance is associated with activation of

- protein kinase C  $\theta$  and alterations in the insulin-signaling cascade. *Diabetes*. 48(6):1270-1274.
- Grundy, S.M., Abate, N., and Chandalia, M., 2002. Diet composition and the metabolic syndrome: what is the optimal fat intake. *Am Med J*. 30:113.
- Grune, T., Lietz, G., Palou, A., Ross, A.C., 2010. B-caroten is an important vitamin A Source for human. *J. Nutr*. 140: 2268S-2285S.
- Hallfrisch, J., Ellwood, K.C., Hansen, C.T., 1983. Effect of dietary fructose on plasma glucose and hormone responses in normal and hyperinsulinemic. *J Nutr*. 113:1819-1826.
- Hamman, R.F., 1992. Genetic and environmental determinants of non-insulin-dependent diabetes mellitus (NIDDM). *Diabetes Metab Rev*. 8:287-338.
- Hariyadi, P., 2013. Freeze drying technology : for better quality and flavor of dried products. *Foodreview Indonesia*. 8:2.
- Hendrasty, H.K., 2007. *Tepung Labu Kuning Pembuatan dan Pemanfaatannya*. Kanisius, Yogyakarta.
- Hilder, T.L., Baer, L.A., Fuller, P.M., Fuller, C.A., Grindeland, R.E., Wade, C.E., et al. 2005. Insulin dependent pathways mediating glucose uptake in hindlimb-suspended skeletal muscle. *J Appl Physiol*. 99:2181-8.
- Hirashima, Y., 2003. Insulin down-regulates insulin receptor substrate-2 expression through the phosphatidylinositol 3-kinase/Akt pathway. *J Endocrinol*. 179:253-266.
- Hong, L.H., 2005. Effect of pumpkin extracts on tumor growth inhibition in S180-bearing mice. *Pract Prev Med*. 12: 745-747.
- Hwang, I.S., Ho, H., Hoffman, B.B., Reaven, G.M., 1987. Fructose-induced insulin resistance and hypertension in rats. *Hypertension*. 10: 512-516.
- Jia, W., Gao, W., and Tang, L. 2003. Antidiabetic herbal drugs officially approved in China. *Phytother Res*. 17: 1127-1134.
- Kahn, C.R., 1978. Insulin resistance, insulin insensitivity, and insulin unresponsiveness : a necessary distinction. *Metabolism*. 27:1893-1902.
- Karlsson, H.K., Zierath, J.R., Kane, S., Krook, A., Lienhard, G.E., Wallberg-Henriksson, H. 2005. Insulin-stimulated phosphorylation of the Akt substrate AS160 is impaired in skeletal muscle of type 2 diabetic subjects. *Diabetes*. 54:1692-7.
- Karlsson, H.K., Zierath, J.R., 2007. Insulin signaling and glucose transport in insulin resistant human skeletal muscle. *Cell Biochem Biophys*. 48:103-113.
- Kaulmann, A., Bohn, T., 2014. Carotenoids, inflammation, and stress-implication of cellular signaling pathways and relation to chronic disease prevention. *Nutr. Res*. 34 : 907-929.
- Kido, Y., Nakae, J., Accili, D., 2001. Clinical review 125: the insulin receptor and its cellular targets. *J Clin Endocrinol Metab*. 86:972-9.
- Kim, Y.I., Lee, F.N., Choi, W.S., 2006. Insulin regulation of skeletal muscle PDK4 mRNA expression is impaired in acute insulin resistant state. *Diabetes*. 55(8):2311-2317.
- Krebs, M., and Roden, M., 2004. Nutrient-induced insulin resistance in human skeletal muscle. *Curr Med Chem*. 11:901-908.

- Krinsky, N.I., 1998. Overview of lycopene, carotenoids, and disease prevention. *Proc Soc Exp Biol Med.* 218:95–97.
- Kyriakis, J.M., and Avruch, J., 1996. Sounding the alarm: protein kinase cascades activated by stress and inflammation. *J Biol Chem.* 271:24313–24316.
- Li, Y., Wang, J., Gu, T., Yamahara, J., Li, Y. 2014. Oleanolic acid supplement attenuates liquid fructose-induced adipose tissue insulin resistance through the insulin receptor substrate-1/phosphatidylinositol 3-kinase/Akt signaling pathway in rats. *Toxicol Appl Pharmacol.* 277:155–163.
- Liu, Y.F., Paz, K., Herschkovitz, A., Alt, A., Tennenbaum, T., Sampson, S.R., Ohba, M., Kuroki, T., LeRoith, D., dan Zick, Y., 2001. Insulin stimulate PKC zeta-mediated phosphorylation of insulin receptor substrate-1 (IRS-1) – A self-attenuated mechanism to negatively regulate the function of IRS proteins. *J Biol Chem.* 276:14459–14465.
- Livak, K.J., Schmittgen, T.D., 2008. Analyzing real-time PCR data by comparative CT method. *Nature.* 3:1101–1108.
- Lu, S.C., 2000. Regulation of glutathione synthesis. *Curr Top Cell Regul.* 36:95–116.
- Lu, J., Zeng, Y., Hou, W., Zhang, S., Lia, L., Luo, X., Xi, W., Chen, Z., Xiang, M., 2012. The soybean peptide aglycin regulates glucose homeostasis in type 2 diabetic mice via IR/IRS1 pathway. *J Nutr Biochem.* 23:1449–1457.
- Maddux, B.A., See, W., Lawrence, J.C.Jr., Goldfine, A.L., Goldfine, I.D., Evans, J.L., 2001. Protection against oxidative stress-induced insulin resistance in rat L6 muscle cells by micromolar concentrations of lipoic acid. *Diabetes.* 50:404–410.
- Makni, M., Fetoui, H., Gargouri, N.K., Garoui, El.M., Jaber, H., Makni, J., Boudawara, T., Zeghal, N., 2008. Hypolipidemic and hepatoprotective effect of flax and pumpkin seed mixture rich in  $\omega$ -3 and  $\omega$ -6 fatty acids in hypercholesterolemic rats. *Food Chem Toxicol.* 46(12):3714–3720.
- Malik, V.S., Schulze, M.B., Hu, F.B., 2006. Intake of sugar sweetened beverages and weight gain: a systematic review. *Am. J. Clin. Nutr.*, 84(2):274–288.
- Mandavia, C., Sowers, J.R., 2012. Phosphoprotein phosphatase PP2A regulation of insulin receptor substrate 1 and insulin metabolic signaling. *Cardiorenal Med.* 2:308–313.
- Matus, Z., Molnar, P., Szabo, L., 1993. Main carotenoids in pressed seeds (*Cucurbitae semen*) of pumpkin (*Cucurbita pepo convar. pepo var. styriaca*). *ACTA Pharmaceutica Hungarica.* 63, 247–256.
- McCurdy, C.E., Cartee, G.D., 2005. Akt2 is essential for the full effect of calorie restriction on insulin-stimulated glucose uptake in skeletal muscle. *Diabetes.* 54:1349–56.
- Melov, S., 2000. Mitochondrial oxidative stress. Physiologic consequences and potential for a role in aging. *Ann NY Acad Sci.* 908: 219–225.
- Melov, S., Coskun, P., Patel, M., Tuinstra, R., Cottrell, B., Jun, A.S., Zastawny, T.H., Dizdaroglu, M., Goodman, S.I., Huang, T.T., Miziorko, H., Epstein, C.J., Wallace, D.C., 1999. Mitochondrial disease in superoxide dismutase 2 mutant mice. *Proc Natl Acad Sci USA.* 96:846 – 851.

- Murkovic,M., Mulleder,U., Neunteufl,H., 2002. Carotenoid content in different varieties of pumpkins. *J Food Compost Anal.* 15(6): 633-638.
- Namitha,K.K., Negi,P.S., 2010. Chemistry and biotechnology of carotenoids. *Crit Rev Food Sci Nutr.* 50:728–760.
- Ngatidjan. 2006. Metode laboratorium dalam toksikologi. Bagian Farmakologi dan Toksikologi Fakultas Kedokteran UGM. Yogyakarta.
- Nishikawa,T., Edelstein,D., Brownlee,M., 2000. The missing link: a single unifying mechanism for diabetic complications. *Kidney Int.* 58:26–30.
- Omayma,A., Eldahshan, & Singab,A.N.B., 2013. Carotenoid. *J Pharm & Phytochem.*2:8192.
- Osth,M., Ost,A., Kjolhede,P., Stralfors,P., 2014. The concentration of beta-carotene in human adipocytes, but not the whole-body adipocyte stores, is reduced in obesity. *PLoS ONE.* 9(1):e85610.
- Packer,L., Witt,E.H., Tritschler,H.J., 1995. Lipoic acid as a biological antioxidant. *Free Radic Biol Med.* 19:227–250.
- Park,S.C., Lee,J.R., Kim,J.Y., 2010. A novel antifungal protein from pumpkin rinds. *Biotechnol Lett.* 32: 125-130.
- Parker, R.S., 1989. Carotenoid in human blood and tissues. *J. Nutr.* 119: 101-104
- Paz,K., Hemi,R., LeRoith,D., Karasik,A., Elhanany,E., Kanety,H., Zick,Y., 1997. A molecular basis for insulin resistance: elevated serine/threonine phosphorylation of IRS-1 and IRS-2 inhibits their binding to the juxtamembrane region of the insulin receptor and impairs their ability to undergo insulin-induced tyrosine phosphorylation. *J Biol Chem.* 272:29911–29918.
- Rakhshandehroo,M., Knoch,B., M'uller,M., Kersten,S., 2010. Peroxisome proliferator-activated receptor alpha target genes. *PPAR Research.* vol. 2010, Article ID 612089. 20 pages.
- Rao,M.S., Reddy,J.K. 2001. Peroxisomal-oxidation and steatohepatitis. *Semin Liver Dis.* 21:43–55.
- Rhodes,C.J., White,M.F., 2002. Molecular insights into insulin action and secretion. *Eur J Clin Invest.* 32:3-13.
- Rodriguez-Amaya, D. B., Kimura, M., Godoy, H. T., and Amaya-Farfan, J., 2008. Updated Brazilian database on food carotenoids: Factors affecting carotenoids composition. *J Food Compost Anal.* 21: 445–463.
- Rosen,P., Nawroth,P.P., King,G., Moller,W., Tritschler,H.J., Packer,L., 2001. The role of oxidative stress in the onset and progression of diabetes and its complications. *Diabetes Metab Res Rev.* 17:189–212.
- Sedigheh.A., Jamal.M.S., Mahbubeh.S., Somayeh.K., Mahmoud.R, Azadeh.A., and Fatemeh.S., 2011. Hypoglycaemic and hypolipidemic effects of pumpkin (*Cucurbita pepo* L.) on alloxan-induced diabetic rats. *J Pharm Pharm.* 23: 2620-2626.
- Sesti,G., Federici,M., Hribal,M.L., Lauro,D., Sbraccia,P., Lauro,R., 2001. Defects of the insulin receptor substrate (IRS) system in human metabolic disorders. *FASEB J.* 15, 2099–2111.
- Sesti,G. 2006. Pathophysiology of insulin resistance. *Best Pract Res Clin Endocrinol Metab.* 20:665–79.

- Shimomura, I., *et al.*, 2000. Decreased IRS-2 and increased SREBP-1c lead to mixed insulin resistance and sensitivity in livers of lipodystrophic and ob/ob mice. *Mol. Cell.* 6:77-86.
- Shulman, G. I. 2000. Cellular Mechanism of Insulin Resistance. *J Clin Invest* 106:171-76.
- Stevenson, D.G., Eller, F.G., Wang, L., Jane, J.L., Wang, T., Inglett, G.E., 2007. Oil and tocopherol content and composition of pumpkin seed oil in 12 cultivars. *J Agric Food Chem.* 55: 4005–4013.
- Sunil, K., Panchal, Brown, L., 2011. Rodent models for metabolic syndrome research. *J Biomed Biotechnol.* 35:1982-1996.
- Taniguchi, C.M., Emanuelli, B., Kahn, C.R. 2006. Critical nodes in signalling pathways: insights into insulin action. *Nat Rev Mol Cell Biol.* 7:85–96.
- Tanoury, A.L., 2013. Vitamin A and retinoid signaling : Genomic and nongenomic effects thematic review series : Fat-soluble vitamin : Vitamin A. *J. Lipid Res.* 54: 1761-1775.
- Teppala, S., Shankar, A., 2010. Association between serum IGF-1 and diabetes among U.S. adults. *Diabetes Care.* 33:2257–2259.
- Thresher, J.S., Podolin, D.A., Wey, Y., Mazzeo, R.S., Pagliassotti, M.J., 2000. Comparison of the effects of sucrose and fructose on insulin action and glucose tolerance. *Am J Physiol Regul Integr Comp Physiol* 279 (4): R1334-R1340.
- Tirosh, A., Potashnik, R., Bashan, N., Rudich, A. 1999. Oxidative stress disrupts insulin-induced cellular redistribution of insulin receptor substrate-1 and phosphatidylinositol 3-kinase in 3T3-L1 adipocytes: A putative cellular mechanism for impaired protein kinase B activation and GLUT4 translocation. *J Biol Chem.* 274:10595–10602.
- Tourniaire, F., Gouranton, E., Von Lintig, J., Keijer, J., Luisa Bonet, M., Amengual, J., Lietz, G., and Landrier, J.F., 2009. Beta-carotene conversion products and their effects on adipose tissue. *Genes Nutr.* 3:179–187.
- Tranchida, F., Tchiakpe, L., Rakotoniaina, Z., Deyris, V., Ravion, O., Hiol, A., 2012. Long-term high fructose and saturated fat diet affects plasma fatty acid profile in rats. *Biomed & Biotechnol.* 13(4): 307-317
- Ueno, M., Bezerra, R.M.N., Silva, M.S., Traveres, D.Q., Carvalho, C.R., Saad, M.J.A., 2000. A high-fructose diet induces changes in pp185 phosphorylation in muscle and liver of rats. *Braz J Med Biol Res.* 33:1421-1427.
- Vaya, J., Aviram, M., 2002. Nutritional antioxidants: Mechanism of action, analyses of activities and medical applications. Current Medicinal Chemistry-Immunology. *Endoc Metab Agents.* 1: 99-117.
- Venkat, R.D., Ankola, D.D., Bhardwa, J.V., Sahana, D.K., Ravikumar, M.N.V., 2006. Role of antioxidants in prophylaxis and therapy: A pharmacological perspective. *J Controlled Release.* 113: 189-207.
- Wada, T., Kenmochi, H., Miyashita, Y., 2010. “Spironolactone improves glucose and lipid metabolism by ameliorating hepatic steatosis and inflammation and suppressing enhanced gluconeogenesis induced by high-fat and high-fructose diet.”. *Endocrinology.* 151(5):2040–2049.

- Wang,S.Y., Huang,W.C., Liu,C.C., Wang,M.F., Ho,C.S., Huang,W.P., Hou,C.C., Chuang,H.L., Huang,C.C., 2012. Pumpkin (*Cucurbita moschata*) fruit extract improves physical fatigue and exercise performance in mice. *Molecules*. 17:11864-11876.
- White,M.F., 2002. IRS proteins and the common path to diabetes. *Am J Physiol*. 238:E413-E422.
- White, M.F., 2003. Insulin signaling in health and disease. *Science*. 302:1710–1711.
- Wojtczak,L., Schonfeld,P., 1993. Effect of fatty acids on energy coupling processes in mitochondria. *Biochim Biophys Acta*. 1183:41–57.
- Xanthopoulou,M.N., Nomikos,T., Fragopoulou,E., Antonopoulou,S., 2009. Antioxidant and lipoxygenase inhibitory activities of pumpkin seed extracts. *Food Res. Int*. 42: 641–646.
- Xia,T., Wang,Q., 2006. Antihyperglycemic effect of *Cucurbita ficifolia* fruit extract in streptozotocin-induced diabetic rats. *Fitoterapia*. 77: 530-533.
- Xu,G.H., 2000. A study of the possible antitumour effect and immunopetence of pumpkin polysaccharide. *Journal Wuhan Prof. Med. Coll*. 28: 1-4.
- Yamagishi,S.I., Edelstein,D., Du,X.L., Kaneda,Y., Guzman,M., Brownlee,M., 2001. Leptin induces mitochondrial superoxide production and monocyte chemoattractant protein-1 expression in aortic endothelial cells by increasing fatty acid oxidation via protein kinase A. *J Biol Chem*. 276:25096–25100.
- Yenush, L., Makati, K.J., Smith-Hall, J., Ishibashi, O., Myers, M.G., Jr., dan White, M.F., 1996. The pleckstrin homology domain is the principal link between the insulin receptor and IRS-1. *J Biol Chem*. 271:24300-24306.
- Yu, C., Chen, Y., Cline, G.W., Zhang, D., Zong, H., Wang, Y., Bergeron, R., *et al.*, 2002. Mechanisme by which fatty acids inhibit insulin activation of IRS-1-associated phosphatidylinositol 3-kinase activity in muscle. *J Biol Chem*. 277:50230-50236.
- Zick,Y., 2004. Uncoupling insulin signalling by serine/threonine phosphorylation: a molecular basis for insulin resistance. *Biochem Soc trans*. 32:812–816.