

DAFTAR PUSTAKA

- Afzal, N., Zaman, S., Asghar, A., Javed, K., Shahzad, F., Zafar, A. & Nagi, A.H., 2014. Negatif association of serum IL-6 and IL-17 with type-II diabetes retinopathy. *Iran. J. Immunol*, 11(1): 40-8.
- Agarche, I., Ciobanu, C., Agache, C. & Anghel, M., 2010. Increased serum IL-17 is an independent risk factor for severe asthma. *Respiratory Med*, 104: 1131-37.
- Aldhoon-Hainerova, I., Zamrazilova, H., Dusatkova, H., Hlavaty, P., Hill, M.M. & Hampl, R., 2014. Glucose homeostasis and insulin resistance: prevalence, gender differences and predictor in adolescents. *Diabet & Metab Syndrome*, 6: 100-9.
- Alemzadeh, R. & Kicler, J., 2014. Gender differences in the association of insulin resistance and high-sensitivity c-reactive protein in obese adolescents. *J. Diabet. Metab.*, 13: 35-43.
- Arababadi, M.K., Mirzaei, M.R., Sajadi, S.M., Hassanshahi, G., Ahmadabadi, B.N., Salehabadi, V.A. & al, e., 2012. Interleukin (IL)-10 Gene polymorphisms are associated with type 2 diabetes with and without nephropathy: A study of patients from the Southeast region of Iran. *Inflammation*, 35(3): 797-02.
- Baur, L.A., 2002. Child and adolescent obesity in the 21st century: an Australian perspective. *Asia Pacific J Clin Nutr*, 11: 524-528.
- Bell, L.M., Byrne, S., Thompson, A., Ratnam, N., Blair, E. & Bulsara, M., 2007. Increasing body mass index z-score is continuously associated with complications of overweight in children, even in the health range. *J Clin Endocrinol Metab*, 92: 517-22.
- Betelli, E., Carrier, Y., Gao, W., Korn, T., Strom, T.B., Oukka, M. & weiner, H., 2006. Reciprocal developmental pathways for the generation of pathogenic effector TH17 and regulatory T cell. *Nature*, 441(7090): 235-8.
- BP2K Kemenkes RI, 2013. *Riset Kesehatan Dasar (RISKESDAS)*. Jakarta: Kementerian Kesehatan RI Pusat Data dan Informasi.
- Bugge, A., El-Naaman, B., McMurray, G.R., Froberg, K., Nielsen, C.H., Muller, K. & Andersen, L.B., 2012. Sex differences in the association between level of childhood interleukin-6 and insulin resistance in adolescence. *Exp.Diabetes Research*, doi:10.1155/2012/859186.
- Cali, A.M.G. & Caprio, S., 2008. Obesity in children and adolescents. *J Clin Endocrinol Metab*, 93: 31-36.

- Cefalu, W.T., 2001. Insuline resistance: cellular and clinical concep. *EBM*, 266: 13-26.
- Chen, C., Zhang, Q., Liu, S., Lambrechts, M., Qu, Y. & You, Z., 2014. AZD5363 inhibits inflammatory synergy between interleukin-17 and insulin/insulin-like growth factor 1. *Front Oncol*, 343: 1-9.
- Dahlan, M.S., 2013. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.
- Daniels, S.R., Arnett, D.K., Eckel, R.H., Gidding, S.S., Hayman, L.L. & Kumanyika, S., 2005. Overweight in children and adolescents: patophysiology, consequence, prevention and treatment. *Circulation*, 111: 1999-2012.
- Dehghan, M., Danesh, N.A. & Merchant, A.T., 2005. Childhood obesity, prevalence and preventivtion. *Nutr J*, 4: 24-32.
- Egawa, K., Nakashima, N., Sharma, P.M., Maegawa, H., Nagai, Y., Kashiwagi, A., Kikkawa, R. & Olefsky, J.M., 2000. Persistent activation of phosphatidylinositol 3-kinase causes insulin resistance due to accelerated insulin-induced insulin receptor substrate-1 degradation in 3T3-L1 adipocytes. *Endocrinology*, 141: 1930-35.
- Fantuzzi, G. & Mazzone, T., 2007. *Adipose tissue and adipokines in health and disease*. New Jersey: Human Press.
- Fossiez, F., Djossou, O., Chomarar, P., Flores-Romo, L., Ait-Yahia, S., Maat, C. & Pin, J., 1996. T cell interleukin 17 induces stromal cell to produce proinflammatory and hemapoietic cytokines. *J Exp Med*, 183(6): 2593-03.
- Fu, Z., Gilbert, E.R. & Liu, D., 2013. Regulation of insulin synthesis and secretion and pancreatic beta-cell dysfunction in diabetes. *Curr Diabetes Rev*, 9(1): 25-53.
- Fujino, S., Andoh, A., Bamba, S., Ogawa, A., Hata, K. & Araki, Y., 2013. Increased expression of interleukin 17 in inflammatory bowel disease. *Gut*, 52: 65-0.
- Gaffen, S.L., 2011. Recent advances in the IL-17 cytokine family. *Curr.Opin.Immunol*, 23: 613-619.
- Gardner, D.G. & Shoback, D., 2007. *Greenspan's Basic & Clinical Endocrinology*. 8th ed. San Fransisco: McGraw-Hill.
- Geer, E.B. & Shen, W., 2009. 2009. Gender differences in insulin resistance, body composition, and energy balance. *Gend Med*, 6: 60-75.
- Goldstein, B.J., 2007. Struktire and function of the insulin receptor. *Up To Date*, 15: 1-5.

- Imanishi, M., Okada, N., Konishi, Y., Morikawa, T., Maeda, I. & Kitabayashi, C., 2013. Angiotensin II receptor blockade reduce salt sensitivity of blood pressure through restoration of renal nitric oxide synthesis in patients with diabetic nephropathy. *J Renin Angiotensin Aldosterone Syst*, 14(1): 67-73.
- Jagannathan-Bogdan, M., McDonnell, M.E., Shin, H., rehman, Q., Hasturk, H., Apovlan, C.M. & al, e., 2011. Elevated proinflammatory cytokine production by a skewed T cell compartment requires monocytes and promotes inflammation in type 2 diabetes. *J Immunol.*, 186(2): 1162-1172.
- Keskin, M., Kurtoglu, S., Kendirci, M., Atabek, E. & Yacizi, C., 2005. Homeostasis model assessment is more reliable than the fasting glucose/insulin ratio and qualitative insulin sensitivity check index for assessing insulin resistance among obes children and adolescents. *Pediatric*, 115: 500-3.
- Kim , J.K., Fillmore , J.J., Sunshine , M.J., Albrecht , B., Higashimori, T., Kim , D.W., Liu , Z.X. & Soos , T.J., 2004. PKC-theta knockout mice are protected from fat-induced insulin resistance. *J Clin Invest*, 114: 823-27.
- Kosti, R.I. & Panagiotakos, D.B., 2006. The epidemic of obesity in children and adolescents in the world. *Cent Eur J Public Health*, 14: 151-9.
- Kronenberg, H.M., Melmed, S., Polonsky, K.S. & Larsen, P.R., 2008. *Kronenberg: Williams Textbook of Endocrinology*. 11th ed. Philadelphia: Elsavie.
- Lavrador, M.S., Abbes, P.T., Escrivao, M.A. & Taddei, J.A., 2011. Cardivascular risk in adolescents with different degrees of obesity. *Aro Bras Cardiol*, 96: 2015-11.
- Lee, J.M., Okumura, M.J., Davis, M.M., Herman, W.H. & Gurney, J.G., 2006. Prevalence and determinants of insulin resistance among U.S. adolescents. *Diabetes Care* , 29: 2427-32.
- Lo-Re, S., Dumoutier, L., Coullin I, Van , V.C., Yakoub, Y. & Uwambayinema, F., 2010. IL-17A producing $\gamma\delta$ T and Th17 lymphocytes mediate lung inflammation but not fibrosis in experimental silicosis. *J. Immunol*, 184: 6367-77.
- Luca, C.D. & Olefsky, J.M., 2008. Inflamasi and insulin resistance. *FEBS Lett*, 582(1): 97-105.
- Madhur , M.S., Lob, H.E., McCann, L.A., Iwakura, Y., Blinder, Y. & Guzik , T.J., 2010. Interleukin 17 promote angiotensin II-induced hypertension and vascular dysfunction. *hypertension*, 55(2): 500-7.
- Martos-Moreno, G., Barrios, V. & Argente, J., 2006. Normative data for adiponectin, resistin, interleukin 6, and leptin/receptor ratio in a healthy Spanish pediatric population: relationship with sex steroids. *European Journal of Endocrinology*, 155: 429-34.

- Matthei, S., Stumvoll, M., Kellerer, M. & Harung, M.U., 2000. Pathophysiology and pharmacological treatment of insulin resistance. *Endocrine Review*, 21: 55-8.
- Menting, J.G., Whittaker, J., Margetts, M.B., Whittaker, L.J., Kong, G.K. & Smith, B.J., 2013. How insulin engages its primary binding site on the insulin receptor. *Nature*, 493(7431): 241-245.
- Milovanovic, M., Pesic, G., Nikolic, V., Jevtovic-Stoimenov, T., Vasic, K., Jovic, Z., Deljanin-ilic, M. & Pesic, S., 2012. Vitamin D Deficiency is associated with increased IL-17 and TNF alfa level in patients with chronic heart failure. *Arq Bras Cardiol*, 98(3): 259-65.
- Moran, A., Jacobs, J.R., Steinberger, J., Hong, C., Prinesas, R., Luepker, R. & Sinaiko, A.R., 1999. Insulin resistance during puberty results from clump studies in 357 children. *Diabetes*, 48: 2039-44.
- Ogden, C.L., Carroll, M.D., Kit, B.K. & Flegal, K.M., 2012. Prevalence of obesity and trends in body mass index among US children and adolescents, 1999-2010. *JAMA*, 307(5): 483-90.
- Oh, J., Barrett-Connor, E., Wedick, N.M. & Wingard, D.L., 2002. Endogenous Sex Hormones and the development of type 2 diabetes in older men and women: the Rancho Bernardo study. *Diabetes Care*, 25: 55-60.
- Ohshima, K., Mogi, M., Jing, F., Iwanami, J., Tsukuda, K. & Min, L., 2012. Role of interleukin 17 in angiotensin II type 1 receptor-mediated insulin resistance. *Hypertension*, 59(2): 493-99.
- Onishi, R.M. & Gaftan, S.L., 2010. Interleukin-17 and its target gene: mechanisms of interleukin 17 function in disease. *Immunology*, 129: 311-21.
- Park, M.H., Sovio, u., Viner, R.M., Hardy, R.J. & Kinra, S., 2013. Park, Overweight in childhood, adolescence and adulthood and cardiovascular risk in later life: Pooled analysis of three british birth cohorts. *Plos One*, 8(7): 1-6.
- Prabhala, R.H., Pelluru, D., Fulciniti, M., Prabhala, H.K., Nanjappa, P., Song, W. & Pai, C., 2010. Elevated IL-17 produced by TH17 cells promotes myeloma cell growth and inhibits immune function in multiple myeloma. *Blood*, 115(26): 5385-92.
- Qatanani, M. & Lazar, M.A., 2007. Mechanism of obesity-associated insulin resistance: Many choices on the menu. *Genes Dev*, 21: 1443-1445.
- Raj, M., Sundaram, K.R., Paul, M., Deepa, A.S. & Kumar, R.K., 2007. Obesity in Indian children: time trends and relationship with hypertension. *Natl Med J India*, 20: 288-93.

- Ramalingam, L., Oh, E. & Thurmond, D.C., 2013. Novel role for insulin receptor (IR) in adipocytes and skeletal muscle cells via new and unexpected substrates. *Cell Mol Life Sci*, 70(16): 2815-34.
- Reilly, J.J. & Kelly, J., 2011. Long-term impact of overweight and obesity in childhood and adolescence on morbidity and premature mortality in adulthood: systematic review. *Int J Obstre*, 35: 891-898.
- Savage, D.B., Petersen, K.F. & Shulman, G.I., 2005. Mechanisms of Insulin Resistance in Humans and Possible Links With Inflammation. *Hypertension*, 45: 828-33.
- Shin, J.H., Shin, D.W. & Noh, M., 2009. Interleukin-17A inhibits adipocyte differentiation in human mesenchymal stem cell and regulates pro-inflammatory responses in adipocyte. *Biochem Pharmacol*, 77: 1835-1844.
- Solorzano, C.M. & McCartney, C.R., 2010. Obesity and the pubertal transition in girls and boys. *Reproduction*, 140(3): 399-410.
- Sugita, H., Fujimoto, M., Yasukawa, T., Shimizu, N., Sugita, M. & Yasuhara, S., 2005. Inducible nitric-oxide synthase and NO donor induce insulin receptor substrate-1 degradation in skeletal muscle cells. *J Biol Chem*, 280: 14203-11.
- Sumarac-Dumanovic, M., Jeremic, D., Pantovic, A., Janjetovic, K., Stamenkovic-pejkovic, D., Cvijovicl, G. & al, e., 2013. Therapeutic improvement of glucoregulation in newly diagnosed type 2 diabetes patients is associated with a reduction of IL-17 Level. *Immunobiology*, 218: 1113-1118.
- Sumarac-Dumanovic, M., Stevanovic, D., Ljubic, A., Jorga, J., Simic, M., Stamenkovic-Pejkovic & al, e., 2009. 2009. Increased activity of interleukin-23/interleukin-17 proinflammatory axis in obese women. *Int J Obes*, 33: 151-156.
- Verthely, D. & Klinman, D.M., 2000. Sex hormone levels correlate with the activity of cytokine-secreting cell in vivo. *Immunology*, 100: 384-90.
- Wang, L., Kong, L., Wu, F., Bai, Y. & Burton, R., 2005. Preventing chronic diseases in China. *Lancet*, 366: 1821-4.
- Winer, S., Paltser, G., Chan, Y., Tsu, H., Engleman, E., Winer, D. & al, e., 2009. Obesity predisposes to Th17 bias. *Eur J Immunol*, 39: 2629-35.
- World Health Organization, 2000. *Obesity: preventing and managing the global epidemic*. Geneva: WHO.
- Xu, S. & Cao, X., 2010. Interleukin 17 and its expanding biological functions. *Cell & Mol Immunology*, 7: 164-74.
- Yasukawa, T., Tokunaga, E., Ota, H., Sugita, H., Martyn, J.A. & Kaneki, M., 2005. S-nitrosylation-dependent inactivation of Akt/protein kinase B in insulin resistance. *J Biol Chem*, 280: 7511-8.

- Yin, J., Li, M., Xu, L., Wang, L., Zhao, X. & Cheng, H., 2013. Insulin resistance determined by homeostasis model assessment (HOMA) and association with metabolic syndrome among Chinese children and teenagers. *Diabt & Metab Syndrome*, 5: 71-9.
- Zareian, P. & Dizgah, I.M., 2014. Serum interleukin 17 in type 2 diabetes mellitus. *J Arch Mil Med*, 2: 1-4.
- Zeyda, M. & Stulnig, T.M., 2009. Obesity, inflammation and insulin resistance- a mini-review. *Gerontology*, 55: 379-86.
- Zou, W. & Restifo, N.P., 2010. TH17 cell in tumor immunity and immunotherapy. *Nat Rev Immunol*, 10(4): 248-56.
- Zuniga, L.A., Shen, W.-J., Joyce-Shaikh, B., Pyatnova, E.A., Richards, A.G., Thom, C. & Andrade, S.M., 2010. IL-17 regulates adipogenesis, glucose homeostasis, and obesity. *J Immunol*, 185: 6947-59.