

## DAFTAR PUSTAKA

- Achbab YE, Bouatia-Naji N, Beramo M, Deweirder M, Vatin V, Delplanane J. 2009. Association of the ENPP1 K121Q polymorphism with type 2 diabetes and obesity in the Moroccan population. *Diabet & Metab.* 35: 37-42.
- Benitez AM, Klunder M, Yengo L, Meyre D, Aradillas C, Cruz E, Luque EP *et al.* 2013. Analysis of the contribution of FTO, NPC1, ENPP1, NEGR1, GNPDA2, and MC4R genes to obesity in Mexican Children. *Med Genet.* 14:21.
- Bochenski J, Placha G, Wanic K, Malecki M, Sieradzki J, Warram JH, Krolewski AS. 2006. New polymorphism of ENPP1 (PC-1) is associated with increased risk of type 2 diabetes among obese individuals. *Diabetes.* 55: 2626-2630.
- Bollen M, Gijbbers R, Ceulemans H, Stalmans W, Stefan C. 2000. Nucleotide pyrophosphatase/phosphodiesterase on the move. *Crit Rev Biochem Mol Biol.* 35: 393-432.
- Bruning JC, Gautam D, Burks DJ, Gillete J, Schubert M, Orban PC. 2000. Role of brain insulin receptor in control of body weight and reproduction. *Science.* 22: 2122-2125.
- Caprio S. 2003. Obesity and type 2 diabetes: the twin epidemic: preface. *Diabet Spectr.* 16 (4): 230
- Chakraborty C. 2006. Biochemical and molecular basis of insulin resistance. *Curr Prot and Pept Sci.* 7 (2): 1-9.
- Costanzo BV, Trischitta V, Paola RD, Spampinato D, Pizzuti A, Vigneri R, Frittitta L. 2001. The Q allele variant (GLN<sup>121</sup>) of membrane glycoprotein PC-1 interacts with the insulin receptor and inhibits insulin signalling more effectively than the common K allele variant (LYS<sup>121</sup>). *Diabetes.* 50: 831-836.
- Dahlan MS. 2011. *Statistik untuk Kedokteran dan Kesehatan.* Jakarta: Salemba Medika.
- Goding JW, Terkeltaub R, Maurice M, Deterre P, Sali A, Belli SI. 1998. Ecto-phosphodiesterase/pyrophosphatase of lymphocytes and nonlymphoid cells: structure and function of the PC-1 family. *Immunol Rev.* 161: 11-26.
- Goldfine ID, Maddux BA, Youngren JF. 2008. The role of membrane

glycoprotein plasma cell antigen 1/ectonucleotide pyrophosphatase phosphodiesterase 1 in the pathogenesis of insulin resistance and related abnormalities. *Endocr Rev.* 29: 62-75.

Goldstein BJ, Ahmad F, Ding W, Li PM, Zhang WR. 1998. Regulation of the insulin signalling pathway by cellular protein-tyrosine phosphatases. *Mol Cell Biochem.* 182: 91-99.

Kahn BB, Flier JS. 2000. Obesity and insulin resistance. *J Clin Invest.* 106: 473-481.

Kemenkes. Riset Kesehatan Dasar 2013. Jakarta: Kementerian Kesehatan RI, 2013.

Keshavarz P, Inoue H, Sakamoto Y, Kunika K, Tanahashi T, Nakamura N, Yoshikawa T. 2006. No evidence for association of the ENPP1 (PC-1) K121Q variant with risk of type 2 diabetes in a Japanese population. *J Hum Genet.* 51: 559-566.

Keskin M, Kurtoglu S, Kendirci M, Atabek E, Yazici C. 2005. Homeostasis model assessment is more reliable than the fasting glucose/insulin ratio and quantitative insulin sensitivity check index for assessing insulin resistance among obese children and adolescents. *Pediatrics.* 115: 500-503.

Kopelman PG, Caterson ID, Dietz WH. 2010. *Clinical Obesity in Adults and Children Third Edition.* West Sussex: Wiley-Blackwell Publishing.

Leitao CB, Nabinger GB, Krahe AL, Bolson PB, Gerchman F, Friedman R, Gross JL, Canani LH. 2008. The role of K121Q ENPP1 polymorphism in diabetes mellitus and its complication. *Braz J Med Biol Res.* 41(3): 1-6.

Li Y. 2012. ENPP1 K121Q polymorphism and type 2 diabetes mellitus in the chinese population: a meta-analysis including 11855 subjects. *Metabolism.* 61: 625-633.

Liang J, Fu M, Ciociola E, Chandalia M, Abate N. 2007. Role of ENPP1 on adipocyte maturation. *PLoS ONE.* 2(9): e882. doi:10.1371/journal.pone.0000882.

Lorenzo CD, Greco A, Fiorentino TV, Mannino GC, Hribal ML. 2013. Variants of insulin-signalin inhibitor genes in type 2 diabetes and related metabolic abnormalities. *Inter J Genom.* 13: 1-13.

Luo ZT, Beniac DR, Fernandes A, Yip CC, Ottensmeyer FD. 1999. Quaternary structure of the insulin-insulin receptor complex. *Science.* 285: 1077-1080.

Maddux BA, Goldfine ID. 2000. Membrane glycoprotein PC-1 inhibition of

insulin receptor function occurs via direct interaction with the receptor alpha-subunit. *Diabetes*. 49: 13-29.

Matsuoka N, Patki A, Tiwari HK, Allison DB, Johnson SB, Gregersen PK. 2006. Association of K121Q polymorphism in ENPP1 (PC-1) with BMI in Caucasian and African-American adults. *Int J Obes*. 30: 233-237.

McAteer JB, Prudente S, Bacci S, *et al.* 2008. The ENPP1 K121Q polymorphism is associated with type 2 diabetes in European populations: evidence from an updated meta analysis in 42.042 subjects. *Diabetes*. 57: 1125-1130.

Menzaghi C, DiPaola R, Baj G. 2003. Insulin modulates PC-1 processing and recruitment in cultured human cells. *Am J Physiol Endocrinol Metab*. 284: 514-520.

Meyre D, Bounatia-Naji N, Tounian A, Samson C, Lecoecur C, Vatin V, Ghossaini M, *et al.* 2005. Variants of ENPP1 are associated with childhood and adult obesity and increase the risk of glucose intolerance and type 2 diabetes. *Nat Genet*. 37(8): 863-867.

Murray RK, Granner DK, Rodwell VW. 2009. *Biokimia Harper Edisi 27*. Terjemahan dari *Harper's Illustrated Biochemistry 27<sup>th</sup> Edition*. Brahma U, penerjemah. Jakarta: ECG.

Nelson DL, Cox MM. 2008. *Lehninger Principle of Biochemistry 4<sup>th</sup> Edition*. New York: WH Freeman and Company.

Ng M, Fleming T, Robinson M, Thomson B, Graetz N, Margono C, Mullany EC. 2014. Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the global burden of disease study 2013. *Lancet*. 384: 766-781.

Nussbaum, R.L., McInnes, R.R., dan Williard, H.F. 2001. *Genetics in Medicine Sixth Edition*. Saunders Company, Pennsylvania.

Pan W, Chandalia M, Abate N. 2012. New insight into the role of ENPP1 in insulin resistance. *J Metabonomics Metabolics*. 1 (1): 1-3.

Perez MR, Medina-Gomez G. 2011. Obesity, adipogenesis, and insulin resistance. *Endocrinol Nutr*. 58 (7): 360-369.

Prakash J, Mittal B, Awasthi S, Agarwal CG, Srivastava N. 2013. K121Q ENPP1/PC-1 gene is associated with insulin resistance in a North Indian population. *J. Genet*. 92 (3): 1-6.

Pizzuti A, Frittitta L, Argiolas A, *et al.* 1999. A polymorphism (K121Q) of the

human glycoprotein PC-1 gene coding region is strongly associated with insulin resistance. *Diabetes*. 48: 1881-1884.

Qu HQ, Li Q, Rentfro AR, Fisher-Hoch SP, McCormice JB. 2011. The definition of insulin resistance using HOMA-IR for Americans of Mexican descent using machine learning. *PLoS ONE*. 6: 1-4.

Rasmussen SK, Urhamer SA, Pizzuti A, Echwald SM, Ekstrom CT, Hansen L, *et al.* 2000. The K121Q variant of human PC-1 gene is not associated with insulin resistance or type 2 diabetes among Danish Caucasians. *Diabetes*. 49: 1608-1611.

Ruoqi W, Donghao Z, Bo X, XiuShan G, Ping Z, Bo W, MingAi Z, *et al.* 2010. ENPP1/PC-1 gene K121Q polymorphism is associated with obesity in European adult populations: evidence from a meta-analysis involving 24.324 subjects. *Biomed Environ Sci*. 24(2): 200-206.

Savage DE, Petersen KF, Shulman GI. 2007. Disordered lipid metabolism and the pathogenesis of insulin resistance. *Physiol Rev*. 87: 507-520.

Sastroasmoro S, Ismael S. 2011. *Dasar-Dasar Metodologi Penelitian Klinis Edisi 4*. Jakarta: Sagung Seto.

Shepherd PR, Kahn BB. 1999. Glucose transporters and insulin action: implications for insulin resistance and diabetes mellitus. *N Engl J Biomed*. 341: 248-257.

Tanyolac S, Mahley RW, Hodoglugil U, Goldfine ID. 2008. Gender difference in the relationship of ENPP1/PC-1 variants to obesity in a Turkish population. *Obesity*. 16 (11): 2468-2471.

Thomas GN, Ho S, Lam KS, Janus ED, Hedley AJ, Lam TH. 2004. Impact of obesity and body fat distribution on cardiovascular risk factors in Hong Kong Chinese. *Obes Res*. 12: 1805-1813.

Tripathi AK, Shukla S, Dwivedi MK, Tripathi JK, Chauhan UK, Shukla S, Indurkar M, *et al.* 2013. Obesity and ectonucleotide pyrophosphatase/phosphodiesterase 1 (ENPP1) polymorphism and their association with pathophysiology diabetes type 2 in central Indian population. *J Diabet and Endoc*. 4(2): 19-26.

Wan C, Zhang T, Wang B, Han Y, Zhang C, Zhang Y. 2006. Obesity risk associated with the K121Q polymorphism of the glycoprotein PC-1 gene. *Diabet Obes Metab*. 8:703-708.

World Health Organization. 2004. Appropriate body-mass index for Asian

population and its implication for policy and intervention strategies. *The Lancet*. 363: 157-163.

World Health Organization. 2009. Global health risk: mortality and burden of disease attributable to selected major risk. WHO, Geneva.

Youngren JF, Goldfine ID. 1997. Thermoceluler of insulin resistance. *Sci Med*. 4: 18-27.

Zhou NH, Chin CN, Wu M, Ni W, Quan S, *et al*. 2009. Suppression of PC-1/ENPP-1 expression improves insulin sensitivity in vitro and in vivo. *Eur J Pharmacol*. 616: 346-352.