



DAFTAR PUSTAKA

- Abood , WN., Al-Henhen, NA., Najim, AA., Al-Obaidi, MM., Ismail, S., Abdulla, M., Al Bartan, R. 2015. Wound-healing potential of the fruit extract of *Phaleria macrocarpa*. *Bosn J Basic Med Sci.* 15(2):25-30
- Albini A, and Adelmann-Grill BC. 1985. Collagenolytic cleavage products of collagen Type I as chemoattractants for human dermal fibroblasts. *Eur. J Cell Biol.* 36(1):104-107.
- Andrean, D., Prasetyo, S., Kristijarti, AP., Hudaya, T. 2014. The extraction and activity test of bioactive compounds in *Phaleria Macrocarpa* as Antioxidants. *Proc Chem.* 9,94–101.
- Altaf R, Asmawi MZ, Dewa A, Sadikun A, Umar MI. 2013. Phytochemistry and medicinal properties of *Phaleria macrocarpa* (Scheff.) Boerl. extracts. *Pharmacogn Rev.* 7(13):73-80
- Bassi AM, Ledda S, Valentini S, De Pascale MC, Rossi S, Odetti P, Cottalasso D, 2002. Damaging effects of advanced glycation end-products in the murine macrophage cell line J774A.1. *Toxicol In Vitro.* 16(4):339-347.
- Bouhlel, M.A. , Derudas, B., Rigamonti, E., Dievart, R., Brozek, J., Haulon, S., Zawadzki, C., Jude,B., Torpier, G., Marx,N., Staels,B., Chinetti,M., 2007. PPARgamma activation primes human monocytes into alternative M2 macrophages with anti-inflammatory properties. *Cell Meta.* 6(2) : 137–43.
- Boykin JV ., 2010. Wound nitric oxide bioactivity: a promising diagnostic indicator for diabetic foot ulcer management. (Comment) *J Wound Ostomy Continence Nurs.* 37(1):25-32.
- Brett, D.,2008. A review of collagen and collagen-based wound dressings. (Comment).*Wounds.* 20(12) : 347-356.
- Campbell, L., Saville, CR., Murray, PJ., Cruickshank, SM., Hardman, MJ. 2013. Local arginase 1 activity is required for cutaneous wound healing. *J Invest Dermatol.* 133 : 2461-2470.
- Cheng JB., and Russell DW., 2004. Mammalian Wax Biosynthesis : expression cloning of wax synthase cDNAs encoding a member of the acyltransferase enzyme family. *J Biol Chem.* 279(36): 37798–37807.



Creighton, J., Jian, M., Sayner, S., Alexeyev, M., & Insel, P. A. (2011). Adenosine monophosphate-activated kinase $\alpha 1$ promotes endothelial barrier repair. *The FASEB J.* 25(10) : 3356–3365

Diana TA Ploeger DTA., Hosper, NA., Schipper, M., Koerts, JA., de Rond, S., Bank RA., 2013. Cell plasticity in wound healing: paracrine factors of M1/ M2 polarized macrophages influence the phenotypical state of dermal fibroblasts. *Cell Comm Sign.* 11:29-46.

Diegelmann, RF., 2001. Collagen Metabolism. (Comment). *Wounds.* 13(5) : 177-182

Driver VR., Fabbi M. , Lavery LA., Gibbons G. 2010. The costs of diabetic foot: The economic case for the limb salvage team. *J Vasc Surg.* 52 (3) : 17S-22S

Drouin, P., Blickle, J F., Charbonnel, B., Eschwege, E., Guillausseau, P J., Plouin, P F., Daninos, J M., Balarac, N., Sauvanet, J P., 2009. Diagnosis and classification of diabetes mellitus. *Diabetes Metab.* 25(1):72-83

Ebaid, H. , Ahmed, O M., Mahmoud, AM., Ahmed, R R., 2013. Limiting prolonged inflammation during proliferation and remodeling phases of wound healing in streptozotocin-induced diabetic rats supplemented with camel undenatured whey protein. *BMC Immunol.* 14(1) 31-

Edwards R, Harding KG. 2004. Bacteria and wound healing. *Curr Opin Infect Dis* 17:91-96.

Fard AS, Esmaeizadeh M, Larijani B. 2007. Assessment and treatment of diabetic foot ulcer. *Int. J. Clin. Pract.* 61: 1931-1938

Frasch, S.C. , Fernandez-Boyanapalli, RF., Berry, K Z., Leslie, CC., Bonventre, JV., Murphy, RC., Henson, PM., Bratton, DL., 2011. Signaling via macrophage G2A enhances efferocytosis of dying neutrophils by augmentation of RAC activity. *J Biol Chem.* 286(14) : 12108–12122.

Friggeri, A., Yang, Y., Banerjee, S., Yong-Jun Park, Liu, J., Abraham, E., 2010. HMGB1 inhibits macrophage activity in efferocytosis through binding to the $\alpha\beta 3$ -integrin. *Am J Physiol.* 29:1267–1276.

Ghufron,M.,(2011) Pengaruh ekstrak etanol daun Mahkota Dewa (*phaleria macrocarpa* (scheff boerl) terhadap aktivitas sel NK dan makrofag mencit. *Berkala Ilmu Kedokteran*, 2008. 40: 109-118.

Guo, S., and DiPietro, L.A., 2010, Factors Affecting Wound Healing, *J Dent Res.* 89: 219–229



- Gouin JP., and Kiecolt-Glaser JK., 2011. The impact of psychological stress on wound healing: methods and mechanisms. *Immunol Allergy Clin North Am.* 31(1): 81–93.
- Hartati, MS., Mubarika S., Artama, WT., Wahyuono S., Ganjar, IG., 2005. Sitotoksitas Phalerin hasil isolasi dari daun Mahkota Dewa (*phaleria macrocarpa* (scheff) boerl) terhadap berbagai sel kanker manusia in vitro. *Maj Obat Trad.* 10 (32):5-9.
- Hendra, R., Ahmad, S., Sukari, A., Shukor, MY., Oskoueian, E 2011_a. Antioxidant , Anti-inflammatory and Cytotoxicity of *Phaleria macrocarpa* (Boerl .) Scheff Fruit. *BMC Complement Alternat Med.* 11(1) : 110-120.
- Hendra, R., Ahmad, S., Sukari, A., Shukor, MY., Oskoueian, E. 2011_b. Flavonoid Analyses and Antimicrobial Activity of Various Parts of *Phaleria macrocarpa* (Scheff Boerl) Fruit. *Int J Mol Sci.* 12 : 3422–3431.
- Houck, J. C.; Sharma, V. K.; Patel, Y. M.; Gladner, J. A. 1968. Induction of Collagenolytic and Proteolytic Activities by AntiInflammatory Drugs in the Skin and Fibroblasts. *Biochem Pharmacol.* 17 (10): 2081–2090
- Jacob, A., Wu, R., Mian, Z., Wang., 2007. Mechanism of the Anti-inflammatory Effect of Curcumin: PPAR-gamma Activation.(Comment). *PPAR Res.* 89369 : 1-5.
- Javazon, E.H. , Keswani, SG., Badillo, AT., Crombleholme, TM., Zoltick, PW., Radu, AP., Kozin, ED., Beggs, K., Malik, AA., Flake, AW., 2007. Enhanced epithelial gap closure and increased angiogenesis in wounds of diabetic mice treated with adult murine bone marrow stromal progenitor cells. *Wound Repair Regen.* 15(3): 350–359.
- Kampfer, H., Pfeilschifter, J., Frank, S. 2003. Expression and activity of arginase isoenzymes during normal and diabetes-impaired skin repair. *J Invest Dermatol.* 121(6):1544-1551.
- Khanna, S. Biswas, S., Shang, Y., Collard, E., Azad, A., Kauh, C., Bhasker, V., Gordillo, GM., Sen, CK., Roy, S., 2010. Macrophage dysfunction impairs resolution of inflammation in the wounds of diabetic mice. *PloS one*, 5(3), 9539.
- Koh, T.J. & Dipietro, L.A., 2011. Inflammation and wound healing : the role of the macrophage. *Expert Rev Mol Med.* 13: e23.



Korns,D., Frasch, SC., Boyanapalli, F., Henson, PM., Bratton, DL. 2011. Modulation of macrophage efferocytosis in inflammation. *Front Immunol.* 2:57-67

Laplante, A. F., Germain, L., Auger, F. A., Moulin, V. 2001Mechanisms of wound reepithelialization: hints from a tissue-engineered reconstructed skin to long-standing questions. *FASEB J.* 15 : 2377–2389

Lavery LA, Ashry HR, van Houtum W, Pugh JA, Harkless LB, Basu S.1996. Variation in the incidence and proportion of diabetes-related amputations in minorities. *Diabetes Care.*19:48–52.

Lee, RH., Efron, D., Tantry, U., Barbul, A., 2001. Nitric oxide in the healing wound: a time-course study. *J Surg Res.* 101: 1104–1108

Lee YK., Lee WS., Kim GS., Park OJ. 2010 Anthocyanins are novel AMPK α 1 stimulators that suppress tumor growth by inhibiting mTOR phosphorylation. *Oncol Rep.* 24(6):1471-7.

Leibovich, S.J., Ross, R., 1975. The Role of the Macrophage in Wound Repair A Study with Hydrocortisone and Anti macrophage Serum. *Am J Pathol.* 78(1):71-100.

Li, Q., Hata, A., Kosugi, C., Kataoka, N., Funaki, M. 2010. The density of extracellular matrix proteins regulates inflammation and insulin signaling in adipocytes. *FEBS lett.* 584(19): 4145–4150

Lichtnekert, J. Kawakami, T., Parks, WC.,Duffield, JS. 2013. Changes in macrophage phenotype as the immune response evolves. (comment) *Curr Op Pharmacol.* 13(4) : 555–564.

Mahdavian, BD., Willem M. van der Veer, Marjolein van Egmond,, Frank B. Niessen, Robert H.J. Beelen. 2011. Macrophages in skin injury and repair. (comment) . *Immunobiology.* 216(7) : 753–762.

Mantovani, A., Biswas, SK.,Galdiero, MR.,Sica A., Locati , M.2013. Macrophage plasticity and polarization in tissue repair and remodelling. (comment). *J Pathol.* 229: 176–185

Mantovani, A., Sica, A., Sozzani,S., Allavena, P., Vecchi, A., Locati,M. 2004. The chemokine system in diverse forms of macrophage activation and polarization. *Trends immunol.* 25(12) : 677–686.

Maria B Witte, M., Adrian Barbul, A.,2002. Role of nitric oxide in wound repair. *Am J Surg.* 183:406–412

Maruyama K, Asai J, Ii M, Thorne T, Losordo DW, et al. 2007. Decreased macrophage number and activation lead to reduced lymphatic vessel



formation and contribute to impaired diabetic wound healing. *Am J Pathol* 170: 1178–1191.

Mirza, R., Koh, T.J., 2011. Dysregulation of monocyte/macrophage phenotype in wounds of diabetic mice. *Cytokine*. 56 : 256–64.

Moon ML, McNeil LK, Freund GG. 2011. Macrophages make me sick: how macrophage activation states influence sickness behavior. *Psychoneuroendocrinology*. 36(10):1431-40.

Morita K, Urabe K, Moroi Y, Koga T, Nagai R, Horiuchi S et al. (2005) Migration of keratinocytes is impaired on glycated collagen I. *Wound Repair Regen*. 13:93–101

Mosser, D.M., Edwards, J.P., 2008. Exploring the full spectrum of macrophage activation. *Nat rev Immunol*. 8(12) : 958–969.

Mounier R., The'ret M., Arnold L., Cuvelier S., Bultot L., Ransson OG.,Sanz N.,Ferry A., Sakamoto K., Foretz M., Viollet B.,Chazaud B. 2013 AMPK α 1 regulates macrophage skewing at the time of resolution of inflammation during skeletal muscle regeneration. *Cell Metab*. 18 : 251–264.

Nabzdyka, LP., Kuchibhotlab, S., Guthriea, P., Chuna, M.,Austerb,ME., Nabzdyka,C., Desoa,S., Andersena,N., LoGerfoa, FW., Vevesb A., 2013. Expression of Neuropeptides and Cytokines in a Rabbit Model of Diabetic Neuroischemic Wound-Healing. *J Vasc Surg*. 58(3): 766–775.

Nasruddin,Nakajima,Y., Mukai, K., Rahayu,HSE., Nur M., Ishijima,T.,Enomoto,H., Uesugi,Y.,Sugama,J.,Nakatani, T., 2014. Cold plasma on full-thickness cutaneous wound accelerates healing through promoting inflammation, re-epithelialization and wound contraction. *Clin Plasma Med*. 2(1): 28-35.

Nayak, B.S., Sandiford, S., Maxwel, A., 2009. Evaluation of the wound-healing activity of ethanolic extract of *Morinda citrifolia* L. Leaf. *Evid Based Complement Alternat Med*. 6 : 351–356.

National Institute of Health team , 2007. Diabetes Overview.

Packer, L., Stefan U. Weber, SU., Rimbach, G., 2001. Molecular aspects of a-tocotrienol antioxidant action and cell signalling. *J nutr* . 131:369-373.

Rodero, M.P., Khosrotehrani, K., 2010. Skin wound healing modulation by macrophages. *Int J Clin Exp Pathol*. 3(7) : 643–653.



- Schif-zuck S., Nufargross,Simaan, A., Rostokinran, serhan, CN., Ariel,A., 2011. Satiated-efferocytosis generates pro-resolving CD11b^{low}macrophages: modulation by resolvins and glucocorticoids. *Eur J Immunol.* 41(2) : 366–379.
- Schäffer MR., Tantry U.,Gross SS.,Wasserkrug HL.,Barbul A, 1996. Nitric Oxide Regulates Wound Healing. *J Surg Res.* 63 : 237–240
- Schwentker A., Vodovotz Y., Weller, R.,BilliarTR. 2002. Nitric oxide and wound repair: role of cytokines? . *Nitric Oxide.* 7(1) : 1–10
- Shalhoub, J., Falck-hansen, M.A., Davies, A.H., 2011. Innate immunity and monocyte-macrophage activation in atherosclerosis. *J Inflamm (Lond).* 8(1) : 9-26.
- Shapiro, H., Lutaty, A., Ariel, A., 2011. Macrophages, meta-inflammation, and immuno-metabolism. *Sci World J.* 11: 2509–29.
- Sica, A., Mantovani, A., 2012. Science in medicine Macrophage plasticity and polarization : in vivo veritas. *J Clin Invest.* 122(3) : 787–795.
- Soeksmanto, A., Y. Hapsari and P. Simanjuntaki,2007. Antioxidant content of parts of mahkota dewa, *Phaleria macrocarpa* [Scheff] Boerl. (Thymelaceae). *Biodiversitas.* 8: 92-95.
- Stallmeyer, b., Kampfer, H. Kolb N, pfeilschifter j., Frank S, 1999. The function of nitric oxyde in wound repair : inhibition of inducibel nitric oxyde synthase severely impair wound reepithelizatiuon. *J Invest Dermatol.* 113: 1090-1098.
- Szkudelski, T., 2012. Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp Biol and Med.* 237(5): 481-490.
- Wijanarka, H., Wahyuono S., Ganjar IG., Hartati, MS., Mubarika S. 2005. Aktivitas Phalerin hasil isolasi dari daun Mahkota Dewa (*phaleria macrocarpa* (scheff) boerl) sebagai pemicu fagositosis makrofag in vitro. *Maj Obat Trad.* 10 (33):11-15.
- Wild S., Roglic G., Green A., Sicree R, King H. 2004. Global Prevalence of Diabetes : Estimates for the year 2000 and projections for 2030. *Diabetes Care.* 27(5) : 1047-1053.
- Witte MB, Thornton FJ, Tantry U, Barbul A. 2002. L-Arginine supplementation enhances diabetic wound healing: involvement of the nitric oxide synthase and arginase pathways. *Metabolism.* 51(10):1269-1273



Xu, F., Zhang, C. & Graves, D.T., 2013. Abnormal Cell Responses and Role of TNF- α in Impaired Diabetic Wound Healing. (Comment). *Biomed Res Int.* 754802 : 9-18

Yates CC, Whaley D, Y-Chen A *et al.* (2008) ELR-Negative CXC chemokine CXCL11 (IP-9/I-TAC) facilitates dermal and epidermal maturation during wound repair. *Am J Pathol.* 173:643–652

Zhu H., Foretz M., Xie Z., Zhang M. ,Zhu Z., Xing J.,Leclerc J ,Gaudry M,Viollet B , Hui Zou M, 2014. PRKAA1/AMPK α 1 is required for autophagy-dependent mitochondrial clearance during erythrocyte maturation. *Autophagy* . 10 : 9