

DAFTAR PUSTAKA

- Alejandro M.S., Mayer, Virginia, and Lehmann, K.B., 2000, Marine pharmacology in 1998: Marine compounds with Antibacterial, Anticoagulant, Antifungal, Antinflammatory, Anthelminthic, Antiplatelet and Antiviral activities; with actions on the cardiovascular, endocrine, immune, and nervous systems: and other Miscellaneous mechanisms of action, *The Pharmacol*, 42: 62-69.
- Amir, I., 1991, Fauna Spons (Porifera) dari terumbu Karang Genteng Besar, Pulau-Pulau Seribu, *Oceanologi Indonesia*, 24, 41-45.
- Amir, I., dan Budiyanto, 1996, Mengenal Spons laut (Demospongiae) Secara Umum, *Oseana*, 21, 15-31.
- Anderson, J. E., Goetz, C. M., McLaughlin, J. L., and Suffness, M., 1991, A Blind Comparison of Simple Bench-top Bioassays and Human Tumor Cell Cytotoxicities as Antitumor Prescreens, *J. Clin. Chem.*, 53, 1827-1834.
- Angawi, R.F., Bavastrello, G., Calcinai, B., Adeleida, H., Dien, Donnaruma, G., and Tufano, M.A., 2011, Aurentoside J: a New Tetramic Acid Glycoside from *Theonella swinhoei*. Insight into the Antifungal Potential of Aurentoside, *Mar Drugs*, 9(12), 2809-2817.
- Anonim^a, 2011, *Data Kementerian Kesehatan RI tentang Epidemiologi Malaria di Indonesia*.
- Anonim^b, *Data Dinas Kesehatan Provinsi Kalimantan Barat tentang Profil Kesehatan Provinsi Kalimantan Barat Tahun 2011*.
- Anthony, D.W., Wang, H., Gurrath, M., Konig, G.M., Kocak, G., Neumann, G., Loria, P., Foley, M., and Tilley, L., 2001, Inhibition of Heme Detoxification Process Underlines the Antimalarial Activity of Terpene Isonitrile Resonance Spectroscopy Reveals an Impaired Brain Compounds from Marine Sponges, *J. Med. Chem.*, 44, 873-885.
- Aoki, S., Wei, H., Matsui, K., Rachmat, R., and Kobayashi, M., 2003, Pyridoacridine Alkaloids Inducing Neuronal Differentiation in a Neuroblastoma Cell Line, From Marine Sponge *Biemna fortis*, *Bioorganic Med. Chem.*, 11, 1969-1973.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P., and Taramelli, D., 1998, A microtitrebased method for measuring the haem polymerization inhibitory activity (HPIA) of antimalarial drugs, *J. Antimicrob. Chemother.*, 42, 55-60.

- Baelsman, R., Deharo, E., Munoz, V., Sauvain, M., Ginsburg, H., 2000, Experimental Conditions for Testing the Inhibitory Activity of Chloroquine on the Formation of δ -hematin, *Exp. Parasitol*, 96, 243-248.
- Bergman, W., and Feeney, R. J., 1990, Contribution to the Study of Marine Sponges, the Nucleosides of Sponges, *J. Org. Chem.*, 16: 981-987.
- Berrue, F., Thomas, O. P., Bon, C. F. L., Reyes, F., and Amade, P., 2005, New Bioactive Cyclic Peroxides from the Carribean Marine Sponge *Plakortis Zyggompha*, *Tetrahedron*, 61, 1843-1849.
- Berquist, P. R., 1978, *Classification of Sponges*, Hutchison, London.
- Bhaquni, D. S., and Rawat, D. S., 2005, *Bioactive Marine Natural Product*, 1st Edition, Anamaya Publisher, New Delhi.
- Blackman, A. J., Li, C. P., Hockless, D. C. R., Skelton, B. W., and White, A. H., 1993, Cylindricine A and Cylindricine B, Novel Alkaloids from the Ascidian *Clavelina cylindrica*, *Tetrahedron*, 49, 8645.
- Campagnuolo, C., Fattorusso, E., Romano, A., Scafati, O. T., Basilico, N., Parapini, S., and Taramelli, D., 2005, Antimalarial Polyketide Cycloperoxides from the Marine Sponge *Plakortis simplex*, *Eur. J. Org. Chem*, 2005, 5007-5083.
- Carballo, J. L., Hernandez-India, Z. L., Perez, P., and Garcia-Gravalos, M. D., 2002, A Comparison Between Two Brine Shrimp Assays to detect in vitro toxicity in Marine Natural Product, *J. BMC Biotechnol*, 2, 17.
- Chiba, H., Agematu, H., Sakai, K., Dobashi, K., and Yoshioka, T., 1999, Rhodopeptins, novel cyclic tetrapeptides with antifungal activities from *Rhodococcus* sp. III Synthetic Study of Rhodopeptins, *J. Antibiot*, 52, 710-720.
- Chini, M. G., Jones, C. R., Zampella, A., D'Auria, M. V., Renga, B., Fiorucci, S., Butts, C. P., and Bifulco, G., 2012, Quantitative NMR-Derived Interproton Distances Combined with Quantum Mechanical Calculations of ^{13}C Chemical Shifts in the Stereochemical Determination of Conicasterol F, a Nuclear Receptor Ligand from *Theonella swinhoei* *J. Org. Chem*, 77, 1489-1496.
- Crews, P., and Harrison, B., 2000, New Triterpene-ketides (merotriterpenes), haliclotriol A and B, from an Indo-Pacific *Halicolina* Sponge, *Tetrahedron*, 56, 9039-9046.
- Cutler S.J., and Cutler H.G., 2000, *Biologically Active Natural Product: Pharmaceuticals*, CRC Press, USA.

- Dahuri, R., 2003, *Keanekaragaman Hayati Laut*, PT Gramedia Pustaka Utama, Jakarta.
- De Voogd, N., Cleary, D. F., Hoeksema, B. W., Noor, A., and Soest, R. W., 2006, Sponge Beta Diversity in The Spermonde Archipelago, South West Sulawesi Indonesia, *Marine Ecology Progress Series*, 309, 131-142.
- Durham, W. F., 1975, *Dangerous Properties of Industrial materials*, Van Nostrand Reinhold Co, New York.
- European Commission, 2002, COST B9 Action on Chemotherapy of Protozoal infections (Report), European Cooperation in the Field of Scientific and Technical Research, Brussel.
- Festa, C., Marino, S. D., D'Auria, M. V., Monti, M. C., Bucci, M., Vallico, V., Debitus, C., and Zampella, A., 2012, Anti-inflammatory Cyclopeptides from the Marine Sponge *Theonella Swinhoei*, *Tetrahedron*, 68, 2851-2857.
- Gray, J.E., 1868, Note on *Theonella*, a New Genus of Coralloid Sponges from Formosa, *Proceedings of the Zoological Society of London*, 3, 565-566.
- Gibbons, S., 2006, *Natural Product Isolation*, Humana Press, New jersey.
- Hanani, Endang, Mun'im, A., dan Sekarini, R., 2005, Identifikasi Senyawa Antioksidan dalam Spons *Callyspongia* sp. dari Kepulauan Seribu, *Majalah Ilmu Kefarmasian*, 3, 127 – 133.
- Hassan, W., Edrada, R., and Ebel, R., 2004, New imidazole alkaloids from the Indonesian sponge *Leucetta chagosensis*, *J. Nat. Prod*, 67, 817–822.
- Haefner, B., 2003, Drug from the deep: marine natural products drug candidates, *Drug Disc. Today*, 6, 536-544.
- Huy, N. T., Uyen, D. T., Maeda, A., Trang, D. T., and Oida, T., 2007, Simple Colorimetric Inhibition Assay of Heme Crystallization for High-Throughput Screening of Antimalarial Compounds, *Antimicrob Agent Chemother*, 51, 350-353.
- Ilan M, Gugel J, and Van Soest RWM, 2004, Taxonomy, reproduction and ecology of new and known Red Sea Sponges, *Sarsia*, 89, 388–410.
- Ismet, M. S., 2007, Penapisan Senyawa Bioaktif Spons *Aptosaptosdan Petrosia* sp. dari Lokasi yang Berbeda, *Tesis*, Institut pertanian Bogor, Bogor.
- Jakobi, M., Winkelmann, G., Kaiser, D., Kempler, C., Jung, G., Berg, G., and Bahl, H., 1996, Maltophilin: a New Antifungal Compound Produced by *Stenotrophomonas Maltophilia* R3089, *J. Antibiot*, 49, 1101-1104.

- Kirsch, S., Kong, G. M., Wright, A. D., and Kaminsky, R., 2000, A New Bioactive Sesterpene and Antiplasmodial Alkaloids from the Marine Sponge *Hyrtios erecta*, *J. Nat. Prod.*, 63, 825-829.
- Kobayashi M, dan Rachmaniar R., 1999, Overview of Marine Natural Product Chemistry, *Prosiding Seminar Bioteknologi Kelautan Indonesia I, LIPI*, 23 – 32
- Kobayashi, M., Tanaka, J., Katori, T., and Kitagawa, I., 1990, Three New Cytotoxic Dimeric Macrolides, Swinholides B and C and Isoswinholide A, Congeners of Swinholide A, from the Okinawan Marine Sponge *Theonella swinhoei*, *Chemical and Pharmaceutical Bulletin*, 38, 2960-2966.
- Kossuga, M. H., Nascimento, A. M., Reimao, J. Q., Tempone, A. G., Taniwaki, N. N., Veloso, K., Ferreira, A. G., Cavalcanti, B. C., Pessoa, C., and Moraes, M. O., 2008, Antiparasitic, Antineuroinflammatory, and Cytotoxic Polyketides from the Marine Sponge *Plakortis Aculospiculatus* Collected in Brazil, *J. Nat. Prod.*, 71, 334-339.
- Kumar, V., Cotran R. S., and Robbins, S. L., 2007, *Buku Ajar Patologi*, edisi ketujuh, Penerbit Buku kedokteran EGC, Jakarta.
- Labbe, C., Castillo, M., and Connolly, J.D., 1993, Mono and Sesquiterpenoids from *Satureja Gilliesii*, *Phytochemistry*, 34, 441-444.
- Lariman, 2010, Keanekaragaman Filum Porifera di Pulau Segajah Kota Bontang Kalimantan Timur, *Fisika Mulawarman*, 2.
- Levi, C., Laboute, O. P., Bargibant, G., and Menou, J. L., 1998, *Sponge of The New Caledonian Lagoon*, Osturum editions, Paris.
- Levine, N.D., 1995, *Protozologi Veteriner*, Diterjemahkan oleh : Soeprapto S. dan Muhayat D. B., Gadjah Mada University Press, Yogyakarta.
- Loomis, T. A., 1978, *Toksikologi dasar*, Diterjemahkan oleh Donatus, Jilid IA, Edisi III, IKIP Semarang Press, Semarang.
- Mandelli, F., Torres, P., Chow, F., Santos, D. Y. A. C., and Mercadente, A. Z., 2011, Identification of Carotenoids by HPLC-DAD-MS/MS From the Red Alga *Gracilariopsis tenuifrons* and *Gracilariopsis tenuispitata*, *Congress BrMass 4th*, 10-13 desember 2011, Sao Paolo.
- Marino, D. S., Ummarino, R., D'Auria, M. V., Chini, M. G., Bifulco, G., Renga, B., D'Amore, C., Fiorucci, S., Debitus, C., and Zampella, A. J., 2011, Theonellasterols and conicasterols from *Theonella swinhoei*. Novel marine natural ligands for human nuclear receptors, *J. Med. Chem.*, 54, 3065-3075.

- Mariutti, L. R. B., Pereira, D. M., Mercadante, A. Z., Valentao, P., Teixeira, N., and Andrade P. B., 2012, Further Insight on the Carotenoid Profile of the Echinoderm *Marthasterias glacialis*, *Mar. Drugs*, 10, 1498-1510.
- Marraskuranto, E., 2011, Kajian Bioprospeksi Spons Laut Asal taman Nasional Kepulauan Wakatobi dan Implikasi Pengelolaannya, *Tesis*, Institut Pertanian Bogor, Bogor.
- Maude, R. J., Pontavornpinyo, W., Saralamba, S., Aguas, R., Yeung, S., Dondorp, A. M., Day, N. P. J., White, N. J., and White, L. J., 2009, The Last Man Standing is the Most Resistant: Eliminating artemisinin-resistant malaria in Cambodia, *Malaria Journal*, 8, 1475-1482.
- Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., and McLaughlin, J. L., 1982, Brine Shrimp; A Convenient General Bioassay for Active Plant Constituents, *J. Planta. Med*, 45, 31-34.
- Miyaoka, H., Shimomura, M., Kimura, H., Yamada, Y., Kim, H.S., and Wataya, Y., 1998, Antimalarial Activity of Kalihinol A and New Relative Diterpenoids from Okinawan sponge, *Achantella* sp., *Tetrahedron*, 54, 13467-13474.
- Motomasa, K., 1998, Search for Biologically Active Substances from Marine Sponges, *Prosiding Seminar Bioteknologi I*, LIPI, Jakarta.
- Muliani, Suryati, E., Tompo, A., Parenrengi, A., dan Rosmiati, 1998, Isolasi Bioaktif Bunga Karang sebagai Fungisida pada Benih Udang Windu *Panaeus monodon*, *Jurnal Penelitian Perikanan Indonesia*, 4, 140-148.
- Muniarsih, T., dan Rachmaniar, R., 1999, Isolasi Substansi Bioaktif Antimikroba dari Spons Asal Pulau Pari kepulauan Seribu, *Prosiding Seminar Bioteknologi Kelautan Indonesia I*, 14-15 Oktober 1998, Jakarta.
- Munro, M. H. G., Luibrand R.t., and Blunt, J. W., 1989, *The Search for Antiviral and Anticancer Compounds from Marine Organisms*, Dalam Scheuer P. J, *Bioorganic Marine Chemistry*, 1, Springer, Verlag,
- Murniasih, T., dan Satari, R. R., 1999, *Isolasi Substansi Bioaktif Antimikroba dari Spons Asal Pulau Pari Kepulauan Seribu*, *Prosiding Seminar Bioteknologi Kelautan Indonesia I*, 151-158.
- Murniasih, T., 2003, Metabolit Sekunder dari Spons sebagai Bahan Obat-obatan, *Oseana*, 28, 27-33.
- Myers, P., 2001, Porifera, www.Animaldiversity.ummz.umich.edu, diakses pada 7 Mei 2005, jam 20.00 WIB.

- Nakao, Y., Matsunaga, S., and Fusetani, N., 1995, Three more cyclotheonamides, C, D, and E, potent thrombin inhibitors from the marine sponge *Theonella swinhoei*, *Bioorg. Med. Chem.*, 8, 1115-1122.
- Nguyen, H. H., and Widodo, S. H., 1999, *Momordica L*, in : *Plant Resources of South East Asia : Medical and Poisonous Plant I*, Pudoc Scientific Publisher, Wageningen.
- Nybakken, J. W., 1993, *Marine Biology : An Ecological Approach*, Better World Books, Mishawaka.
- O'Keefe, B. R., Erim, T., Beutler, J. A., Cardellina, J. H., Gulakowski, R. W. J., Krepps, B. L., McMahan, J. B., Sowder, R. C., Johnson, D. G., Buckheit, R. W. J., Halliday, S., and Boyd, M. R., 1998, Isolation and Characterization of Adociavirin, a Novel HIV-Inhibitory Protein from the Sponge *Adocia* sp., *FEBS Lett.*, 431, 85-90.
- Oberlies, N.H., 1998, Cytotoxic and Insecticidal Constituents of the Unripe Fruit of *Persea Americana*, *J. Nat. Prod.*, 61, 781-785.
- Olumese, P., 2006, Guideline for the Treatment of Malaria, Global Malaria Programme, World Health Organization, Geneva.
- Osada, H., and Nogawa, T., 2011, Systematic isolation of Microbial metabolites for Natural Products Depository (NPDepo), *Pure Appl. Chem.*, 6, 1407-1420.
- Pérez, H., Díaz, F., and Medina, J. D. 1997. Chemical investigation and in vitro antimalarial activity of *Tabebuia ochracea* sp. *neochrysantha*. *Int. J. Pharmacogn.*, 35, 227-231.
- Peters, W, 1987, *Chemotherapy and drug resistance in Malaria*, academic press, london.
- Pronzato, R., Bavestrello, G., Cerrano, C., Magnino, G., Manconi ,R., Pantelis, J., Sara, and Sidri, M., 1999, Sponge Farming in the Mediterranean Sea: New Perspectives, *Memoir of the Queensland Museum*, 44, 485 – 491.
- Rachmaniar, 2003, Antikanker swinholide A dari Spons *Theonella swinhoei*, *J. Bahan Alam Indonesia*, 2, 4-9.
- Rao, K. V., Kasanah, N., Wahyuono, S., Tekwani, B. L., Schinazi, R. F., and Hamann, M. T., 2004, Three new manzamine alkaloids from a common Indonesian sponge and their activity against infectious and tropical parasitic diseases, *J. Nat. Prod*, 67,1314–1318.
- Reisberg, B., 1994, Phair, J.P., dan Sommers, H.M., *Dasar Biologis dan Klinis Penyakit Infeksi Malaria*, Diterjemahkan oleh : Wahab, S., Edisi keempat, Universitas Gadjah Mada Press, Yogyakarta.

- Riseley, R. A., 1971, Tropical Marine Aquaria, *The Natural System*, George Allen and Unwin Ltd., London, 164-165.
- Romimohtarto, K., dan Juwana, S., 1999, *Biologi Laut*, Pusat Penelitian dan Pengembangan Oseanologi LIPI, Jakarta.
- Rosmiati dan Suryati, 2001, Isolasi Identifikasi dan Pengaruh Senyawa Bioaktif Spons *Callyspongia pseudoreticulata* terhadap Bakteri patogen dari Udang, *Jurnal Bioteknologi Pertanian*, 1, 16.
- Sachs, J. D., and Malaney, P., 2002, The Economic Perspective and Social Burden of Malaria, *Nature*, 415, 680-685.
- Shanmugaraju, V, Arun1, P., Rengaramanujam, J., and S. Senthilprabhu, 2013, Isolation of bacteria from seacoasts and screening for its antibacterial substancproduction, *Int. J. Curr. Microbiol. App. Sci.* , 2(8), 347-358
- Sinisi, A., Calcinai, B., Cerrano, C., Dien, H.A., Zampella, A., D'Amore, C., Renga, B., Fiorucci, S., Taglialatela, S., and Orazio, 2013, Isoswinholide B and swinholide K, potently cytotoxic dimeric macrolides from *Theonella swinhoei*, *Bioorg. Med. Chem.*, 23,271 284.
- Siqueira, J. M., 2001, Estudo fitoquímico das cascas do caule de *Duguetia glabriuscula* – Annonaceae, biomonitorado pelo ensaio de toxicidade frente a *Artemia salina* Leach. *Quimica Nova*, 24,185-187.
- Soediro, I.S., 1999, Produk Alam Hayati Bahari dan Prospek Pemanfaatannya di Bidang Kesehatan dan Kosmetika, *Prosiding Seminar Bioteknologi Kelautan Indonesia I*, 14-15 Oktober 1998, Jakarta.
- Soest ,R.W.M van, and Braekman JC, 1999, Chemosystematics of Porifera: A Review, *Memoir of the Queensland Museum*, 4, 569 -589.
- Steube, K., G., Meyer, C., Proksch, P., Supriyono, A., Sumaryono, W., and Drexler, H., G., 1998, A new calyculin Derivative from thre Sponge *Theonella swinhoei* as a Novel and Potent Inhibitor of Tumor cell poliferation, *Anticancer res*, 18, 129-137
- Suparno, 2005, Kajian Bioaktif Spons Laut (Porifera : Demospongiae) Suatu Peluang Alternatif Pemanfaatan Ekosistem Karang Indonesia Dalam Bidang Farmasi, *Tesis*, Sekolah Pasca Sarjana Institut Pertanian Bogor, Bogor.
- Suryati,E., Parenrengi A., Rosmiati., dan Laining A, 1999, Penapisan dan Analisis Spons Efektif sebagai Antibiofouling ditambak dan Keramba Jaring Apung, *Mar. Chim. Acta*, 16-20.
- Thakur, N.L., and Muller, W.E., 2004, Biotechnological Potential of Marine Sponges, *J.Curr.Sci*, 86, 1502-1512.

- Umeyama, A., Shoji, N., Enoki, M., and Arihara, S., 1997, Swinhosterol A-C, 4-Methylene Secosteroids from the Marine Sponge *Theonella swinhoei*, *J. Nat. Prod.*, 60, 296-298.
- Van Soest, R. W. M., 1989, The Indonesian Sponge fauna: A Status Report, *Neth. J. Sea Res*, 23, 223-230.
- Vartoukian, S. R., Palmer, R. M., and Wade, W. G., 2010 Strategies for culture of “unculturable” bacteria. *FEMS Microbiol.* 309, 1-7.
- Voight, R., 1994, *Encyclopedia of Marine Invertebrates*, THF Publications, New York.
- Wilson, C.O. dan Gisvold, O., 1982, *Kimia Farmasi dan Medisinal Organik*, Edisi ketujuh, diterjemahkan oleh : Fatah A.M, Gadjah Mada University Press, Yogyakarta.
- Winstanley, P. A., 2000, Chemotherapy for Falciparum Malaria: the Armoury, the Problems, and the Prospect, *Parasitol today*, 16, 146-153.
- Wood, B. R., Langford, S. J., Cooke, B. M., Glenister, F. K., Lim, J., and Mcnaughton, D., 2003, Raman imaging of hemozoin within the food vacuole of *Plasmodium falciparum* trophozoites, *FEBS Letters*, 3, 247-252.
- Yamada, T., Umabayashi, Y., Kawashima, M., Sugiura, Y., Kikuchi, T., and Tanaka, R., 2015, Determination of the Chemical Structures of tandyukisins B-D, Isolated from a Marine Sponge-Derived fungus, *Mar. Drugs*, 13, 3231-3240.
- Yeung, B. K. S., Hamann, M. T., Scheuer, P. J., Kelly, M., and Borges, M. K., 1994, Hapaioiside: A 19-norpregnane glycoside from the sponge *Cribrorchalina olemda*, *Tetrahedron*, 44, 12593-12598.