DAFTAR PUSTAKA

Aberoumand, A., 2012, Proximate composition of less known some processed and fresh fish species for determination of the nutritive values in Iran. *J.Agr.Sci. Tech.*, 8, 3, 917-922.

Achmadi, S., Mubarik, N., Nursyamsi, R dan Septiaji, P., 2013, Characterization of redistilled liquid smoke of oil-palm shells and its application as fish preservatives. *J. Appl. Sci.*, 13:401-408.

Adams, M.R. dan Moses, M.O., 2008, *Food Microbiology*, (third edition), The Royal Society of Chemistry, Cambridge, UK. 179.

Alcicek, Z., dan Hasan, H. A., 2010, The Effects of Salting on Chemistry Quality of Vacuum Packed Liquid smoke and Traditonal smoke ranbow Trout (*Oncorhyncus mykiss*) Fillets During Chillet Storage, *J. Anim. Vet. Adv.*, 9, 22, 2778-2783

Alparslan,Y., Gürel, C., Metin, C., Hasanhocaoğlu, H. dan Baygar, T., 2012, Determination of Sensory and Quality Changes at Treated Seabass (Dicentrarchus labrax) During Cold-Storage, *J. Food Process Technol.*, 3.10.

AOAC, 2000., Official methods of analysis of AOAC International, Gaithersburg, Maryland,USA.

AOAC, Official Method 971.14., 2002, *Trimethylamine nitrogen in seafood*. In "AOAC Official Methods of Analysis of AOAC International", volume II, chapter 35, 9

Arnim., Ferawati dan Marlida, Y., 2012, The effect of liquid smoke utilization as preservative for meatballs quality, *Pak. J. Nutr.*,11, 11,1078-1080

Arvanitoyannis, I. S dan Kotsanopoulos, K., 2011. Smoking of Fish and Seafood: History, methods and effects on physical, nutritional and microbiological properties. *Food and Bioprocess Technology*, 1-23.

Avery, H. E.,1981, *Basic Reaction Kinetics and Mechanism*, second edition, John Wiley and Sons Inc. London.

Badan Standarisasi Nasional., 2006, *Petunjuk Uji Organoleptik Ikan Segar*, SNI-01-2346-2006, Standar Nasional Indonesia

Barylko, N dan Pikielna., 1988, Contribution for smoke coumpound to sensory, bacteriostatic and antioxidative effects in smoke food, Pergamon Press, Agricultural University of Marsaw, Oxford, 1667-1671

Bain ,M.A., 2006. Accumulation Of Trimethylamine And Trimethylamin-N-Oxide In End Stage Renal Disease Patients Hndergoing Haemodialysis. Nephrol Dial Transplant

Beatty, S. A. dan Gibbons, N. E., 1936, The Measurement of Fish Spoilage in Fish, ***J***. *Fish. Res. Bd. Can*., 3:77-91

Berkel, B.M., Boogaard, B.V dan eijnen, C., 2004, *Preservation of Fish and Meat,* Agromisa Foundation,Wageningen,The Netherlands,78-80.

Bhuiyan, A.K.M., Ackman, R.G dan Lall, S.P., 2007. Effects of smoking on protein quality of atlantic mavkerel (*Scomber scombrus, J Food Process Pres*.,10, 2, 115–126

Bojanic, K., Kozacinski, L., Filipovic, I., Cvrtila, Z., Zdolec, N dan Njari,B., 2009, Quality of seabass meat during storage on ice, quality scientific and professional papers, vol ix.

Bonnell, A.D., 1994, *Quality Assurance in Seafood Processing,* A Practical Guide, Chapman and Hall, London.

Boran, G. Boran, M dan Karacam, H., 2008, Seasonal changes in proximate composition of anchovy and storage stability of anchovy oil, *J. Food Qual.*, 31: 503-513.

Bower, C. K., Hietala, K. A., Oliveira, A. C. M dan Wu, T. H., 2009, Stabilizing oils from smoked pink salmon (*Oncorhynchus gorbuscha*), *J. Food Sci*,74,3, 248-257.

Bremner, A., 2002, *Safety and quality issues in fish processing*, Wood head Publishing Ltd, Cambridge, England, 507.

Budijanto, S., Hasbullah, R., Prabawati, S., Setyadjit., Sukarno dan Zuraida, I., 2008, Identification and Safety Test on Liquid Smoke made from Coconut Shell for Food Product, *Ind. J. of Agricultural Postharvest Research.,* 5, 1, 32-40.

Cadwallader, K.R., 2007. Wood smoke flavor. In Handbook of meat,poultry and seafood quality. Nollet, L.M.L. (Ed.). Blackwell Publishing, Ames, IA. pp 201–210.

Can, Ö. P., 2011, Combine effect of potassium sorbate and dry salting on the shelf life sardine *(Sardina pilchardus*), *J. Food Technol*, 9,1,43-49.

Chatzikyriakidou, K dan Katsanidis, E., 2012, Effect of liquid smoke dipping and packaging method on the keeping quality of raw and cooked chub mackerel (*Scomber, japonicus*) fillets**,** *J. Aquat Food Prod T***,** 21, 5, 445-454

Chéret, R., Chapleau, N., Delbarre-L.,Verrez-Bagnis dan de Lamballerie, M., 2005, Effects of high pressure on texture and micro structure of sea bass (*Dicentra rchus labrax*) fillets. J. *Food Sci*, 70,477–483.

Chotimarkorn, Ch., 2011, Quaity changes of anchovy (Stolephorus heterolobus) under refrigerated storage of different practical industrial methods in Thailand, *J Food Sci Technol*., doi :10.1007/s13197-011-0505-y

Chytiri, S., Chouliara, I., Savvaidis, I. N dan Kontominas, M. G., 2004, Micro biological, Chemical and Sensory Assessment of Iced Whole and Filleted Aqua cultured Rainbow Trout, *Food Microbiol.*, 21, 157–165.

Connell, J. J., 1990, *Control of fish quality*, 3rd Ed. Oxford, Fishing News Books.

Daczkowska-Kozon, E., 1993, Effect of fishing season on total count of cold tolerant microbes on iced Baltic herring, *Acta Ichth. Piscat*., 23, 2, 103-111

Darmadji, P., 1996, *Produksi Asap Cair dan Sifat-sifat antimikrobia, antioksidan serta sensorisnya*, Laporan Penelitian, Lembaga Penelitian dan Pengabdian Pada Masyarakat, Universitas Gajah Mada, Yogyakarta.

Darmadji, P. dan Sri Rahardjo., 2002, Production and purification of liquid smoke from waste of coconut shell and its potential as antimicrobial, antioxidant, browning and coagulating agents, *Proc. on International Conference on Innovations in Food Processing technology and Engineering*. Bangkok.

Darmadji, P dan Triyudianto, H., 2005, Kadar Benzopyren selama proses pemurnian asap cair dan simulasi akumulasinya pada proses perendaman ikan, *Agritech.*, 26, 2, 94-103

Darmadji, P., Marsono, Y dan Suparmo., 2009, *Pembuatan prototype biopreser vative asap cair, evaluasi keamanan dan profil industri sebagai pengawet alternatif pengganti formalin.* Laporan Tahun II Program Insentif Terapan Kementrian Ristek.

Davidek, T. dan Davidek, J., 1995, *Biogenic Amines in Natural Toxin compounds of Foods*, Davidek, J.(ed.), CRC, Press-Boca Roton.

Ehira, S dan Uchiyama, H., 1987, Determination of fish freshness using K value and comments on some other biochemical changes in relation to freshness, *In*; Kramer, D.E dan Liston, J., (eds), *Seafood Quality Determinatination*, Elsevier, Netherlands, 185-207.

Erikson, U dan Misimi, E., 2008, Atlantic salmon skin and fillet color changeseffected by perimortem handling stress, rigor mortis and ice storage. *J. Food sci.,* 73,2, 50-59

Esekhiagbe, M., Agatemor, M.M.U and Agatemor, C., 2009, Phenolic content and antimicrobial potentials of *Xylopia aethiopica* and *Myristica argentea*. *Macedonian Journal of Chemistry and Chemical Engineering,* 28:159-162.

Esperson, J. H., 1981, *Chemical Kinetics and reaction mechanism*, McGraw Hill, Book Company, New York.

Evans, D. H., 1988, *The physiology of fishes* second edition. CRC Press, New York.

Febriani, R.A., 2006, Pengaruh konsentrasi larutan asap cair terhadap mutu Belut (*Monopterus albus*) asap yang disimpan pada suhu kamar, *Skripsi,* Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor, Bogor

Fengel, D. dan Wegener, D., 1995, *Kayu, Kimia, Ultrastruktur, Reaksi-reaksi*, edisi 1, Yogyakarta, Gajah Mada University Press

Fessenden, R.J dan Fessenden J.S., 1992, *Kimia Organik*, terjemahan oleh Aloysius Hadyana Pudjaatmaka, Edisi Kedua, Erlangga, Jakarta

Fitriya,W., Husni, A., Budhiyanti, S.A., 2006, Pengaruh Pengemasan dan Suhu Penyimpanan terhadap daya awet fillet lele Dumbo asap berbumbu, Semnaskan *Bidang Pasca Panen/Pengolahan Hasil Perikanan*, UGM, Yogyakarta.

Fuentes, A.I., Fernandez, S., Barat, J.M dan Sera, J.A., 2010, Physico-chemical Characterization of Same Smoked and Marinated Fish Product, *J. Food Process Pres.*, 34, 83-103.

Garcia-Perez,M., 2008,The Formation of Polyaromatic Hydrocarbons and Dioxins During Pyrolysis: A Review of the Literature with Descriptions of Biomass Composition, Fast Pyrolysis Technologies and Thermochemical Reactions Washington State University.

Girard, J.P.,1992, *Smoking in Technology of Meat and Meat Product*, Clermont Ferran Ellis Horwood, New York, 165-205.

Guillén, M. C., Gómez-Estaca, J., Giménez, B dan Montero, P., 2009, Alternative fish species for cold-smoking process, *Int. J. Food Sci. Technol.*,44, 1525-1535

Gram, L., Dalgaard, P., 2002a, Fish spoilage bacteria problems and solutions. *Curr Opin Biotech.*, 13, 262–266.

Hadiwiyoto, S. 1990. Hubungan Keadaan Kimiawi Dan Mikrobiologik Ikan Pada Penyimpanan Suhu Kamar Dengan Sifat Organoleptiknya. Bogor.*Agritech*

Hansen, T.L., Gill, T., Rontved, S.D. dan Huss, H. H., 1996, Importance of autolysis and microbiological activity on quality of cold smoked salmon. *Food Res. Int*., 29, 181-186.

Haard, N. F., 1992, Control of chemical composition and food quality attributes of cultured fish. *Food Res Int.,* 25, 1-19.

Halim, H., Darmadji, P dan Indrati, R., 2006,The biopreservative activity of liquid smoke of palm kernel shell on the repression of patogenic and spoilage bacteria, *Agrosains,* 19, 1.

Haras, A., 2004, Penganuh konsentrasi asap cair dan lama perendaman terhadap mutu fillet cakalang (*Katsuwonus pelamis L*) asap yang disimpan pada suhu kamar, *Skripsi*, Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor, Bogor.

Hernandez, M. D., López, M. B., Alvarez, A., Ferrandini, E., Garcia, B., Garrido, M.D., 2009, Sensory, physical, chemical and micro biological changes in Aqua cultured meager (*Argyrosomus regius*) fillets during ice storage, *Food Chem*., 114, 237-245.

Hilderbrand, Jr. dan Kenneth, S., 2001, Fish Smoking Procedures for Forcedconvection Smoke houses, Oregon State University, *Extension Sea Grant Program Hatfield Marine Science,* Center Newport, Oregon.

Howgate, P., 2009, *Traditional methods*, In: Fishery products quality, safety, and authenticity. Edited by: Harmut Rehbein and Jörg Oehlenschläger, Wiley Blackwell. A John Wiley & Sons, Ltd, Publication, Chichester, UK. 19 – 41

Howgate, P., 2010b, A critical review of total volatile bases and trimethyl amine as indices of freshness of fish. Part 2. Formation of the bases, and application in quality assurance. *Electronic Journal of Environmental, Agricultural and Food Chemistry.*, 9,1, 58–88.

Ho, Y. S dan McKay, G., 1999, Pseudo-second order model for sorption processes, Process Biochemistry, Vol 34, Issue 5, Pages 451–465

Huss, H. H., 1988, *Fresh Fish Quality and Quality Changes,* Danish International Development Agency, F.A.O, Rome, 43-45.

Huss, H. H., 1994, *Assurance of seafood quality, (*Electronic version) Rome. Fisheries Technical Paper, no.334.

Ibrahim, M., 1998, *Clean fractionation of biomass steam explosion and extraction.* Faculty of The Virginia Polytechnic Institute and State University.

Ilyas, S., 1993. *Teknologi Refrigerasi Hasil Perikanan*. Badan Penelitian Pengembangan Pertanian dan Pusat Penelitian Pengembangan Perikanan, Jakarta.

Irianti, H dan Susilo., 2007, *Dukungan teknologi penyediaan produk perikanan*, Makalah disampaikan pada seminar nasional hari pangan sedunia, Kampus Penelitian Pertanian, Cimanggu, Bogor.

Isilly, K., 2009, Pemanfaatan asap cair tempurung kelapa dalam pengawetan ikan tongkol (*axuis thazard*). *Tesis*. Institut Teknologi Bandung.

Jawetz, E., Melnick, dan Adelberg E. A., 2005, *Mikrobiologi Kedokteran*, Jakarta, Salemba Medika.

Jiang. S. T,. 1998, *Contribution of muscle proteinases to meat tenderization*. Proceedings of the National Science Council, ROC. 22, 3: 97-107

Jiang, M., 2009, *Development of smoke and gelatin-based products from Catfish*, Auburn, Alabama.

Kadir, S., Darmadji, P., Hidayat, C dan Supriyadi., 2010, Fractionation and identification of volatile compounds in liquid smoke from hybrid coconut shell, *Agritech., 30, 2*

Karseno., Darmadji,P dan Rahayu,K., 2002, Daya hambat asap cair kayu karet terhadap bakteri pengkontaminan lateks dan ribet smoke sheet. *Agritech*, 21,1: 10-15

Kjallstrand, J dan Petersson., 2001, Phenols aromatic hydrocarbons in chimney emissions from traditional and modern residential wood burning, *Environ. Technol.*, 22, 391-395

Kochhar, S.P dan Rossel, S.B., 1990, *Detection, estimation and evaluation of antioxidant in food system. Food antioxidant*. Elsevier Sci. Publ .Ltd. London, New York

Koral, S., Köse, S dan Tufan, B., 2009, Investigating the quality changes of raw and hot smoked Garfish (*Belone belone euxini*, Günther,1866) at ambient and refrigerated temperatures, *Turk J Fish Aquat Sc*., 9, 53-58

Kumolu, J., Aladetohun, N. F dan Ndimele, P. E., 2010, The Effects of Smoking on the Nutritional Qualities and Shelflife of *Clarias gariepinus* (*Burcell 1822*), *Af. J. Biotech*., 9, 1 , 073-076.

Kusnandar, F., 2011, *Kimia Pangan Komponen Makro*, P.T. Dian Rakyat, Jakarta

Kyrana, R., Vasiliki dan Lougovois., 2002, Sensory, chemical and microbiological assessment of farm-raised European seabass (Dicentrarchus labrax) stored in melting ice., *Int. J. Food. Sci. Tech.*, 37, 319-328

Lebois, M., Connil., Onno, B., Prevost, dan Dousset, X., 2004, Effects of divercinV41 combined to NaCl content, phenol (liquid smoke) concentration and pH on *Listeria monocytogenes* scott a growth in BHI broth by an experimental design approach, *J. Appl. Microbiol*, 96: 931-937

Lee, H V., Hamid, S B A dan Zain, S K., 2014, Conversion of Lignocellulosic Biomass to Nanocellulose: Structure and Chemical Process, *The Scientific World Journal, Review Article*, Volume 2014, Article ID 631013.

Leroi, F., Joffraud, J. J., Chevalier, F dan Cardinal, M., 2001, Research of quality indices for cold-smoked salmon using a stepwise multiple regression of microbiological counts and physico-chemical parameters, *J. App.Micro biol.*, 90, 578-587.

Leroi, F dan Joffraud, J. J., 2000, Salt and smoke simultaneously effect chemical and sensory quality of cold-smoked Salmon during 5°C storage predicted using factorial design, *J. Food Protec.*, 63, 9, 1222–1227.

Lindsay, R. C.,Shahidi, F dan Botta, J. R.,1994, *Flavour of fish*, In: seafoods chemistry, processing tecnology and quality. Chapman and hall. Great Britian

Lombok, J. Z., Setiaji, B.,Trisunaryanti, W.dan Wijaya, K., 2014, Effect of pyrolisis temperature and distillation on character of coconut shell liquid smoke, *Asian Journal of Science and Technology, Vol 5, 6, 320-325*

Love, R. M., 1975, Variability of Atlantic cod *(Gadus morhua)* from the North east Atlantic: a review of seasonal and environmental influences on various attributes of fish. *J. Fish. Res. Board Canada* 32, 2333-2342.

Madigan, M.T., 2009, *Biology of microorganism*. Brock. Twelfth edition

Maga, J. A., 1988, *Smoke in Food Processing*, CRC Press, 1,9, Florida.

Martinez, O., Salmerón, J., Guillén, M. D., Pin, C dan Casas, C., 2012., Physico chemical, sensorial and textural characteristics of liquid-smoked salmon (*Salmo salar*) as affected by salting treatment and sugar addition, *International Journal of Food Science & Technology,* 47, 5, 1086-1096

Martinez O., Casas C., Guillen M.D. dan Salmeron J. 2005. *Microbiological changes of salmon treated with two liquid smoke flavourings.* 2nd International Congress of Self-Control and Food Safety, Bilbao, Spain. pp. 193

Marzo, A. dan Curti, S., 1997, L-Carnitine moiety assay: an up-to-date reappraisal covering the commonest methods for various applications. *J.Chromatogr*. 702, 1–20

Mclafferty, S. M., 1988, *Interpretasi Spektra Massa*, terjemahan: Hardjono Sastrohamidjojo, edisi ketiga, Gadjah Mada University Press, Yogyakarta.

Moldoveanu, S. C., 2010, *Pyrolysis of organic molecules with aplication to health and environment*, 18, Elsevier.

Nurnadia, A.A., Azrina, A. dan Amin, I., 2011, Proximate composition and energetic value of selected marine fish and shellfish from the West coast of Peninsular Malaysia, *International Food Research Journal* 18: 137-148

Nursall, J.R., 1956, The lateral musculature and the swimming of fish. *Proc.Zool. Sot*. London. 126: 127.

Oehlenschläger, J., 1997b, *Suitability of ammonia-N, dimethylamine-N, trimethylamine-N, trimethylamine oxide-N and total volatile basic nitrogen as fresh ness indicators* in seafoods. "Methods to determine the freshness of fish in research and industry,Evaluation of Fish Freshness", Institut International du Froid, 92-99

Olafsdottir, G., Martinsdottir, E., Oehlenschlager, J., Dalgaard, P., Jensen, B., Undeland, I., Mackie, I. M., Henehan, G dan Nielsen, J., 1997, Methods to evaluate fish freshness in research and industry. *Trends Food Science. Technology.*, 8: 258-265.

Ondo-Azi, A. S., Kumulungui, B. S.,Mewono, L.,Koumba, A. M.,Missang, C.E., 2013, Proximate composition and microbiological study of five marine fish species consumed in Gabon, *African Journal of Food Science.*, 7, 8, 227- 231.

Özoğul, F dan Özoğul, Y., 2000, Determination of methods used for determination of total volatile basic nitrogen (TVB-N) in Rainbow Trout (*Oncorhynchus mykiss*), *Turk. Journal Zool*., 24, 113 - 120.

Ozogul, Y., 2010, *Methods for freshness quality and deterioration*. In: Handbook Of Seafood and Seafood Product analysis. Edited by: Leo M.L. Nollet and Fidel Todrá. CRC Press. Taylor and Francis Group. Boca Rato. USA. 189 - 214.

Ozyurt, G., Kuley,E., dan Ozkutuk, S., 2009, Sensory, microbiological and chemical assessment of the freshness of red mullet (*Mullus barbatus*) and goldband goatfish (*Upeneus moluccensis*) during storage in ice, *Food Chem.,* 505 – 510

Palm, L.M.N., Deric, C., Philip, O.Y., Winston, J. Q., Mordecai, A. G., Albert, D., 2011, Characterization of polycyclic aromatic hydrocarbons (PAHs) Present in smoked fish from Ghana. *Adv. J. Food Sci. Technol*., 3,5, 332 – 338.

Patra, J.K., Kim, S.H., Hwang, H., Choi J.W dan Kwang-Hyun Baek., 2015, Volatile compounds and antioxidant capacity of the bio-oil obtained by pyrolysis of Japanese Red Pine (*Pinus Densi flora* Siebold and Zucc.), *Molecules, 20,* 3986-4006; doi:10.3390/ molecules 20033986

Pervin,T.,Yeasmin, S., Islam, R., Kamruzzaman., Rahman, A. dan Sattar, A., 2012, Studies on nutritional composition and characterization of lipids of *Lates calcarifer* (Bhetki), *Bangladesh J. Sci. Ind. Res.*, 47, 4, 393-400

Pszezola, D. E., 1995, Tour highlights production and uses of smoke-based flavors. Liquid smoke a natural aqueous condensate of wood smoke provides various advantages in addition to flavors and aroma. *J. Food Tech.*, 1, 70-74.

Rahayu, P. W., 1992, *Teknologi Fermentasi Produk Perikanan.* Departemen Pendidikan dan Kebudayaan, Direktorat Jenderal Pendidikan Tinggi, Pusat Antar Universitas Pangan dan Gizi, IPB, Bogor

Ramakrishnan dan Moeller, P., 2002, Liquid smoke, product of hardwood pyrolisys, fuel, *chemistry division preprints*., 47,1, 366.

Ringo, E., Stenberg, E dan Strom, A. R., 1984, Amino acid and lactate catabolism in trimethylamine oxide respiration of alteromonas putrefaciens NCMB 1735, *Appl Environ Microbi*., 47, 5, 1084-1089

Ruiter, A., 1971, A biochemical study of the intermediary carbon metabolism of s*hewannella utrefaciens*. *J.Bacterio.*, 176, 3408-3411

Ruiz-Capillas, C. dan Horner, W. F. A., 1999, Determination of trimethylamine nitrogen and total volatile basic nitrogen in fresh fish by flow injection analysis, *J Sci Food Agr.,* 79, 1982-1986.

Ruiz-Capillas, C dan Moral, A., 2005, Sensory and biochemical aspects of quality of whole bigeye tuna (*Thunnus obesus*) during bulk storage in controlled atmospheres, *J. Food Chem*., 89, 347-354.

Seibel, B. A. dan Walsh P. J., 2002, Trimethylamine oxide accumulation in marine animals: relationship to acylglycerol storage. *J. Exp.Biol*, 205, 297-306.

Sérot,T., Baron, R., Knockaert , C dan Jean Luc Vallet, J.L. 2004. Effect of smoking processes on the contents of 10 major phenolic compounds in smoked fillets of herring (Cuplea harengus), Food Chemistry., 85(01) : 111-120

Setiaji, B., 2007., Membuat VCO berkualitas tinggi, Penebar Swadaya, Jakarta.

Sharifiana, S., Zakipoura, E., Mortazavib, M. S dan Arshadia, A., 2011, Quality assessment of tiger tooth croaker (Otolithes ruber) during ice storage, *Int J Food Prop*., 14: 2, 309 — 318, doi: 10.1080/ 109429 10903177822,

Shouchun, L., Fan, W., Zhong., Ma, C., Li, P., Zhou, K., Peng, Z dan Zhu, M., 2010, Quality Evaluation of Tray-Packed Tilapia Fillets Stored at 0°C based on Sensory, Microbiological,Biochemical and Physical Attributes, *Afr J Biotechnol.*, 9, 5, 692 - 701.

Sikorski, N., Haard., Motohiro dan Bonnie, S. P.,1998, Quality, In:Doe, P.E., Editor, F*ish Drying and Smoking, Production and Quality*, Technomic publishing Co. Inc., Lancaster Basel, 89–94.

Siskos, I., Zotos, A., Melidou, S dan Tsikritzi, R., 2007, The Effect of liquid smoking of fillets of trout (*salmo gairdnerii*) on sensory, microbiological and chemical changes during chilled storage, *J. Food Chem.*, 101, 458 – 464.

Soldera, S., Sebastianutto, N., Bortolomeazzi, R., 2008, Composition of phenolic compounds and antioxidant activity of commercial aqueous smoke flavorings. *J Agric Food Chem*, 56:2727–2734

Sotelo, C. G., Gallardo, J. M., Pinerio, C., Perez Martin, R., 1995, Trimetilamine oxide and derived compounds changes during frozen storage of hake (*Merluccius merluccius*), *Food Chem*., 53, 61 - 65.

Sriket, C., 2014., Mini Review: Proteases in fish and shellfish: Role on muscle softening and prevention. *International Food Research Journal* 21(1): 433-445

Stansby ,M.E., 1969. Nutritional properties of fish oils. *World. Rev. Nutr. Diet, 11,46.*

Suhardiyono, L., 1988, *Tanaman Kelapa, Budidaya dan Pemanfaatannya*, Kanisius, Yogyakarta, 153-156

Swastawati, F., Agustini, T., Darmanto,Y dan Dewi, E., 2007, Liquid smoke Performance of Lamtoro Wood and Corn Cob, *Journal of Coastal Development* ., 10,3, 189–196

Swastawati, F., Susanto, E., Cahyono, B dan Trilaksono, W.A., 2012, Sensory evaluation and chemical characteristics of smoked stingray (*Dasyatis blekeery*) processed by using two different liquid smoke. *International Journal of Bioscience, Biochemistry and Bio informatics* Vol. 2 No. 3: 212 –216

Tamalea, P., 2003, The Antioxidant Effect of Coconut Shell Liquid Smoke to Inhibit Lipid Oxidation on Smoked Skipjack (*Katsuwonus pelamis*) Steak During Storage), *Jurnal Ichthyos.*, 2, 2, 59-62.

Thawornchinsombut, S., Park, J. W., Guangtaomeng dan Li-Chan, E. C. Y., 2001, Raman Spectroscopy Determines Structural Changes Associated with Gelation Properties of Fish Proteins Recovered at Alkaline pH, Department of Commerce's National Oceanic and Atmospheric Administration under NOAA Grant number NA76RG0476 (project number R/SF-24) and by appropriations made by the Oregon State Legislature.

Theron, M. M dan Lues, J. F. R ,. 2011, *Organic Acids and Food Preservation*. United states, CRC Press.

Tranggono, Suhardi, Setiaji, B. A. H., 1997, *Produksi asap cair dan penggunaannya pada pengolahan beberapa bahan makanan khas Indonesia*, Laporan Penelitian Akhir Riset Unggulan Terpadu III, Pusat Penelitian Ilmu dan Teknologi, Jakarta**.**

Tranggono, Suhardi, Darmadji,P., Sudarmanto dan Setiaji, B, 1996, Identifikasi asap cair dari berbagai macam kayu, J.Ilmu dan Tek. Pangan, 1(2) 15-24

Varlet, V., Serot, T dan Prost, C., 2010, *Smoke flavoring technology in seafood*, In: Nollet, L. M. L dan Toldra, F., eds. Handbook of seafood and seafood products analysis, CRC Press, Boca Raton, FL., 233 – 254

Welt, B. A., Sage, D. S. dan Berger, K. L., 2003, Performance specification of time temperature integrators designed to protect against botulism in refrigerated fresh foods, *J. Food Sci*., 68, 1, 2-9

Winarno, F.G., 1984. Kimia Pangan dan Gizi. Gramedia Pustaka Utama, Jakarta

Winarno, F.G., 1993. Pangan Gizi Teknologi dan Konsumen. Gramedia Pustaka Utama, Jakarta.

Yuniningsih, S dan Anggraini, S.P.A., 2013, Characterization of Liquid Smoke from Coconut Shell to be Applicated as Safe Food Preservatives for Human Health, *J. Agric. Food. Tech.*, 3, 2, 1 - 5

Zuraida, I., 2009, Daya Hambat Asap Cair Tempurung Kelapa Terhadap Bakteri Patogen, *Jurnal Teknologi Pertanian*., 4, 2, 56 - 62

Zuraida, I., Sukarno dan Budijanto, S., 2011, Antibacterial activity of coconut shell liquid smoke (CS-LS) and its application on fish ball preservation, *International Food Research Journal.*, 18, 405 - 410.