



DAFTAR PUSTAKA

- Abyono, R., Suryo S., 1992, *Ludah dan Kelenjar Ludah Arti Kesehatan Gigi*, Gadjah Mada University Press: Yogyakarta.
- Afonsky, D. 1961. *Saliva and Its Relation to Oral Health*. University of Alabama Press: Alabama.
- Al-Khatieeb, M., 2008, Influence of Different Recycling Protocols on Load Deflection of Nickel-Titanium Orthodontic Wire (An in vitro Study), *J Bagh Coll Dentistry*, vol:20(1), h.105-10.
- Asadoorian, J., 2006, CDHA Position Paper on Commercially Available Over-the-Counter Oral Rinsing Products, *Canadian Journal of Dental Hygiene*, vol:40(4), h.1-13.
- Bartzela, T., Christiane S., Andrea W., 2007, Load-Deflection Characteristics of Superelastic Nikel-Titanium Wires, *Angle Orthodontist*, vol:77(6), h.991-8.
- Carillho, M.R., Carvalho R.M., Sousa E.N., Nicolau J., Breschi L., Mazzoni A., Tjaderhane L., Tay F.R., Agee K., Pashley D.H., 2010, Substantivity of Chlorhexidine to Human Dentin, *Dental Materials*, vol:26, h.779-85.
- Catalbas, B., Ercan E., Dalli M., Gelgor I.E., Erdemir A., 2011, Does Chlorhexidine Affect the Shear Bond Strengths of Orthodontic Brackets?, *Journal of Dental Sciences*, vol:6, h. 76-81.
- Chiappin, S., Antonelli G., Gatti R., Palo E.F., 2007, Saliva Specimen: A New Laboratory Tool for Diagnostic and Basic Investigation, *Clinica Chimica Acta*, vol:383, h.30-40.
- Danaei, S.M., Safavi A., Roeinpeikar S.M., Oshagh O., Iranpour S., Omidekhoda M., 2009, Ion Release from Orthodontic Brackets in 3 Mouthwashes: An in-vitro Study, *American Journal of Orthodontics and Dentofacial Orthopedics*, vol:139(6), h.730-4.
- Deshpande, R.R., Bendgude V., Metha B.S., Jadhav M., Mutha M., Chhabra R.S., Gadkari T.V., Correlation between Salivary Constituents of Father and Child, *Asian Journal of Pharmaceutical and Clinical Research*, vol:7(1), h. 59-61.
- EAPD, 2009, Guidelines on the Use of Fluoride in Children: An EAPD Policy Document, *European Archives of Pediatric Dentistry*, vol:10(3), h.129-35.



Farah, C.S., McIntosh L., McCullough M., 2009, Mouthwashes, *Australian Prescriber*, vol:32(6), h.162-4.

Fercec, J., Kos M., Bruncko M., Anzel I., Glisic B., Markovic E., Rudolf R., 2013, Comparison of NiTi Orthodontic Archwires and A Determination of the Characteristic Properties, *Materials and Technology* vol: 48(1), h. 99-104.

Freitas, C.S., Diniz H.F., Gomes J.B., Sinisterra R.D., Cortes M.E., 2003, Evaluation of the Substantivity of Chlorhexidine in Association with Sodium Fluoride in vitro, *Pesqui Odontol Bras*, vol:17(1), h.78-81.

Gatto, E., Giovanni M., Guido D., Riccardo N., Chiara B., Giancarlo C., 2011, Load-Deflection Characteristics of Superelastic and Thermal Nikel-Titanium Wires, *Euro J of Orthod*, vol:35, h.115-23.

Gupta, R., Chandavarkar V., Galgali S.R., Mishra M., 2012, Chlorhexidine A Medicine for All the Oral Diseases, *GJMEDPH*, vol:1(2), h.43-8.

Hakim, A.R., 2012, Analisa Korosi Atmosfer pada Material Baja Karbon-Sedang di Kota Semarang, *eprints.undip.ac.id*, diunduh pada tanggal 23 Juni 2014.

Huang, H.H., Chiu Y.H., Lee T.H., Wu S.C., Yang H.W., Su K.H., Hsu C.C., 2003, Ion Release from NiTi Orthodontics Wires in Artificial Saliva with Various Acidities, *Biomaterials*, vol:24, h.3585-92.

Huang, H.H., Wang C.C., Chiu S.M., Wang J.F., Liaw Y.C., Lee T.H., Chen F.L., 2005, Corrosion Behaviour of Titanium-Containing Orthodontic Archwires in Artificial Saliva: Effects of Fluoride Ions and Plasma Immersion Ion Implantation Treatment, *Chin Dent J*, vol:24(3), h.134-40.

House, K., Friedrich S., David D., Jonathan R., Anthony J., 2007, Corrosion of Orthodontic Appliances – Should We Care?, *American Journal of Orthodontics and Dentofacial Orthopedics*, vol:133(4), h.584-92.

Jayaprakash, R., Sharma A., Moses J., 2010, Comparative Evaluation of the Efficacy of Different Concentrations of Chlorhexidine Mouth Rinses in Reducing the Mutants Streptococci in Saliva: An in vivo Study, *Journal of Indian Society of Pedodontics and Preventive Dentistry*, vol:28(3), h.162-6.

Karunanidhi, P.T., Venugopal A., Kamaleh A., Sandeep A., 2014, Effect of Chlorhexidine on the Corrosion Behaviour of Titanium Mini Implants, *Global Journal of Medical Research J*, vol:14(3), h.32-45.

Kumar, R., Kapoor D.N., Jain A., Saimbi C.S., Sharma V.P., Tandon P., 2006, Microbicidal Effect of Different Mouthwashes on Patients Undergoing Fixed Orthodontic Treatment, *J Ind Orthod Soc*, vol:39, h.139-46.



- Lee, T.H., Chia C.W., Ta-Ko H., Li-Kai C., Ming Y.C., Her H.H., 2009, Corrosion Resistance of Titanium-Containing Dental Orthodontic Wires in Fluoride-Containing Artificial Saliva, *Journal of Alloys and Compound*, 488(2009), h.482-9.
- Leung, V.W., Darvell B.W., 1997, Artificial Salivas for in vitro Studies of Dental Materials, *Journal of Dentistry*, vol:25(6), h.475-84.
- Li, X., Wang J., Han E., Ke W., 2007, Influence of Fluoride and Chloride on Corrosion Behaviour of NiTi Orthodontic Wires, *Acta Biomaterialia*, vol:3, h.807-15.
- Liu, J.K., Lee T.M., Liu I.H., 2011, Effect of Loading Force on the Dissolution Behaviour and Surface Properties of Nickel-Titanium Orthodontic Archwires in Artificial Saliva, *American Journal of Orthodontics and Dentofacial Orthopedics*, vol:140(2), 166-76.
- Menezes L.M., Quintao C.C., 2010, The release of Ions from Metallic Orthodontic Appliances, *Seminars in Orthodontics*, vol:16(4), h.282-92.
- Mirjalili, M., Momeni M., Ebrahimi N., Moayed M.H., 2013, Comparative Study on Corrosion Behaviour of Nitinol and Stainless Steel Orthodontic Wires in Simulated Saliva Solution in Presence of Fluoride Ions, *Material Science and Engineering C*, vol:33, h.2084-93.
- Motoc, M., Samoilă C., Sfrijan F., Ardelean L., Verdes D., Andrei M., Anghel M., Popescu A., 2003, The Variation of Some Salivary Components in Corelation with Sex and Age at Puberty, *TMJ*, vol:53(3-4), h.254-8.
- Nik, T.H., Ghadirian H., Ahmadabadi M.N., Shahhoseini T., Fathalian M., 2012, Effect of Saliva on Load-Deflection Characteristics of Superelastic Nickel-Titanium Orthodontic Wires, *Journal of Dentistry Tehran University of Medical Sciences*, vol:9(4), h.171-9.
- Omidkhoda, M., Sahebnasagh Z., Poosti M., Yaghoobi M., Izadpanahi A., 2011, Evaluation of Mechanical Properties of NiTi Orthodontic Wire After Immersion in Three Different Mouthwashes, *Iranian Journal of Orthodontics*, vol:6, h.32-8.
- Pandis, N., Christoph P.B., 2010, Nickel-Titanium (NiTi) Arch Wires: The Clinical Significance of Super Elasticity, *Seminars in Orthodontics*, vol.16(4), h.249-57.
- Rahardjo, P., 2012, *Ortodonti Dasar* ed.2, Pusat Penerbitan dan Percetakan Unair: Surabaya.



Sabane, A.V., Deshmukh S.V., Sable R.B., 2009, The Effect of Flouride Prophylactic Agents on the Mechanical Properties and Surface Topography of Orthodontic Arch Wires-an in vitro Study, *J Ind Orthod Soc*, h.18-24.

Schiff, N., Grosgogeat B., Lissac M., Dalard F., 2003, Influence of Fluoridated Mouthwashes on Corrosion Resistance of Orthodontics Wires, *Biomaterials*, vol:25, h.4535-42.

Schemann-Miguel F, Cotrim-Ferreira F, Streva A.M., Chaves AVOA., Cotrim-Ferreira A, 2012, Comparative Analysis of Load/Deflection Ratios of Conventional and Heat-Activated Rectangular NiTi Wires, *Dental Press J Orthod*, vol:17(3), h.23.e1-6.

Sidiq, M.F., 2013, Analisa Korosi dan Pengendaliannya, *Journal Foundry*, vol:3(1), h.25-30.

Setiowati, R., Suparwitri S., Sutantyo D., 2012, Pengaruh Temperatur terhadap Daya Lenting berbagai Macam Kawat Busur Nikel Titanium, *J Ked Gi*, vol:3(1), h.40-9.

Songsiripradubboon, S., Hamba H., Trairatvorakul C., Tagami J., 2013, Sodium Fluoride Mouthrinses Used Twice Daily Increased Incipient Caries Lesion Remineralization in An in situ Model, *Journal of Dentistry*, vol:42, h.271-8.

Srivastava, K., Chandra P.K., Kamat N., 2012, Effect of Fluoride Mouth Rinses on Various Orthodontic Archwire Alloys Tested by Modified Bending Test: An in vitro Study, *Indian Journal of Dental Research*, vol:23(3), h.433-4.

Storehagen, S., Midha N.O., 2003, *Dentrifrices and Mouthwashes Ingredients and Their Use*, Oslo.

Supardi, H.R., 1997, *Korosi*, Penerbit Tarsito: Bandung.

Thomas, E., 2011, Efficacy of Two Commonly Available Mouth Rinses Used as Preprocedural Rinses in Children, *Journal of Indian Society of Pedodontics and Preventive Dentistry*, vol:29(2), h.113-6.

Thompson, S.A., 2000, An Overview of Nickel-Titanium Alloys Used in Dentistry, *International Endodontic Journal*, vol: 33, h. 297-310.

Toniollo, M.B., Galo R., Macedo A.P., Rodrigues R.C., Ribeiro R.F., Mattos M.G., 2012, Effect of Fluoride Sodium Mouthwash Solutions on cpTi: Evaluation of Physicochemical Properties, *Braz Dent J*, vol:23(5), h.495-501.

Trethewey, K.R., Chamberlain J., 1991, *Korosi: untuk Mahasiswa dan Rekayasaawan*, Gramedia Pustaka Utama: Jakarta.



UNIVERSITAS
GADJAH MADA

PENGARUH PERENDAMAN KAWAT GIGI NIKEL-TITANIUM DI DALAM SALIVA ARTIFISIAL,
CHLORHEXIDINE, DAN SODIUM
FLUORIDE TERHADAP KOROSIVITAS DAN DAYA LENTING: KAJIAN SECARA IN VITRO

TRIANITA LYDIANNA, Prof.Dr.drg.Iwa Sutardjo R.S.,SU,Sp.KGA(K)

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Unal, I., Zor S., Atapek H., 2012, Influence of Artificial Saliva on NiTi Orthodontic Wires: A Study on the Surface Characterization, *Materials Science*, vol:47(6), h.830-7.

Wang, Q.Y., Zheng Y.F, 2008, The Electrochemical Behavior and Surface Analysis of $Ti_{50}Ni_{47.2}Co_{2.8}$ Alloy for Orthodontic Use, *Dental Materials*, vol:24, h.1207-11.