

DAFTAR PUSTAKA

- 3ders.org, 2015. *Price compare 3D printers*.
<http://www.3ders.org/pricecompare/3dprinters/> (online accessed 2 Mei 15).
- Bartolo, P., Kruth, J.-P., Silva, J., Levy, G., Malshe, A., Rajurkar, K., Mitsuishi, M., Ciurana, J., Leu, M., 2012. Biomedical production of implants by additive electro-chemical and physical processes. *CIRP Annals - Manufacturing Technology* 61, 635–655. doi:10.1016/j.cirp.2012.05.005.
- Boothroyd, G., Dewhurst, P., Knight, W.A., 2002. *Product design for manufacture and assembly*. M. Dekker, New York.
- Bose, S., Roy, M., Bandyopadhyay, A., 2012. Recent advances in bone tissue engineering scaffolds. *Trends in Biotechnology* 30, 546–554. doi:10.1016/j.tibtech.2012.07.005.
- Bose, S., Vahabzadeh, S., Bandyopadhyay, A., 2013. Bone tissue engineering using 3D printing. *Materials Today* 16, 496–504. doi:10.1016/j.mattod.2013.11.017.
- Botelho, C.M. da C.F., 2005. Silicon-Substituted Hydroxyapatite. Universidade do Porto.
- BPS Provinsi D.I. Yogyakarta, 2013. Daerah Istimewa Yogyakarta dalam Angka 2013, BPS Provinsi D.I. Yogyakarta.
- Brenton, A.G., Godfrey, A.R., 2010. Accurate Mass Measurement: Terminology and Treatment of Data. *Journal of the American Society for Mass Spectrometry*. doi:10.1016/j.jasms.2010.06.006
- Chu, T.M.G., Halloran, J.W., Hollister, S.J., Feinberg, S.E., 2001. Hydroxyapatite implants with designed internal architecture. *Journal of Materials Science-Materials in Medicine* 12, 471–478.
- Creese, R.C., 1999. *Introduction to manufacturing processes and materials*. Marcel Dekker, New York.
- De Ciurana, J., Serenó, L., Vallès, È., 2013. Selecting Process Parameters in RepRap Additive Manufacturing System for PLA Scaffolds Manufacture.
- Dias, M.R., Guedes, J.M., Flanagan, C.L., Hollister, S.J., Fernandes, P.R., 2014. Optimization of scaffold design for bone tissue engineering: A computational and experimental study. *Medical Engineering & Physics* 36, 448–457. doi:10.1016/j.medengphy.2014.02.010.
- Engin, N.O., Tas, A.C., 1999. Manufacture of macroporous calcium hydroxyapatite bioceramics. *Journal of the European Ceramic Society* 19, 2569–2572.
- Eqtesadi, S., Motealleh, A., Miranda, P., Pajares, A., Lemos, A., Ferreira, J.M.F., 2014. Robocasting of 45S5 bioactive glass scaffolds for bone tissue engineering. *Journal of the European Ceramic Society* 34, 107–118. doi:10.1016/j.jeurceramsoc.2013.08.003.
- Evans, B., 2012. *Practical 3D printers: The science and art of 3D printing*. Apress.
- Geng, L., Feng, W., Hutmacher, D.W., San Wong, Y., Tong Loh, H., Fuh, J.Y.H., 2005. Direct writing of chitosan scaffolds using a robotic system. *Rapid Prototyping Journal* 11, 90–97. doi:10.1108/13552540510589458.
- Gunawarman, Malik, A., Mulyadi S., Riana, Hayani, A. 2010. Karakteristik Fisik

dan Mekanik Tulang Sapi Variasi Berat Hidup sebagai Referensi Desain Material Implan. *Seminar Nasional Tahunan Teknik Mesin (SNMTTM) ke-9*.

- Harley, B.A.C., Yannas, I.V., 2014. In Vivo Synthesis of Tissues and Organs, in: *Principles of Tissue Engineering*. Elsevier, pp. 325–355.
- Hench, L.L., 2013. *An Introduction to bioceramics* Imperial College Press London, London.
- Herliansyah, M.K., 2010. Produksi Hydroxiapatite Bone Graft dari bahan baku alami lokal untuk pengganti bone filler impor pada aplikasi medis.
- Hollister, S.J., 2005. Porous scaffold design for tissue engineering. *Nature materials* 4, 518–524.
- Huang, T.S., Rahaman, M.N., Doiphode, N.D., Leu, M.C., Bal, B.S., Day, D.E., Liu, X., 2011. Porous and strong bioactive glass (13–93) scaffolds fabricated by freeze extrusion technique. *Materials Science and Engineering: C* 31, 1482–1489. doi:10.1016/j.msec.2011.06.004.
- Huang, W., Zhang, X., Wu, Q., Wu, B., 2013. Fabrication of HA/ β -TCP scaffolds based on micro-syringe extrusion system. *Rapid Prototyping Journal* 19, 319–326. doi:10.1108/RPJ-01-2012-0004.
- Hutmacher, D.W., Sittering, M., Risbud, M.V., 2004. Scaffold-based tissue engineering: rationale for computer-aided design and solid free-form fabrication systems. *Trends Biotechnol*, 22 : 354 – 362.
- Jiang, C.-P., Chen, Y.-Y., Hsieh, M.-F., 2013. Biofabrication and in vitro study of hydroxyapatite/mPEG–PCL–mPEG scaffolds for bone tissue engineering using air pressure-aided deposition technology. *Materials Science and Engineering: C* 33, 680–690. doi:10.1016/j.msec.2012.10.018.
- Kalfas, I.H., 2001. Principles of bone healing. *Neurosurgical focus* 10, 1–4.
- Koenigsberger, F., 2013. *Design Principles of Metal-Cutting Machine Tools*. Elsevier.
- Lanza, R.P., Langer, R.S., Vacanti, J., 2014. *Principles of tissue engineering*.
- Landers, R., Pfister, A., Hußner, U., John, H., Schmelzeisen, R., Mülhaupt R., 2002. Fabrication of soft tissue engineering scaffolds by means of rapid prototyping techniques. *J Mater Sci* 2002;37(15).
- Leong, K., Chua, C., Sudarmadji, N., Yeong, W., 2008. Engineering functionally graded tissue engineering scaffolds. *Journal of the Mechanical Behavior of Biomedical Materials* 1, 140–152. doi:10.1016/j.jmbbm.2007.11.002.
- Leong, K.F., Cheah, C.M., Chua, C.K., 2003. Solid freeform fabrication of three-dimensional scaffolds for engineering replacement tissues and organs. *Biomaterials* 24, 2363–2378. doi:10.1016/S0142-9612(03)00030-9.
- López de Lacalle, L.N., Lamikiz, A. (Eds.), 2009. *Machine Tools for High Performance Machining*. Springer London, London.
- Lu, X., Lee, Y., Yang, S., Hao, Y., Evans, J.R.G., Parini, C.G., 2009. Fine lattice structures fabricated by extrusion freeforming: Process variables. *Journal of Materials Processing Technology* 209, 4654–4661. doi:10.1016/j.jmatprotec.2008.11.039.

- Magrab, E.B., Magrab, E.B., 2010. *Integrated product and process design and development: the product realization process*. CRC Press, Boca Raton, FL.
- Mason, M.S., Huang, T., Landers, R.G., Leu, M.C., Hilmas, G.E., 2009. Aqueous-based extrusion of high solids loading ceramic pastes: Process modeling and control. *Journal of Materials Processing Technology* 209, 2946–2957. doi:10.1016/j.jmatprotec.2008.07.004.
- Melchels, F.P.W., Domingos, M.A.N., Klein, T.J., Malda, J., Bartolo, P.J., Hutmacher, D.W., 2012. Additive manufacturing of tissues and organs. *Progress in Polymer Science* 37, 1079–1104. doi:10.1016/j.progpolymsci.2011.11.007.
- Mott, R.L., 2004. *Machine elements in mechanical design*. Pearson/Prentice Hall, Upper Saddle River, N.J.
- Nicksears, 2014. Nicks linear actuator paste extruder. <http://www.thingiverse.com/thing:373610> (online accessed 2 Mei 15).
- Pahl, G., Wallace, K., Blessing, L., 2007. *Engineering design a systematic approach*. Springer, London.
- Perneder, R., Osborne, I., 2012. *Handbook Timing Belts*. Springer Berlin Heidelberg, Berlin, Heidelberg.
- Planell, J.A., 2009. *Bone repair biomaterials*. Woodhead ; CRC Press, Cambridge; Boca Raton, FL.
- Ramay, H.R., Zhang, M., 2003. Preparation of porous hydroxyapatite scaffolds by combination of the gel-casting and polymer sponge methods. *Biomaterials* 24, 3293–3302. doi:10.1016/S0142-9612(03)00171-6.
- Reprap.org, 2015. About. <http://reprap.org/wiki/About> (online accessed 2 April 15).
- Salgado, A.J., Coutinho, O.P., Reis, R.L., 2004. Bone Tissue Engineering: State of the Art and Future Trends. *Macromolecular Bioscience* 4, 743–765. doi:10.1002/mabi.200400026.
- Seitz H, Rieder W, Irsen S, Leukers B, Tille C., 2005. Three-dimensional printing of porous ceramic scaffolds for bone tissue engineering. *Biomed Mater Res B: Appl Biomater*;74B(2):782–8.
- Sistem Informasi Rumah Sakit, 2010. KESEHATAN TULANG Kasus Patah Tulang Akibat Osteoporosis Cenderung Meningkat. <http://lifestyle.bisnis.com/read/20121012/54/99878/kesehatan-tulang-kasus-patah-tulang-akibat-osteoporosis-cenderung-meningkat> (online accessed 2 April 15).
- Suchanek, W., Yoshimura, M., 1998. Processing and properties of hydroxyapatite-based biomaterials for use as hard tissue replacement implants. *Journal of Materials Research* 13, 94–117.
- Suhendrianto, 2012. Rancang Bangun Cnc Precision Turning Machine Dengan Metoda Functional Modeling Pada Perancangan Konseptual, Tesis, Program Studi Teknik Mesin, Universitas Gadjah Mada, Yogyakarta.
- Tan, K.H., Chua, C.K., Leong, K.F., Cheah, C.M., Gui, W.S., Tan, W.S., Wiria, F.E., 2005a. Selective laser sintering of biocompatible polymers for applications in tissue engineering. *Bio-Medical Materials and Engineering* 15, 113–124.

- Tarik Arafat, M., Gibson, I., Li, X., 2014. State of the art and future direction of additive manufactured scaffolds-based bone tissue engineering. *Rapid Prototyping Journal* 20, 13–26. doi:10.1108/RPJ-03-2012-0023.
- Unfold, 2012. Claystruder 1.5. <http://www.thingiverse.com/thing:21788> (online accessed 2 Mei 15).
- Utami, A.D., 2014. Pembuatan Dan Karakterisasi Macroporous Hydroxyapatite Bioceramics Dengan Struktur Beraturan Menggunakan Manually Extrusion Deposition Method, Skripsi, Program Studi Teknik Industri, Universitas Gadjah Mada, Yogyakarta.
- Vallet-Regí, M., Arcos, D., 2008. Biomimetic nanoceramics in clinical use from materials to applications. RSC Pub., Cambridge, UK.
- Wang, F., Shor, L., Darling, A., Khalil, S., Sun, W., Güçeri, S., Lau, A., 2004. Precision extruding deposition and characterization of cellular poly- ϵ -caprolactone tissue scaffolds. *Rapid Prototyping Journal* 10, 42–49.
- Wang, X., Nyman, J.S., Dong, X., Leng, H., Reyes, M., 2010. Fundamental Biomechanics in Bone Tissue Engineering. *Synthesis Lectures on Tissue Engineering* 2, 1–225. doi:10.2200/S00246ED1V01Y200912TIS004.
- Woodfield, T.B.F., Malda, J., de Wijn, J., Péters, F., Riesle, J., van Blitterswijk, C.A., 2004. Design of porous scaffolds for cartilage tissue engineering using a three-dimensional fiber-deposition technique. *Biomaterials* 25, 4149–4161. doi:10.1016/j.biomaterials.2003.10.056.
- Yang, S., Yang, H., Chi, X., Evans, J.R.G., Thompson, I., Cook, R.J., Robinson, P., 2008. Rapid prototyping of ceramic lattices for hard tissue scaffolds. *Materials & Design* 29, 1802–1809. doi:10.1016/j.matdes.2008.03.024.
- Yeong WY, Chua CK, Leong KF, Chandrasekaran M., 2004. Rapid prototyping in tissue engineering: challenges and potential. *Trends Biotechnol*;22(12):643–52.
- Yeong, W.Y., Chua, C.K., Leong, K.F., Chandrasekaran, M., Lee, M.W., 2006. Indirect fabrication of collagen scaffold based on inkjet printing technique. *Rapid Prototyping Journal* 12, 229–237.
- Young, M.L., Rao, R., Almer, J.D., Haeffner, D.R., Lewis, J.A., Dunand, D.C., 2009. Load partitioning in Al₂O₃–Al composites with three-dimensional periodic architecture. *Acta Materialia* 57, 2362–2375. doi:10.1016/j.actamat.2009.01.019.
- Zein, I., Hutmacher, D.W., Tan, K.C., Teoh, S.H., 2002. Fused deposition modeling of novel scaffold architectures for tissue engineering applications. *Biomaterials* 23, 1169–1185.