

REFERENCES

- Allison, L.A. 2007. *Fundamental Molecular Biology*. Blackwell Publishing. USA.
- Arifin, N.S., Ozaki, Y., and Okubo, H. 2000. Genetic diversity in Indonesian shallot (*Allium cepa* var. *ascalonicum*) and *Allium* × *wakegi* revealed by RAPD markers and origin of *A.* × *wakegi* identified by RFLP analyses of amplified chloroplast genes. *Euphytica* 111: 23–31.
- Badan Litbang Pertanian. Prospek dan Arah Pengembangan Agribisnis: Bawang Merah. <http://www.litbang.deptan.go.id/special/komoditas/b3bawang>. accessed on 2013 July 14.
- Brewster, J.L. 2008. *Onions and Other Vegetable Allium* 2nd Edition. CABI Publishing. London.
- Casali, N. and Preston, A. 2003. *E. coli* plasmid vectors : methods and applications (Method in molecular biology vol. 235). Humana Press Inc. New Jersey.
- Crawford, N. and Glass, A. D. M. 1998. Molecular and physiological aspect of nitrate uptake in plants. *Trends in Plant Science*(3): 389-395.
- Doddema, H., Hofstra, J.J., and Feenstra, W.J. 1978. Uptake of nitrate by mutants of *Arabidopsis thaliana*, disturbed in uptake or reduction of nitrate. *Plant Physiology* 43: 343-350.
- Harper, J. E. 1981. Effect of chlorate, nitrogen source, and light on chlorate toxicity and nitrate reductase activity in soybean leaves. *Physiologia Plantarum* 53: 505-510.
- Hegde, D.M. 1988. Effect of Irrigation and Nitrogen Fertilization on Yield, Quality, Nutrient Uptake and Water Use of Onion (*Allium cepa* L.). *Singapore J. Primary Industries*. 2(16):111-123.
- Ibendahl, G. and Fleming, R.A. 2007. Controlling Aquifer Nitrogen Levels When Fertilizing Crops : A Study of Groundwater Contamination and Denitrification. *Ecological Modelling* (205): 507-514.
- Jones, H. A. and Mann, L. K. 1963. *Onions and their allies*. Interscience. New York.



- Kane, C.D., Jasoni, R.L., Peffley, E.P., Thompson, L.D., Green, C.J., Pare, P., and Tissue, D. 2006. Nutrient Solution and Solution pH Influences on Onion Growth and Mineral Content. *Journal of Plant Nutrition* 29: 375–390.
- Kiba, T., Feria-Bourellier, A.B., Lafouge, F., Lezhneva, L., Boutet-Mercey, S., Orsel, M., Brehaut, V., Miller, A., Daniel-Vedele, F., Sakakibara, and H., Krapp, A. 2012. The *Arabidopsis* Nitrate Transporter NRT2.4 Plays a Double Role in Roots and Shoots of Nitrogen-Starved Plants. *Plant Cell* 24 (1): 245-258.
- Kosola, K. R. and Bloom, A. J. 1996. Chlorate as a transport analog for nitrate absorption by root of tomato. *Plant Physiology* 110: 1293-1299.
- Kurniawan H, Kusmana, and RS Basuki. 2008. Evaluasi sepuluh kultivar lokal bawang merah (*Allium ascalonicum* L.) di kersana Brebes. *Agrin*. 12 (2): 191-198.
- Laugier, E., Bouguyon, E., Mauries, A., Tillard, P., Gojon, A., and Lejay, L. 2011. Regulation of high-affinity nitrate uptake in roots of *Arabidopsis* depends predominantly on posttranscriptional control of the NRT2.1.1/NAR2.1 transport system. *Plant Physiology* 158: 1067-1078.
- LeVine, H. 2006. *Genetic Engineering (A reference handbook 2nd edition)*. ABC-CLIO Inc. California.
- Li, W., Wang, Y., Okamoto, M., Crawford, N.M., Siddiqi, M.Y., and Glass, A.D. 2007. Dissection of the AtNRT2.1.1:AtNRT2.1.2 inducible high-affinity nitrate transporter gene cluster. *Plant Physiology* 143 (1): 425-433.
- Liu, Y.G., and Whittier, R.F. 1995. Thermal Asymmetric Interlaced PCR: Automatable Amplification and Sequencing of Insert End Fragments from PI and YAC Clones for Chromosome Walking. *Genomics* 25: 674-681.
- Liu, Y.G., Mitsukawa, N., Oosumi, T., and Whittier, R.F. 1995. Efficient isolation and mapping of *Arabidopsis thaliana* T-DNA insert junctions by thermal asymmetric interlaced PCR. *The Plant Journal* 8 (3): 457-463.
- Liu, Y.G., and Chen, Y. 2007. High-efficiency thermal asymmetric interlaced PCR for amplification of unknown flanking sequences. *BioTechniques* 43: 649-656.



- Lu, C., Ma, J., Chen, X., Zhang, X., Shi, Y., and Huang, B. 2010. Effect of Nitrogen Fertilizer and Maize Straw Incorporation on NH_4^+ - ^{15}N and NO_3^- - ^{15}N Accumulation in Black Soil of Northeast China Among Three Conservative Cropping Cycles. *J. Soil Sci. Plant Nutr.* 10 (4): 443-453.
- Miller, A.J., Fan, X., Orsel, M., Smith, S.J., and Wells, D.M. 2007. Nitrate Transport and Signaling. *Journal of Experimental Botany* 58 (9): 2297-2306.
- Napitulu, D. and Winarto, L. 2010. Pengaruh Pemberian Pupuk N dan K terhadap Pertumbuhan dan Produksi Bawang Merah. *J. Hort.* 20 (1): 27-35.
- Pillai, M.J., Venkataraman, G.M., Kosak, S., and Torok-Storb, B. 2008. Integration site analysis in transgenic mice by thermal asymmetric interlaced (TAIL)-PCR: segregating multiple integrant founder lines and determining zygosity. *Transgenic Res* 17: 749 –754.
- Putrasamedja S and Suwandi. 1996. Varietas bawang merah di Indonesia. Monograf no. 5. Balai Penelitian tanaman sayuran. Pusat penelitian dan pengembangan hortikultura. Badan Penelitian dan pengembangan pertanian.
- Rabinowitch, H.D., and Currah, L. 2002. *Allium Crop Science: Recent Advances*. CABI Publishing. New York.
- Remans, T., Nacry, P., Pervent, M., Girin, T., Tillard, P., Lepetit, M., and Gojon, A. 2006. A central role for the nitrate transporter NRT 2.1 in the integrated morphological and physiological responses of the root system to nitrogen limitation in *Arabidopsis*. *Plant Physiology* 140: 909-921.
- Sambrook, J., Fritsch, E.F., and Maniatis, T. 1989. *Molecular Cloning: a laboratory Manual*. New York : Cold Spring Harbor Laboratory Press. English.
- Samadi, B. and Cahyono, B. 2005. *Bawang Merah Intensifikasi Budi Daya*. Penerbit Kanisius. Yogyakarta.
- Silva, J. A. and Uchida, R. 2000. *Plant Nutrient Management in Hawaii's Soils, Approaches for Tropical and Subtropical Agriculture*. College of Tropical Agriculture and Human Resources, University of Hawaii. Manoa.



- Siddiqi, M.Y., King, B.J. and Glass, A.D.M. 1992. Effects of nitrite, chlorate, and chlorite on nitrate uptake and nitrate reductase activity. *Plant Physiology* 100: 644-650.
- Suharyanta, E. 2006. Arah pengembangan agribisnis bawang merah di Bantul. *Jurnal Ilmu-ilmu Pertanian*, 2 (2):102-111.
- Sumarni, N and Hidayat, A. 2005. *Budidaya Bawang Merah*. Balai Penelitian Tanaman Sayuran. Bandung.
- Take, R. 2014. Cloning and characterization of inorganic nitrogen transporter of tea plant (*Camellia sinensis* L.). Shizuoka University. Shizuoka-shi.
- Tan, H.Q. and Singh, J. 2011. High Efficiency Thermal Asymmetric Interlaced (HE-TAIL) PCR for Amplification of Ds Transposon Insertion Sites in Barley. *Journal of Plant Molecular Biology & Biotechnology* 1: 9-14
- Tashiro, Y., Miyazaki, S., and Kanazawa, K. 1982. On the Shallot Cultivated in the Countries of Southeastern Asia. *Bull. Fac. Agr., Saga Univ.* 53: 65-73.
- Terauchi, R., and Kahl, G. 2000. Rapid isolation of promoter sequences by TAIL-PCR: the 5'-flanking regions of Pal and Pgi genes from yams (*Dioscorea*). *Mol Gen Genet* 263: 554-560.
- Tsay, Y.F., Chiu, C.C., Tsai, C. B., Ho, C.H., and Hsu, P.K. 2007. Nitrate transporters and peptide transporters. *FEBS Letters* 581 (12): 2290-2300.
- Vance, C.P. 2001. Symbiotic Nitrogen Fixation and Phosphorus Acquisition. *Plant Nutrition in a World of Declining Renewable Resources*. *Plant Physiology* 127 (2): 390-397.
- Wang, Y., Hsu, P., and Tsay, Y. 2012. Uptake, Allocation and Signaling of Nitrate. *Trends in Plant Science* 17 (8): 458-467.
- Wirth, J., Chopin, F., Santoni, V., Viennois, G., Tillard, P., Krapp, A., Lejay, L., Daniel-Vedele, F., and Gojon, A. 2007. Regulation of Root Nitrate Uptake at the NRT2.1.1 Protein Level in *Arabidopsis thaliana*. *JBC The Journal of Biological Chemistry* 282: 23541-23552.